

Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	VN	NT	2.72	0.003304	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	VL	NT	4.85	0.005891	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	VH	NT	5.41	0.006571	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	VN	NT	2.60	0.003158	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	VL	NT	1.70	0.002065	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	VH	NT	2.95	0.003583	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	VN	NT	-3.72	-0.004562	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	VL	NT	3.36	0.004120	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	VH	NT	-3.16	-0.003875	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	VN	NT	-5.22	-0.006401	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	VL	NT	-4.29	-0.005261	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	VH	NT	-2.26	-0.002771	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	VN	NT	-3.50	-0.004274	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	VL	NT	-3.18	-0.003883	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VH	NT	-3.93	-0.004799	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

(814-82 4)										
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	VN	NT	-3.46	-0.004225	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	VL	NT	-4.79	-0.005849	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	VH	NT	-3.16	-0.003858	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	VN	NT	2.47	0.003003	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	VL	NT	4.42	0.005374	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	VH	NT	-2.65	-0.003222	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	VN	NT	2.95	0.003587	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	VL	NT	3.45	0.004195	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	VH	NT	2.47	0.003003	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	VN	NT	4.22	0.005168	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	VL	NT	2.52	0.003086	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	VH	NT	3.82	0.004679	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	VN	NT	5.21	0.006381	±2.5	PASS
Band26 (814-82)	5MHz	16QAM	26715	25RB#0	VL	NT	-2.76	-0.003380	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	VH	NT	2.75	0.003368	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	VN	NT	-3.62	-0.004420	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	VL	NT	-2.42	-0.002955	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	VH	NT	-3.05	-0.003724	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	VN	NT	1.70	0.002076	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	VL	NT	-2.56	-0.003126	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	VH	NT	1.54	0.001880	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	VN	NT	-2.93	-0.003567	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	VL	NT	-3.62	-0.004407	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	VH	NT	-1.96	-0.002386	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	VN	NT	3.12	0.003798	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	VL	NT	3.23	0.003932	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	VH	NT	-3.46	-0.004212	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	VN	NT	-4.03	-0.004921	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-824)	10MHz	QPSK	26740	50RB#0	VL	NT	3.03	0.003700	±2.5	PASS
Band26 (814-824)	10MHz	QPSK	26740	50RB#0	VH	NT	-3.22	-0.003932	±2.5	PASS
Band26 (814-824)	10MHz	16QAM	26740	50RB#0	VN	NT	1.37	0.001673	±2.5	PASS
Band26 (814-824)	10MHz	16QAM	26740	50RB#0	VL	NT	-2.33	-0.002845	±2.5	PASS
Band26 (814-824)	10MHz	16QAM	26740	50RB#0	VH	NT	-3.40	-0.004151	±2.5	PASS
Band26 (814-824)	15MHz	QPSK	26765	75RB#0	VN	NT	1.97	0.002398	±2.5	PASS
Band26 (814-824)	15MHz	QPSK	26765	75RB#0	VL	NT	3.42	0.004163	±2.5	PASS
Band26 (814-824)	15MHz	QPSK	26765	75RB#0	VH	NT	3.71	0.004516	±2.5	PASS
Band26 (814-824)	15MHz	16QAM	26765	75RB#0	VN	NT	1.82	0.002215	±2.5	PASS
Band26 (814-824)	15MHz	16QAM	26765	75RB#0	VL	NT	3.35	0.004078	±2.5	PASS
Band26 (814-824)	15MHz	16QAM	26765	75RB#0	VH	NT	5.16	0.006281	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-30	-3.95	-0.004848	±2.5	PASS
Band26 (814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-20	5.12	0.006285	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	-10	1.79	0.002197	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	0	3.99	0.004898	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	10	-1.92	-0.002357	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	20	-3.43	-0.004210	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	30	-5.64	-0.006923	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	40	-2.45	-0.003007	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26697	6RB#0	NV	50	-3.22	-0.003952	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	-30	-3.92	-0.004812	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	-20	3.09	0.003793	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	-10	-2.86	-0.003510	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	0	-2.45	-0.003007	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	10	-4.82	-0.005916	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	20	-3.09	-0.003793	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	30	3.53	0.004333	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	40	3.81	0.004677	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26697	6RB#0	NV	50	2.16	0.002651	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	-30	3.28	0.004005	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	-20	3.55	0.004335	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	-10	-3.42	-0.004176	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	0	-3.28	-0.004005	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	10	3.25	0.003968	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	20	-4.48	-0.005470	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	30	2.80	0.003419	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	40	-3.28	-0.004005	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26740	6RB#0	NV	50	4.91	0.005995	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	-30	-3.06	-0.003736	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	-20	3.56	0.004347	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	-10	-2.52	-0.003077	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	0	-6.01	-0.007338	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

(814-82 4)										
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	10	2.32	0.002833	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	20	2.46	0.003004	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	30	3.53	0.004310	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	40	-4.62	-0.005641	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26740	6RB#0	NV	50	-2.50	-0.003053	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-30	6.79	0.008247	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-20	4.38	0.005320	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	-10	3.92	0.004761	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	0	5.62	0.006826	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	10	4.02	0.004883	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	20	6.61	0.008029	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	30	4.78	0.005806	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	40	3.71	0.004506	±2.5	PASS
Band26 (814-82 4)	1.4MHz	QPSK	26783	6RB#0	NV	50	3.50	0.004251	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	-30	3.09	0.003753	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	-20	-2.13	-0.002587	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	-10	2.66	0.003231	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	0	-3.99	-0.004846	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	10	-2.35	-0.002854	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	20	1.49	0.001810	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	30	-3.20	-0.003887	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	40	3.78	0.004591	±2.5	PASS
Band26 (814-82 4)	1.4MHz	16QAM	26783	6RB#0	NV	50	2.66	0.003231	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-30	2.93	0.003593	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-20	2.60	0.003188	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	-10	3.28	0.004022	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	0	-2.89	-0.003544	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	10	2.50	0.003066	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	20	3.53	0.004329	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	30	2.93	0.003593	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	40	2.75	0.003372	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26705	15RB#0	NV	50	-4.13	-0.005064	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	-30	-3.58	-0.004390	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	-20	-3.13	-0.003838	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	-10	-3.78	-0.004635	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	0	-3.88	-0.004758	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	10	-3.10	-0.003801	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	20	1.97	0.002416	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	30	-3.52	-0.004316	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	40	4.08	0.005003	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26705	15RB#0	NV	50	-4.01	-0.004917	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	-30	-3.96	-0.004835	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-20	-3.40	-0.004151	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

(814-82 4)										
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	-10	-6.01	-0.007338	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	0	-4.61	-0.005629	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	10	-4.76	-0.005812	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	20	-3.52	-0.004298	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	30	4.03	0.004921	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	40	-3.86	-0.004713	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26740	15RB#0	NV	50	-3.91	-0.004774	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	-30	4.15	0.005067	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	-20	-2.70	-0.003297	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	-10	-3.99	-0.004872	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	0	-2.70	-0.003297	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	10	-2.12	-0.002589	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	20	2.88	0.003516	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	30	-3.69	-0.004505	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	40	-3.29	-0.004017	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26740	15RB#0	NV	50	-3.35	-0.004090	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-30	3.83	0.004657	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-20	2.29	0.002784	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	-10	2.65	0.003222	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	0	2.86	0.003477	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	10	2.88	0.003502	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	20	3.49	0.004243	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	30	4.15	0.005046	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	40	2.50	0.003040	±2.5	PASS
Band26 (814-82 4)	3MHz	QPSK	26775	15RB#0	NV	50	4.03	0.004900	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	-30	3.76	0.004571	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	-20	2.53	0.003076	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	-10	3.71	0.004511	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	0	1.43	0.001739	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	10	-2.85	-0.003465	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	20	-2.56	-0.003112	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	30	4.21	0.005119	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	40	2.72	0.003307	±2.5	PASS
Band26 (814-82 4)	3MHz	16QAM	26775	15RB#0	NV	50	4.28	0.005204	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	-30	3.73	0.004568	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	-20	3.32	0.004066	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	-10	3.59	0.004397	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	0	3.76	0.004605	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	10	3.18	0.003895	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	20	2.46	0.003013	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	30	3.26	0.003993	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26715	25RB#0	NV	40	2.80	0.003429	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	50	3.33	0.004078	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

(814-82 4)										
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	-30	2.39	0.002927	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	-20	3.73	0.004568	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	-10	-3.95	-0.004838	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	0	3.45	0.004225	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	10	-3.20	-0.003919	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	20	3.55	0.004348	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	30	-3.68	-0.004507	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	40	2.59	0.003172	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26715	25RB#0	NV	50	2.09	0.002560	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-30	-1.93	-0.002357	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-20	-2.36	-0.002882	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	-10	-1.20	-0.001465	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	0	-2.53	-0.003089	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	10	2.25	0.002747	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	20	-2.88	-0.003516	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	30	1.59	0.001941	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	40	2.92	0.003565	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26740	25RB#0	NV	50	-2.33	-0.002845	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	-30	-3.03	-0.003700	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	-20	-2.02	-0.002466	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	-10	-3.62	-0.004420	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	0	-3.23	-0.003944	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	10	-2.19	-0.002674	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	20	-2.46	-0.003004	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	30	-3.18	-0.003883	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	40	-3.69	-0.004505	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26740	25RB#0	NV	50	-3.50	-0.004274	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-30	3.42	0.004163	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-20	2.89	0.003518	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	-10	4.13	0.005027	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	0	-3.16	-0.003847	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	10	3.91	0.004760	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	20	4.38	0.005332	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	30	3.19	0.003883	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	40	-2.76	-0.003360	±2.5	PASS
Band26 (814-82 4)	5MHz	QPSK	26765	25RB#0	NV	50	3.02	0.003676	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	-30	2.27	0.002763	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	-20	1.75	0.002130	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	-10	3.72	0.004528	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	0	3.09	0.003761	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	10	-2.40	-0.002921	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	20	2.69	0.003274	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	30	3.71	0.004516	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

(814-82 4)										
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	40	2.62	0.003189	±2.5	PASS
Band26 (814-82 4)	5MHz	16QAM	26765	25RB#0	NV	50	1.77	0.002155	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-30	3.49	0.004261	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-20	3.08	0.003761	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	-10	-2.98	-0.003639	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	0	-3.69	-0.004505	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	10	-3.65	-0.004457	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	20	-3.28	-0.004005	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	30	-4.01	-0.004896	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	40	-4.94	-0.006032	±2.5	PASS
Band26 (814-82 4)	10MHz	QPSK	26740	50RB#0	NV	50	-2.93	-0.003578	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	-30	-2.65	-0.003236	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	-20	-4.45	-0.005433	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	-10	-3.25	-0.003968	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

4)										
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	0	-2.12	-0.002589	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	10	-3.52	-0.004298	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	20	2.52	0.003077	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	30	-2.26	-0.002759	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	40	-2.22	-0.002711	±2.5	PASS
Band26 (814-82 4)	10MHz	16QAM	26740	50RB#0	NV	50	-2.45	-0.002991	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-30	4.98	0.006062	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-20	3.13	0.003810	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	-10	4.68	0.005697	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	0	4.39	0.005344	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	10	4.29	0.005222	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	20	-1.90	-0.002313	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	30	3.18	0.003871	±2.5	PASS
Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	40	2.52	0.003068	±2.5	PASS


Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26 (814-82 4)	15MHz	QPSK	26765	75RB#0	NV	50	1.16	0.001412	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	-30	2.65	0.003226	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	-20	2.23	0.002715	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	-10	2.55	0.003104	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	0	3.29	0.004005	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	10	-5.19	-0.006318	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	20	-7.40	-0.009008	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	30	-3.86	-0.004699	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	40	-3.23	-0.003932	±2.5	PASS
Band26 (814-82 4)	15MHz	16QAM	26765	75RB#0	NV	50	-2.43	-0.002958	±2.5	PASS

Test Graphs



CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.88 1.80 1.92 1.83 1.98 1.91 0.04 0.04 EVM Peak [%] 1h 8.07 9.04 8.94 8.48 10.46 9.04 0.97 0.32 EVM DMRS [%] 1h 1.51 1.56 1.83 1.70 2.24 1.96 0.30 0.16 IQ Offset [dBc] -52.00 -50.85 -49.56 1.12 Freq Error [Hz] 2.03 -0.21 2.03 0.97 Timing Error [Ts] 20.51 20.47 20.60 0.09 TX Power [dBm] 16.43 16.35 16.39 16.43 0.04 Peak Power [dBm] 16.43 16.35 16.39 16.43 0.04 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.87 1.78 1.90 1.81 1.98 1.87 0.04 0.04 EVM Peak [%] 1h 7.95 8.89 8.80 8.42 10.14 9.09 0.79 0.38 EVM DMRS [%] 1h 1.57 1.58 1.83 1.68 2.13 1.89 0.31 0.15 IQ Offset [dBc] -51.20 -51.05 -49.52 0.95 Freq Error [Hz] -0.43 -0.30 -0.36 1.26 Timing Error [Ts] 20.93 20.74 20.94 0.18 TX Power [dBm] 11.03 11.03 11.03 11.03 0.00 Peak Power [dBm] 16.66 16.66 16.64 16.67 0.01 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-P ASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.85 1.75 1.88 1.79 1.91 1.83 0.03 0.03 EVM Peak [%] 1h 7.91 8.65 8.84 8.39 9.88 8.70 0.82 0.20 EVM DMRS [%] 1h 1.49 1.50 1.81 1.66 2.12 1.85 0.31 0.15 IQ Offset [dBc] -51.99 -50.92 -49.34 0.91 Freq Error [Hz] 0.33 -0.31 -2.15 0.92 Timing Error [Ts] 20.73 20.69 21.00 0.10 TX Power [dBm] 11.10 11.09 11.08 11.10 0.00 Peak Power [dBm] 16.72 16.71 16.70 16.73 0.01 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.05 2.26 2.00 2.08 2.05 2.32 0.05 0.23 EVM Peak [%] 1h 9.32 10.99 9.17 9.07 9.53 11.69 0.28 2.37 EVM DMRS [%] 1h 1.51 1.43 2.00 1.47 2.47 1.58 0.44 0.06 IQ Offset [dBc] -52.76 -49.80 -47.56 2.62 Freq Error [Hz] -0.44 0.16 1.90 1.26 Timing Error [Ts] 21.43 21.49 21.63 0.11 TX Power [dBm] 9.73 9.66 9.59 9.73 0.06 Peak Power [dBm] 16.31 16.18 16.05 16.31 0.12 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-P ASS	Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-P PASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.03 2.28 2.00 2.10 2.06 2.33 0.04 0.22 EVM Peak [%] 1h 9.13 11.25 9.20 9.17 9.40 12.14 0.13 2.49 EVM DMRS [%] 1h 1.48 1.46 1.99 1.49 2.42 1.55 0.44 0.04 IQ Offset [dBc] -54.71 -49.69 -47.35 3.01 Freq Error [Hz] -1.56 0.30 3.82 1.62 Timing Error [Ts] 21.70 21.59 21.73 0.16 TX Power [dBm] 9.72 9.66 9.60 9.72 0.06 Peak Power [dBm] 16.29 16.19 16.06 16.31 0.11 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 28.70 dBm BW: 1.4 MHz CP: Normal Meas SubPl: Slot 2 / AB Error Vector Magnitude (RMS) 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h SC-BMMA Peak 1h Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.02 2.27 2.00 2.09 2.09 2.32 0.05 0.22 EVM Peak [%] 1h 9.32 11.64 9.19 9.18 9.54 11.67 0.24 2.37 EVM DMRS [%] 1h 1.49 1.43 2.01 1.50 2.44 1.62 0.43 0.05 IQ Offset [dBc] -51.39 -49.23 -47.17 2.61 Freq Error [Hz] -0.50 0.20 3.00 1.46 Timing Error [Ts] 21.78 21.63 21.81 0.15 TX Power [dBm] 9.75 9.69 9.63 9.75 0.06 Peak Power [dBm] 16.30 16.21 16.09 16.34 0.11 Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-P PASS	Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-P PASS

Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-P ASS	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P PASS
Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P PASS	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P PASS
Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P PASS	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-P PASS

Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS
Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26705-15RB#0-P ASS
Band26(814-824)-3MHz-16QAM-26705-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26705-15RB#0-P ASS

CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26740-15RB#0-P ASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 28.20 dBm BW: 3.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-3MHz-16QAM-26740-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26740-15RB#0-P ASS


CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.01</td><td>2.14</td><td>2.20</td><td>0.19</td></tr><tr><td>EVM Peak [%] 1h</td><td>12.61</td><td>14.04</td><td>14.91</td><td>1.59</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.53</td><td>1.42</td><td>1.61</td><td>0.04</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.13</td><td>-50.99</td><td>-50.42</td><td>0.41</td></tr><tr><td>Freq Error [Hz]</td><td>-0.31</td><td>0.17</td><td>2.47</td><td>1.44</td></tr><tr><td>Timing Error [Ts]</td><td>4.63</td><td>4.67</td><td>4.82</td><td>0.09</td></tr><tr><td>TX Power [dBm]</td><td>10.27</td><td>10.29</td><td>10.27</td><td>0.01</td></tr><tr><td>Peak Power [dBm]</td><td>15.07</td><td>15.04</td><td>14.98</td><td>0.04</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.01	2.14	2.20	0.19	EVM Peak [%] 1h	12.61	14.04	14.91	1.59	EVM DMRS [%] 1h	1.53	1.42	1.61	0.04	IQ Offset [dBc]	-51.13	-50.99	-50.42	0.41	Freq Error [Hz]	-0.31	0.17	2.47	1.44	Timing Error [Ts]	4.63	4.67	4.82	0.09	TX Power [dBm]	10.27	10.29	10.27	0.01	Peak Power [dBm]	15.07	15.04	14.98	0.04	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.04</td><td>2.15</td><td>2.22</td><td>0.19</td></tr><tr><td>EVM Peak [%] 1h</td><td>12.49</td><td>14.18</td><td>14.88</td><td>1.59</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.62</td><td>1.46</td><td>1.64</td><td>0.04</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.45</td><td>-50.76</td><td>-50.24</td><td>0.42</td></tr><tr><td>Freq Error [Hz]</td><td>4.42</td><td>1.27</td><td>4.42</td><td>1.32</td></tr><tr><td>Timing Error [Ts]</td><td>4.84</td><td>4.84</td><td>4.95</td><td>0.10</td></tr><tr><td>TX Power [dBm]</td><td>10.28</td><td>10.29</td><td>10.28</td><td>0.01</td></tr><tr><td>Peak Power [dBm]</td><td>15.07</td><td>15.03</td><td>14.97</td><td>0.06</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.04	2.15	2.22	0.19	EVM Peak [%] 1h	12.49	14.18	14.88	1.59	EVM DMRS [%] 1h	1.62	1.46	1.64	0.04	IQ Offset [dBc]	-51.45	-50.76	-50.24	0.42	Freq Error [Hz]	4.42	1.27	4.42	1.32	Timing Error [Ts]	4.84	4.84	4.95	0.10	TX Power [dBm]	10.28	10.29	10.28	0.01	Peak Power [dBm]	15.07	15.03	14.97	0.06
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.01	2.14	2.20	0.19																																																																																							
EVM Peak [%] 1h	12.61	14.04	14.91	1.59																																																																																							
EVM DMRS [%] 1h	1.53	1.42	1.61	0.04																																																																																							
IQ Offset [dBc]	-51.13	-50.99	-50.42	0.41																																																																																							
Freq Error [Hz]	-0.31	0.17	2.47	1.44																																																																																							
Timing Error [Ts]	4.63	4.67	4.82	0.09																																																																																							
TX Power [dBm]	10.27	10.29	10.27	0.01																																																																																							
Peak Power [dBm]	15.07	15.04	14.98	0.04																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.04	2.15	2.22	0.19																																																																																							
EVM Peak [%] 1h	12.49	14.18	14.88	1.59																																																																																							
EVM DMRS [%] 1h	1.62	1.46	1.64	0.04																																																																																							
IQ Offset [dBc]	-51.45	-50.76	-50.24	0.42																																																																																							
Freq Error [Hz]	4.42	1.27	4.42	1.32																																																																																							
Timing Error [Ts]	4.84	4.84	4.95	0.10																																																																																							
TX Power [dBm]	10.28	10.29	10.28	0.01																																																																																							
Peak Power [dBm]	15.07	15.03	14.97	0.06																																																																																							
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.03</td><td>2.15</td><td>2.23</td><td>0.19</td></tr><tr><td>EVM Peak [%] 1h</td><td>12.99</td><td>13.91</td><td>15.01</td><td>1.68</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.62</td><td>1.48</td><td>1.65</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.85</td><td>-50.79</td><td>-50.33</td><td>0.33</td></tr><tr><td>Freq Error [Hz]</td><td>2.46</td><td>0.53</td><td>-2.65</td><td>1.49</td></tr><tr><td>Timing Error [Ts]</td><td>4.45</td><td>4.61</td><td>4.86</td><td>0.20</td></tr><tr><td>TX Power [dBm]</td><td>10.26</td><td>10.26</td><td>10.25</td><td>0.00</td></tr><tr><td>Peak Power [dBm]</td><td>15.01</td><td>15.02</td><td>14.92</td><td>0.05</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.03	2.15	2.23	0.19	EVM Peak [%] 1h	12.99	13.91	15.01	1.68	EVM DMRS [%] 1h	1.62	1.48	1.65	0.03	IQ Offset [dBc]	-50.85	-50.79	-50.33	0.33	Freq Error [Hz]	2.46	0.53	-2.65	1.49	Timing Error [Ts]	4.45	4.61	4.86	0.20	TX Power [dBm]	10.26	10.26	10.25	0.00	Peak Power [dBm]	15.01	15.02	14.92	0.05	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.46</td><td>2.48</td><td>2.26</td><td>0.21</td></tr><tr><td>EVM Peak [%] 1h</td><td>24.41</td><td>24.46</td><td>23.59</td><td>0.67</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.73</td><td>1.67</td><td>1.64</td><td>0.11</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.71</td><td>-52.06</td><td>-51.13</td><td>0.66</td></tr><tr><td>Freq Error [Hz]</td><td>1.97</td><td>0.83</td><td>2.95</td><td>1.32</td></tr><tr><td>Timing Error [Ts]</td><td>5.64</td><td>4.59</td><td>5.56</td><td>1.00</td></tr><tr><td>TX Power [dBm]</td><td>9.30</td><td>9.34</td><td>9.28</td><td>0.06</td></tr><tr><td>Peak Power [dBm]</td><td>15.22</td><td>15.29</td><td>14.96</td><td>0.19</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.46	2.48	2.26	0.21	EVM Peak [%] 1h	24.41	24.46	23.59	0.67	EVM DMRS [%] 1h	1.73	1.67	1.64	0.11	IQ Offset [dBc]	-51.71	-52.06	-51.13	0.66	Freq Error [Hz]	1.97	0.83	2.95	1.32	Timing Error [Ts]	5.64	4.59	5.56	1.00	TX Power [dBm]	9.30	9.34	9.28	0.06	Peak Power [dBm]	15.22	15.29	14.96	0.19
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.03	2.15	2.23	0.19																																																																																							
EVM Peak [%] 1h	12.99	13.91	15.01	1.68																																																																																							
EVM DMRS [%] 1h	1.62	1.48	1.65	0.03																																																																																							
IQ Offset [dBc]	-50.85	-50.79	-50.33	0.33																																																																																							
Freq Error [Hz]	2.46	0.53	-2.65	1.49																																																																																							
Timing Error [Ts]	4.45	4.61	4.86	0.20																																																																																							
TX Power [dBm]	10.26	10.26	10.25	0.00																																																																																							
Peak Power [dBm]	15.01	15.02	14.92	0.05																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.46	2.48	2.26	0.21																																																																																							
EVM Peak [%] 1h	24.41	24.46	23.59	0.67																																																																																							
EVM DMRS [%] 1h	1.73	1.67	1.64	0.11																																																																																							
IQ Offset [dBc]	-51.71	-52.06	-51.13	0.66																																																																																							
Freq Error [Hz]	1.97	0.83	2.95	1.32																																																																																							
Timing Error [Ts]	5.64	4.59	5.56	1.00																																																																																							
TX Power [dBm]	9.30	9.34	9.28	0.06																																																																																							
Peak Power [dBm]	15.22	15.29	14.96	0.19																																																																																							
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.46</td><td>2.49</td><td>2.25</td><td>0.21</td></tr><tr><td>EVM Peak [%] 1h</td><td>22.82</td><td>23.02</td><td>23.06</td><td>0.33</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.76</td><td>1.70</td><td>1.67</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-52.37</td><td>-52.11</td><td>-51.09</td><td>0.53</td></tr><tr><td>Freq Error [Hz]</td><td>1.46</td><td>0.59</td><td>3.45</td><td>1.42</td></tr><tr><td>Timing Error [Ts]</td><td>3.51</td><td>3.69</td><td>3.76</td><td>0.09</td></tr><tr><td>TX Power [dBm]</td><td>9.19</td><td>9.24</td><td>9.18</td><td>0.06</td></tr><tr><td>Peak Power [dBm]</td><td>15.41</td><td>15.37</td><td>15.33</td><td>0.03</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-16QAM-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.46	2.49	2.25	0.21	EVM Peak [%] 1h	22.82	23.02	23.06	0.33	EVM DMRS [%] 1h	1.76	1.70	1.67	0.10	IQ Offset [dBc]	-52.37	-52.11	-51.09	0.53	Freq Error [Hz]	1.46	0.59	3.45	1.42	Timing Error [Ts]	3.51	3.69	3.76	0.09	TX Power [dBm]	9.19	9.24	9.18	0.06	Peak Power [dBm]	15.41	15.37	15.33	0.03	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 822.5MHz Ref Level: 28.10dBm BW: 3.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 150 OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.46</td><td>2.49</td><td>2.23</td><td>0.21</td></tr><tr><td>EVM Peak [%] 1h</td><td>23.13</td><td>23.18</td><td>23.15</td><td>0.24</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.79</td><td>1.75</td><td>1.67</td><td>0.11</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.24</td><td>-52.02</td><td>-51.21</td><td>0.64</td></tr><tr><td>Freq Error [Hz]</td><td>2.06</td><td>1.03</td><td>2.47</td><td>1.06</td></tr><tr><td>Timing Error [Ts]</td><td>3.57</td><td>3.59</td><td>3.77</td><td>0.13</td></tr><tr><td>TX Power [dBm]</td><td>9.23</td><td>9.28</td><td>9.23</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>15.44</td><td>15.42</td><td>15.37</td><td>0.03</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-3MHz-16QAM-26775-15RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.46	2.49	2.23	0.21	EVM Peak [%] 1h	23.13	23.18	23.15	0.24	EVM DMRS [%] 1h	1.79	1.75	1.67	0.11	IQ Offset [dBc]	-51.24	-52.02	-51.21	0.64	Freq Error [Hz]	2.06	1.03	2.47	1.06	Timing Error [Ts]	3.57	3.59	3.77	0.13	TX Power [dBm]	9.23	9.28	9.23	0.05	Peak Power [dBm]	15.44	15.42	15.37	0.03
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.46	2.49	2.25	0.21																																																																																							
EVM Peak [%] 1h	22.82	23.02	23.06	0.33																																																																																							
EVM DMRS [%] 1h	1.76	1.70	1.67	0.10																																																																																							
IQ Offset [dBc]	-52.37	-52.11	-51.09	0.53																																																																																							
Freq Error [Hz]	1.46	0.59	3.45	1.42																																																																																							
Timing Error [Ts]	3.51	3.69	3.76	0.09																																																																																							
TX Power [dBm]	9.19	9.24	9.18	0.06																																																																																							
Peak Power [dBm]	15.41	15.37	15.33	0.03																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.46	2.49	2.23	0.21																																																																																							
EVM Peak [%] 1h	23.13	23.18	23.15	0.24																																																																																							
EVM DMRS [%] 1h	1.79	1.75	1.67	0.11																																																																																							
IQ Offset [dBc]	-51.24	-52.02	-51.21	0.64																																																																																							
Freq Error [Hz]	2.06	1.03	2.47	1.06																																																																																							
Timing Error [Ts]	3.57	3.59	3.77	0.13																																																																																							
TX Power [dBm]	9.23	9.28	9.23	0.05																																																																																							
Peak Power [dBm]	15.44	15.42	15.37	0.03																																																																																							

CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26715-25RB#0-P ASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 816.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Trigger Display: 10/10 Marker: 0.01 Signaling Parameter: ON Go To Local Show Remote Screen
Band26(814-824)-5MHz-16QAM-26715-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26715-25RB#0-P ASS

CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 29.50 dBm BW: 5.0 MHz CP: Normal Meas Subst Slot: 2 / All Error Vector Magnitude (RMS) 1015 <


CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.12</td><td>2.18</td><td>2.16</td><td>2.28</td></tr><tr><td>EVM Peak [%] 1h</td><td>17.24</td><td>18.41</td><td>16.96</td><td>21.65</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.76</td><td>1.68</td><td>1.69</td><td>1.84</td></tr><tr><td>IQ Offset [dB]</td><td>-54.38</td><td>-52.87</td><td>-51.25</td><td>1.12</td></tr><tr><td>Freq Error [Hz]</td><td>-2.93</td><td>-0.41</td><td>-2.93</td><td>1.86</td></tr><tr><td>Timing Error [Ts]</td><td>9.90</td><td>9.75</td><td>9.90</td><td>0.15</td></tr><tr><td>TX Power [dBm]</td><td>11.51</td><td>11.62</td><td>11.61</td><td>11.63</td></tr><tr><td>Peak Power [dBm]</td><td>16.65</td><td>16.74</td><td>16.60</td><td>16.87</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.12	2.18	2.16	2.28	EVM Peak [%] 1h	17.24	18.41	16.96	21.65	EVM DMRS [%] 1h	1.76	1.68	1.69	1.84	IQ Offset [dB]	-54.38	-52.87	-51.25	1.12	Freq Error [Hz]	-2.93	-0.41	-2.93	1.86	Timing Error [Ts]	9.90	9.75	9.90	0.15	TX Power [dBm]	11.51	11.62	11.61	11.63	Peak Power [dBm]	16.65	16.74	16.60	16.87	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.18</td><td>2.29</td><td>2.25</td><td>2.37</td></tr><tr><td>EVM Peak [%] 1h</td><td>16.60</td><td>19.17</td><td>16.73</td><td>21.86</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.78</td><td>1.83</td><td>1.74</td><td>1.90</td></tr><tr><td>IQ Offset [dB]</td><td>-54.20</td><td>-52.77</td><td>-51.60</td><td>1.03</td></tr><tr><td>Freq Error [Hz]</td><td>0.11</td><td>0.50</td><td>-3.62</td><td>1.73</td></tr><tr><td>Timing Error [Ts]</td><td>9.55</td><td>9.60</td><td>9.86</td><td>0.15</td></tr><tr><td>TX Power [dBm]</td><td>11.73</td><td>11.73</td><td>11.73</td><td>11.73</td></tr><tr><td>Peak Power [dBm]</td><td>16.72</td><td>16.79</td><td>16.64</td><td>16.93</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.18	2.29	2.25	2.37	EVM Peak [%] 1h	16.60	19.17	16.73	21.86	EVM DMRS [%] 1h	1.78	1.83	1.74	1.90	IQ Offset [dB]	-54.20	-52.77	-51.60	1.03	Freq Error [Hz]	0.11	0.50	-3.62	1.73	Timing Error [Ts]	9.55	9.60	9.86	0.15	TX Power [dBm]	11.73	11.73	11.73	11.73	Peak Power [dBm]	16.72	16.79	16.64	16.93
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.12	2.18	2.16	2.28																																																																																							
EVM Peak [%] 1h	17.24	18.41	16.96	21.65																																																																																							
EVM DMRS [%] 1h	1.76	1.68	1.69	1.84																																																																																							
IQ Offset [dB]	-54.38	-52.87	-51.25	1.12																																																																																							
Freq Error [Hz]	-2.93	-0.41	-2.93	1.86																																																																																							
Timing Error [Ts]	9.90	9.75	9.90	0.15																																																																																							
TX Power [dBm]	11.51	11.62	11.61	11.63																																																																																							
Peak Power [dBm]	16.65	16.74	16.60	16.87																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.18	2.29	2.25	2.37																																																																																							
EVM Peak [%] 1h	16.60	19.17	16.73	21.86																																																																																							
EVM DMRS [%] 1h	1.78	1.83	1.74	1.90																																																																																							
IQ Offset [dB]	-54.20	-52.77	-51.60	1.03																																																																																							
Freq Error [Hz]	0.11	0.50	-3.62	1.73																																																																																							
Timing Error [Ts]	9.55	9.60	9.86	0.15																																																																																							
TX Power [dBm]	11.73	11.73	11.73	11.73																																																																																							
Peak Power [dBm]	16.72	16.79	16.64	16.93																																																																																							
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.17</td><td>2.27</td><td>2.24</td><td>2.33</td></tr><tr><td>EVM Peak [%] 1h</td><td>16.70</td><td>18.86</td><td>16.61</td><td>21.90</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.75</td><td>1.78</td><td>1.71</td><td>1.88</td></tr><tr><td>IQ Offset [dB]</td><td>-53.69</td><td>-52.85</td><td>-51.59</td><td>1.17</td></tr><tr><td>Freq Error [Hz]</td><td>-1.14</td><td>-0.11</td><td>-1.96</td><td>1.34</td></tr><tr><td>Timing Error [Ts]</td><td>9.57</td><td>9.65</td><td>9.80</td><td>0.10</td></tr><tr><td>TX Power [dBm]</td><td>11.73</td><td>11.73</td><td>11.73</td><td>11.74</td></tr><tr><td>Peak Power [dBm]</td><td>16.70</td><td>16.81</td><td>16.66</td><td>16.95</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.17	2.27	2.24	2.33	EVM Peak [%] 1h	16.70	18.86	16.61	21.90	EVM DMRS [%] 1h	1.75	1.78	1.71	1.88	IQ Offset [dB]	-53.69	-52.85	-51.59	1.17	Freq Error [Hz]	-1.14	-0.11	-1.96	1.34	Timing Error [Ts]	9.57	9.65	9.80	0.10	TX Power [dBm]	11.73	11.73	11.73	11.74	Peak Power [dBm]	16.70	16.81	16.66	16.95	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.02</td><td>2.06</td><td>1.96</td><td>2.03</td></tr><tr><td>EVM Peak [%] 1h</td><td>17.32</td><td>23.65</td><td>16.73</td><td>23.32</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.84</td><td>1.71</td><td>1.62</td><td>1.53</td></tr><tr><td>IQ Offset [dB]</td><td>-54.18</td><td>-52.87</td><td>-50.29</td><td>1.47</td></tr><tr><td>Freq Error [Hz]</td><td>2.29</td><td>1.60</td><td>3.12</td><td>0.84</td></tr><tr><td>Timing Error [Ts]</td><td>9.13</td><td>9.16</td><td>9.34</td><td>0.09</td></tr><tr><td>TX Power [dBm]</td><td>10.78</td><td>10.84</td><td>10.77</td><td>10.90</td></tr><tr><td>Peak Power [dBm]</td><td>16.68</td><td>16.65</td><td>16.61</td><td>16.69</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-16QAM-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.02	2.06	1.96	2.03	EVM Peak [%] 1h	17.32	23.65	16.73	23.32	EVM DMRS [%] 1h	1.84	1.71	1.62	1.53	IQ Offset [dB]	-54.18	-52.87	-50.29	1.47	Freq Error [Hz]	2.29	1.60	3.12	0.84	Timing Error [Ts]	9.13	9.16	9.34	0.09	TX Power [dBm]	10.78	10.84	10.77	10.90	Peak Power [dBm]	16.68	16.65	16.61	16.69
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.17	2.27	2.24	2.33																																																																																							
EVM Peak [%] 1h	16.70	18.86	16.61	21.90																																																																																							
EVM DMRS [%] 1h	1.75	1.78	1.71	1.88																																																																																							
IQ Offset [dB]	-53.69	-52.85	-51.59	1.17																																																																																							
Freq Error [Hz]	-1.14	-0.11	-1.96	1.34																																																																																							
Timing Error [Ts]	9.57	9.65	9.80	0.10																																																																																							
TX Power [dBm]	11.73	11.73	11.73	11.74																																																																																							
Peak Power [dBm]	16.70	16.81	16.66	16.95																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.02	2.06	1.96	2.03																																																																																							
EVM Peak [%] 1h	17.32	23.65	16.73	23.32																																																																																							
EVM DMRS [%] 1h	1.84	1.71	1.62	1.53																																																																																							
IQ Offset [dB]	-54.18	-52.87	-50.29	1.47																																																																																							
Freq Error [Hz]	2.29	1.60	3.12	0.84																																																																																							
Timing Error [Ts]	9.13	9.16	9.34	0.09																																																																																							
TX Power [dBm]	10.78	10.84	10.77	10.90																																																																																							
Peak Power [dBm]	16.68	16.65	16.61	16.69																																																																																							
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.02</td><td>2.06</td><td>1.97</td><td>2.04</td></tr><tr><td>EVM Peak [%] 1h</td><td>16.95</td><td>24.63</td><td>16.66</td><td>23.72</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.73</td><td>1.63</td><td>1.54</td></tr><tr><td>IQ Offset [dB]</td><td>-54.27</td><td>-51.94</td><td>-50.22</td><td>1.51</td></tr><tr><td>Freq Error [Hz]</td><td>2.20</td><td>0.70</td><td>3.23</td><td>1.62</td></tr><tr><td>Timing Error [Ts]</td><td>9.05</td><td>9.06</td><td>9.18</td><td>0.07</td></tr><tr><td>TX Power [dBm]</td><td>10.80</td><td>10.86</td><td>10.80</td><td>10.92</td></tr><tr><td>Peak Power [dBm]</td><td>16.73</td><td>16.68</td><td>16.63</td><td>16.73</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-16QAM-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.02	2.06	1.97	2.04	EVM Peak [%] 1h	16.95	24.63	16.66	23.72	EVM DMRS [%] 1h	1.80	1.73	1.63	1.54	IQ Offset [dB]	-54.27	-51.94	-50.22	1.51	Freq Error [Hz]	2.20	0.70	3.23	1.62	Timing Error [Ts]	9.05	9.06	9.18	0.07	TX Power [dBm]	10.80	10.86	10.80	10.92	Peak Power [dBm]	16.73	16.68	16.63	16.73	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 821.5MHz Ref Level: 29.20dBm BW: 5.0MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 15 10 5 0 1 2 h 1 1 h 1 2 h 1 3 h 1 4 h 1 5 h 1 6 h Current Average Maximum Detected Allocation NoRB: 250 OffsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>1.98</td><td>2.01</td><td>1.93</td><td>1.99</td></tr><tr><td>EVM Peak [%] 1h</td><td>17.26</td><td>23.97</td><td>16.66</td><td>23.79</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.74</td><td>1.64</td><td>1.59</td><td>1.50</td></tr><tr><td>IQ Offset [dB]</td><td>-53.87</td><td>-51.91</td><td>-49.94</td><td>1.64</td></tr><tr><td>Freq Error [Hz]</td><td>-0.89</td><td>0.49</td><td>-3.46</td><td>1.67</td></tr><tr><td>Timing Error [Ts]</td><td>9.01</td><td>9.05</td><td>9.17</td><td>0.11</td></tr><tr><td>TX Power [dBm]</td><td>10.68</td><td>10.74</td><td>10.68</td><td>10.80</td></tr><tr><td>Peak Power [dBm]</td><td>16.61</td><td>16.59</td><td>16.52</td><td>16.62</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10 / 10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-5MHz-16QAM-26765-25RB#0-P ASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.98	2.01	1.93	1.99	EVM Peak [%] 1h	17.26	23.97	16.66	23.79	EVM DMRS [%] 1h	1.74	1.64	1.59	1.50	IQ Offset [dB]	-53.87	-51.91	-49.94	1.64	Freq Error [Hz]	-0.89	0.49	-3.46	1.67	Timing Error [Ts]	9.01	9.05	9.17	0.11	TX Power [dBm]	10.68	10.74	10.68	10.80	Peak Power [dBm]	16.61	16.59	16.52	16.62
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.02	2.06	1.97	2.04																																																																																							
EVM Peak [%] 1h	16.95	24.63	16.66	23.72																																																																																							
EVM DMRS [%] 1h	1.80	1.73	1.63	1.54																																																																																							
IQ Offset [dB]	-54.27	-51.94	-50.22	1.51																																																																																							
Freq Error [Hz]	2.20	0.70	3.23	1.62																																																																																							
Timing Error [Ts]	9.05	9.06	9.18	0.07																																																																																							
TX Power [dBm]	10.80	10.86	10.80	10.92																																																																																							
Peak Power [dBm]	16.73	16.68	16.63	16.73																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	1.98	2.01	1.93	1.99																																																																																							
EVM Peak [%] 1h	17.26	23.97	16.66	23.79																																																																																							
EVM DMRS [%] 1h	1.74	1.64	1.59	1.50																																																																																							
IQ Offset [dB]	-53.87	-51.91	-49.94	1.64																																																																																							
Freq Error [Hz]	-0.89	0.49	-3.46	1.67																																																																																							
Timing Error [Ts]	9.01	9.05	9.17	0.11																																																																																							
TX Power [dBm]	10.68	10.74	10.68	10.80																																																																																							
Peak Power [dBm]	16.61	16.59	16.52	16.62																																																																																							

Band26(814-824)-10MHz-QPSK-26740-50RB#0-P ASS	Band26(814-824)-10MHz-QPSK-26740-50RB#0-P ASS
Band26(814-824)-10MHz-QPSK-26740-50RB#0-P ASS	Band26(814-824)-10MHz-16QAM-26740-50RB#0-P PASS
Band26(814-824)-10MHz-16QAM-26740-50RB#0-P PASS	Band26(814-824)-10MHz-16QAM-26740-50RB#0-P PASS




Band26(814-824)-15MHz-QPSK-26765-75RB#0-P

ASS



Band26(814-824)-15MHz-QPSK-26765-75RB#0-P

ASS



Band26(814-824)-15MHz-16QAM-26765-75RB#0-P

PASS

Temperature

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS

Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-P ASS	Band26(814-824)-1.4MHz-16QAM-26697-6RB#0- PASS
Band26(814-824)-1.4MHz-16QAM-26697-6RB#0- PASS	Band26(814-824)-1.4MHz-16QAM-26697-6RB#0- PASS