


802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39868G	63.70	74.00	-10.30	43.80	3	Horizontal	145	2.65	-	40.20	9.63	29.93
AV	13.39854G	50.32	54.00	-3.68	30.42	3	Horizontal	145	2.65	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08486G	47.70	83.54	-35.84	44.42	1	Vertical	344	2.13	-	37.47	15.54	49.73
AV	20.08403G	33.73	63.54	-29.81	30.45	1	Vertical	344	2.13	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08357G	47.86	83.54	-35.68	44.58	1	Horizontal	270	2.12	-	37.47	15.54	49.73
AV	20.08578G	34.55	63.54	-28.99	31.27	1	Horizontal	270	2.12	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	121.24	Inf	-Inf	110.56	3	Vertical	31	2.58	-	36.58	7.07	32.97
RMS	6.8508G	112.50	Inf	-Inf	101.80	3	Vertical	31	2.58	-	36.59	7.08	32.97
PK	7.177G	64.03	88.20	-24.17	52.92	3	Vertical	31	2.58	-	37.01	7.21	33.11
RMS	7.1896G	53.14	68.20	-15.06	41.99	3	Vertical	31	2.58	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	109.97	Inf	-Inf	99.29	3	Horizontal	33	2.43	-	36.58	7.07	32.97	
RMS	6.8522G	101.14	Inf	-Inf	90.45	3	Horizontal	33	2.43	-	36.58	7.08	32.97	
PK	7.1574G	64.22	88.20	-23.98	53.17	3	Horizontal	33	2.43	-	36.93	7.22	33.10	
RMS	7.1882G	53.14	68.20	-15.06	42.00	3	Horizontal	33	2.43	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6996G	62.90	88.20	-25.30	42.30	3	Vertical	294	1.79	-	40.50	9.76	29.66	
RMS	13.70088G	50.77	68.20	-17.43	30.16	3	Vertical	294	1.79	-	40.50	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69928G	66.76	88.20	-21.44	46.16	3	Horizontal	214	1.94	-	40.50	9.76	29.66
RMS	13.70096G	54.86	68.20	-13.34	34.25	3	Horizontal	214	1.94	-	40.50	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56252G	47.92	83.54	-35.62	44.26	1	Vertical	22	1.53	-	37.78	15.75	49.87
AV	20.56818G	34.60	63.54	-28.94	30.93	1	Vertical	22	1.53	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56024G	48.11	83.54	-35.43	44.47	1	Horizontal	163	1.52	-	37.77	15.75	49.88
AV	20.56814G	34.60	63.54	-28.94	30.93	1	Horizontal	163	1.52	-	37.78	15.76	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU26_1TX_Ant. 3


Appendix E.38

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.8928G	53.78	54.00	-0.22	3	Horizontal	213	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	63.25	88.20	-24.95	54.61	3	Vertical	89	1.72	-	34.83	6.60	32.79
RMS	5.9058G	51.63	68.20	-16.57	42.91	3	Vertical	89	1.72	-	34.92	6.60	32.80
PK	5.9466G	120.04	Inf	-Inf	111.17	3	Vertical	89	1.72	-	35.09	6.60	32.82
RMS	5.9466G	110.32	Inf	-Inf	101.45	3	Vertical	89	1.72	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8936G	58.66	74.00	-15.34	42.77	3	Vertical	19	1.80	-	38.50	8.97	31.58
AV	11.8928G	47.07	54.00	-6.93	31.18	3	Vertical	19	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8932G	68.67	74.00	-5.33	52.78	3	Horizontal	213	1.80	-	38.50	8.97	31.58
AV	11.8928G	53.78	54.00	-0.22	37.89	3	Horizontal	213	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7414G	59.52	88.20	-28.68	53.37	3	Vertical	68	1.79	-	34.22	7.40	35.47
RMS	5.925G	47.48	68.20	-20.72	40.82	3	Vertical	68	1.79	-	34.70	7.52	35.56
PK	6.1866G	120.72	Inf	-Inf	113.41	3	Vertical	68	1.79	-	35.15	7.69	35.53
RMS	6.1866G	110.64	Inf	-Inf	103.33	3	Vertical	68	1.79	-	35.15	7.69	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3726G	60.15	74.00	-13.85	45.60	3	Vertical	228	1.69	-	38.87	11.10	35.42
AV	12.373G	46.51	54.00	-7.49	31.96	3	Vertical	228	1.69	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3728G	67.89	74.00	-6.11	53.34	3	Horizontal	205	2.30	-	38.87	11.10	35.42
AV	12.3732G	53.23	54.00	-0.77	38.68	3	Horizontal	205	2.30	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5526G	45.38	83.54	-38.16	42.73	1	Vertical	65	1.38	-	37.78	14.92	50.05
AV	18.5468G	32.07	63.54	-31.47	29.42	1	Vertical	65	1.38	-	37.78	14.92	50.05

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5956G	44.98	83.54	-38.56	42.28	1	Horizontal	106	1.81	-	37.76	14.94	50.00	
AV	18.5466G	32.11	63.54	-31.43	29.46	1	Horizontal	106	1.81	-	37.78	14.92	50.05	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7142G	59.49	88.20	-28.71	53.28	3	Vertical	71	1.80	-	34.27	7.40	35.46
RMS	5.919G	47.50	68.20	-20.70	40.86	3	Vertical	71	1.80	-	34.68	7.52	35.56
PK	6.4086G	120.47	Inf	-Inf	113.32	3	Vertical	71	1.80	-	34.87	7.72	35.44
RMS	6.4086G	107.04	Inf	-Inf	99.89	3	Vertical	71	1.80	-	34.87	7.72	35.44
PK	7.199G	61.47	88.20	-26.73	52.42	3	Vertical	71	1.80	-	36.39	8.20	35.54
RMS	7.199G	50.21	68.20	-17.99	41.16	3	Vertical	71	1.80	-	36.39	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8122G	59.37	88.20	-28.83	43.28	3	Vertical	227	1.80	-	39.31	11.45	34.67
RMS	12.813G	46.29	68.20	-21.91	30.20	3	Vertical	227	1.80	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	68.31	88.20	-19.89	52.22	3	Horizontal	203	2.18	-	39.31	11.45	34.67
RMS	12.813G	52.81	68.20	-15.39	36.72	3	Horizontal	203	2.18	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2096G	46.06	83.54	-37.48	42.77	1	Vertical	184	1.36	-	37.75	15.18	49.64	
AV	19.2136G	32.92	63.54	-30.62	29.63	1	Vertical	184	1.36	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2434G	46.18	83.54	-37.36	42.92	1	Horizontal	143	1.48	-	37.71	15.20	49.65	
AV	19.2138G	32.83	63.54	-30.71	29.54	1	Horizontal	143	1.48	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	58.71	88.20	-29.49	52.27	3	Vertical	69	1.74	-	34.50	7.48	35.54
RMS	5.919G	47.45	68.20	-20.75	40.81	3	Vertical	69	1.74	-	34.68	7.52	35.56
PK	6.5434G	120.98	Inf	-Inf	113.53	3	Vertical	69	1.74	-	34.87	7.99	35.41
RMS	6.5434G	109.49	Inf	-Inf	102.04	3	Vertical	69	1.74	-	34.87	7.99	35.41
PK	7.1958G	62.08	88.20	-26.12	53.05	3	Vertical	69	1.74	-	36.37	8.20	35.54
RMS	7.2322G	50.41	68.20	-17.79	41.11	3	Vertical	69	1.74	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0866G	58.74	88.20	-29.46	41.41	3	Vertical	236	1.93	-	39.76	11.67	34.10
RMS	13.0864G	45.01	68.20	-23.19	27.68	3	Vertical	236	1.93	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0856G	61.26	88.20	-26.94	43.93	3	Horizontal	147	3.00	-	39.76	11.67	34.10
RMS	13.0868G	47.90	68.20	-20.30	30.57	3	Horizontal	147	3.00	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.61G	47.27	83.54	-36.27	43.77	1	Vertical	61	1.46	-	37.86	15.34	49.70
AV	19.5934G	33.43	63.54	-30.11	29.93	1	Vertical	61	1.46	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.616G	47.66	83.54	-35.88	44.16	1	Horizontal	176	2.75	-	37.85	15.35	49.70
AV	19.6212G	33.39	63.54	-30.15	29.89	1	Horizontal	176	2.75	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	122.30	Inf	-Inf	114.22	3	Vertical	70	1.69	-	35.42	8.10	35.44
RMS	6.7038G	111.68	Inf	-Inf	103.60	3	Vertical	70	1.69	-	35.42	8.10	35.44
PK	7.1548G	62.63	88.20	-25.57	53.83	3	Vertical	70	1.69	-	36.13	8.20	35.53
RMS	7.2318G	50.48	68.20	-17.72	41.18	3	Vertical	70	1.69	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.407G	58.97	88.20	-29.23	40.29	3	Vertical	316	1.80	-	40.31	11.93	33.56	
RMS	13.4066G	46.10	68.20	-22.10	27.43	3	Vertical	316	1.80	-	40.31	11.93	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4068G	63.19	88.20	-25.01	44.51	3	Horizontal	147	2.66	-	40.31	11.93	33.56
RMS	13.4068G	49.79	68.20	-18.41	31.11	3	Horizontal	147	2.66	-	40.31	11.93	33.56

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0492G	47.01	83.54	-36.53	43.77	1	Vertical	74	2.45	-	37.44	15.52	49.72
AV	20.045G	33.52	63.54	-30.02	30.28	1	Vertical	74	2.45	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0986G	46.58	83.54	-36.96	43.30	1	Horizontal	292	2.51	-	37.48	15.54	49.74
AV	20.0444G	33.50	63.54	-30.04	30.26	1	Horizontal	292	2.51	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8634G	125.15	Inf	-Inf	114.54	3	Vertical	56	1.47	-	36.49	7.10	32.98	
RMS	6.8634G	119.79	Inf	-Inf	109.18	3	Vertical	56	1.47	-	36.49	7.10	32.98	
PK	7.198G	65.22	88.20	-22.98	54.05	3	Vertical	56	1.47	-	37.09	7.20	33.12	
RMS	7.2022G	53.24	68.20	-14.96	42.07	3	Vertical	56	1.47	-	37.10	7.20	33.13	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7274G	64.96	88.20	-23.24	44.25	3	Vertical	164	2.22	-	40.58	9.78	29.65
RMS	13.7266G	55.05	68.20	-13.15	34.34	3	Vertical	164	2.22	-	40.58	9.78	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.7254G	69.35	88.20	-18.85	48.64	3	Horizontal	211	2.57	-	40.58	9.78	29.65
RMS	13.7268G	61.35	68.20	-6.85	40.64	3	Horizontal	211	2.57	-	40.58	9.78	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6066G	47.02	83.54	-36.52	43.28	1	Vertical	249	2.52	-	37.83	15.77	49.86
AV	20.59G	35.18	63.54	-28.36	31.46	1	Vertical	249	2.52	-	37.81	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.5884G	46.93	83.54	-36.61	43.22	1	Horizontal	47	1.13	-	37.81	15.76	49.86
AV	20.5906G	35.11	63.54	-28.43	31.39	1	Horizontal	47	1.13	-	37.81	15.77	49.86



RSE TX above 1GHz
<Partial RU> standard power_RU52_1TX_Ant. 3


Appendix E.39

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.16	68.20	-0.04	3	Vertical	263	1.71	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13.75
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.09	88.20	-21.11	58.33	3	Vertical	70	1.42	-	34.97	6.60	32.81
RMS	5.9182G	51.76	68.20	-16.44	43.00	3	Vertical	70	1.42	-	34.97	6.60	32.81
PK	5.949G	119.39	Inf	-Inf	110.51	3	Vertical	70	1.42	-	35.10	6.60	32.82
RMS	5.9486G	108.73	Inf	-Inf	99.86	3	Vertical	70	1.42	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9476G	58.95	74.00	-15.05	43.02	3	Vertical	242	1.80	-	38.50	8.99	31.56	
AV	11.8952G	46.18	54.00	-7.82	30.29	3	Vertical	242	1.80	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 13.75
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.8948G	66.75	74.00	-7.25	50.86	3	Horizontal	213	1.38	-	38.50	8.97	31.58	
AV	11.8952G	53.88	54.00	-0.12	37.99	3	Horizontal	213	1.38	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	59.04	88.20	-29.16	52.64	3	Vertical	67	1.76	-	34.46	7.48	35.54
RMS	5.919G	48.01	68.20	-20.19	41.37	3	Vertical	67	1.76	-	34.68	7.52	35.56
PK	6.189G	121.29	Inf	-Inf	113.96	3	Vertical	67	1.76	-	35.16	7.69	35.52
RMS	6.189G	112.04	Inf	-Inf	104.71	3	Vertical	67	1.76	-	35.16	7.69	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3762G	58.65	74.00	-15.35	44.08	3	Vertical	282	1.73	-	38.88	11.10	35.41
AV	12.376G	45.70	54.00	-8.30	31.13	3	Vertical	282	1.73	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3782G	66.87	74.00	-7.13	52.30	3	Horizontal	203	2.16	-	38.88	11.10	35.41
AV	12.376G	52.89	54.00	-1.11	38.32	3	Horizontal	203	2.16	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6338G	46.10	83.54	-37.44	43.37	1	Vertical	15	1.88	-	37.75	14.95	49.97
AV	18.535G	32.15	63.54	-31.39	29.51	1	Vertical	15	1.88	-	37.79	14.91	50.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.6028G	45.44	83.54	-38.10	42.74	1	Horizontal	184	2.23	-	37.76	14.94	50.00	
AV	18.535G	32.16	63.54	-31.38	29.52	1	Horizontal	184	2.23	-	37.79	14.91	50.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.20	88.20	-29.00	52.56	3	Vertical	67	1.67	-	34.68	7.52	35.56
RMS	5.925G	47.90	68.20	-20.30	41.24	3	Vertical	67	1.67	-	34.70	7.52	35.56
PK	6.4086G	119.86	Inf	-Inf	112.71	3	Vertical	67	1.67	-	34.87	7.72	35.44
RMS	6.4086G	110.98	Inf	-Inf	103.83	3	Vertical	67	1.67	-	34.87	7.72	35.44
PK	7.167G	61.58	88.20	-26.62	52.71	3	Vertical	67	1.67	-	36.20	8.20	35.53
RMS	7.2054G	50.67	68.20	-17.53	41.57	3	Vertical	67	1.67	-	36.43	8.21	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8184G	59.73	88.20	-28.47	43.62	3	Vertical	255	1.56	-	39.32	11.45	34.66
RMS	12.8162G	46.59	68.20	-21.61	30.48	3	Vertical	255	1.56	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8182G	66.19	88.20	-22.01	50.08	3	Horizontal	202	2.09	-	39.32	11.45	34.66
RMS	12.8162G	52.66	68.20	-15.54	36.55	3	Horizontal	202	2.09	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2288G	46.34	83.54	-37.20	43.07	1	Vertical	350	1.62	-	37.73	15.19	49.65
AV	19.2222G	33.06	63.54	-30.48	29.78	1	Vertical	350	1.62	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.1954G	46.22	83.54	-37.32	42.91	1	Horizontal	113	1.06	-	37.77	15.18	49.64
AV	19.2166G	32.94	63.54	-30.60	29.65	1	Horizontal	113	1.06	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	59.04	88.20	-29.16	52.41	3	Vertical	99	1.70	-	34.67	7.52	35.56
RMS	5.9198G	47.71	68.20	-20.49	41.07	3	Vertical	99	1.70	-	34.68	7.52	35.56
PK	6.4286G	102.63	Inf	-Inf	95.51	3	Vertical	99	1.70	-	34.79	7.76	35.43
RMS	6.4286G	92.20	Inf	-Inf	85.08	3	Vertical	99	1.70	-	34.79	7.76	35.43
PK	7.1262G	60.63	88.20	-27.57	51.99	3	Vertical	99	1.70	-	35.96	8.20	35.52
RMS	7.235G	50.69	68.20	-17.51	41.36	3	Vertical	99	1.70	-	36.61	8.27	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8994G	56.66	88.20	-31.54	40.21	3	Vertical	32	1.74	-	39.40	11.52	34.47	
RMS	12.9162G	43.13	68.20	-25.07	26.61	3	Vertical	32	1.74	-	39.42	11.53	34.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8402G	55.79	88.20	-32.41	39.59	3	Horizontal	279	2.54	-	39.34	11.47	34.61
RMS	12.8826G	43.12	68.20	-25.08	26.74	3	Horizontal	279	2.54	-	39.38	11.51	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3426G	47.62	83.54	-35.92	44.28	1	Vertical	139	2.95	-	37.77	15.24	49.67
AV	19.3284G	33.85	63.54	-29.69	30.53	1	Vertical	139	2.95	-	37.76	15.23	49.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3026G	47.41	83.54	-36.13	44.11	1	Horizontal	23	2.86	-	37.74	15.22	49.66	
AV	19.2956G	33.66	63.54	-29.88	30.36	1	Horizontal	23	2.86	-	37.74	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.08	88.20	-30.12	51.42	3	Vertical	68	1.66	-	34.70	7.52	35.56
RMS	5.902G	47.73	68.20	-20.47	41.17	3	Vertical	68	1.66	-	34.61	7.50	35.55
PK	6.469G	101.34	Inf	-Inf	94.21	3	Vertical	68	1.66	-	34.70	7.84	35.41
RMS	6.469G	91.49	Inf	-Inf	84.36	3	Vertical	68	1.66	-	34.70	7.84	35.41
PK	7.195G	61.07	88.20	-27.13	52.04	3	Vertical	68	1.66	-	36.37	8.20	35.54
RMS	7.225G	50.63	68.20	-17.57	41.38	3	Vertical	68	1.66	-	36.55	8.25	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9982G	56.89	88.20	-31.31	40.03	3	Vertical	203	2.36	-	39.50	11.60	34.24
RMS	12.9984G	44.25	68.20	-23.95	27.39	3	Vertical	203	2.36	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.997G	56.53	88.20	-31.67	39.68	3	Horizontal	218	2.41	-	39.50	11.60	34.25
RMS	12.9986G	44.23	68.20	-23.97	27.37	3	Horizontal	218	2.41	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4502G	46.86	83.54	-36.68	43.41	1	Vertical	54	1.80	-	37.86	15.28	49.69	
AV	19.375G	33.77	63.54	-29.77	30.40	1	Vertical	54	1.80	-	37.80	15.25	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3954G	47.95	83.54	-35.59	44.55	1	Horizontal	266	1.08	-	37.82	15.26	49.68
AV	19.3756G	33.63	63.54	-29.91	30.26	1	Horizontal	266	1.08	-	37.80	15.25	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
 Setting -0.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	58.76	88.20	-29.44	52.39	3	Vertical	77	1.69	-	34.44	7.47	35.54
RMS	5.9242G	47.81	68.20	-20.39	41.15	3	Vertical	77	1.69	-	34.70	7.52	35.56
PK	6.5094G	102.73	Inf	-Inf	95.47	3	Vertical	77	1.69	-	34.74	7.92	35.40
RMS	6.5094G	91.90	Inf	-Inf	84.64	3	Vertical	77	1.69	-	34.74	7.92	35.40
PK	7.1478G	61.16	88.20	-27.04	52.40	3	Vertical	77	1.69	-	36.09	8.20	35.53
RMS	7.215G	50.64	68.20	-17.56	41.47	3	Vertical	77	1.69	-	36.49	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -0.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0758G	57.99	88.20	-30.21	40.71	3	Vertical	161	2.44	-	39.73	11.66	34.11
RMS	13.0766G	44.70	68.20	-23.50	27.42	3	Vertical	161	2.44	-	39.73	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0466G	58.48	88.20	-29.72	41.36	3	Horizontal	151	1.38	-	39.64	11.64	34.16
RMS	13.074G	44.68	68.20	-23.52	27.42	3	Horizontal	151	1.38	-	39.72	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -0.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.545G	47.20	83.54	-36.34	43.70	1	Vertical	196	2.12	-	37.88	15.32	49.70
AV	19.5444G	33.91	63.54	-29.63	30.41	1	Vertical	196	2.12	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -0.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5064G	47.42	83.54	-36.12	43.92	1	Horizontal	302	2.96	-	37.90	15.30	49.70	
AV	19.5902G	33.91	63.54	-29.63	30.41	1	Horizontal	302	2.96	-	37.86	15.34	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	59.39	88.20	-28.81	52.82	3	Vertical	68	1.66	-	34.62	7.50	35.55
RMS	5.919G	47.79	68.20	-20.41	41.15	3	Vertical	68	1.66	-	34.68	7.52	35.56
PK	6.5406G	119.21	Inf	-Inf	111.78	3	Vertical	68	1.66	-	34.86	7.98	35.41
RMS	6.5406G	108.89	Inf	-Inf	101.46	3	Vertical	68	1.66	-	34.86	7.98	35.41
PK	7.207G	60.78	88.20	-27.42	51.67	3	Vertical	68	1.66	-	36.44	8.21	35.54
RMS	7.235G	50.75	68.20	-17.45	41.42	3	Vertical	68	1.66	-	36.61	8.27	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0438G	58.45	88.20	-29.75	41.35	3	Vertical	251	1.80	-	39.63	11.64	34.17
RMS	13.0838G	45.29	68.20	-22.91	27.97	3	Vertical	251	1.80	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0836G	61.44	88.20	-26.76	44.12	3	Horizontal	144	3.00	-	39.75	11.67	34.10	
RMS	13.084G	48.56	68.20	-19.64	31.24	3	Horizontal	144	3.00	-	39.75	11.67	34.10	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5962G	47.36	83.54	-36.18	43.86	1	Vertical	164	2.88	-	37.86	15.34	49.70	
AV	19.6518G	34.24	63.54	-29.30	30.74	1	Vertical	164	2.88	-	37.84	15.36	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6174G	47.77	83.54	-35.77	44.27	1	Horizontal	50	1.86	-	37.85	15.35	49.70	
AV	19.6452G	34.15	63.54	-29.39	30.65	1	Horizontal	50	1.86	-	37.84	15.36	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
 Setting 18.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	120.08	Inf	-Inf	112.01	3	Vertical	67	1.60	-	35.41	8.10	35.44
RMS	6.7016G	111.98	Inf	-Inf	103.91	3	Vertical	67	1.60	-	35.41	8.10	35.44
PK	7.1944G	61.62	88.20	-26.58	52.59	3	Vertical	67	1.60	-	36.37	8.20	35.54
RMS	7.2428G	50.75	68.20	-17.45	41.35	3	Vertical	67	1.60	-	36.66	8.29	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3982G	58.79	74.00	-15.21	40.15	3	Vertical	7	2.13	-	40.30	11.92	33.58
AV	13.3998G	45.41	54.00	-8.59	26.77	3	Vertical	7	2.13	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3902G	59.18	74.00	-14.82	40.58	3	Horizontal	324	2.17	-	40.28	11.91	33.59
AV	13.3938G	45.39	54.00	-8.61	26.77	3	Horizontal	324	2.17	-	40.29	11.92	33.59

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.0732G	47.42	83.54	-36.12	44.16	1	Vertical	230	2.94	-	37.46	15.53	49.73	
AV	20.039G	34.15	63.54	-29.39	30.92	1	Vertical	230	2.94	-	37.43	15.52	49.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0734G	47.56	83.54	-35.98	44.30	1	Horizontal	70	1.13	-	37.46	15.53	49.73
AV	20.0436G	34.14	63.54	-29.40	30.91	1	Horizontal	70	1.13	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	124.12	Inf	-Inf	113.51	3	Vertical	56	1.39	-	36.50	7.09	32.98
RMS	6.862G	116.77	Inf	-Inf	106.16	3	Vertical	56	1.39	-	36.50	7.09	32.98
PK	7.1798G	64.92	88.20	-23.28	53.80	3	Vertical	56	1.39	-	37.02	7.21	33.11
RMS	7.2008G	53.39	68.20	-14.81	42.21	3	Vertical	56	1.39	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.703G	62.39	88.20	-25.81	41.77	3	Vertical	4	1.80	-	40.51	9.77	29.66	
RMS	13.7254G	50.51	68.20	-17.69	29.80	3	Vertical	4	1.80	-	40.58	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7248G	67.06	88.20	-21.14	46.36	3	Horizontal	209	1.91	-	40.57	9.78	29.65
RMS	13.724G	56.86	68.20	-11.34	36.16	3	Horizontal	209	1.91	-	40.57	9.78	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6124G	47.40	83.54	-36.14	43.65	1	Vertical	334	2.97	-	37.83	15.78	49.86
AV	20.6006G	34.94	63.54	-28.60	31.21	1	Vertical	334	2.97	-	37.82	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6124G	47.11	83.54	-36.43	43.36	1	Horizontal	240	1.77	-	37.83	15.78	49.86
AV	20.6084G	35.01	63.54	-28.53	31.27	1	Horizontal	240	1.77	-	37.83	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	100.36	Inf	-Inf	92.07	3	Vertical	263	1.70	-	35.61	8.15	35.47	
RMS	6.902G	91.50	Inf	-Inf	83.22	3	Vertical	263	1.70	-	35.60	8.15	35.47	
PK	7.1456G	61.59	88.20	-26.61	52.85	3	Vertical	263	1.70	-	36.07	8.20	35.53	
RMS	7.245G	50.79	68.20	-17.41	41.38	3	Vertical	263	1.70	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7946G	61.57	88.20	-26.63	42.05	3	Vertical	160	2.19	-	40.79	12.24	33.51
RMS	13.741G	48.18	68.20	-20.02	28.80	3	Vertical	160	2.19	-	40.68	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7732G	61.38	88.20	-26.82	41.91	3	Horizontal	291	2.73	-	40.75	12.22	33.50
RMS	13.7404G	48.20	68.20	-20.00	28.82	3	Horizontal	291	2.73	-	40.68	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.718G	48.21	83.54	-35.33	44.24	1	Vertical	306	1.12	-	37.96	15.82	49.81
AV	20.735G	35.05	63.54	-28.49	31.05	1	Vertical	306	1.12	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7348G	47.93	83.54	-35.61	43.93	1	Horizontal	284	1.87	-	37.98	15.83	49.81
AV	20.7348G	34.90	63.54	-28.64	30.90	1	Horizontal	284	1.87	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -1
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	99.99	Inf	-Inf	91.58	3	Vertical	255	1.58	-	35.70	8.20	35.49	
RMS	7.001G	91.69	Inf	-Inf	83.28	3	Vertical	255	1.58	-	35.70	8.20	35.49	
PK	7.218G	61.53	88.20	-26.67	52.33	3	Vertical	255	1.58	-	36.51	8.24	35.55	
RMS	7.245G	50.77	68.20	-17.43	41.36	3	Vertical	255	1.58	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.034G	63.29	88.20	-24.91	43.20	3	Vertical	85	1.93	-	41.30	12.42	33.63
RMS	14.039G	49.72	68.20	-18.48	29.62	3	Vertical	85	1.93	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting -1
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0084G	63.35	88.20	-24.85	43.31	3	Horizontal	295	1.85	-	41.23	12.40	33.59
RMS	14.0332G	49.84	68.20	-18.36	29.75	3	Horizontal	295	1.85	-	41.30	12.42	33.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9942G	48.42	83.54	-35.12	44.56	1	Vertical	290	2.72	-	37.61	15.95	49.70
AV	21.0248G	34.82	63.54	-28.72	30.96	1	Vertical	290	2.72	-	37.60	15.96	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.9994G	48.80	83.54	-34.74	44.95	1	Horizontal	299	2.18	-	37.60	15.95	49.70	
AV	21.0338G	34.90	63.54	-28.64	31.02	1	Horizontal	299	2.18	-	37.60	15.97	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 2.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1028G	99.90	Inf	-Inf	91.40	3	Vertical	246	1.54	-	35.82	8.20	35.52	
RMS	7.101G	91.64	Inf	-Inf	83.15	3	Vertical	246	1.54	-	35.81	8.20	35.52	
PK	7.245G	61.58	88.20	-26.62	52.17	3	Vertical	246	1.54	-	36.67	8.29	35.55	
RMS	7.245G	50.78	68.20	-17.42	41.37	3	Vertical	246	1.54	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting 2.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2398G	63.35	88.20	-24.85	43.19	3	Vertical	129	1.11	-	41.60	12.52	33.96
RMS	14.1562G	50.19	68.20	-18.01	29.98	3	Vertical	129	1.11	-	41.56	12.48	33.83

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1952G	63.03	88.20	-25.17	42.82	3	Horizontal	127	3.00	-	41.60	12.50	33.89	
RMS	14.142G	50.21	68.20	-17.99	30.00	3	Horizontal	127	3.00	-	41.54	12.47	33.80	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3022G	49.83	83.54	-33.71	45.72	1	Vertical	347	1.01	-	37.66	16.09	49.64	
AV	21.3346G	36.06	63.54	-27.48	31.89	1	Vertical	347	1.01	-	37.70	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.244G	48.96	83.54	-34.58	44.95	1	Horizontal	109	2.26	-	37.60	16.06	49.65
AV	21.3344G	35.93	63.54	-27.61	31.76	1	Horizontal	109	2.26	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 12.75
 01-M-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.1211G	100.76	Inf	-Inf	89.93	3	Vertical	263	1.71	-	36.67	7.24	33.08	
RMS	7.12118G	94.41	Inf	-Inf	83.58	3	Vertical	263	1.71	-	36.67	7.24	33.08	
PK	7.1255G	79.23	88.20	-8.97	68.38	3	Vertical	263	1.71	-	36.70	7.24	33.09	
RMS	7.1255G	68.16	68.20	-0.04	57.31	3	Vertical	263	1.71	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2454G	63.52	88.20	-24.68	42.50	3	Vertical	173	1.87	-	40.71	9.97	29.66	
RMS	14.2442G	52.12	68.20	-16.08	31.10	3	Vertical	173	1.87	-	40.71	9.97	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 12.75
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2436G	63.69	88.20	-24.51	42.67	3	Horizontal	145	1.96	-	40.71	9.97	29.66
RMS	14.2442G	52.72	68.20	-15.48	31.70	3	Horizontal	145	1.96	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3698G	48.96	83.54	-34.58	44.73	1	Vertical	34	2.73	-	37.74	16.12	49.63
AV	21.3732G	36.10	63.54	-27.44	31.86	1	Vertical	34	2.73	-	37.75	16.12	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3446G	48.71	83.54	-34.83	44.52	1	Horizontal	173	1.87	-	37.71	16.11	49.63
AV	21.37G	36.10	63.54	-27.44	31.87	1	Horizontal	173	1.87	-	37.74	16.12	49.63



RSE TX above 1GHz
<Partial RU> standard power_RU106_1TX_Ant. 3


Appendix E.40

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.901G	53.76	54.00	-0.24	3	Horizontal	201	1.92	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9234G	81.39	88.20	-6.81	72.61	3	Vertical	92	1.80	-	34.99	6.60	32.81	
RMS	5.9218G	53.07	68.20	-15.13	44.29	3	Vertical	92	1.80	-	34.99	6.60	32.81	
PK	5.9518G	115.01	Inf	-Inf	106.12	3	Vertical	92	1.80	-	35.11	6.60	32.82	
RMS	5.9522G	105.99	Inf	-Inf	97.10	3	Vertical	92	1.80	-	35.11	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8886G	58.45	74.00	-15.55	42.56	3	Vertical	57	1.80	-	38.50	8.97	31.58
AV	11.9024G	45.83	54.00	-8.17	29.93	3	Vertical	57	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.9014G	65.63	74.00	-8.37	49.73	3	Horizontal	201	1.92	-	38.50	8.98	31.58	
AV	11.901G	53.76	54.00	-0.24	37.86	3	Horizontal	201	1.92	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.875G	59.60	88.20	-28.60	53.22	3	Vertical	69	1.70	-	34.45	7.47	35.54	
RMS	5.923G	47.88	68.20	-20.32	41.23	3	Vertical	69	1.70	-	34.69	7.52	35.56	
PK	6.193G	119.70	Inf	-Inf	112.35	3	Vertical	69	1.70	-	35.17	7.70	35.52	
RMS	6.193G	111.62	Inf	-Inf	104.27	3	Vertical	69	1.70	-	35.17	7.70	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3826G	59.96	74.00	-14.04	45.38	3	Vertical	233	1.71	-	38.88	11.11	35.41
AV	12.3814G	47.40	54.00	-6.60	32.82	3	Vertical	233	1.71	-	38.88	11.11	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3826G	65.00	74.00	-9.00	50.42	3	Horizontal	208	2.46	-	38.88	11.11	35.41
AV	12.3812G	52.97	54.00	-1.03	38.40	3	Horizontal	208	2.46	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.6236G	46.92	83.54	-36.62	44.20	1	Vertical	339	1.28	-	37.75	14.95	49.98	
AV	18.6296G	32.89	63.54	-30.65	30.16	1	Vertical	339	1.28	-	37.75	14.95	49.97	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5756G	46.89	83.54	-36.65	44.21	1	Horizontal	84	1.52	-	37.77	14.93	50.02	
AV	18.6196G	33.02	63.54	-30.52	30.30	1	Horizontal	84	1.52	-	37.75	14.95	49.98	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	58.52	88.20	-29.68	52.04	3	Vertical	68	1.80	-	34.54	7.49	35.55
RMS	5.908G	47.81	68.20	-20.39	41.22	3	Vertical	68	1.80	-	34.63	7.51	35.55
PK	6.412G	119.68	Inf	-Inf	112.55	3	Vertical	68	1.80	-	34.85	7.72	35.44
RMS	6.412G	111.26	Inf	-Inf	104.13	3	Vertical	68	1.80	-	34.85	7.72	35.44
PK	7.132G	61.26	88.20	-26.94	52.59	3	Vertical	68	1.80	-	35.99	8.20	35.52
RMS	7.147G	50.34	68.20	-17.86	41.59	3	Vertical	68	1.80	-	36.08	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8216G	58.98	88.20	-29.22	42.85	3	Vertical	218	1.80	-	39.32	11.46	34.65
RMS	12.8212G	45.78	68.20	-22.42	29.65	3	Vertical	218	1.80	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8228G	65.08	88.20	-23.12	48.95	3	Horizontal	209	2.17	-	39.32	11.46	34.65	
RMS	12.8212G	52.74	68.20	-15.46	36.61	3	Horizontal	209	2.17	-	39.32	11.46	34.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2614G	47.28	83.54	-36.26	44.02	1	Vertical	78	1.39	-	37.71	15.20	49.65	
AV	19.2368G	34.01	63.54	-29.53	30.75	1	Vertical	78	1.39	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2666G	47.60	83.54	-35.94	44.33	1	Horizontal	148	2.93	-	37.71	15.21	49.65
AV	19.225G	34.04	63.54	-29.50	30.77	1	Horizontal	148	2.93	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	57.64	88.20	-30.56	51.14	3	Vertical	68	1.69	-	34.56	7.49	35.55
RMS	5.9078G	47.77	68.20	-20.43	41.18	3	Vertical	68	1.69	-	34.63	7.51	35.55
PK	6.5378G	119.60	Inf	-Inf	112.18	3	Vertical	68	1.69	-	34.85	7.98	35.41
RMS	6.5378G	111.12	Inf	-Inf	103.70	3	Vertical	68	1.69	-	34.85	7.98	35.41
PK	7.2042G	61.73	88.20	-26.47	52.63	3	Vertical	68	1.69	-	36.43	8.21	35.54
RMS	7.2322G	50.81	68.20	-17.39	41.51	3	Vertical	68	1.69	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.069G	58.15	88.20	-30.05	40.91	3	Vertical	253	1.80	-	39.71	11.66	34.13
RMS	13.0786G	45.16	68.20	-23.04	27.87	3	Vertical	253	1.80	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0758G	61.26	88.20	-26.94	43.98	3	Horizontal	144	2.97	-	39.73	11.66	34.11
RMS	13.0786G	47.38	68.20	-20.82	30.09	3	Horizontal	144	2.97	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.604G	48.22	83.54	-35.32	44.72	1	Vertical	93	1.91	-	37.86	15.34	49.70
AV	19.6512G	34.29	63.54	-29.25	30.79	1	Vertical	93	1.91	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.557G	47.45	83.54	-36.09	43.95	1	Horizontal	308	2.40	-	37.88	15.32	49.70	
AV	19.6498G	34.48	63.54	-29.06	30.98	1	Horizontal	308	2.40	-	37.84	15.36	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	119.83	Inf	-Inf	111.78	3	Vertical	68	1.59	-	35.39	8.10	35.44
RMS	6.6972G	111.43	Inf	-Inf	103.38	3	Vertical	68	1.59	-	35.39	8.10	35.44
PK	7.2164G	62.04	88.20	-26.16	52.86	3	Vertical	68	1.59	-	36.50	8.23	35.55
RMS	7.2428G	50.77	68.20	-17.43	41.37	3	Vertical	68	1.59	-	36.66	8.29	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3988G	60.17	74.00	-13.83	41.53	3	Vertical	168	2.05	-	40.30	11.92	33.58
AV	13.3986G	46.45	54.00	-7.55	27.81	3	Vertical	168	2.05	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3994G	62.72	74.00	-11.28	44.08	3	Horizontal	150	2.79	-	40.30	11.92	33.58
AV	13.3962G	49.40	54.00	-4.60	30.77	3	Horizontal	150	2.79	-	40.29	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0824G	48.00	83.54	-35.54	44.72	1	Vertical	29	2.31	-	37.47	15.54	49.73
AV	20.0434G	34.52	63.54	-29.02	31.29	1	Vertical	29	2.31	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.0894G	47.45	83.54	-36.09	44.18	1	Horizontal	109	1.14	-	37.47	15.54	49.74	
AV	20.0438G	34.38	63.54	-29.16	31.14	1	Horizontal	109	1.14	-	37.44	15.52	49.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	123.34	Inf	-Inf	112.69	3	Vertical	56	1.48	-	36.53	7.09	32.97
RMS	6.8578G	114.66	Inf	-Inf	104.00	3	Vertical	56	1.48	-	36.54	7.09	32.97
PK	7.1798G	64.58	88.20	-23.62	53.46	3	Vertical	56	1.48	-	37.02	7.21	33.11
RMS	7.1994G	53.37	68.20	-14.83	42.19	3	Vertical	56	1.48	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7156G	62.79	88.20	-25.41	42.12	3	Vertical	183	1.70	-	40.55	9.77	29.65
RMS	13.7208G	50.85	68.20	-17.35	30.17	3	Vertical	183	1.70	-	40.56	9.77	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.721G	67.05	88.20	-21.15	46.37	3	Horizontal	206	3.00	-	40.56	9.77	29.65
RMS	13.7208G	55.13	68.20	-13.07	34.45	3	Horizontal	206	3.00	-	40.56	9.77	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5792G	47.78	83.54	-35.76	44.09	1	Vertical	188	2.11	-	37.80	15.76	49.87
AV	20.5806G	34.97	63.54	-28.57	31.28	1	Vertical	188	2.11	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.53G	47.10	83.54	-36.44	43.51	1	Horizontal	328	2.66	-	37.74	15.74	49.89
AV	20.6002G	35.01	63.54	-28.53	31.28	1	Horizontal	328	2.66	-	37.82	15.77	49.86



RSE TX above 1GHz
<Partial RU> standard power_RU26_2TX_Ant. 1


Appendix E.41

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.8929G	53.94	54.00	-0.06	3	Horizontal	209	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 12.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.92G	62.11	88.20	-26.09	53.34	3	Vertical	47	1.23	-	34.98	6.60	32.81	
RMS	5.906G	50.67	68.20	-17.53	41.95	3	Vertical	47	1.23	-	34.92	6.60	32.80	
PK	5.947G	118.35	Inf	-Inf	109.48	3	Vertical	47	1.23	-	35.09	6.60	32.82	
RMS	5.9466G	103.66	Inf	-Inf	94.79	3	Vertical	47	1.23	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 12.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9086G	62.52	88.20	-25.68	53.79	3	Horizontal	45	2.31	-	34.93	6.60	32.80	
RMS	5.9058G	50.69	68.20	-17.51	41.97	3	Horizontal	45	2.31	-	34.92	6.60	32.80	
PK	5.9468G	117.47	Inf	-Inf	108.60	3	Horizontal	45	2.31	-	35.09	6.60	32.82	
RMS	5.9468G	107.83	Inf	-Inf	98.96	3	Horizontal	45	2.31	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 12.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8931G	60.61	74.00	-13.39	44.72	3	Vertical	253	1.80	-	38.50	8.97	31.58
AV	11.893G	46.94	54.00	-7.06	31.05	3	Vertical	253	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 12.75
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8931G	68.60	74.00	-5.40	52.71	3	Horizontal	209	1.80	-	38.50	8.97	31.58
AV	11.8929G	53.94	54.00	-0.06	38.05	3	Horizontal	209	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.809G	61.62	88.20	-26.58	53.31	3	Vertical	222	1.56	-	34.47	6.60	32.76	
RMS	5.925G	50.17	68.20	-18.03	41.38	3	Vertical	222	1.56	-	35.00	6.60	32.81	
PK	6.187G	113.97	Inf	-Inf	104.49	3	Vertical	222	1.56	-	35.45	6.88	32.85	
RMS	6.187G	103.09	Inf	-Inf	93.61	3	Vertical	222	1.56	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 11
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	61.64	88.20	-26.56	52.95	3	Horizontal	338	1.73	-	34.89	6.60	32.80
RMS	5.919G	50.18	68.20	-18.02	41.41	3	Horizontal	338	1.73	-	34.98	6.60	32.81
PK	6.187G	116.31	Inf	-Inf	106.83	3	Horizontal	338	1.73	-	35.45	6.88	32.85
RMS	6.187G	104.47	Inf	-Inf	94.99	3	Horizontal	338	1.73	-	35.45	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3756G	57.90	74.00	-16.10	41.66	3	Vertical	78	1.80	-	38.65	9.17	31.58
AV	12.4192G	44.23	54.00	-9.77	27.96	3	Vertical	78	1.80	-	38.66	9.19	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3728G	58.82	74.00	-15.18	42.58	3	Horizontal	212	1.80	-	38.65	9.17	31.58
AV	12.3726G	45.29	54.00	-8.71	29.05	3	Horizontal	212	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6228G	46.88	83.54	-36.66	44.16	1	Vertical	211	1.86	-	37.75	14.95	49.98
AV	18.6316G	33.55	63.54	-29.99	30.82	1	Vertical	211	1.86	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6154G	47.11	83.54	-36.43	44.39	1	Horizontal	113	2.57	-	37.75	14.95	49.98
AV	18.6346G	33.54	63.54	-30.00	30.81	1	Horizontal	113	2.57	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9194G	61.00	88.20	-27.20	52.23	3	Vertical	217	1.80	-	34.98	6.60	32.81	
RMS	5.9194G	50.17	68.20	-18.03	41.40	3	Vertical	217	1.80	-	34.98	6.60	32.81	
PK	6.4066G	113.77	Inf	-Inf	104.06	3	Vertical	217	1.80	-	35.57	7.00	32.86	
RMS	6.4066G	101.60	Inf	-Inf	91.89	3	Vertical	217	1.80	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8858G	61.27	88.20	-26.93	52.59	3	Horizontal	335	1.80	-	34.87	6.60	32.79	
RMS	5.925G	50.18	68.20	-18.02	41.39	3	Horizontal	335	1.80	-	35.00	6.60	32.81	
PK	6.4066G	114.75	Inf	-Inf	105.04	3	Horizontal	335	1.80	-	35.57	7.00	32.86	
RMS	6.4066G	102.72	Inf	-Inf	93.01	3	Horizontal	335	1.80	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8732G	60.30	88.20	-27.90	42.43	3	Vertical	313	1.80	-	39.27	9.39	30.79
RMS	12.8722G	45.29	68.20	-22.91	27.42	3	Vertical	313	1.80	-	39.27	9.39	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	59.96	88.20	-28.24	42.30	3	Horizontal	215	1.80	-	39.21	9.37	30.92
RMS	12.813G	46.14	68.20	-22.06	28.48	3	Horizontal	215	1.80	-	39.21	9.37	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.1992G	47.49	83.54	-36.05	44.19	1	Vertical	275	2.08	-	37.76	15.18	49.64	
AV	19.2182G	33.88	63.54	-29.66	30.59	1	Vertical	275	2.08	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1972G	47.34	83.54	-36.20	44.04	1	Horizontal	318	2.76	-	37.76	15.18	49.64
AV	19.2028G	33.86	63.54	-29.68	30.56	1	Horizontal	318	2.76	-	37.76	15.18	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.21	88.20	-26.99	52.44	3	Vertical	209	1.25	-	34.98	6.60	32.81
RMS	5.9162G	49.91	68.20	-18.29	41.16	3	Vertical	209	1.25	-	34.96	6.60	32.81
PK	6.5434G	116.26	Inf	-Inf	106.36	3	Vertical	209	1.25	-	35.77	7.00	32.87
RMS	6.5434G	102.92	Inf	-Inf	93.02	3	Vertical	209	1.25	-	35.77	7.00	32.87
PK	7.1538G	65.17	88.20	-23.03	54.13	3	Vertical	209	1.25	-	36.92	7.22	33.10
RMS	7.2294G	53.15	68.20	-15.05	41.96	3	Vertical	209	1.25	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	61.81	88.20	-26.39	53.13	3	Horizontal	348	1.80	-	34.87	6.60	32.79
RMS	5.919G	50.00	68.20	-18.20	41.23	3	Horizontal	348	1.80	-	34.98	6.60	32.81
PK	6.5434G	115.30	Inf	-Inf	105.40	3	Horizontal	348	1.80	-	35.77	7.00	32.87
RMS	6.5434G	103.36	Inf	-Inf	93.46	3	Horizontal	348	1.80	-	35.77	7.00	32.87
PK	7.1846G	64.52	88.20	-23.68	53.39	3	Horizontal	348	1.80	-	37.04	7.21	33.12
RMS	7.2266G	53.23	68.20	-14.97	42.04	3	Horizontal	348	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0694G	60.56	88.20	-27.64	41.83	3	Vertical	295	1.70	-	39.67	9.48	30.42	
RMS	13.087G	47.58	68.20	-20.62	28.79	3	Vertical	295	1.70	-	39.69	9.49	30.39	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0882G	61.82	88.20	-26.38	43.03	3	Horizontal	198	1.70	-	39.69	9.49	30.39	
RMS	13.0876G	48.07	68.20	-20.13	29.28	3	Horizontal	198	1.70	-	39.69	9.49	30.39	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6504G	48.49	83.54	-35.05	44.99	1	Vertical	65	2.46	-	37.84	15.36	49.70
AV	19.6538G	34.86	63.54	-28.68	31.36	1	Vertical	65	2.46	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6338G	47.98	83.54	-35.56	44.48	1	Horizontal	26	2.64	-	37.85	15.35	49.70
AV	19.6542G	34.92	63.54	-28.62	31.42	1	Horizontal	26	2.64	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	113.28	Inf	-Inf	103.29	3	Vertical	310	1.80	-	35.92	7.00	32.93
RMS	6.7038G	100.62	Inf	-Inf	90.63	3	Vertical	310	1.80	-	35.92	7.00	32.93
PK	7.2296G	64.53	88.20	-23.67	53.34	3	Vertical	310	1.80	-	37.10	7.23	33.14
RMS	7.245G	53.33	68.20	-14.87	42.13	3	Vertical	310	1.80	-	37.10	7.25	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	113.14	Inf	-Inf	103.15	3	Horizontal	348	1.80	-	35.92	7.00	32.93
RMS	6.7038G	100.66	Inf	-Inf	90.67	3	Horizontal	348	1.80	-	35.92	7.00	32.93
PK	7.1504G	64.52	88.20	-23.68	53.50	3	Horizontal	348	1.80	-	36.90	7.22	33.10
RMS	7.245G	53.31	68.20	-14.89	42.11	3	Horizontal	348	1.80	-	37.10	7.25	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.407G	60.46	88.20	-27.74	40.55	3	Vertical	298	1.80	-	40.20	9.63	29.92	
RMS	13.4076G	46.96	68.20	-21.24	27.05	3	Vertical	298	1.80	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4216G	60.58	88.20	-27.62	40.64	3	Horizontal	146	2.27	-	40.20	9.64	29.90
RMS	13.4068G	47.35	68.20	-20.85	27.44	3	Horizontal	146	2.27	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.1266G	47.82	83.54	-35.72	44.51	1	Vertical	297	1.53	-	37.50	15.56	49.75
AV	20.1338G	34.62	63.54	-28.92	31.30	1	Vertical	297	1.53	-	37.51	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1172G	47.59	83.54	-35.95	44.30	1	Horizontal	156	2.51	-	37.49	15.55	49.75
AV	20.1336G	34.61	63.54	-28.93	31.29	1	Horizontal	156	2.51	-	37.51	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	123.70	Inf	-Inf	113.03	3	Vertical	16	1.80	-	36.57	7.07	32.97
RMS	6.8466G	114.07	Inf	-Inf	103.40	3	Vertical	16	1.80	-	36.57	7.07	32.97
PK	7.177G	64.70	88.20	-23.50	53.59	3	Vertical	16	1.80	-	37.01	7.21	33.11
RMS	7.1812G	52.82	68.20	-15.38	41.70	3	Vertical	16	1.80	-	37.02	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	123.66	Inf	-Inf	112.99	3	Horizontal	8	1.79	-	36.57	7.07	32.97	
RMS	6.8466G	115.17	Inf	-Inf	104.50	3	Horizontal	8	1.79	-	36.57	7.07	32.97	
PK	7.1714G	64.07	88.20	-24.13	52.98	3	Horizontal	8	1.79	-	36.99	7.21	33.11	
RMS	7.184G	52.84	68.20	-15.36	41.71	3	Horizontal	8	1.79	-	37.04	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6943G	67.55	88.20	-20.65	46.97	3	Vertical	348	1.80	-	40.49	9.76	29.67
RMS	13.6932G	57.76	68.20	-10.44	37.18	3	Vertical	348	1.80	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6928G	69.10	88.20	-19.10	48.52	3	Horizontal	213	2.76	-	40.49	9.76	29.67
RMS	13.6933G	60.16	68.20	-8.04	39.58	3	Horizontal	213	2.76	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56508G	46.30	83.54	-37.24	42.64	1	Vertical	212	1.52	-	37.78	15.75	49.87
AV	20.56972G	34.03	63.54	-29.51	30.36	1	Vertical	212	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom



EUT V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5652G	46.38	83.54	-37.16	42.72	1	Horizontal	311	1.52	-	37.78	15.75	49.87
AV	20.56874G	34.10	63.54	-29.44	30.43	1	Horizontal	311	1.52	-	37.78	15.76	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU52_2TX_Ant. 1


Appendix E.42

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.8952G	53.68	54.00	-0.32	3	Horizontal	208	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	66.49	88.20	-21.71	57.75	3	Vertical	73	1.80	-	34.94	6.60	32.80	
RMS	5.925G	50.56	68.20	-17.64	41.77	3	Vertical	73	1.80	-	35.00	6.60	32.81	
PK	5.9492G	116.49	Inf	-Inf	107.61	3	Vertical	73	1.80	-	35.10	6.60	32.82	
RMS	5.9486G	104.88	Inf	-Inf	96.01	3	Vertical	73	1.80	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	62.34	88.20	-25.86	53.58	3	Horizontal	358	1.79	-	34.97	6.60	32.81
RMS	5.9066G	50.51	68.20	-17.69	41.78	3	Horizontal	358	1.79	-	34.93	6.60	32.80
PK	5.9492G	116.18	Inf	-Inf	107.30	3	Horizontal	358	1.79	-	35.10	6.60	32.82
RMS	5.9486G	103.92	Inf	-Inf	95.05	3	Horizontal	358	1.79	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8964G	59.60	74.00	-14.40	43.71	3	Vertical	5	1.80	-	38.50	8.97	31.58
AV	11.8943G	47.38	54.00	-6.62	31.49	3	Vertical	5	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8947G	66.89	74.00	-7.11	51.00	3	Horizontal	208	1.80	-	38.50	8.97	31.58
AV	11.8952G	53.68	54.00	-0.32	37.79	3	Horizontal	208	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 15.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.717G	61.17	88.20	-27.03	53.16	3	Vertical	210	1.09	-	34.14	6.60	32.73
RMS	5.925G	50.12	68.20	-18.08	41.33	3	Vertical	210	1.09	-	35.00	6.60	32.81
PK	6.189G	118.00	Inf	-Inf	108.51	3	Vertical	210	1.09	-	35.46	6.88	32.85
RMS	6.189G	104.70	Inf	-Inf	95.21	3	Vertical	210	1.09	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 15.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	61.21	88.20	-26.99	52.53	3	Horizontal	330	1.80	-	34.87	6.60	32.79
RMS	5.923G	50.18	68.20	-18.02	41.40	3	Horizontal	330	1.80	-	34.99	6.60	32.81
PK	6.189G	118.41	Inf	-Inf	108.92	3	Horizontal	330	1.80	-	35.46	6.88	32.85
RMS	6.189G	104.93	Inf	-Inf	95.44	3	Horizontal	330	1.80	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 15.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.4041G	59.46	74.00	-14.54	43.17	3	Vertical	226	1.80	-	38.69	9.18	31.58	
AV	12.405G	45.26	54.00	-8.74	28.97	3	Vertical	226	1.80	-	38.69	9.18	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 15.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4045G	62.49	74.00	-11.51	46.20	3	Horizontal	205	1.79	-	38.69	9.18	31.58
AV	12.4046G	47.67	54.00	-6.33	31.38	3	Horizontal	205	1.79	-	38.69	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.59604G	46.88	83.54	-36.66	44.18	1	Vertical	320	1.01	-	37.76	14.94	50.00
AV	18.59646G	33.22	63.54	-30.32	30.52	1	Vertical	320	1.01	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 15.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59964G	47.55	83.54	-35.99	44.85	1	Horizontal	116	2.03	-	37.76	14.94	50.00
AV	18.59964G	33.22	63.54	-30.32	30.52	1	Horizontal	116	2.03	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 13.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.22	88.20	-26.98	52.45	3	Vertical	216	1.75	-	34.98	6.60	32.81
RMS	5.919G	50.07	68.20	-18.13	41.30	3	Vertical	216	1.75	-	34.98	6.60	32.81
PK	6.4086G	114.18	Inf	-Inf	104.47	3	Vertical	216	1.75	-	35.57	7.00	32.86
RMS	6.4086G	103.57	Inf	-Inf	93.86	3	Vertical	216	1.75	-	35.57	7.00	32.86
PK	7.151G	63.50	88.20	-24.70	52.48	3	Vertical	216	1.75	-	36.90	7.22	33.10
RMS	7.199G	53.28	68.20	-14.92	42.10	3	Vertical	216	1.75	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 13.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6406G	60.70	88.20	-27.50	52.76	3	Horizontal	345	1.80	-	34.04	6.60	32.70
RMS	5.9222G	50.10	68.20	-18.10	41.32	3	Horizontal	345	1.80	-	34.99	6.60	32.81
PK	6.4086G	115.33	Inf	-Inf	105.62	3	Horizontal	345	1.80	-	35.57	7.00	32.86
RMS	6.4086G	104.31	Inf	-Inf	94.60	3	Horizontal	345	1.80	-	35.57	7.00	32.86
PK	7.1606G	64.19	88.20	-24.01	53.13	3	Horizontal	345	1.80	-	36.94	7.22	33.10
RMS	7.215G	53.32	68.20	-14.88	42.13	3	Horizontal	345	1.80	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.84356G	60.88	88.20	-27.32	43.11	3	Vertical	301	1.80	-	39.24	9.38	30.85
RMS	12.8438G	46.36	68.20	-21.84	28.59	3	Vertical	301	1.80	-	39.24	9.38	30.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 13.75
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8435G	64.85	88.20	-23.35	47.08	3	Horizontal	201	1.82	-	39.24	9.38	30.85
RMS	12.84392G	49.73	68.20	-18.47	31.96	3	Horizontal	201	1.82	-	39.24	9.38	30.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
 Setting 13.75
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2423G	48.86	83.54	-34.68	45.60	1	Vertical	286	2.56	-	37.71	15.20	49.65	
AV	19.23066G	33.70	63.54	-29.84	30.44	1	Vertical	286	2.56	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 13.75
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.25268G	46.97	83.54	-36.57	43.72	1	Horizontal	267	1.24	-	37.70	15.20	49.65	
AV	19.23024G	33.70	63.54	-29.84	30.44	1	Horizontal	267	1.24	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	60.67	88.20	-27.53	51.99	3	Vertical	217	1.38	-	34.87	6.60	32.79
RMS	5.9218G	50.15	68.20	-18.05	41.37	3	Vertical	217	1.38	-	34.99	6.60	32.81
PK	6.5406G	113.74	Inf	-Inf	103.85	3	Vertical	217	1.38	-	35.76	7.00	32.87
RMS	6.5434G	101.91	Inf	-Inf	92.01	3	Vertical	217	1.38	-	35.77	7.00	32.87
PK	7.1482G	63.99	88.20	-24.21	52.97	3	Vertical	217	1.38	-	36.89	7.23	33.10
RMS	7.2266G	53.46	68.20	-14.74	42.27	3	Vertical	217	1.38	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	60.46	88.20	-27.74	51.95	3	Horizontal	344	1.80	-	34.68	6.60	32.77
RMS	5.9162G	50.14	68.20	-18.06	41.39	3	Horizontal	344	1.80	-	34.96	6.60	32.81
PK	6.5406G	114.77	Inf	-Inf	104.88	3	Horizontal	344	1.80	-	35.76	7.00	32.87
RMS	6.5434G	103.05	Inf	-Inf	93.15	3	Horizontal	344	1.80	-	35.77	7.00	32.87
PK	7.235G	63.79	88.20	-24.41	52.60	3	Horizontal	344	1.80	-	37.10	7.23	33.14
RMS	7.235G	53.43	68.20	-14.77	42.24	3	Horizontal	344	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08416G	61.12	88.20	-27.08	42.35	3	Vertical	302	1.80	-	39.68	9.49	30.40
RMS	13.08482G	47.10	68.20	-21.10	28.32	3	Vertical	302	1.80	-	39.68	9.49	30.39

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08368G	61.54	88.20	-26.66	42.77	3	Horizontal	191	2.64	-	39.68	9.49	30.40
RMS	13.08458G	47.93	68.20	-20.27	29.15	3	Horizontal	191	2.64	-	39.68	9.49	30.39

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6002G	48.04	83.54	-35.50	44.54	1	Vertical	85	2.57	-	37.86	15.34	49.70
AV	19.61838G	34.41	63.54	-29.13	30.91	1	Vertical	85	2.57	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60722G	48.77	83.54	-34.77	45.27	1	Horizontal	232	2.46	-	37.86	15.34	49.70
AV	19.61532G	34.43	63.54	-29.11	30.93	1	Horizontal	232	2.46	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.09	Inf	-Inf	101.10	3	Vertical	307	1.80	-	35.91	7.00	32.92
RMS	6.7016G	101.67	Inf	-Inf	91.68	3	Vertical	307	1.80	-	35.91	7.00	32.92
PK	7.1922G	64.68	88.20	-23.52	53.53	3	Vertical	307	1.80	-	37.07	7.20	33.12
RMS	7.2428G	53.48	68.20	-14.72	42.29	3	Vertical	307	1.80	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.12	Inf	-Inf	101.13	3	Horizontal	325	1.06	-	35.91	7.00	32.92
RMS	6.7016G	100.97	Inf	-Inf	90.98	3	Horizontal	325	1.06	-	35.91	7.00	32.92
PK	7.179G	64.71	88.20	-23.49	53.59	3	Horizontal	325	1.06	-	37.02	7.21	33.11
RMS	7.2362G	53.48	68.20	-14.72	42.28	3	Horizontal	325	1.06	-	37.10	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4047G	60.21	88.20	-27.99	40.30	3	Vertical	300	1.76	-	40.20	9.63	29.92
RMS	13.40494G	47.26	68.20	-20.94	27.35	3	Vertical	300	1.76	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4035G	62.03	88.20	-26.17	42.12	3	Horizontal	141	2.42	-	40.20	9.63	29.92
RMS	13.4038G	48.06	68.20	-20.14	28.15	3	Horizontal	141	2.42	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.09124G	47.80	83.54	-35.74	44.53	1	Vertical	351	2.01	-	37.47	15.54	49.74
AV	20.0973G	34.08	63.54	-29.46	30.80	1	Vertical	351	2.01	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08644G	47.48	83.54	-36.06	44.20	1	Horizontal	283	2.90	-	37.47	15.54	49.73
AV	20.09826G	34.14	63.54	-29.40	30.86	1	Horizontal	283	2.90	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting -5.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	122.43	Inf	-Inf	111.73	3	Vertical	344	1.67	-	36.60	7.07	32.97
RMS	6.848G	109.58	Inf	-Inf	98.90	3	Vertical	344	1.67	-	36.58	7.07	32.97
PK	7.1812G	64.17	88.20	-24.03	53.05	3	Vertical	344	1.67	-	37.02	7.21	33.11
RMS	7.1924G	52.78	68.20	-15.42	41.63	3	Vertical	344	1.67	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
 Setting -5.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	123.07	Inf	-Inf	112.37	3	Horizontal	6	1.73	-	36.60	7.07	32.97
RMS	6.848G	109.64	Inf	-Inf	98.96	3	Horizontal	6	1.73	-	36.58	7.07	32.97
PK	7.1378G	63.72	88.20	-24.48	52.78	3	Horizontal	6	1.73	-	36.80	7.23	33.09
RMS	7.1728G	52.78	68.20	-15.42	41.69	3	Horizontal	6	1.73	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting -5.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6965G	67.73	88.20	-20.47	47.15	3	Vertical	146	1.19	-	40.49	9.76	29.67
RMS	13.6961G	57.37	68.20	-10.83	36.79	3	Vertical	146	1.19	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting -5.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6964G	69.04	88.20	-19.16	48.46	3	Horizontal	213	2.73	-	40.49	9.76	29.67
RMS	13.6962G	57.37	68.20	-10.83	36.79	3	Horizontal	213	2.73	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56002G	46.61	83.54	-36.93	42.97	1	Vertical	317	1.51	-	37.77	15.75	49.88	
AV	20.56834G	34.02	63.54	-29.52	30.35	1	Vertical	317	1.51	-	37.78	15.76	49.87	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom



EUT V_2TX
 Setting -5.5
 01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56748G	46.98	83.54	-36.56	43.31	1	Horizontal	136	1.52	-	37.78	15.76	49.87
AV	20.56816G	34.02	63.54	-29.52	30.35	1	Horizontal	136	1.52	-	37.78	15.76	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU106_2TX_Ant. 1


Appendix E.43

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.9013G	53.63	54.00	-0.37	3	Horizontal	220	1.77	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 16
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.43	88.20	-16.77	62.64	3	Vertical	47	1.23	-	35.00	6.60	32.81	
RMS	5.925G	52.83	68.20	-15.37	44.04	3	Vertical	47	1.23	-	35.00	6.60	32.81	
PK	5.952G	116.02	Inf	-Inf	107.13	3	Vertical	47	1.23	-	35.11	6.60	32.82	
RMS	5.9524G	105.32	Inf	-Inf	96.43	3	Vertical	47	1.23	-	35.11	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9248G	67.57	88.20	-20.63	58.78	3	Horizontal	44	2.32	-	35.00	6.60	32.81	
RMS	5.9244G	50.94	68.20	-17.26	42.15	3	Horizontal	44	2.32	-	35.00	6.60	32.81	
PK	5.952G	114.33	Inf	-Inf	105.44	3	Horizontal	44	2.32	-	35.11	6.60	32.82	
RMS	5.9498G	104.29	Inf	-Inf	95.41	3	Horizontal	44	2.32	-	35.10	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9028G	60.01	74.00	-13.99	44.11	3	Vertical	265	1.80	-	38.50	8.98	31.58	
AV	11.9013G	45.97	54.00	-8.03	30.07	3	Vertical	265	1.80	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9027G	67.32	74.00	-6.68	51.42	3	Horizontal	220	1.77	-	38.50	8.98	31.58
AV	11.9013G	53.63	54.00	-0.37	37.73	3	Horizontal	220	1.77	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7862G	60.86	88.20	-27.34	52.61	3	Vertical	213	1.37	-	34.40	6.60	32.75	
RMS	5.9178G	50.15	68.20	-18.05	41.39	3	Vertical	213	1.37	-	34.97	6.60	32.81	
PK	6.1922G	115.26	Inf	-Inf	105.75	3	Vertical	213	1.37	-	35.47	6.89	32.85	
RMS	6.1922G	104.55	Inf	-Inf	95.04	3	Vertical	213	1.37	-	35.47	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8366G	61.40	88.20	-26.80	52.88	3	Horizontal	339	1.80	-	34.69	6.60	32.77	
RMS	5.925G	50.13	68.20	-18.07	41.34	3	Horizontal	339	1.80	-	35.00	6.60	32.81	
PK	6.1922G	115.58	Inf	-Inf	106.07	3	Horizontal	339	1.80	-	35.47	6.89	32.85	
RMS	6.1922G	104.63	Inf	-Inf	95.12	3	Horizontal	339	1.80	-	35.47	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3805G	59.03	74.00	-14.97	42.78	3	Vertical	228	1.80	-	38.66	9.17	31.58	
AV	12.3804G	44.80	54.00	-9.20	28.55	3	Vertical	228	1.80	-	38.66	9.17	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3825G	62.75	74.00	-11.25	46.50	3	Horizontal	204	1.80	-	38.66	9.17	31.58
AV	12.3844G	47.63	54.00	-6.37	31.37	3	Horizontal	204	1.80	-	38.67	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5778G	46.74	83.54	-36.80	44.06	1	Vertical	233	2.37	-	37.77	14.93	50.02	
AV	18.6061G	33.37	63.54	-30.17	30.66	1	Vertical	233	2.37	-	37.76	14.94	49.99	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.5826G	47.23	83.54	-36.31	44.55	1	Horizontal	51	1.73	-	37.77	14.93	50.02	
AV	18.6062G	33.39	63.54	-30.15	30.68	1	Horizontal	51	1.73	-	37.76	14.94	49.99	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 16.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.09	88.20	-27.11	52.30	3	Vertical	210	1.14	-	35.00	6.60	32.81
RMS	5.9222G	50.13	68.20	-18.07	41.35	3	Vertical	210	1.14	-	34.99	6.60	32.81
PK	6.4122G	116.00	Inf	-Inf	106.31	3	Vertical	210	1.14	-	35.55	7.00	32.86
RMS	6.4122G	105.30	Inf	-Inf	95.61	3	Vertical	210	1.14	-	35.55	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 16.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8242G	60.38	88.20	-27.82	51.96	3	Horizontal	340	1.80	-	34.59	6.60	32.77
RMS	5.9222G	50.09	68.20	-18.11	41.31	3	Horizontal	340	1.80	-	34.99	6.60	32.81
PK	6.4122G	115.07	Inf	-Inf	105.38	3	Horizontal	340	1.80	-	35.55	7.00	32.86
RMS	6.4122G	105.95	Inf	-Inf	96.26	3	Horizontal	340	1.80	-	35.55	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
 Setting 16.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8215G	61.33	88.20	-26.87	43.64	3	Vertical	303	1.14	-	39.22	9.37	30.90
RMS	12.8213G	47.50	68.20	-20.70	29.81	3	Vertical	303	1.14	-	39.22	9.37	30.90

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 16.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8238G	64.71	88.20	-23.49	47.02	3	Horizontal	202	1.80	-	39.22	9.37	30.90	
RMS	12.8213G	50.73	68.20	-17.47	33.04	3	Horizontal	202	1.80	-	39.22	9.37	30.90	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 16.25
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2204G	47.95	83.54	-35.59	44.66	1	Vertical	314	2.77	-	37.74	15.19	49.64	
AV	19.2243G	33.81	63.54	-29.73	30.53	1	Vertical	314	2.77	-	37.73	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 16.25
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2436G	47.45	83.54	-36.09	44.19	1	Horizontal	277	2.60	-	37.71	15.20	49.65	
AV	19.2235G	33.81	63.54	-29.73	30.53	1	Horizontal	277	2.60	-	37.73	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	60.40	88.20	-27.80	51.72	3	Vertical	216	1.45	-	34.87	6.60	32.79
RMS	5.919G	50.15	68.20	-18.05	41.38	3	Vertical	216	1.45	-	34.98	6.60	32.81
PK	6.5378G	113.95	Inf	-Inf	104.07	3	Vertical	216	1.45	-	35.75	7.00	32.87
RMS	6.5378G	104.21	Inf	-Inf	94.33	3	Vertical	216	1.45	-	35.75	7.00	32.87
PK	7.1846G	63.71	88.20	-24.49	52.58	3	Vertical	216	1.45	-	37.04	7.21	33.12
RMS	7.207G	53.38	68.20	-14.82	42.20	3	Vertical	216	1.45	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.37	88.20	-26.83	52.58	3	Horizontal	348	1.79	-	35.00	6.60	32.81
RMS	5.9246G	50.16	68.20	-18.04	41.37	3	Horizontal	348	1.79	-	35.00	6.60	32.81
PK	6.5378G	116.05	Inf	-Inf	106.17	3	Horizontal	348	1.79	-	35.75	7.00	32.87
RMS	6.5378G	104.42	Inf	-Inf	94.54	3	Horizontal	348	1.79	-	35.75	7.00	32.87
PK	7.2266G	64.01	88.20	-24.19	52.82	3	Horizontal	348	1.79	-	37.10	7.23	33.14
RMS	7.235G	53.39	68.20	-14.81	42.20	3	Horizontal	348	1.79	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.075G	60.87	88.20	-27.33	42.12	3	Vertical	298	1.80	-	39.68	9.48	30.41
RMS	13.0795G	47.43	68.20	-20.77	28.66	3	Vertical	298	1.80	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0796G	62.27	88.20	-25.93	43.50	3	Horizontal	201	1.78	-	39.68	9.49	30.40
RMS	13.0795G	48.22	68.20	-19.98	29.45	3	Horizontal	201	1.78	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6049G	48.24	83.54	-35.30	44.74	1	Vertical	106	2.43	-	37.86	15.34	49.70
AV	19.6251G	34.68	63.54	-28.86	31.18	1	Vertical	106	2.43	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6293G	47.69	83.54	-35.85	44.19	1	Horizontal	12	1.20	-	37.85	15.35	49.70
AV	19.6219G	34.72	63.54	-28.82	31.22	1	Horizontal	12	1.20	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	111.18	Inf	-Inf	101.19	3	Vertical	338	1.88	-	35.91	7.00	32.92
RMS	6.6972G	102.03	Inf	-Inf	92.04	3	Vertical	338	1.88	-	35.91	7.00	32.92
PK	7.2054G	64.51	88.20	-23.69	53.33	3	Vertical	338	1.88	-	37.10	7.21	33.13
RMS	7.2384G	53.45	68.20	-14.75	42.25	3	Vertical	338	1.88	-	37.10	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	112.15	Inf	-Inf	102.16	3	Horizontal	345	1.77	-	35.91	7.00	32.92
RMS	6.6972G	102.07	Inf	-Inf	92.08	3	Horizontal	345	1.77	-	35.91	7.00	32.92
PK	7.1878G	63.97	88.20	-24.23	52.83	3	Horizontal	345	1.77	-	37.05	7.21	33.12
RMS	7.2428G	53.41	68.20	-14.79	42.22	3	Horizontal	345	1.77	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3975G	61.55	74.00	-12.45	41.65	3	Vertical	295	1.67	-	40.20	9.63	29.93
AV	13.3976G	47.65	54.00	-6.35	27.75	3	Vertical	295	1.67	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3984G	62.57	74.00	-11.43	42.67	3	Horizontal	148	2.80	-	40.20	9.63	29.93	
AV	13.3985G	48.62	54.00	-5.38	28.72	3	Horizontal	148	2.80	-	40.20	9.63	29.93	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.1049G	47.75	83.54	-35.79	44.46	1	Vertical	338	2.11	-	37.48	15.55	49.74	
AV	20.1078G	34.36	63.54	-29.18	31.06	1	Vertical	338	2.11	-	37.49	15.55	49.74	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.065G	48.02	83.54	-35.52	44.77	1	Horizontal	280	1.04	-	37.45	15.53	49.73
AV	20.1077G	34.37	63.54	-29.17	31.07	1	Horizontal	280	1.04	-	37.49	15.55	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	121.32	Inf	-Inf	110.64	3	Vertical	17	1.80	-	36.58	7.07	32.97
RMS	6.8522G	110.04	Inf	-Inf	99.35	3	Vertical	17	1.80	-	36.58	7.08	32.97
PK	7.205G	63.41	88.20	-24.79	52.23	3	Vertical	17	1.80	-	37.10	7.21	33.13
RMS	7.1728G	51.74	68.20	-16.46	40.65	3	Vertical	17	1.80	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	119.63	Inf	-Inf	108.95	3	Horizontal	4	1.80	-	36.58	7.07	32.97
RMS	6.8508G	106.61	Inf	-Inf	95.91	3	Horizontal	4	1.80	-	36.59	7.08	32.97
PK	7.2008G	63.84	88.20	-24.36	52.66	3	Horizontal	4	1.80	-	37.10	7.20	33.12
RMS	7.1966G	51.79	68.20	-16.41	40.62	3	Horizontal	4	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70104G	68.44	88.20	-19.76	47.83	3	Vertical	344	2.17	-	40.50	9.77	29.66	
RMS	13.70168G	54.54	68.20	-13.66	33.92	3	Vertical	344	2.17	-	40.51	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69984G	68.64	88.20	-19.56	48.04	3	Horizontal	214	2.74	-	40.50	9.76	29.66
RMS	13.70168G	54.49	68.20	-13.71	33.87	3	Horizontal	214	2.74	-	40.51	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56874G	49.15	83.54	-34.39	45.48	1	Vertical	282	1.54	-	37.78	15.76	49.87
AV	20.56174G	34.66	63.54	-28.88	31.02	1	Vertical	282	1.54	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom



EUT V_2TX
 Setting 23
 01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56168G	47.98	83.54	-35.56	44.34	1	Horizontal	145	1.54	-	37.77	15.75	49.88	
AV	20.5617G	34.38	63.54	-29.16	30.74	1	Horizontal	145	1.54	-	37.77	15.75	49.88	



RSE TX above 1GHz
<Partial RU> standard power_RU26_2TX_Ant. 2


Appendix E.44

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.89288G	53.67	54.00	-0.33	3	Horizontal	211	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 10.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9062G	63.42	88.20	-24.78	54.70	3	Vertical	60	1.80	-	34.92	6.60	32.80	
RMS	5.9244G	50.85	68.20	-17.35	42.06	3	Vertical	60	1.80	-	35.00	6.60	32.81	
PK	5.9466G	112.98	Inf	-Inf	104.11	3	Vertical	60	1.80	-	35.09	6.60	32.82	
RMS	5.9468G	98.50	Inf	-Inf	89.63	3	Vertical	60	1.80	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9154G	62.35	88.20	-25.85	53.60	3	Horizontal	60	1.78	-	34.96	6.60	32.81	
AV	5.9162G	50.85	68.20	-17.35	42.10	3	Horizontal	60	1.78	-	34.96	6.60	32.81	
PK	5.9468G	113.64	Inf	-Inf	104.77	3	Horizontal	60	1.78	-	35.09	6.60	32.82	
AV	5.9462G	97.99	Inf	-Inf	89.13	3	Horizontal	60	1.78	-	35.08	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89352G	60.05	74.00	-13.95	44.16	3	Vertical	24	1.74	-	38.50	8.97	31.58
AV	11.8928G	47.29	54.00	-6.71	31.40	3	Vertical	24	1.74	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89296G	67.31	74.00	-6.69	51.42	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.89288G	53.67	54.00	-0.33	37.78	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.12	88.20	-27.08	52.33	3	Vertical	27	1.80	-	35.00	6.60	32.81	
RMS	5.925G	49.99	68.20	-18.21	41.20	3	Vertical	27	1.80	-	35.00	6.60	32.81	
PK	6.1866G	115.46	Inf	-Inf	105.98	3	Vertical	27	1.80	-	35.45	6.88	32.85	
RMS	6.1866G	103.23	Inf	-Inf	93.75	3	Vertical	27	1.80	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	62.13	88.20	-26.07	53.41	3	Horizontal	144	1.80	-	34.92	6.60	32.80
RMS	5.9238G	50.00	68.20	-18.20	41.21	3	Horizontal	144	1.80	-	35.00	6.60	32.81
PK	6.1866G	107.79	Inf	-Inf	98.31	3	Horizontal	144	1.80	-	35.45	6.88	32.85
RMS	6.1866G	97.31	Inf	-Inf	87.83	3	Horizontal	144	1.80	-	35.45	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 10.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38982G	58.31	74.00	-15.69	42.03	3	Vertical	205	2.31	-	38.68	9.18	31.58
AV	12.39018G	44.52	54.00	-9.48	28.24	3	Vertical	205	2.31	-	38.68	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.38938G	57.52	74.00	-16.48	41.24	3	Horizontal	24	2.36	-	38.68	9.18	31.58	
AV	12.38968G	43.83	54.00	-10.17	27.55	3	Horizontal	24	2.36	-	38.68	9.18	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.58366G	46.95	83.54	-36.59	44.27	1	Vertical	254	2.29	-	37.77	14.93	50.02	
AV	18.58421G	33.78	63.54	-29.76	31.10	1	Vertical	254	2.29	-	37.77	14.93	50.02	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.58675G	46.81	83.54	-36.73	44.12	1	Horizontal	282	1.95	-	37.77	14.93	50.01	
AV	18.58554G	33.83	63.54	-29.71	31.14	1	Horizontal	282	1.95	-	37.77	14.93	50.01	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	61.59	88.20	-26.61	52.96	3	Vertical	1	1.80	-	34.81	6.60	32.78
RMS	5.923G	49.90	68.20	-18.30	41.12	3	Vertical	1	1.80	-	34.99	6.60	32.81
PK	6.4078G	116.36	Inf	-Inf	106.65	3	Vertical	1	1.80	-	35.57	7.00	32.86
RMS	6.4078G	102.82	Inf	-Inf	93.11	3	Vertical	1	1.80	-	35.57	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.93	88.20	-27.27	52.15	3	Horizontal	140	1.75	-	34.99	6.60	32.81	
RMS	5.925G	49.88	68.20	-18.32	41.09	3	Horizontal	140	1.75	-	35.00	6.60	32.81	
PK	6.4078G	109.38	Inf	-Inf	99.67	3	Horizontal	140	1.75	-	35.57	7.00	32.86	
RMS	6.4078G	95.37	Inf	-Inf	85.66	3	Horizontal	140	1.75	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8307G	58.46	88.20	-29.74	40.74	3	Vertical	109	1.81	-	39.23	9.37	30.88
RMS	12.82832G	44.37	68.20	-23.83	26.66	3	Vertical	109	1.81	-	39.23	9.37	30.89

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82955G	58.18	88.20	-30.02	40.46	3	Horizontal	164	2.32	-	39.23	9.37	30.88
RMS	12.83051G	44.38	68.20	-23.82	26.66	3	Horizontal	164	2.32	-	39.23	9.37	30.88

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.24598G	46.67	83.54	-36.87	43.42	1	Vertical	173	1.82	-	37.70	15.20	49.65	
AV	19.24492G	33.27	63.54	-30.27	30.01	1	Vertical	173	1.82	-	37.71	15.20	49.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24458G	46.91	83.54	-36.63	43.65	1	Horizontal	116	2.07	-	37.71	15.20	49.65
AV	19.243G	33.25	63.54	-30.29	29.99	1	Horizontal	116	2.07	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8378G	60.91	88.20	-27.29	52.39	3	Vertical	218	1.80	-	34.70	6.60	32.78
RMS	5.9218G	49.90	68.20	-18.30	41.12	3	Vertical	218	1.80	-	34.99	6.60	32.81
PK	6.5434G	113.68	Inf	-Inf	103.78	3	Vertical	218	1.80	-	35.77	7.00	32.87
RMS	6.5434G	101.78	Inf	-Inf	91.88	3	Vertical	218	1.80	-	35.77	7.00	32.87
PK	7.2294G	64.54	88.20	-23.66	53.35	3	Vertical	218	1.80	-	37.10	7.23	33.14
RMS	7.2322G	53.15	68.20	-15.05	41.96	3	Vertical	218	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.84	88.20	-26.36	53.16	3	Horizontal	59	1.80	-	34.88	6.60	32.80
RMS	5.9246G	49.96	68.20	-18.24	41.17	3	Horizontal	59	1.80	-	35.00	6.60	32.81
PK	6.5434G	108.59	Inf	-Inf	98.69	3	Horizontal	59	1.80	-	35.77	7.00	32.87
RMS	6.5434G	95.19	Inf	-Inf	85.29	3	Horizontal	59	1.80	-	35.77	7.00	32.87
PK	7.2322G	64.79	88.20	-23.41	53.60	3	Horizontal	59	1.80	-	37.10	7.23	33.14
RMS	7.2322G	53.12	68.20	-15.08	41.93	3	Horizontal	59	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0681G	60.17	88.20	-28.03	41.44	3	Vertical	229	1.32	-	39.67	9.48	30.42
RMS	13.0705G	46.30	68.20	-21.90	27.57	3	Vertical	229	1.32	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06972G	59.91	88.20	-28.29	41.18	3	Horizontal	82	2.73	-	39.67	9.48	30.42
RMS	13.06962G	46.25	68.20	-21.95	27.52	3	Horizontal	82	2.73	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6038G	48.17	83.54	-35.37	44.67	1	Vertical	349	2.32	-	37.86	15.34	49.70
AV	19.60614G	34.31	63.54	-29.23	30.81	1	Vertical	349	2.32	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60452G	48.07	83.54	-35.47	44.57	1	Horizontal	197	1.46	-	37.86	15.34	49.70
AV	19.60579G	34.36	63.54	-29.18	30.86	1	Horizontal	197	1.46	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	116.81	Inf	-Inf	106.82	3	Vertical	70	1.16	-	35.92	7.00	32.93
RMS	6.7038G	103.62	Inf	-Inf	93.63	3	Vertical	70	1.16	-	35.92	7.00	32.93
PK	7.168G	64.45	88.20	-23.75	53.37	3	Vertical	70	1.16	-	36.97	7.22	33.11
RMS	7.2208G	53.19	68.20	-15.01	42.00	3	Vertical	70	1.16	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	106.18	Inf	-Inf	96.19	3	Horizontal	61	1.80	-	35.92	7.00	32.93	
RMS	6.7038G	94.48	Inf	-Inf	84.49	3	Horizontal	61	1.80	-	35.92	7.00	32.93	
PK	7.1306G	64.69	88.20	-23.51	53.81	3	Horizontal	61	1.80	-	36.74	7.23	33.09	
RMS	7.234G	53.18	68.20	-15.02	41.99	3	Horizontal	61	1.80	-	37.10	7.23	33.14	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39178G	60.22	74.00	-13.78	40.35	3	Vertical	307	2.52	-	40.18	9.63	29.94
AV	13.38829G	46.98	54.00	-7.02	27.13	3	Vertical	307	2.52	-	40.18	9.62	29.95

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3887G	59.78	74.00	-14.22	39.92	3	Horizontal	193	1.63	-	40.18	9.62	29.94	
AV	13.38926G	46.32	54.00	-7.68	26.45	3	Horizontal	193	1.63	-	40.18	9.63	29.94	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08553G	47.43	83.54	-36.11	44.15	1	Vertical	129	2.09	-	37.47	15.54	49.73
AV	20.08518G	34.56	63.54	-28.98	31.28	1	Vertical	129	2.09	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08501G	47.66	83.54	-35.88	44.38	1	Horizontal	188	2.67	-	37.47	15.54	49.73
AV	20.08561G	34.75	63.54	-28.79	31.47	1	Horizontal	188	2.67	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting -8
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	125.20	Inf	-Inf	114.53	3	Vertical	51	1.66	-	36.57	7.07	32.97
RMS	6.8466G	116.27	Inf	-Inf	105.60	3	Vertical	51	1.66	-	36.57	7.07	32.97
PK	7.1602G	64.21	88.20	-23.99	53.15	3	Vertical	51	1.66	-	36.94	7.22	33.10
RMS	7.1826G	53.18	68.20	-15.02	42.05	3	Vertical	51	1.66	-	37.03	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting -8
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	112.84	Inf	-Inf	102.17	3	Horizontal	352	1.61	-	36.57	7.07	32.97
RMS	6.8466G	103.09	Inf	-Inf	92.42	3	Horizontal	352	1.61	-	36.57	7.07	32.97
PK	7.198G	63.83	88.20	-24.37	52.66	3	Horizontal	352	1.61	-	37.09	7.20	33.12
RMS	7.1868G	53.15	68.20	-15.05	42.01	3	Horizontal	352	1.61	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69216G	66.81	88.20	-21.39	46.24	3	Vertical	282	1.80	-	40.48	9.76	29.67
RMS	13.69152G	57.39	68.20	-10.81	36.82	3	Vertical	282	1.80	-	40.48	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69264G	66.92	88.20	-21.28	46.34	3	Horizontal	145	1.80	-	40.49	9.76	29.67
RMS	13.69312G	57.44	68.20	-10.76	36.86	3	Horizontal	145	1.80	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5679G	47.09	83.54	-36.45	43.42	1	Vertical	215	1.56	-	37.78	15.76	49.87
AV	20.56746G	34.37	63.54	-29.17	30.70	1	Vertical	215	1.56	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom



EUT V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56456G	46.96	83.54	-36.58	43.30	1	Horizontal	200	1.57	-	37.78	15.75	49.87
AV	20.56864G	34.37	63.54	-29.17	30.70	1	Horizontal	200	1.57	-	37.78	15.76	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU52_2TX_Ant. 2


Appendix E.45

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.89528G	53.54	54.00	-0.46	3	Horizontal	211	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 13.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	67.28	88.20	-20.92	58.52	3	Vertical	41	2.29	-	34.97	6.60	32.81
RMS	5.9186G	51.63	68.20	-16.57	42.87	3	Vertical	41	2.29	-	34.97	6.60	32.81
PK	5.9492G	122.64	Inf	-Inf	113.76	3	Vertical	41	2.29	-	35.10	6.60	32.82
RMS	5.9472G	110.52	Inf	-Inf	101.65	3	Vertical	41	2.29	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 13.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9168G	63.63	88.20	-24.57	54.87	3	Horizontal	59	1.85	-	34.97	6.60	32.81
AV	5.9164G	50.92	68.20	-17.28	42.16	3	Horizontal	59	1.85	-	34.97	6.60	32.81
PK	5.9492G	113.09	Inf	-Inf	104.21	3	Horizontal	59	1.85	-	35.10	6.60	32.82
AV	5.9474G	100.67	Inf	-Inf	91.80	3	Horizontal	59	1.85	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89416G	60.90	74.00	-13.10	45.01	3	Vertical	24	1.71	-	38.50	8.97	31.58
AV	11.89528G	47.45	54.00	-6.55	31.56	3	Vertical	24	1.71	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89408G	65.44	74.00	-8.56	49.55	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.89528G	53.54	54.00	-0.46	37.65	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	60.73	88.20	-27.47	52.13	3	Vertical	237	1.79	-	34.78	6.60	32.78
RMS	5.925G	50.15	68.20	-18.05	41.36	3	Vertical	237	1.79	-	35.00	6.60	32.81
PK	6.189G	114.71	Inf	-Inf	105.22	3	Vertical	237	1.79	-	35.46	6.88	32.85
RMS	6.189G	104.65	Inf	-Inf	95.16	3	Vertical	237	1.79	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.867G	61.40	88.20	-26.80	52.76	3	Horizontal	61	1.78	-	34.83	6.60	32.79	
RMS	5.923G	50.19	68.20	-18.01	41.41	3	Horizontal	61	1.78	-	34.99	6.60	32.81	
PK	6.189G	109.86	Inf	-Inf	100.37	3	Horizontal	61	1.78	-	35.46	6.88	32.85	
RMS	6.189G	97.57	Inf	-Inf	88.08	3	Horizontal	61	1.78	-	35.46	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3949G	58.22	74.00	-15.78	41.93	3	Vertical	230	1.80	-	38.69	9.18	31.58
AV	12.3754G	44.58	54.00	-9.42	28.34	3	Vertical	230	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3766G	57.82	74.00	-16.18	41.58	3	Horizontal	160	1.71	-	38.65	9.17	31.58
AV	12.3755G	44.58	54.00	-9.42	28.34	3	Horizontal	160	1.71	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5873G	47.26	83.54	-36.28	44.57	1	Vertical	245	1.05	-	37.77	14.93	50.01
AV	18.6054G	33.42	63.54	-30.12	30.71	1	Vertical	245	1.05	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.6058G	47.24	83.54	-36.30	44.53	1	Horizontal	63	1.67	-	37.76	14.94	49.99
AV	18.608G	33.39	63.54	-30.15	30.68	1	Horizontal	63	1.67	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 13.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9138G	61.18	88.20	-27.02	52.43	3	Vertical	71	1.52	-	34.96	6.60	32.81	
RMS	5.925G	50.19	68.20	-18.01	41.40	3	Vertical	71	1.52	-	35.00	6.60	32.81	
PK	6.4094G	115.54	Inf	-Inf	105.84	3	Vertical	71	1.52	-	35.56	7.00	32.86	
RMS	6.4094G	105.41	Inf	-Inf	95.71	3	Vertical	71	1.52	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 13.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	61.49	88.20	-26.71	53.09	3	Horizontal	62	1.68	-	34.57	6.60	32.77
RMS	5.9222G	50.15	68.20	-18.05	41.37	3	Horizontal	62	1.68	-	34.99	6.60	32.81
PK	6.4094G	110.44	Inf	-Inf	100.74	3	Horizontal	62	1.68	-	35.56	7.00	32.86
RMS	6.4094G	96.10	Inf	-Inf	86.40	3	Horizontal	62	1.68	-	35.56	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8181G	60.08	88.20	-28.12	42.40	3	Vertical	274	1.80	-	39.22	9.37	30.91
RMS	12.8163G	45.98	68.20	-22.22	28.30	3	Vertical	274	1.80	-	39.22	9.37	30.91

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8149G	62.75	88.20	-25.45	45.09	3	Horizontal	209	1.80	-	39.21	9.37	30.92	
RMS	12.8155G	48.29	68.20	-19.91	30.61	3	Horizontal	209	1.80	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2483G	47.36	83.54	-36.18	44.11	1	Vertical	356	2.42	-	37.70	15.20	49.65
AV	19.2237G	33.73	63.54	-29.81	30.45	1	Vertical	356	2.42	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 13.75
 01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2229G	47.28	83.54	-36.26	44.00	1	Horizontal	24	2.26	-	37.73	15.19	49.64	
AV	19.2216G	33.72	63.54	-29.82	30.44	1	Horizontal	24	2.26	-	37.73	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	60.18	88.20	-28.02	51.51	3	Vertical	72	1.22	-	34.86	6.60	32.79
RMS	5.9218G	50.13	68.20	-18.07	41.35	3	Vertical	72	1.22	-	34.99	6.60	32.81
PK	6.5406G	115.13	Inf	-Inf	105.24	3	Vertical	72	1.22	-	35.76	7.00	32.87
RMS	6.5434G	103.63	Inf	-Inf	93.73	3	Vertical	72	1.22	-	35.77	7.00	32.87
PK	7.1398G	63.41	88.20	-24.79	52.45	3	Vertical	72	1.22	-	36.82	7.23	33.09
RMS	7.2294G	53.27	68.20	-14.93	42.08	3	Vertical	72	1.22	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	60.23	88.20	-27.97	51.57	3	Horizontal	62	1.82	-	34.85	6.60	32.79
RMS	5.9246G	50.10	68.20	-18.10	41.31	3	Horizontal	62	1.82	-	35.00	6.60	32.81
PK	6.5406G	105.46	Inf	-Inf	95.57	3	Horizontal	62	1.82	-	35.76	7.00	32.87
RMS	6.5434G	93.87	Inf	-Inf	83.97	3	Horizontal	62	1.82	-	35.77	7.00	32.87
PK	7.1622G	64.72	88.20	-23.48	53.65	3	Horizontal	62	1.82	-	36.95	7.22	33.10
RMS	7.2266G	53.31	68.20	-14.89	42.12	3	Horizontal	62	1.82	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0824G	60.27	88.20	-27.93	41.50	3	Vertical	288	1.80	-	39.68	9.49	30.40
RMS	13.084G	46.65	68.20	-21.55	27.88	3	Vertical	288	1.80	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.084G	61.54	88.20	-26.66	42.77	3	Horizontal	141	2.82	-	39.68	9.49	30.40
RMS	13.0838G	47.38	68.20	-20.82	28.61	3	Horizontal	141	2.82	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6064G	47.72	83.54	-35.82	44.22	1	Vertical	22	2.75	-	37.86	15.34	49.70	
AV	19.6285G	34.56	63.54	-28.98	31.06	1	Vertical	22	2.75	-	37.85	15.35	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6082G	48.10	83.54	-35.44	44.60	1	Horizontal	196	2.75	-	37.86	15.34	49.70
AV	19.6284G	34.59	63.54	-28.95	31.09	1	Horizontal	196	2.75	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	115.89	Inf	-Inf	105.90	3	Vertical	71	1.33	-	35.91	7.00	32.92
RMS	6.7016G	105.55	Inf	-Inf	95.56	3	Vertical	71	1.33	-	35.91	7.00	32.92
PK	7.157G	64.11	88.20	-24.09	53.06	3	Vertical	71	1.33	-	36.93	7.22	33.10
RMS	7.2318G	53.34	68.20	-14.86	42.15	3	Vertical	71	1.33	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7016G	106.64	Inf	-Inf	96.65	3	Horizontal	355	3.00	-	35.91	7.00	32.92	
RMS	6.7016G	97.06	Inf	-Inf	87.07	3	Horizontal	355	3.00	-	35.91	7.00	32.92	
PK	7.1702G	64.28	88.20	-23.92	53.20	3	Horizontal	355	3.00	-	36.98	7.21	33.11	
RMS	7.1966G	53.30	68.20	-14.90	42.13	3	Horizontal	355	3.00	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4098G	60.79	88.20	-27.41	40.87	3	Vertical	282	1.80	-	40.20	9.63	29.91	
RMS	13.4048G	46.97	68.20	-21.23	27.06	3	Vertical	282	1.80	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40368G	61.17	88.20	-27.03	41.26	3	Horizontal	160	2.97	-	40.20	9.63	29.92
RMS	13.4035G	47.46	68.20	-20.74	27.55	3	Horizontal	160	2.97	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.07306G	47.28	83.54	-36.26	44.02	1	Vertical	177	2.85	-	37.46	15.53	49.73
AV	20.0982G	33.91	63.54	-29.63	30.63	1	Vertical	177	2.85	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom



EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.07888G	47.51	83.54	-36.03	44.24	1	Horizontal	43	2.13	-	37.46	15.54	49.73
AV	20.09826G	33.92	63.54	-29.62	30.64	1	Horizontal	43	2.13	-	37.48	15.54	49.74