


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5955MHz

18/06/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6195MHz

18/06/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6415MHz

18/06/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6535MHz

18/06/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6695MHz

18/06/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.77	10.77	10.77

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

18/06/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.05	3.05	3.05

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6205MHz

18/06/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6405MHz

18/06/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6565MHz

18/06/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6685MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5985MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6225MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6385MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6625MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

18/06/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6785MHz

18/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

18/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6185MHz

18/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6345MHz

18/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6665MHz

18/06/2022



**PSD****<Full RU> standard power_Beamforming mode_2TX_Ant. 1****Appendix D.28****Summary**

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	9.06	16.93
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.13	14.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.81	11.68
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	1.09	8.96
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.98	16.85
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.20	14.07
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.58	11.45
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	0.43	8.30

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.87	1.88	1.86	4.84	12.71	17.00
6195MHz	Pass	7.87	6.10	6.01	9.06	16.93	17.00
6415MHz	Pass	7.87	5.95	5.89	8.91	16.78	17.00
6535MHz	Pass	7.87	6.00	5.81	8.90	16.77	17.00
6695MHz	Pass	7.87	6.07	5.92	8.98	16.85	17.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.87	1.26	1.22	4.20	12.07	17.00
6205MHz	Pass	7.87	3.08	3.18	6.13	14.00	17.00
6405MHz	Pass	7.87	3.03	3.13	6.07	13.94	17.00
6565MHz	Pass	7.87	3.13	3.37	6.20	14.07	17.00
6685MHz	Pass	7.87	3.40	2.60	6.02	13.89	17.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.87	-3.23	-3.52	-0.38	7.49	17.00
6225MHz	Pass	7.87	0.70	0.90	3.81	11.68	17.00
6385MHz	Pass	7.87	-0.93	-0.94	2.06	9.93	17.00
6625MHz	Pass	7.87	0.71	0.44	3.58	11.45	17.00
6705MHz	Pass	7.87	0.80	0.01	3.41	11.28	17.00
6785MHz	Pass	7.87	0.31	-0.04	3.15	11.02	17.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.87	-5.94	-6.13	-3.07	4.80	17.00
6185MHz	Pass	7.87	-1.88	-1.92	1.09	8.96	17.00
6345MHz	Pass	7.87	-5.66	-5.86	-2.75	5.12	17.00
6665MHz	Pass	7.87	-2.63	-2.47	0.43	8.30	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5955MHz

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6195MHz

24/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6695MHz

24/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5965MHz

24/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz

PSD

17/06/2022

CF
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☐
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
6.13	6.13	3.08	3.18


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz

PSD

17/06/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☐
Port 1 ☐
Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
6.07	6.07	3.03	3.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz

PSD

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz

PSD

24/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5985MHz

24/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

6225MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz

PSD

18/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz

PSD

17/06/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz

PSD

17/06/2022

CF
6.705GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.41	3.41	0.80	0.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz

PSD

17/06/2022

CF
6.785GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum ☒

Port 1 ☒


Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	0.31	-0.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz


24/06/2022



802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz

18/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz

PSD

18/06/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.75	-2.75	-5.66	-5.86

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz

PSD

18/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.43	0.43	-2.63	-2.47

**PSD****<Full RU> standard power_Beamforming mode_2TX_Ant. 2****Appendix D.29****Summary**

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.93	16.94
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.13	14.14
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.81	11.82
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	1.09	9.10
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.90	16.91
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.20	14.21
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.58	11.59
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	0.43	8.44

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.01	6.04	5.95	8.93	16.94	17.00
6195MHz	Pass	8.01	5.99	5.71	8.79	16.80	17.00
6415MHz	Pass	8.01	5.95	5.89	8.91	16.92	17.00
6535MHz	Pass	8.01	6.00	5.81	8.90	16.91	17.00
6695MHz	Pass	8.01	5.83	5.67	8.76	16.77	17.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.01	0.71	0.57	3.63	11.64	17.00
6205MHz	Pass	8.01	3.08	3.18	6.13	14.14	17.00
6405MHz	Pass	8.01	3.03	3.13	6.07	14.08	17.00
6565MHz	Pass	8.01	3.13	3.37	6.20	14.21	17.00
6685MHz	Pass	8.01	2.92	2.63	5.76	13.77	17.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.01	-2.16	-2.50	0.68	8.69	17.00
6225MHz	Pass	8.01	0.70	0.90	3.81	11.82	17.00
6385MHz	Pass	8.01	-0.93	-0.94	2.06	10.07	17.00
6625MHz	Pass	8.01	0.71	0.44	3.58	11.59	17.00
6705MHz	Pass	8.01	0.80	0.01	3.41	11.42	17.00
6785MHz	Pass	8.01	0.31	-0.04	3.15	11.16	17.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.01	-6.67	-6.84	-3.74	4.27	17.00
6185MHz	Pass	8.01	-1.88	-1.92	1.09	9.10	17.00
6345MHz	Pass	8.01	-5.66	-5.86	-2.75	5.26	17.00
6665MHz	Pass	8.01	-2.63	-2.47	0.43	8.44	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5955MHz

25/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6195MHz

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6695MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD


5965MHz

25/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX
PSD
6205MHz

17/06/2022


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
PSD
6405MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

6565MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD


6685MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX
PSD
5985MHz

25/06/2022


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
PSD
6225MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz

PSD

18/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz

PSD

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz

PSD

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz

PSD

17/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

PSD

6025MHz

25/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

PSD

6185MHz

18/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz

PSD

18/06/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.75	-2.75	-5.66	-5.86

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz

PSD

18/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.43	0.43	-2.63	-2.47

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.91	16.92
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.13	14.14
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.81	11.82
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	1.09	9.10
6.525-6.875GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.90	16.91
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.20	14.21
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.58	11.59
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	0.43	8.44

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.01	1.88	1.86	4.84	12.85	17.00
6195MHz	Pass	8.01	5.99	5.71	8.79	16.80	17.00
6415MHz	Pass	8.01	5.95	5.89	8.91	16.92	17.00
6535MHz	Pass	8.01	6.00	5.81	8.90	16.91	17.00
6695MHz	Pass	8.01	5.83	5.67	8.76	16.77	17.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.01	0.29	0.30	3.28	11.29	17.00
6205MHz	Pass	8.01	3.08	3.18	6.13	14.14	17.00
6405MHz	Pass	8.01	3.03	3.13	6.07	14.08	17.00
6565MHz	Pass	8.01	3.13	3.37	6.20	14.21	17.00
6685MHz	Pass	8.01	2.92	2.63	5.76	13.77	17.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.01	-4.61	-4.82	-1.70	6.31	17.00
6225MHz	Pass	8.01	0.70	0.90	3.81	11.82	17.00
6385MHz	Pass	8.01	-0.93	-0.94	2.06	10.07	17.00
6625MHz	Pass	8.01	0.71	0.44	3.58	11.59	17.00
6705MHz	Pass	8.01	0.80	0.01	3.41	11.42	17.00
6785MHz	Pass	8.01	0.31	-0.04	3.15	11.16	17.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.01	-8.30	-8.37	-5.33	2.68	17.00
6185MHz	Pass	8.01	-1.88	-1.92	1.09	9.10	17.00
6345MHz	Pass	8.01	-5.66	-5.86	-2.75	5.26	17.00
6665MHz	Pass	8.01	-2.63	-2.47	0.43	8.44	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5955MHz

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6195MHz

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz

PSD

17/06/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

6695MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5965MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

6205MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

6405MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

6565MHz

17/06/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

6685MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5985MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD


6225MHz

17/06/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX
PSD
6385MHz

18/06/2022


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
PSD
6625MHz

17/06/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz

PSD

17/06/2022

CF
6.705GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
3.41	3.41	0.80	0.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz

PSD

17/06/2022

CF
6.785GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum ☒


Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
3.15	3.15	0.31	-0.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
PSD
6025MHz

18/06/2022



802.11ax HEW160-BF_Nss1,(MCS0)_2TX
PSD
6185MHz

18/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX
PSD
6345MHz

18/06/2022


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
PSD
6665MHz

18/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	12.01	16.87
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	11.98	16.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU26_1TX_Ant. 1

Appendix D.31

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	4.86	8.91	8.91	Inf	13.77	17.00
6195MHz	Pass	4.86	12.01	12.01	Inf	16.87	17.00
6415MHz	Pass	4.86	11.93	11.93	Inf	16.79	17.00
6535MHz	Pass	4.86	11.87	11.87	Inf	16.73	17.00
6695MHz	Pass	4.86	11.98	11.98	Inf	16.84	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_1TX

PSD

5955MHz

24/06/2022




Sum	PD	Port 1
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
8.91	8.91	8.91

ax20_RU26_Nss1,(MCS0)_1TX

PSD

6195MHz

24/06/2022




Sum	PD	Port 1
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
12.01	12.01	12.01

ax20_RU26_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





PSD

<Partial RU> standard power_RU52_1TX_Ant. 1

Appendix D.32

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	12.06	16.92
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	11.95	16.81

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_1TX_Ant. 1

Appendix D.32

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	4.86	12.06	12.06	Inf	16.92	17.00
6195MHz	Pass	4.86	11.88	11.88	Inf	16.74	17.00
6415MHz	Pass	4.86	11.89	11.89	Inf	16.75	17.00
6535MHz	Pass	4.86	11.95	11.95	Inf	16.81	17.00
6695MHz	Pass	4.86	11.85	11.85	Inf	16.71	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_1TX

PSD

5955MHz

24/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	12.08	16.94
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	11.97	16.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> standard power_RU106_1TX_Ant. 1

Appendix D.33

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	4.86	7.61	7.61	Inf	12.47	17.00
6195MHz	Pass	4.86	11.96	11.96	Inf	16.82	17.00
6415MHz	Pass	4.86	12.08	12.08	Inf	16.94	17.00
6535MHz	Pass	4.86	11.93	11.93	Inf	16.79	17.00
6695MHz	Pass	4.86	11.97	11.97	Inf	16.83	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_1TX

PSD

5955MHz

24/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6415MHz

24/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	11.93	16.93
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	11.98	16.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU26_1TX_Ant. 2

Appendix D.34

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	9.16	9.16	Inf	14.16	17.00
6195MHz	Pass	5.00	11.80	11.80	Inf	16.80	17.00
6415MHz	Pass	5.00	11.93	11.93	Inf	16.93	17.00
6535MHz	Pass	5.00	11.87	11.87	Inf	16.87	17.00
6695MHz	Pass	5.00	11.98	11.98	Inf	16.98	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_1TX

PSD

5955MHz

25/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	11.89	16.89
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	11.95	16.95

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_1TX_Ant. 2

Appendix D.35

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	8.72	8.72	Inf	13.72	17.00
6195MHz	Pass	5.00	11.88	11.88	Inf	16.88	17.00
6415MHz	Pass	5.00	11.89	11.89	Inf	16.89	17.00
6535MHz	Pass	5.00	11.95	11.95	Inf	16.95	17.00
6695MHz	Pass	5.00	11.85	11.85	Inf	16.85	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_1TX

PSD

5955MHz

25/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	11.96	16.96
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	11.97	16.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> standard power_RU106_1TX_Ant. 2

Appendix D.36

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	7.61	7.61	Inf	12.61	17.00
6195MHz	Pass	5.00	11.96	11.96	Inf	16.96	17.00
6415MHz	Pass	5.00	11.84	11.84	Inf	16.84	17.00
6535MHz	Pass	5.00	11.93	11.93	Inf	16.93	17.00
6695MHz	Pass	5.00	11.97	11.97	Inf	16.97	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_1TX

PSD

5955MHz

24/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	11.93	16.93
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_1TX	11.98	16.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU26_1TX_Ant. 3

Appendix D.37

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	10.06	10.06	Inf	15.06	17.00
6195MHz	Pass	5.00	11.80	11.80	Inf	16.80	17.00
6415MHz	Pass	5.00	11.93	11.93	Inf	16.93	17.00
6535MHz	Pass	5.00	11.87	11.87	Inf	16.87	17.00
6695MHz	Pass	5.00	11.98	11.98	Inf	16.98	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_1TX

PSD

5955MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





PSD
<Partial RU> standard power_RU52_1TX_Ant. 3

Appendix D.38

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	11.89	16.89
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_1TX	11.95	16.95

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_1TX_Ant. 3

Appendix D.38

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	7.74	7.74	Inf	12.74	17.00
6195MHz	Pass	5.00	11.88	11.88	Inf	16.88	17.00
6415MHz	Pass	5.00	11.89	11.89	Inf	16.89	17.00
6535MHz	Pass	5.00	11.95	11.95	Inf	16.95	17.00
6695MHz	Pass	5.00	11.85	11.85	Inf	16.85	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_1TX

PSD

5955MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	11.96	16.96
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_1TX	11.97	16.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> standard power_RU106_1TX_Ant. 3

Appendix D.39

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.00	7.28	7.28	Inf	12.28	17.00
6195MHz	Pass	5.00	11.96	11.96	Inf	16.96	17.00
6415MHz	Pass	5.00	11.84	11.84	Inf	16.84	17.00
6535MHz	Pass	5.00	11.93	11.93	Inf	16.93	17.00
6695MHz	Pass	5.00	11.97	11.97	Inf	16.97	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_1TX

PSD

5955MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6415MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_1TX

PSD

6695MHz

22/06/2022





PSD

<Partial RU> standard power_RU26_2TX_Ant. 1

Appendix D.40

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	9.08	16.95
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	8.99	16.86

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU26_2TX_Ant. 1

Appendix D.40

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.87	6.14	6.03	9.08	Inf	16.95	17.00
6195MHz	Pass	7.87	6.12	5.94	9.01	Inf	16.88	17.00
6415MHz	Pass	7.87	6.01	6.05	9.02	Inf	16.89	17.00
6535MHz	Pass	7.87	5.97	5.96	8.95	Inf	16.82	17.00
6695MHz	Pass	7.87	6.01	5.99	8.99	Inf	16.86	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_2TX

PSD

5955MHz

24/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

PSD

6195MHz


24/06/2022



ax20_RU26_Nss1,(MCS0)_2TX

6415MHz


24/06/2022



ax20_RU26_Nss1,(MCS0)_2TX

6535MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

6695MHz

PSD

24/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.95	16.82
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.92	16.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_2TX_Ant. 1

Appendix D.41

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.87	5.94	5.95	8.91	Inf	16.78	17.00
6195MHz	Pass	7.87	6.16	5.87	8.95	Inf	16.82	17.00
6415MHz	Pass	7.87	5.85	6.05	8.95	Inf	16.82	17.00
6535MHz	Pass	7.87	6.05	5.99	8.92	Inf	16.79	17.00
6695MHz	Pass	7.87	5.89	5.86	8.85	Inf	16.72	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_2TX

PSD

5955MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	9.11	16.98
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	8.95	16.82

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU106_2TX_Ant. 1

Appendix D.42

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	7.87	6.15	6.07	9.05	Inf	16.92	17.00
6195MHz	Pass	7.87	5.96	5.90	8.90	Inf	16.77	17.00
6415MHz	Pass	7.87	6.13	6.15	9.11	Inf	16.98	17.00
6535MHz	Pass	7.87	5.86	6.05	8.95	Inf	16.82	17.00
6695MHz	Pass	7.87	6.05	5.84	8.90	Inf	16.77	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_2TX

PSD

5955MHz

24/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6415MHz

24/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	8.81	16.82
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	8.95	16.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.91	5.74	8.81	Inf	16.82	17.00
6195MHz	Pass	8.01	5.82	5.70	8.76	Inf	16.77	17.00
6415MHz	Pass	8.01	5.75	5.82	8.75	Inf	16.76	17.00
6535MHz	Pass	8.01	5.97	5.96	8.95	Inf	16.96	17.00
6695MHz	Pass	8.01	5.63	5.76	8.69	Inf	16.70	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_2TX

PSD

5955MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

6415MHz

PSD

22/06/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	5.75	5.82

ax20_RU26_Nss1,(MCS0)_2TX

6535MHz

PSD

22/06/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.95	8.95	5.97	5.96

ax20_RU26_Nss1,(MCS0)_2TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.95	16.96
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.92	16.93

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_2TX_Ant. 2

Appendix D.44

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.94	5.95	8.91	Inf	16.92	17.00
6195MHz	Pass	8.01	6.16	5.87	8.95	Inf	16.96	17.00
6415MHz	Pass	8.01	5.85	6.05	8.95	Inf	16.96	17.00
6535MHz	Pass	8.01	6.05	5.99	8.92	Inf	16.93	17.00
6695MHz	Pass	8.01	5.89	5.86	8.85	Inf	16.86	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_2TX

PSD

5955MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	8.90	16.91
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	8.95	16.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> standard power_RU106_2TX_Ant. 2

Appendix D.45

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.76	5.82	8.80	Inf	16.81	17.00
6195MHz	Pass	8.01	5.96	5.90	8.90	Inf	16.91	17.00
6415MHz	Pass	8.01	5.68	5.88	8.79	Inf	16.80	17.00
6535MHz	Pass	8.01	5.86	6.05	8.95	Inf	16.96	17.00
6695MHz	Pass	8.01	6.05	5.84	8.90	Inf	16.91	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_2TX

PSD

5955MHz

25/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6415MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	8.81	16.82
6.525-6.875GHz	-	-
ax20_RU26_Nss1,(MCS0)_2TX	8.95	16.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU26_2TX_Ant. 3

Appendix D.46

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU26_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.91	5.74	8.81	Inf	16.82	17.00
6195MHz	Pass	8.01	5.82	5.70	8.76	Inf	16.77	17.00
6415MHz	Pass	8.01	5.75	5.82	8.75	Inf	16.76	17.00
6535MHz	Pass	8.01	5.97	5.96	8.95	Inf	16.96	17.00
6695MHz	Pass	8.01	5.63	5.76	8.69	Inf	16.70	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU26_Nss1,(MCS0)_2TX

PSD

5955MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU26_Nss1,(MCS0)_2TX

6415MHz

PSD

22/06/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	5.75	5.82

ax20_RU26_Nss1,(MCS0)_2TX

6535MHz

PSD

22/06/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.95	8.95	5.97	5.96

ax20_RU26_Nss1,(MCS0)_2TX

PSD

6695MHz

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.95	16.96
6.525-6.875GHz	-	-
ax20_RU52_Nss1,(MCS0)_2TX	8.92	16.93

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> standard power_RU52_2TX_Ant. 3

Appendix D.47

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU52_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.94	5.95	8.91	Inf	16.92	17.00
6195MHz	Pass	8.01	6.16	5.87	8.95	Inf	16.96	17.00
6415MHz	Pass	8.01	5.85	6.05	8.95	Inf	16.96	17.00
6535MHz	Pass	8.01	6.05	5.99	8.92	Inf	16.93	17.00
6695MHz	Pass	8.01	5.89	5.86	8.85	Inf	16.86	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU52_Nss1,(MCS0)_2TX

5955MHz


22/06/2022



ax20_RU52_Nss1,(MCS0)_2TX

6195MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6415MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU52_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	8.90	16.91
6.525-6.875GHz	-	-
ax20_RU106_Nss1,(MCS0)_2TX	8.95	16.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
ax20_RU106_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	8.01	5.53	5.62	8.51	Inf	16.52	17.00
6195MHz	Pass	8.01	5.96	5.90	8.90	Inf	16.91	17.00
6415MHz	Pass	8.01	5.68	5.88	8.79	Inf	16.80	17.00
6535MHz	Pass	8.01	5.86	6.05	8.95	Inf	16.96	17.00
6695MHz	Pass	8.01	6.05	5.84	8.90	Inf	16.91	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

ax20_RU106_Nss1,(MCS0)_2TX

PSD

5955MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6195MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6415MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

PSD

6535MHz

22/06/2022




ax20_RU106_Nss1,(MCS0)_2TX

6695MHz

PSD

22/06/2022





Radiated Emissions below 1GHz


Appendix E.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	60.01M	35.92	40.00	-4.08	Vertical

Mode 3

18/05/2022




Lim.QP 
QP 
-6dB 

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30.85M	35.61	40.00	-4.39	-13.16	3	Vertical	55	1.00	-	48.77	14.00	0.73	27.89
PK	60.01M	35.92	40.00	-4.08	-16.67	3	Vertical	193	1.00	"Worst"	52.59	9.80	1.30	27.77
PK	99.62M	33.36	43.50	-10.14	-16.35	3	Vertical	79	1.00	-	49.71	9.56	1.90	27.81
PK	115.6M	31.39	43.50	-12.11	-15.05	3	Vertical	190	2.00	-	46.44	10.50	2.13	27.68
PK	366.4M	35.26	46.00	-10.74	-7.69	3	Vertical	4	2.00	-	42.95	15.38	3.97	27.04
PK	399.6M	33.01	46.00	-12.99	-7.02	3	Vertical	38	2.00	-	40.03	16.22	4.10	27.34

Mode 3

18/05/2022



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	100.04M	31.53	43.50	-11.97	-16.31	3	Horizontal	133	1.00	"Worst"	47.84	9.60	1.90	27.81
PK	199.92M	27.68	43.50	-15.82	-9.56	3	Horizontal	229	3.00	-	37.24	14.51	3.20	27.27
PK	299.6M	28.37	46.00	-17.63	-9.67	3	Horizontal	286	1.00	-	38.04	13.20	3.50	26.37
PK	366.4M	32.51	46.00	-13.49	-7.69	3	Horizontal	214	2.00	-	40.20	15.38	3.97	27.04
PK	399.6M	31.24	46.00	-14.76	-7.02	3	Horizontal	11	1.00	-	38.26	16.22	4.10	27.34
PK	499.6M	31.66	46.00	-14.34	-5.79	3	Horizontal	15	1.00	-	37.45	17.51	4.60	27.90



RSE TX above 1GHz
<Full RU> low power_Non-beamforming mode_1TX_Ant. 1


Appendix E.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	7.128G	68.16	68.20	-0.04	3	Vertical	76	1.70	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 17.25
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9202G	63.78	88.20	-24.42	55.01	3	Vertical	45	1.34	-	34.98	6.60	32.81	
RMS	5.925G	52.24	68.20	-15.96	43.45	3	Vertical	45	1.34	-	35.00	6.60	32.81	
PK	5.9546G	114.30	Inf	-Inf	105.40	3	Vertical	45	1.34	-	35.12	6.60	32.82	
RMS	5.9578G	103.83	Inf	-Inf	94.92	3	Vertical	45	1.34	-	35.13	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 17.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	62.94	88.20	-25.26	54.15	3	Horizontal	0	2.30	-	35.00	6.60	32.81
RMS	5.925G	51.66	68.20	-16.54	42.87	3	Horizontal	0	2.30	-	35.00	6.60	32.81
PK	5.9546G	111.77	Inf	-Inf	102.87	3	Horizontal	0	2.30	-	35.12	6.60	32.82
RMS	5.9578G	101.37	Inf	-Inf	92.46	3	Horizontal	0	2.30	-	35.13	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90424G	59.34	74.00	-14.66	43.44	3	Vertical	3	1.80	-	38.50	8.98	31.58
AV	11.90712G	47.24	54.00	-6.76	31.34	3	Vertical	3	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91348G	66.39	74.00	-7.61	50.48	3	Horizontal	207	1.80	-	38.50	8.98	31.57
AV	11.90748G	53.94	54.00	-0.06	38.04	3	Horizontal	207	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9142G	58.33	88.20	-29.87	51.72	3	Vertical	219	1.76	-	34.66	7.51	35.56	
RMS	5.925G	47.05	68.20	-21.15	40.38	3	Vertical	219	1.76	-	34.70	7.53	35.56	
PK	6.195G	113.62	Inf	-Inf	106.26	3	Vertical	219	1.76	-	35.18	7.70	35.52	
RMS	6.1938G	103.58	Inf	-Inf	96.22	3	Vertical	219	1.76	-	35.18	7.70	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	57.84	88.20	-30.36	51.24	3	Horizontal	8	1.90	-	34.64	7.51	35.55
RMS	5.925G	47.05	68.20	-21.15	40.38	3	Horizontal	8	1.90	-	34.70	7.53	35.56
PK	6.195G	111.45	Inf	-Inf	104.09	3	Horizontal	8	1.90	-	35.18	7.70	35.52
RMS	6.1962G	101.61	Inf	-Inf	94.25	3	Horizontal	8	1.90	-	35.18	7.70	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3836G	56.88	74.00	-17.12	42.30	3	Vertical	234	1.80	-	38.88	11.11	35.41	
AV	12.3895G	43.41	54.00	-10.59	28.82	3	Vertical	234	1.80	-	38.89	11.11	35.41	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39162G	64.06	74.00	-9.94	49.47	3	Horizontal	210	1.80	-	38.89	11.11	35.41	
AV	12.38742G	50.36	54.00	-3.64	35.77	3	Horizontal	210	1.80	-	38.89	11.11	35.41	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59982G	45.57	83.54	-37.97	42.87	1	Vertical	189	2.22	-	37.76	14.94	50.00	
AV	18.58998G	31.54	63.54	-32.00	28.85	1	Vertical	189	2.22	-	37.76	14.94	50.01	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.57372G	45.13	83.54	-38.41	42.46	1	Horizontal	256	1.27	-	37.77	14.93	50.03
AV	18.58242G	31.50	63.54	-32.04	28.82	1	Horizontal	256	1.27	-	37.77	14.93	50.02

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	59.33	88.20	-28.87	52.68	3	Vertical	321	2.10	-	34.69	7.52	35.56	
RMS	5.925G	47.00	68.20	-21.20	40.34	3	Vertical	321	2.10	-	34.70	7.52	35.56	
PK	6.415G	112.39	Inf	-Inf	105.25	3	Vertical	321	2.10	-	34.84	7.73	35.43	
RMS	6.415G	102.43	Inf	-Inf	95.29	3	Vertical	321	2.10	-	34.84	7.73	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8678G	57.44	88.20	-30.76	51.09	3	Horizontal	4	1.90	-	34.41	7.47	35.53	
RMS	5.9158G	46.95	68.20	-21.25	40.33	3	Horizontal	4	1.90	-	34.66	7.52	35.56	
PK	6.4174G	110.52	Inf	-Inf	103.39	3	Horizontal	4	1.90	-	34.83	7.73	35.43	
RMS	6.415G	101.03	Inf	-Inf	93.89	3	Horizontal	4	1.90	-	34.84	7.73	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.829G	59.81	88.20	-28.39	43.65	3	Vertical	265	1.67	-	39.33	11.46	34.63
RMS	12.8275G	45.83	68.20	-22.37	29.68	3	Vertical	265	1.67	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83372G	65.14	88.20	-23.06	48.96	3	Horizontal	199	1.74	-	39.33	11.47	34.62
RMS	12.82754G	50.99	68.20	-17.21	34.84	3	Horizontal	199	1.74	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24014G	46.59	83.54	-36.95	43.33	1	Vertical	197	2.63	-	37.71	15.20	49.65
AV	19.24188G	32.31	63.54	-31.23	29.05	1	Vertical	197	2.63	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25616G	45.98	83.54	-37.56	42.73	1	Horizontal	234	2.22	-	37.70	15.20	49.65
AV	19.24158G	32.39	63.54	-31.15	29.13	1	Horizontal	234	2.22	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8552G	58.25	88.20	-29.95	51.99	3	Vertical	324	2.00	-	34.33	7.46	35.53	
RMS	5.9202G	46.97	68.20	-21.23	40.33	3	Vertical	324	2.00	-	34.68	7.52	35.56	
PK	6.435G	96.97	Inf	-Inf	89.87	3	Vertical	324	2.00	-	34.76	7.77	35.43	
RMS	6.435G	86.47	Inf	-Inf	79.37	3	Vertical	324	2.00	-	34.76	7.77	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7928G	58.07	88.20	-30.13	51.97	3	Horizontal	-0	1.83	-	34.20	7.40	35.50	
RMS	5.9176G	46.86	68.20	-21.34	40.23	3	Horizontal	-0	1.83	-	34.67	7.52	35.56	
PK	6.435G	96.11	Inf	-Inf	89.01	3	Horizontal	-0	1.83	-	34.76	7.77	35.43	
RMS	6.435G	85.11	Inf	-Inf	78.01	3	Horizontal	-0	1.83	-	34.76	7.77	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8828G	57.28	88.20	-30.92	40.90	3	Vertical	262	1.78	-	39.38	11.51	34.51	
RMS	12.8894G	42.92	68.20	-25.28	26.51	3	Vertical	262	1.78	-	39.39	11.51	34.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8842G	57.48	88.20	-30.72	41.10	3	Horizontal	89	1.71	-	39.38	11.51	34.51	
RMS	12.8908G	42.95	68.20	-25.25	26.54	3	Horizontal	89	1.71	-	39.39	11.51	34.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.29276G	45.93	83.54	-37.61	42.64	1	Vertical	21	1.39	-	37.73	15.22	49.66
AV	19.29732G	32.19	63.54	-31.35	28.89	1	Vertical	21	1.39	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.311G	45.75	83.54	-37.79	42.44	1	Horizontal	108	1.75	-	37.75	15.22	49.66
AV	19.30524G	32.23	63.54	-31.31	28.93	1	Horizontal	108	1.75	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7862G	58.37	88.20	-29.83	52.26	3	Vertical	325	1.93	-	34.20	7.40	35.49
RMS	5.925G	46.91	68.20	-21.29	40.25	3	Vertical	325	1.93	-	34.70	7.52	35.56
PK	6.475G	95.28	Inf	-Inf	88.14	3	Vertical	325	1.93	-	34.70	7.85	35.41
RMS	6.475G	86.33	Inf	-Inf	79.19	3	Vertical	325	1.93	-	34.70	7.85	35.41
PK	7.175G	63.03	88.20	-25.17	54.12	3	Vertical	325	1.93	-	36.25	8.20	35.54
RMS	7.1582G	52.30	68.20	-15.90	43.48	3	Vertical	325	1.93	-	36.15	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8646G	57.70	88.20	-30.50	51.38	3	Horizontal	354	1.86	-	34.39	7.46	35.53
RMS	5.925G	46.93	68.20	-21.27	40.27	3	Horizontal	354	1.86	-	34.70	7.52	35.56
PK	6.4778G	94.56	Inf	-Inf	87.41	3	Horizontal	354	1.86	-	34.70	7.86	35.41
RMS	6.475G	84.61	Inf	-Inf	77.47	3	Horizontal	354	1.86	-	34.70	7.85	35.41
PK	7.1274G	63.73	88.20	-24.47	55.09	3	Horizontal	354	1.86	-	35.96	8.20	35.52
RMS	7.1526G	52.34	68.20	-15.86	43.55	3	Horizontal	354	1.86	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9585G	56.63	88.20	-31.57	39.94	3	Vertical	151	2.96	-	39.46	11.57	34.34	
RMS	12.9532G	43.36	68.20	-24.84	26.70	3	Vertical	151	2.96	-	39.45	11.56	34.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9435G	56.56	88.20	-31.64	39.94	3	Horizontal	290	2.27	-	39.44	11.55	34.37	
RMS	12.9543G	43.38	68.20	-24.82	26.72	3	Horizontal	290	2.27	-	39.45	11.56	34.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41648G	46.14	83.54	-37.40	42.72	1	Vertical	153	2.34	-	37.83	15.27	49.68
AV	19.42626G	32.56	63.54	-30.98	29.14	1	Vertical	153	2.34	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42092G	46.23	83.54	-37.31	42.80	1	Horizontal	128	1.91	-	37.84	15.27	49.68	
AV	19.43238G	32.58	63.54	-30.96	29.15	1	Horizontal	128	1.91	-	37.85	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	58.48	88.20	-29.72	52.11	3	Vertical	324	1.87	-	34.44	7.47	35.54
RMS	5.9242G	46.90	68.20	-21.30	40.24	3	Vertical	324	1.87	-	34.70	7.52	35.56
PK	6.515G	97.21	Inf	-Inf	89.92	3	Vertical	324	1.87	-	34.76	7.93	35.40
RMS	6.515G	86.95	Inf	-Inf	79.66	3	Vertical	324	1.87	-	34.76	7.93	35.40
PK	7.1702G	63.16	88.20	-25.04	54.27	3	Vertical	324	1.87	-	36.22	8.20	35.53
RMS	7.1506G	52.33	68.20	-15.87	43.56	3	Vertical	324	1.87	-	36.10	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	59.05	88.20	-29.15	52.51	3	Horizontal	352	1.80	-	34.59	7.50	35.55
RMS	5.9214G	46.89	68.20	-21.31	40.24	3	Horizontal	352	1.80	-	34.69	7.52	35.56
PK	6.515G	96.62	Inf	-Inf	89.33	3	Horizontal	352	1.80	-	34.76	7.93	35.40
RMS	6.515G	85.64	Inf	-Inf	78.35	3	Horizontal	352	1.80	-	34.76	7.93	35.40
PK	7.1254G	62.96	88.20	-25.24	54.33	3	Horizontal	352	1.80	-	35.95	8.20	35.52
RMS	7.1534G	52.28	68.20	-15.92	43.49	3	Horizontal	352	1.80	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0529G	57.16	88.20	-31.04	40.01	3	Vertical	212	1.96	-	39.66	11.64	34.15
RMS	13.0438G	43.70	68.20	-24.50	26.60	3	Vertical	212	1.96	-	39.63	11.64	34.17

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0496G	57.59	88.20	-30.61	40.46	3	Horizontal	316	1.43	-	39.65	11.64	34.16
RMS	13.0439G	43.62	68.20	-24.58	26.52	3	Horizontal	316	1.43	-	39.63	11.64	34.17

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54074G	46.51	83.54	-37.03	43.01	1	Vertical	273	2.32	-	37.88	15.32	49.70
AV	19.557G	32.96	63.54	-30.58	29.46	1	Vertical	273	2.32	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.56G	46.45	83.54	-37.09	42.95	1	Horizontal	221	1.47	-	37.88	15.32	49.70
AV	19.5429G	32.89	63.54	-30.65	29.39	1	Horizontal	221	1.47	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	57.67	88.20	-30.53	51.02	3	Vertical	324	1.84	-	34.69	7.52	35.56
RMS	5.9246G	46.91	68.20	-21.29	40.25	3	Vertical	324	1.84	-	34.70	7.52	35.56
PK	6.535G	112.82	Inf	-Inf	105.42	3	Vertical	324	1.84	-	34.84	7.97	35.41
RMS	6.535G	103.22	Inf	-Inf	95.82	3	Vertical	324	1.84	-	34.84	7.97	35.41
PK	7.235G	63.04	88.20	-25.16	53.71	3	Vertical	324	1.84	-	36.61	8.27	35.55
RMS	7.1538G	52.33	68.20	-15.87	43.54	3	Vertical	324	1.84	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	57.70	88.20	-30.50	51.39	3	Horizontal	351	1.84	-	34.38	7.46	35.53
RMS	5.9218G	46.90	68.20	-21.30	40.25	3	Horizontal	351	1.84	-	34.69	7.52	35.56
PK	6.535G	111.00	Inf	-Inf	103.60	3	Horizontal	351	1.84	-	34.84	7.97	35.41
RMS	6.535G	101.62	Inf	-Inf	94.22	3	Horizontal	351	1.84	-	34.84	7.97	35.41
PK	7.207G	63.26	88.20	-24.94	54.15	3	Horizontal	351	1.84	-	36.44	8.21	35.54
RMS	7.1594G	52.35	68.20	-15.85	43.52	3	Horizontal	351	1.84	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
 Setting 21
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0703G	58.42	88.20	-29.78	41.17	3	Vertical	266	1.80	-	39.71	11.66	34.12
RMS	13.0676G	45.02	68.20	-23.18	27.80	3	Vertical	266	1.80	-	39.70	11.65	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0686G	62.53	88.20	-25.67	45.30	3	Horizontal	200	3.00	-	39.71	11.65	34.13	
RMS	13.0674G	49.11	68.20	-19.09	31.89	3	Horizontal	200	3.00	-	39.70	11.65	34.13	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61502G	46.19	83.54	-37.35	42.69	1	Vertical	176	1.27	-	37.85	15.35	49.70
AV	19.59768G	32.90	63.54	-30.64	29.40	1	Vertical	176	1.27	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6044G	47.65	83.54	-35.89	44.15	1	Horizontal	232	2.39	-	37.86	15.34	49.70
AV	19.60008G	32.91	63.54	-30.63	29.41	1	Horizontal	232	2.39	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	112.71	Inf	-Inf	104.66	3	Vertical	324	2.11	-	35.39	8.10	35.44	
RMS	6.695G	103.34	Inf	-Inf	95.29	3	Vertical	324	2.11	-	35.39	8.10	35.44	
PK	7.1394G	63.24	88.20	-24.96	54.53	3	Vertical	324	2.11	-	36.04	8.20	35.53	
RMS	7.1636G	52.28	68.20	-15.92	43.43	3	Vertical	324	2.11	-	36.18	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	112.09	Inf	-Inf	104.04	3	Horizontal	354	1.76	-	35.39	8.10	35.44	
RMS	6.695G	102.95	Inf	-Inf	94.90	3	Horizontal	354	1.76	-	35.39	8.10	35.44	
PK	7.1526G	63.49	88.20	-24.71	54.70	3	Horizontal	354	1.76	-	36.12	8.20	35.53	
RMS	7.1526G	52.29	68.20	-15.91	43.50	3	Horizontal	354	1.76	-	36.12	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3689G	58.80	74.00	-15.20	40.29	3	Vertical	178	1.87	-	40.24	11.90	33.63	
AV	13.3876G	45.24	54.00	-8.76	26.65	3	Vertical	178	1.87	-	40.28	11.91	33.60	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3877G	61.32	74.00	-12.68	42.73	3	Horizontal	146	2.77	-	40.28	11.91	33.60
AV	13.3875G	48.23	54.00	-5.77	29.65	3	Horizontal	146	2.77	-	40.27	11.91	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07162G	47.58	83.54	-35.96	44.32	1	Vertical	355	2.45	-	37.46	15.53	49.73
AV	20.07756G	33.48	63.54	-30.06	30.22	1	Vertical	355	2.45	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.07954G	47.58	83.54	-35.96	44.31	1	Horizontal	336	2.33	-	37.46	15.54	49.73
AV	20.0766G	33.46	63.54	-30.08	30.20	1	Horizontal	336	2.33	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	115.69	Inf	-Inf	105.08	3	Vertical	75	1.22	-	36.50	7.09	32.98
RMS	6.8578G	106.57	Inf	-Inf	95.91	3	Vertical	75	1.22	-	36.54	7.09	32.97
PK	7.2036G	64.07	88.20	-24.13	52.90	3	Vertical	75	1.22	-	37.10	7.20	33.13
RMS	7.184G	53.09	68.20	-15.11	41.96	3	Vertical	75	1.22	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	114.27	Inf	-Inf	103.61	3	Horizontal	17	2.02	-	36.54	7.09	32.97
RMS	6.8536G	105.25	Inf	-Inf	94.57	3	Horizontal	17	2.02	-	36.57	7.08	32.97
PK	7.1294G	63.68	88.20	-24.52	52.79	3	Horizontal	17	2.02	-	36.74	7.24	33.09
RMS	7.1882G	53.13	68.20	-15.07	41.99	3	Horizontal	17	2.02	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71224G	63.97	88.20	-24.23	43.32	3	Vertical	175	1.18	-	40.54	9.77	29.66
RMS	13.7086G	51.03	68.20	-17.17	30.39	3	Vertical	175	1.18	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71756G	66.33	88.20	-21.87	45.66	3	Horizontal	211	1.80	-	40.55	9.77	29.65
RMS	13.70888G	54.18	68.20	-14.02	33.54	3	Horizontal	211	1.80	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5659G	46.71	83.54	-36.83	43.05	1	Vertical	185	1.53	-	37.78	15.75	49.87
AV	20.56864G	34.60	63.54	-28.94	30.93	1	Vertical	185	1.53	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56558G	47.14	83.54	-36.40	43.48	1	Horizontal	328	1.51	-	37.78	15.75	49.87
AV	20.56074G	34.54	63.54	-29.00	30.90	1	Horizontal	328	1.51	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	99.63	Inf	-Inf	91.31	3	Vertical	321	1.95	-	35.65	8.14	35.47
RMS	6.8738G	89.13	Inf	-Inf	80.81	3	Vertical	321	1.95	-	35.65	8.14	35.47
PK	7.1642G	63.32	88.20	-24.88	54.46	3	Vertical	321	1.95	-	36.19	8.20	35.53
RMS	7.1558G	52.33	68.20	-15.87	43.53	3	Vertical	321	1.95	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8738G	98.25	Inf	-Inf	89.93	3	Horizontal	352	1.80	-	35.65	8.14	35.47	
RMS	6.8738G	88.09	Inf	-Inf	79.77	3	Horizontal	352	1.80	-	35.65	8.14	35.47	
PK	7.1738G	63.66	88.20	-24.54	54.76	3	Horizontal	352	1.80	-	36.24	8.20	35.54	
RMS	7.151G	52.31	68.20	-15.89	43.53	3	Horizontal	352	1.80	-	36.11	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7606G	59.04	88.20	-29.16	39.61	3	Vertical	226	1.85	-	40.72	12.21	33.50
RMS	13.7741G	45.37	68.20	-22.83	25.90	3	Vertical	226	1.85	-	40.75	12.22	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7695G	59.20	88.20	-29.00	39.74	3	Horizontal	187	2.09	-	40.74	12.22	33.50
RMS	13.7744G	45.32	68.20	-22.88	25.85	3	Horizontal	187	2.09	-	40.75	12.22	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6232G	47.63	83.54	-35.91	43.85	1	Vertical	282	2.25	-	37.85	15.78	49.85
AV	20.61294G	34.23	63.54	-29.31	30.46	1	Vertical	282	2.25	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63346G	47.72	83.54	-35.82	43.92	1	Horizontal	352	1.03	-	37.86	15.79	49.85
AV	20.61384G	34.21	63.54	-29.33	30.44	1	Horizontal	352	1.03	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting 6.25
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8938G	100.11	Inf	-Inf	91.82	3	Vertical	323	1.87	-	35.61	8.15	35.47	
RMS	6.8938G	89.42	Inf	-Inf	81.13	3	Vertical	323	1.87	-	35.61	8.15	35.47	
PK	7.195G	63.42	88.20	-24.78	54.39	3	Vertical	323	1.87	-	36.37	8.20	35.54	
RMS	7.1566G	52.34	68.20	-15.86	43.53	3	Vertical	323	1.87	-	36.14	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting 6.25
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8938G	98.86	Inf	-Inf	90.57	3	Horizontal	354	1.79	-	35.61	8.15	35.47	
RMS	6.8938G	88.45	Inf	-Inf	80.16	3	Horizontal	354	1.79	-	35.61	8.15	35.47	
PK	7.1686G	63.75	88.20	-24.45	54.87	3	Horizontal	354	1.79	-	36.21	8.20	35.53	
RMS	7.1542G	52.29	68.20	-15.91	43.49	3	Horizontal	354	1.79	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 6.25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7793G	59.59	88.20	-28.61	40.11	3	Vertical	166	1.53	-	40.76	12.22	33.50
RMS	13.8032G	45.68	68.20	-22.52	26.14	3	Vertical	166	1.53	-	40.81	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6.25
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.769G	59.60	88.20	-28.60	40.14	3	Horizontal	131	1.63	-	40.74	12.22	33.50
RMS	13.8083G	45.65	68.20	-22.55	26.09	3	Horizontal	131	1.63	-	40.82	12.25	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 6.25
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68908G	48.44	83.54	-35.10	44.52	1	Vertical	165	2.46	-	37.93	15.81	49.82
AV	20.6835G	34.11	63.54	-29.43	30.21	1	Vertical	165	2.46	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 6.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68854G	48.34	83.54	-35.20	44.42	1	Horizontal	28	1.69	-	37.93	15.81	49.82
AV	20.67984G	34.12	63.54	-29.42	30.22	1	Horizontal	28	1.69	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting 5.5
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9942G	101.96	Inf	-Inf	93.55	3	Vertical	325	1.90	-	35.70	8.20	35.49	
RMS	6.9942G	91.21	Inf	-Inf	82.80	3	Vertical	325	1.90	-	35.70	8.20	35.49	
PK	7.1638G	63.68	88.20	-24.52	54.83	3	Vertical	325	1.90	-	36.18	8.20	35.53	
RMS	7.1558G	52.33	68.20	-15.87	43.53	3	Vertical	325	1.90	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 5.5
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9974G	99.70	Inf	-Inf	91.29	3	Horizontal	174	2.38	-	35.70	8.20	35.49	
RMS	6.9958G	90.31	Inf	-Inf	81.90	3	Horizontal	174	2.38	-	35.70	8.20	35.49	
PK	7.155G	63.53	88.20	-24.67	54.73	3	Horizontal	174	2.38	-	36.13	8.20	35.53	
RMS	7.1598G	52.35	68.20	-15.85	43.52	3	Horizontal	174	2.38	-	36.16	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting 5.5
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9958G	59.84	88.20	-28.36	39.83	3	Vertical	331	1.27	-	41.19	12.40	33.58	
RMS	14.0001G	46.06	68.20	-22.14	26.04	3	Vertical	331	1.27	-	41.20	12.40	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9741G	59.46	88.20	-28.74	39.50	3	Horizontal	170	1.66	-	41.15	12.38	33.57	
RMS	13.9923G	46.11	68.20	-22.09	26.12	3	Horizontal	170	1.66	-	41.18	12.39	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97594G	47.01	83.54	-36.53	43.14	1	Vertical	333	1.95	-	37.64	15.94	49.71
AV	20.9973G	33.32	63.54	-30.22	29.47	1	Vertical	333	1.95	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.98158G	47.26	83.54	-36.28	43.40	1	Horizontal	97	1.30	-	37.63	15.94	49.71	
AV	20.9961G	33.30	63.54	-30.24	29.44	1	Horizontal	97	1.30	-	37.61	15.95	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0942G	101.53	Inf	-Inf	93.05	3	Vertical	324	1.87	-	35.79	8.20	35.51	
RMS	7.0942G	91.04	Inf	-Inf	82.56	3	Vertical	324	1.87	-	35.79	8.20	35.51	
PK	7.1514G	63.41	88.20	-24.79	54.63	3	Vertical	324	1.87	-	36.11	8.20	35.53	
RMS	7.1578G	52.36	68.20	-15.84	43.54	3	Vertical	324	1.87	-	36.15	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0942G	100.81	Inf	-Inf	92.33	3	Horizontal	183	2.13	-	35.79	8.20	35.51	
RMS	7.0942G	90.33	Inf	-Inf	81.85	3	Horizontal	183	2.13	-	35.79	8.20	35.51	
PK	7.1526G	65.47	88.20	-22.73	56.68	3	Horizontal	183	2.13	-	36.12	8.20	35.53	
RMS	7.1626G	52.36	68.20	-15.84	43.51	3	Horizontal	183	2.13	-	36.18	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1721G	60.21	88.20	-27.99	40.00	3	Vertical	272	1.67	-	41.57	12.49	33.85
RMS	14.1674G	46.60	68.20	-21.60	26.39	3	Vertical	272	1.67	-	41.57	12.48	33.84

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1872G	60.29	88.20	-27.91	40.09	3	Horizontal	121	2.81	-	41.59	12.49	33.88
RMS	14.1713G	46.63	68.20	-21.57	26.42	3	Horizontal	121	2.81	-	41.57	12.49	33.85

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.27192G	48.05	83.54	-35.49	44.00	1	Vertical	80	2.59	-	37.63	16.07	49.65
AV	21.2712G	34.29	63.54	-29.25	30.24	1	Vertical	80	2.59	-	37.63	16.07	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28662G	47.84	83.54	-35.70	43.76	1	Horizontal	248	1.34	-	37.64	16.08	49.64	
AV	21.27078G	34.25	63.54	-29.29	30.21	1	Horizontal	248	1.34	-	37.62	16.07	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 5
03-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11365G	89.15	Inf	-Inf	78.38	3	Vertical	310	1.80	-	36.61	7.24	33.08	
RMS	7.11373G	79.49	Inf	-Inf	68.72	3	Vertical	310	1.80	-	36.61	7.24	33.08	
PK	7.1255G	65.08	88.20	-23.12	54.23	3	Vertical	310	1.80	-	36.70	7.24	33.09	
RMS	7.1255G	55.60	68.20	-12.60	44.75	3	Vertical	310	1.80	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 5
 03-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11618G	87.47	Inf	-Inf	76.68	3	Horizontal	4	1.79	-	36.63	7.24	33.08	
RMS	7.11543G	78.02	Inf	-Inf	67.24	3	Horizontal	4	1.79	-	36.62	7.24	33.08	
PK	7.1255G	63.46	88.20	-24.74	52.61	3	Horizontal	4	1.79	-	36.70	7.24	33.09	
RMS	7.1255G	55.30	68.20	-12.90	44.45	3	Horizontal	4	1.79	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22894G	62.56	88.20	-25.64	41.50	3	Vertical	238	1.80	-	40.74	9.97	29.65
AV	14.23018G	49.96	68.20	-18.24	28.90	3	Vertical	238	1.80	-	40.74	9.97	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23274G	62.72	88.20	-25.48	41.67	3	Horizontal	334	2.26	-	40.73	9.97	29.65
AV	14.22768G	49.93	68.20	-18.27	28.87	3	Horizontal	334	2.26	-	40.74	9.97	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3491G	52.68	83.54	-30.86	43.96	1	Vertical	4	1.51	-	46.25	12.10	49.63
AV	21.34482G	40.22	63.54	-23.32	31.51	1	Vertical	4	1.51	-	46.24	12.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34064G	52.56	83.54	-30.98	43.85	1	Horizontal	337	1.51	-	46.24	12.10	49.63
AV	21.34518G	40.15	63.54	-23.39	31.43	1	Horizontal	337	1.51	-	46.25	12.10	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
 Setting 18.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	81.99	88.20	-6.21	73.21	3	Vertical	45	1.31	-	34.99	6.60	32.81
RMS	5.9242G	67.72	68.20	-0.48	58.93	3	Vertical	45	1.31	-	35.00	6.60	32.81
PK	5.9674G	112.78	Inf	-Inf	103.84	3	Vertical	45	1.31	-	35.17	6.60	32.83
RMS	5.9738G	102.58	Inf	-Inf	93.61	3	Vertical	45	1.31	-	35.20	6.60	32.83

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	79.38	88.20	-8.82	70.60	3	Horizontal	355	1.21	-	34.99	6.60	32.81
RMS	5.925G	65.69	68.20	-2.51	56.90	3	Horizontal	355	1.21	-	35.00	6.60	32.81
PK	5.9674G	109.90	Inf	-Inf	100.96	3	Horizontal	355	1.21	-	35.17	6.60	32.83
RMS	5.9738G	100.31	Inf	-Inf	91.34	3	Horizontal	355	1.21	-	35.20	6.60	32.83

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91446G	59.96	74.00	-14.04	44.05	3	Vertical	54	1.80	-	38.50	8.98	31.57
AV	11.93462G	47.40	54.00	-6.60	31.49	3	Vertical	54	1.80	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93364G	66.40	74.00	-7.60	50.49	3	Horizontal	207	1.80	-	38.50	8.98	31.57
AV	11.93462G	51.63	54.00	-2.37	35.72	3	Horizontal	207	1.80	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8762G	58.56	88.20	-29.64	52.16	3	Vertical	222	1.77	-	34.46	7.48	35.54	
RMS	5.6122G	47.51	68.20	-20.69	40.94	3	Vertical	222	1.77	-	34.58	7.40	35.41	
PK	6.2074G	111.62	Inf	-Inf	104.27	3	Vertical	222	1.77	-	35.17	7.70	35.52	
RMS	6.2074G	101.59	Inf	-Inf	94.24	3	Vertical	222	1.77	-	35.17	7.70	35.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7514G	58.52	88.20	-29.68	52.40	3	Horizontal	4	1.87	-	34.20	7.40	35.48	
RMS	5.605G	47.50	68.20	-20.70	40.91	3	Horizontal	4	1.87	-	34.59	7.40	35.40	
PK	6.2026G	109.68	Inf	-Inf	102.31	3	Horizontal	4	1.87	-	35.19	7.70	35.52	
RMS	6.2026G	99.85	Inf	-Inf	92.48	3	Horizontal	4	1.87	-	35.19	7.70	35.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40208G	57.41	74.00	-16.59	42.80	3	Vertical	234	1.80	-	38.90	11.12	35.41
AV	12.40568G	43.71	54.00	-10.29	29.11	3	Vertical	234	1.80	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40652G	61.34	74.00	-12.66	46.73	3	Horizontal	210	1.79	-	38.89	11.13	35.41
AV	12.40586G	47.61	54.00	-6.39	33.01	3	Horizontal	210	1.79	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60084G	45.16	83.54	-38.38	42.46	1	Vertical	7	1.34	-	37.76	14.94	50.00
AV	18.6012G	31.45	63.54	-32.09	28.75	1	Vertical	7	1.34	-	37.76	14.94	50.00

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.615G	45.16	83.54	-38.38	42.44	1	Horizontal	344	1.03	-	37.75	14.95	49.98
AV	18.6051G	31.46	63.54	-32.08	28.75	1	Horizontal	344	1.03	-	37.76	14.94	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	58.19	88.20	-30.01	51.61	3	Vertical	320	1.95	-	34.62	7.51	35.55
RMS	5.605G	47.47	68.20	-20.73	40.88	3	Vertical	320	1.95	-	34.59	7.40	35.40
PK	6.4082G	108.95	Inf	-Inf	101.80	3	Vertical	320	1.95	-	34.87	7.72	35.44
RMS	6.4082G	99.76	Inf	-Inf	92.61	3	Vertical	320	1.95	-	34.87	7.72	35.44
PK	7.1666G	62.28	88.20	-25.92	53.41	3	Vertical	320	1.95	-	36.20	8.20	35.53
RMS	7.1506G	51.60	68.20	-16.60	42.83	3	Vertical	320	1.95	-	36.10	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7618G	58.54	88.20	-29.66	52.42	3	Horizontal	8	1.66	-	34.20	7.40	35.48
RMS	5.6082G	47.52	68.20	-20.68	40.94	3	Horizontal	8	1.66	-	34.58	7.40	35.40
PK	6.4018G	108.13	Inf	-Inf	100.98	3	Horizontal	8	1.66	-	34.89	7.70	35.44
RMS	6.4018G	98.41	Inf	-Inf	91.26	3	Horizontal	8	1.66	-	34.89	7.70	35.44
PK	7.1922G	61.88	88.20	-26.32	52.87	3	Horizontal	8	1.66	-	36.35	8.20	35.54
RMS	7.1474G	51.59	68.20	-16.61	42.84	3	Horizontal	8	1.66	-	36.08	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81564G	58.87	88.20	-29.33	42.76	3	Vertical	264	1.76	-	39.32	11.45	34.66
RMS	12.80574G	44.98	68.20	-23.22	28.92	3	Vertical	264	1.76	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81042G	62.92	88.20	-25.28	46.84	3	Horizontal	198	1.76	-	39.31	11.45	34.68	
RMS	12.8058G	48.87	68.20	-19.33	32.81	3	Horizontal	198	1.76	-	39.31	11.44	34.69	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.203G	46.34	83.54	-37.20	43.04	1	Vertical	226	2.03	-	37.76	15.18	49.64
AV	19.21608G	32.79	63.54	-30.75	29.50	1	Vertical	226	2.03	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22916G	46.51	83.54	-37.03	43.24	1	Horizontal	46	2.16	-	37.73	15.19	49.65
AV	19.22244G	32.91	63.54	-30.63	29.63	1	Horizontal	46	2.16	-	37.73	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	58.23	88.20	-29.97	51.69	3	Vertical	324	1.89	-	34.59	7.50	35.55
RMS	5.645G	47.36	68.20	-20.84	40.87	3	Vertical	324	1.89	-	34.51	7.40	35.42
PK	6.445G	97.25	Inf	-Inf	90.16	3	Vertical	324	1.89	-	34.72	7.79	35.42
RMS	6.4418G	87.00	Inf	-Inf	79.91	3	Vertical	324	1.89	-	34.73	7.78	35.42
PK	7.149G	62.56	88.20	-25.64	53.80	3	Vertical	324	1.89	-	36.09	8.20	35.53
RMS	7.2418G	51.71	68.20	-16.49	42.33	3	Vertical	324	1.89	-	36.65	8.28	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	58.75	88.20	-29.45	52.51	3	Horizontal	356	1.80	-	34.32	7.45	35.53
RMS	5.6514G	47.36	68.20	-20.84	40.90	3	Horizontal	356	1.80	-	34.49	7.40	35.43
PK	6.4482G	96.11	Inf	-Inf	89.02	3	Horizontal	356	1.80	-	34.71	7.80	35.42
RMS	6.4418G	85.68	Inf	-Inf	78.59	3	Horizontal	356	1.80	-	34.73	7.78	35.42
PK	7.1586G	62.23	88.20	-25.97	53.41	3	Horizontal	356	1.80	-	36.15	8.20	35.53
RMS	7.245G	51.73	68.20	-16.47	42.32	3	Horizontal	356	1.80	-	36.67	8.29	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT Y_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8882G	56.99	88.20	-31.21	40.59	3	Vertical	323	1.14	-	39.39	11.51	34.50	
RMS	12.88688G	43.86	68.20	-24.34	27.46	3	Vertical	323	1.14	-	39.39	11.51	34.50	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88298G	57.54	88.20	-30.66	41.16	3	Horizontal	218	1.98	-	39.38	11.51	34.51
RMS	12.88628G	43.90	68.20	-24.30	27.50	3	Horizontal	218	1.98	-	39.39	11.51	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.32726G	45.68	83.54	-37.86	42.36	1	Vertical	247	1.39	-	37.76	15.23	49.67	
AV	19.33746G	32.96	63.54	-30.58	29.63	1	Vertical	247	1.39	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32516G	46.01	83.54	-37.53	42.69	1	Horizontal	141	2.55	-	37.76	15.23	49.67
AV	19.33722G	32.88	63.54	-30.66	29.55	1	Horizontal	141	2.55	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.852G	58.20	88.20	-30.00	51.97	3	Vertical	324	1.94	-	34.31	7.45	35.53
RMS	5.924G	47.10	68.20	-21.10	40.44	3	Vertical	324	1.94	-	34.70	7.52	35.56
PK	6.488G	97.05	Inf	-Inf	89.87	3	Vertical	324	1.94	-	34.70	7.88	35.40
RMS	6.482G	87.05	Inf	-Inf	79.90	3	Vertical	324	1.94	-	34.70	7.86	35.41
PK	7.175G	64.15	88.20	-24.05	55.24	3	Vertical	324	1.94	-	36.25	8.20	35.54
RMS	7.157G	52.32	68.20	-15.88	43.51	3	Vertical	324	1.94	-	36.14	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	58.11	88.20	-30.09	51.77	3	Horizontal	348	1.81	-	34.40	7.47	35.53
RMS	5.921G	47.35	68.20	-20.85	40.71	3	Horizontal	348	1.81	-	34.68	7.52	35.56
PK	6.488G	95.38	Inf	-Inf	88.20	3	Horizontal	348	1.81	-	34.70	7.88	35.40
RMS	6.488G	85.74	Inf	-Inf	78.56	3	Horizontal	348	1.81	-	34.70	7.88	35.40
PK	7.196G	62.64	88.20	-25.56	53.60	3	Horizontal	348	1.81	-	36.38	8.20	35.54
RMS	7.163G	51.77	68.20	-16.43	42.92	3	Horizontal	348	1.81	-	36.18	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95554G	57.04	88.20	-31.16	40.36	3	Vertical	62	2.13	-	39.46	11.56	34.34
RMS	12.95542G	43.57	68.20	-24.63	26.89	3	Vertical	62	2.13	-	39.46	11.56	34.34

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96244G	57.47	88.20	-30.73	40.77	3	Horizontal	109	1.92	-	39.46	11.57	34.33
RMS	12.95554G	43.56	68.20	-24.64	26.88	3	Horizontal	109	1.92	-	39.46	11.56	34.34

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4589G	46.76	83.54	-36.78	43.30	1	Vertical	184	1.07	-	37.87	15.28	49.69	
AV	19.4688G	32.41	63.54	-31.13	28.93	1	Vertical	184	1.07	-	37.88	15.29	49.69	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.44174G	46.03	83.54	-37.51	42.59	1	Horizontal	139	1.11	-	37.85	15.28	49.69
AV	19.4667G	32.37	63.54	-31.17	28.90	1	Horizontal	139	1.11	-	37.87	15.29	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.25	88.20	-29.95	51.81	3	Vertical	325	1.94	-	34.50	7.48	35.54
RMS	5.923G	47.14	68.20	-21.06	40.49	3	Vertical	325	1.94	-	34.69	7.52	35.56
PK	6.5278G	98.20	Inf	-Inf	90.84	3	Vertical	325	1.94	-	34.81	7.96	35.41
RMS	6.5222G	88.12	Inf	-Inf	80.79	3	Vertical	325	1.94	-	34.79	7.94	35.40
PK	7.1326G	64.06	88.20	-24.14	55.38	3	Vertical	325	1.94	-	36.00	8.20	35.52
RMS	7.155G	52.45	68.20	-15.75	43.65	3	Vertical	325	1.94	-	36.13	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	57.52	88.20	-30.68	50.88	3	Horizontal	354	1.80	-	34.68	7.52	35.56
RMS	5.925G	47.11	68.20	-21.09	40.45	3	Horizontal	354	1.80	-	34.70	7.52	35.56
PK	6.525G	96.51	Inf	-Inf	89.16	3	Horizontal	354	1.80	-	34.80	7.95	35.40
RMS	6.5222G	86.38	Inf	-Inf	79.05	3	Horizontal	354	1.80	-	34.79	7.94	35.40
PK	7.1662G	63.00	88.20	-25.20	54.13	3	Horizontal	354	1.80	-	36.20	8.20	35.53
RMS	7.1578G	52.43	68.20	-15.77	43.61	3	Horizontal	354	1.80	-	36.15	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0482G	57.47	88.20	-30.73	40.35	3	Vertical	214	2.86	-	39.64	11.64	34.16
RMS	13.0605G	43.98	68.20	-24.22	26.79	3	Vertical	214	2.86	-	39.68	11.65	34.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05786G	57.84	88.20	-30.36	40.66	3	Horizontal	331	2.20	-	39.67	11.65	34.14
RMS	13.05834G	43.99	68.20	-24.21	26.80	3	Horizontal	331	2.20	-	39.68	11.65	34.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57074G	46.50	83.54	-37.04	43.00	1	Vertical	35	2.73	-	37.87	15.33	49.70
AV	19.5615G	32.68	63.54	-30.86	29.18	1	Vertical	35	2.73	-	37.88	15.32	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57728G	47.09	83.54	-36.45	43.59	1	Horizontal	267	1.57	-	37.87	15.33	49.70
AV	19.58262G	32.69	63.54	-30.85	29.19	1	Horizontal	267	1.57	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	57.19	88.20	-31.01	50.53	3	Vertical	326	1.89	-	34.70	7.52	35.56
RMS	5.925G	47.10	68.20	-21.10	40.44	3	Vertical	326	1.89	-	34.70	7.52	35.56
PK	6.5676G	110.24	Inf	-Inf	102.64	3	Vertical	326	1.89	-	34.97	8.04	35.41
RMS	6.5676G	101.28	Inf	-Inf	93.68	3	Vertical	326	1.89	-	34.97	8.04	35.41
PK	7.1448G	63.61	88.20	-24.59	54.87	3	Vertical	326	1.89	-	36.07	8.20	35.53
RMS	7.1578G	52.58	68.20	-15.62	43.76	3	Vertical	326	1.89	-	36.15	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	57.14	88.20	-31.06	50.53	3	Horizontal	354	1.80	-	34.66	7.51	35.56
RMS	5.915G	47.08	68.20	-21.12	40.47	3	Horizontal	354	1.80	-	34.66	7.51	35.56
PK	6.5676G	108.98	Inf	-Inf	101.38	3	Horizontal	354	1.80	-	34.97	8.04	35.41
RMS	6.5676G	100.01	Inf	-Inf	92.41	3	Horizontal	354	1.80	-	34.97	8.04	35.41
PK	7.189G	62.97	88.20	-25.23	53.98	3	Horizontal	354	1.80	-	36.33	8.20	35.54
RMS	7.1526G	52.48	68.20	-15.72	43.69	3	Horizontal	354	1.80	-	36.12	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.1225G	59.04	88.20	-29.16	41.56	3	Vertical	266	1.78	-	39.82	11.70	34.04	
RMS	13.12874G	44.84	68.20	-23.36	27.34	3	Vertical	266	1.78	-	39.83	11.70	34.03	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12352G	61.70	88.20	-26.50	44.21	3	Horizontal	199	2.98	-	39.82	11.70	34.03
RMS	13.1258G	47.45	68.20	-20.75	29.95	3	Horizontal	199	2.98	-	39.83	11.70	34.03

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.70718G	46.62	83.54	-36.92	43.12	1	Vertical	299	2.60	-	37.82	15.38	49.70	
AV	19.6806G	32.93	63.54	-30.61	29.43	1	Vertical	299	2.60	-	37.83	15.37	49.70	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.68654G	46.99	83.54	-36.55	43.49	1	Horizontal	131	1.67	-	37.83	15.37	49.70
AV	19.6884G	32.91	63.54	-30.63	29.41	1	Horizontal	131	1.67	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
Setting 23
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	111.15	Inf	-Inf	103.11	3	Vertical	322	1.92	-	35.37	8.10	35.43	
RMS	6.6828G	101.67	Inf	-Inf	93.63	3	Vertical	322	1.92	-	35.37	8.10	35.43	
PK	7.2086G	63.09	88.20	-25.11	53.96	3	Vertical	322	1.92	-	36.45	8.22	35.54	
RMS	7.1646G	52.50	68.20	-15.70	43.64	3	Vertical	322	1.92	-	36.19	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6806G	110.90	Inf	-Inf	102.87	3	Horizontal	355	1.76	-	35.36	8.10	35.43	
RMS	6.6828G	101.51	Inf	-Inf	93.47	3	Horizontal	355	1.76	-	35.37	8.10	35.43	
PK	7.2306G	63.37	88.20	-24.83	54.08	3	Horizontal	355	1.76	-	36.58	8.26	35.55	
RMS	7.1448G	52.52	68.20	-15.68	43.78	3	Horizontal	355	1.76	-	36.07	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36934G	60.31	74.00	-13.69	41.80	3	Vertical	227	1.80	-	40.24	11.90	33.63
AV	13.36544G	44.76	54.00	-9.24	26.27	3	Vertical	227	1.80	-	40.23	11.89	33.63

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35854G	60.78	74.00	-13.22	42.31	3	Horizontal	145	2.46	-	40.22	11.89	33.64
AV	13.36574G	46.57	54.00	-7.43	28.08	3	Horizontal	145	2.46	-	40.23	11.89	33.63

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05398G	47.16	83.54	-36.38	43.92	1	Vertical	124	2.96	-	37.44	15.52	49.72	
AV	20.05698G	33.37	63.54	-30.17	30.11	1	Vertical	124	2.96	-	37.45	15.53	49.72	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.06874G	47.00	83.54	-36.54	43.75	1	Horizontal	297	2.63	-	37.45	15.53	49.73
AV	20.05878G	33.35	63.54	-30.19	30.09	1	Horizontal	297	2.63	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8878G	100.00	Inf	-Inf	91.71	3	Vertical	324	1.92	-	35.62	8.14	35.47	
RMS	6.8864G	89.79	Inf	-Inf	81.49	3	Vertical	324	1.92	-	35.63	8.14	35.47	
PK	7.2294G	63.92	88.20	-24.28	54.63	3	Vertical	324	1.92	-	36.58	8.26	35.55	
RMS	7.1552G	52.49	68.20	-15.71	43.69	3	Vertical	324	1.92	-	36.13	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8836G	99.16	Inf	-Inf	90.86	3	Horizontal	356	1.75	-	35.63	8.14	35.47	
RMS	6.8836G	89.09	Inf	-Inf	80.79	3	Horizontal	356	1.75	-	35.63	8.14	35.47	
PK	7.1958G	63.73	88.20	-24.47	54.70	3	Horizontal	356	1.75	-	36.37	8.20	35.54	
RMS	7.1958G	52.58	68.20	-15.62	43.75	3	Horizontal	356	1.75	-	36.16	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76346G	60.58	88.20	-27.62	41.14	3	Vertical	160	1.00	-	40.73	12.21	33.50
RMS	13.7658G	46.69	68.20	-21.51	27.25	3	Vertical	160	1.00	-	40.73	12.21	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77786G	62.47	88.20	-25.73	42.99	3	Horizontal	212	1.72	-	40.76	12.22	33.50
RMS	13.76586G	48.32	68.20	-19.88	28.88	3	Horizontal	212	1.72	-	40.73	12.21	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65206G	48.13	83.54	-35.41	44.30	1	Vertical	241	2.09	-	37.88	15.79	49.84
AV	20.66454G	33.94	63.54	-29.60	30.07	1	Vertical	241	2.09	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64342G	48.30	83.54	-35.24	44.48	1	Horizontal	348	2.55	-	37.87	15.79	49.84
AV	20.66328G	33.91	63.54	-29.63	30.04	1	Horizontal	348	2.55	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT Y_1TX
Setting 8.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	101.40	Inf	-Inf	93.07	3	Vertical	322	1.93	-	35.65	8.16	35.48	
RMS	6.9238G	91.43	Inf	-Inf	83.10	3	Vertical	322	1.93	-	35.65	8.16	35.48	
PK	7.165G	64.79	88.20	-23.41	55.93	3	Vertical	322	1.93	-	36.19	8.20	35.53	
RMS	7.1554G	52.53	68.20	-15.67	43.73	3	Vertical	322	1.93	-	36.13	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9238G	100.23	Inf	-Inf	91.90	3	Horizontal	355	1.74	-	35.65	8.16	35.48
RMS	6.9238G	90.27	Inf	-Inf	81.94	3	Horizontal	355	1.74	-	35.65	8.16	35.48
PK	7.1518G	64.00	88.20	-24.20	55.22	3	Horizontal	355	1.74	-	36.11	8.20	35.53
RMS	7.153G	52.55	68.20	-15.65	43.76	3	Horizontal	355	1.74	-	36.12	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8386G	59.61	88.20	-28.59	39.99	3	Vertical	6	2.57	-	40.88	12.27	33.53
RMS	13.83518G	45.59	68.20	-22.61	25.97	3	Vertical	6	2.57	-	40.87	12.27	33.52

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8431G	59.65	88.20	-28.55	40.02	3	Horizontal	55	1.95	-	40.89	12.27	33.53
RMS	13.86416G	45.59	68.20	-22.61	25.90	3	Horizontal	55	1.95	-	40.93	12.29	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 8.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78154G	47.55	83.54	-35.99	43.54	1	Vertical	15	1.88	-	37.95	15.85	49.79
AV	20.78844G	33.47	63.54	-30.07	29.46	1	Vertical	15	1.88	-	37.94	15.85	49.78

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 8.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78016G	47.11	83.54	-36.43	43.10	1	Horizontal	312	1.40	-	37.95	15.85	49.79
AV	20.78916G	33.52	63.54	-30.02	29.50	1	Horizontal	312	1.40	-	37.94	15.86	49.78

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	101.82	Inf	-Inf	93.41	3	Vertical	319	2.00	-	35.70	8.20	35.49
RMS	7.0034G	91.93	Inf	-Inf	83.52	3	Vertical	319	2.00	-	35.70	8.20	35.49
PK	7.1338G	63.90	88.20	-24.30	55.22	3	Vertical	319	2.00	-	36.00	8.20	35.52
RMS	7.1618G	52.49	68.20	-15.71	43.65	3	Vertical	319	2.00	-	36.17	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0082G	101.12	Inf	-Inf	92.71	3	Horizontal	182	2.21	-	35.70	8.20	35.49	
RMS	7.0034G	91.05	Inf	-Inf	82.64	3	Horizontal	182	2.21	-	35.70	8.20	35.49	
PK	7.1458G	63.48	88.20	-24.72	54.74	3	Horizontal	182	2.21	-	36.07	8.20	35.53	
RMS	7.157G	52.49	68.20	-15.71	43.68	3	Horizontal	182	2.21	-	36.14	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02044G	59.97	88.20	-28.23	39.91	3	Vertical	241	2.35	-	41.26	12.41	33.61
RMS	14.025G	46.07	68.20	-22.13	26.00	3	Vertical	241	2.35	-	41.28	12.41	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99734G	60.60	88.20	-27.60	40.59	3	Horizontal	55	1.20	-	41.19	12.40	33.58	
RMS	14.025G	46.08	68.20	-22.12	26.01	3	Horizontal	55	1.20	-	41.28	12.41	33.62	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0066G	47.20	83.54	-36.34	43.35	1	Vertical	232	2.65	-	37.60	15.95	49.70
AV	21.02568G	33.30	63.54	-30.24	29.43	1	Vertical	232	2.65	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00864G	47.97	83.54	-35.57	44.12	1	Horizontal	265	2.35	-	37.60	15.95	49.70
AV	21.02718G	33.34	63.54	-30.20	29.47	1	Horizontal	265	2.35	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	108.44	Inf	-Inf	97.76	3	Vertical	77	1.73	-	36.50	7.25	33.07
RMS	7.0938G	98.62	Inf	-Inf	87.93	3	Vertical	77	1.73	-	36.51	7.25	33.07
PK	7.1266G	84.48	88.20	-3.72	73.62	3	Vertical	77	1.73	-	36.71	7.24	33.09
RMS	7.125G	67.20	68.20	-1.00	56.35	3	Vertical	77	1.73	-	36.70	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	107.93	Inf	-Inf	97.25	3	Horizontal	21	2.21	-	36.50	7.25	33.07
RMS	7.0938G	98.01	Inf	-Inf	87.32	3	Horizontal	21	2.21	-	36.51	7.25	33.07
PK	7.1262G	85.73	88.20	-2.47	74.87	3	Horizontal	21	2.21	-	36.71	7.24	33.09
RMS	7.1258G	67.14	68.20	-1.06	56.28	3	Horizontal	21	2.21	-	36.71	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17454G	62.27	88.20	-25.93	41.10	3	Vertical	128	1.95	-	40.83	9.95	29.61	
RMS	14.17392G	49.59	68.20	-18.61	28.42	3	Vertical	128	1.95	-	40.83	9.95	29.61	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17396G	62.62	88.20	-25.58	41.45	3	Horizontal	22	1.38	-	40.83	9.95	29.61
RMS	14.17156G	49.68	68.20	-18.52	28.51	3	Horizontal	22	1.38	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25388G	47.72	83.54	-35.82	43.71	1	Vertical	265	1.56	-	37.60	16.06	49.65
AV	21.25904G	35.28	63.54	-28.26	31.25	1	Vertical	265	1.56	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.254G	47.54	83.54	-36.00	43.53	1	Horizontal	289	1.54	-	37.60	16.06	49.65
AV	21.25856G	35.28	63.54	-28.26	31.25	1	Horizontal	289	1.54	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 18
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	80.33	88.20	-7.87	71.55	3	Vertical	46	1.32	-	34.99	6.60	32.81	
RMS	5.9184G	67.45	68.20	-0.75	58.69	3	Vertical	46	1.32	-	34.97	6.60	32.81	
PK	5.973G	108.51	Inf	-Inf	99.55	3	Vertical	46	1.32	-	35.19	6.60	32.83	
RMS	5.9712G	98.79	Inf	-Inf	89.84	3	Vertical	46	1.32	-	35.18	6.60	32.83	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 18
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	79.00	88.20	-9.20	70.22	3	Horizontal	357	1.19	-	34.99	6.60	32.81	
RMS	5.9184G	65.82	68.20	-2.38	57.06	3	Horizontal	357	1.19	-	34.97	6.60	32.81	
PK	6.018G	106.85	Inf	-Inf	97.80	3	Horizontal	357	1.19	-	35.26	6.63	32.84	
RMS	6.0174G	96.68	Inf	-Inf	87.62	3	Horizontal	357	1.19	-	35.27	6.63	32.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_Y_1TX
 Setting 18
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97488G	58.55	74.00	-15.45	42.61	3	Vertical	272	2.60	-	38.50	8.99	31.55
AV	11.97128G	48.50	54.00	-5.50	32.56	3	Vertical	272	2.60	-	38.50	8.99	31.55
PK	17.95116G	60.16	74.00	-13.84	36.90	3	Vertical	5	1.82	-	42.85	11.09	30.68
AV	17.9503G	50.38	54.00	-3.62	27.12	3	Vertical	5	1.82	-	42.85	11.09	30.68

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT Y_1TX
 Setting 18
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96626G	58.51	74.00	-15.49	42.57	3	Horizontal	324	2.79	-	38.50	8.99	31.55
AV	11.96908G	48.87	54.00	-5.13	32.93	3	Horizontal	324	2.79	-	38.50	8.99	31.55
PK	17.95846G	60.35	74.00	-13.65	37.08	3	Horizontal	125	2.13	-	42.86	11.09	30.68
AV	17.95785G	50.70	54.00	-3.30	27.43	3	Horizontal	125	2.13	-	42.86	11.09	30.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.821G	58.29	88.20	-29.91	52.14	3	Vertical	220	1.69	-	34.24	7.42	35.51	
RMS	5.925G	47.56	68.20	-20.64	40.89	3	Vertical	220	1.69	-	34.70	7.53	35.56	
PK	6.219G	108.14	Inf	-Inf	100.83	3	Vertical	220	1.69	-	35.12	7.70	35.51	
RMS	6.231G	98.49	Inf	-Inf	91.22	3	Vertical	220	1.69	-	35.08	7.70	35.51	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	58.68	88.20	-29.52	52.12	3	Horizontal	8	1.74	-	34.61	7.50	35.55
RMS	5.925G	47.51	68.20	-20.69	40.84	3	Horizontal	8	1.74	-	34.70	7.53	35.56
PK	6.229G	106.38	Inf	-Inf	99.11	3	Horizontal	8	1.74	-	35.08	7.70	35.51
RMS	6.221G	96.62	Inf	-Inf	89.31	3	Horizontal	8	1.74	-	35.12	7.70	35.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44448G	56.68	74.00	-17.32	42.06	3	Vertical	235	1.80	-	38.86	11.16	35.40
AV	12.45018G	45.74	54.00	-8.26	31.13	3	Vertical	235	1.80	-	38.85	11.16	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom



EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46212G	59.50	74.00	-14.50	44.89	3	Horizontal	204	2.85	-	38.84	11.17	35.40
AV	12.44526G	48.49	54.00	-5.51	33.88	3	Horizontal	204	2.85	-	38.85	11.16	35.40