


802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.6876G	45.18	83.54	-38.36	42.39	1	Vertical	225	1.80	-	37.72	14.98	49.91	
AV	18.67038G	34.59	63.54	-28.95	31.82	1	Vertical	225	1.80	-	37.73	14.97	49.93	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.67512G	44.83	83.54	-38.71	42.05	1	Horizontal	23	1.74	-	37.73	14.97	49.92	
AV	18.67938G	34.45	63.54	-29.09	31.67	1	Horizontal	23	1.74	-	37.73	14.97	49.92	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	58.42	88.20	-29.78	51.88	3	Vertical	322	2.07	-	34.59	7.50	35.55
RMS	5.8922G	47.44	68.20	-20.76	40.95	3	Vertical	322	2.07	-	34.55	7.49	35.55
PK	6.3878G	104.73	Inf	-Inf	97.57	3	Vertical	322	2.07	-	34.90	7.70	35.44
RMS	6.3822G	94.72	Inf	-Inf	87.57	3	Vertical	322	2.07	-	34.90	7.70	35.45

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.47	88.20	-29.73	52.03	3	Horizontal	8	1.70	-	34.50	7.48	35.54
RMS	5.923G	47.44	68.20	-20.76	40.79	3	Horizontal	8	1.70	-	34.69	7.52	35.56
PK	6.3878G	103.93	Inf	-Inf	96.77	3	Horizontal	8	1.70	-	34.90	7.70	35.44
RMS	6.3878G	93.81	Inf	-Inf	86.65	3	Horizontal	8	1.70	-	34.90	7.70	35.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.7814G	56.22	88.20	-31.98	40.27	3	Vertical	242	2.37	-	39.26	11.43	34.74	
RMS	12.77486G	45.34	68.20	-22.86	29.43	3	Vertical	242	2.37	-	39.25	11.42	34.76	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.779G	56.60	88.20	-31.60	40.67	3	Horizontal	254	2.19	-	39.26	11.42	34.75
RMS	12.78188G	46.14	68.20	-22.06	30.19	3	Horizontal	254	2.19	-	39.26	11.43	34.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.14846G	46.01	83.54	-37.53	42.66	1	Vertical	121	2.14	-	37.82	15.16	49.63	
AV	19.15428G	35.26	63.54	-28.28	31.92	1	Vertical	121	2.14	-	37.81	15.16	49.63	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14402G	45.71	83.54	-37.83	42.35	1	Horizontal	55	2.76	-	37.83	15.16	49.63
AV	19.14714G	35.16	63.54	-28.38	31.81	1	Horizontal	55	2.76	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	58.18	88.20	-30.02	51.90	3	Vertical	327	1.91	-	34.35	7.46	35.53
RMS	5.925G	47.44	68.20	-20.76	40.77	3	Vertical	327	1.91	-	34.70	7.53	35.56
PK	6.468G	96.22	Inf	-Inf	89.09	3	Vertical	327	1.91	-	34.70	7.84	35.41
RMS	6.468G	86.90	Inf	-Inf	79.77	3	Vertical	327	1.91	-	34.70	7.84	35.41
PK	7.173G	62.74	88.20	-25.46	53.83	3	Vertical	327	1.91	-	36.24	8.20	35.53
RMS	7.149G	51.55	68.20	-16.65	42.79	3	Vertical	327	1.91	-	36.09	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
 Setting 11.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	59.70	88.20	-28.50	53.05	3	Horizontal	356	1.80	-	34.69	7.52	35.56
RMS	5.922G	47.45	68.20	-20.75	40.80	3	Horizontal	356	1.80	-	34.69	7.52	35.56
PK	6.468G	95.63	Inf	-Inf	88.50	3	Horizontal	356	1.80	-	34.70	7.84	35.41
RMS	6.468G	85.66	Inf	-Inf	78.53	3	Horizontal	356	1.80	-	34.70	7.84	35.41
PK	7.167G	63.44	88.20	-24.76	54.57	3	Horizontal	356	1.80	-	36.20	8.20	35.53
RMS	7.158G	51.63	68.20	-16.57	42.81	3	Horizontal	356	1.80	-	36.15	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94188G	57.40	88.20	-30.80	40.78	3	Vertical	314	2.28	-	39.44	11.55	34.37	
RMS	12.93822G	46.53	68.20	-21.67	29.92	3	Vertical	314	2.28	-	39.44	11.55	34.38	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94206G	57.02	88.20	-31.18	40.40	3	Horizontal	322	1.81	-	39.44	11.55	34.37
RMS	12.92844G	46.18	68.20	-22.02	29.61	3	Horizontal	322	1.81	-	39.43	11.54	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.40988G	45.97	83.54	-37.57	42.56	1	Vertical	222	2.68	-	37.83	15.26	49.68	
AV	19.40868G	35.57	63.54	-27.97	32.16	1	Vertical	222	2.68	-	37.83	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39734G	46.41	83.54	-37.13	43.01	1	Horizontal	60	1.87	-	37.82	15.26	49.68	
AV	19.40736G	35.36	63.54	-28.18	31.95	1	Horizontal	60	1.87	-	37.83	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.02	88.20	-29.18	52.47	3	Vertical	324	1.73	-	34.60	7.50	35.55
RMS	5.925G	47.53	68.20	-20.67	40.87	3	Vertical	324	1.73	-	34.70	7.52	35.56
PK	6.5478G	97.51	Inf	-Inf	90.03	3	Vertical	324	1.73	-	34.89	8.00	35.41
RMS	6.5422G	88.16	Inf	-Inf	80.72	3	Vertical	324	1.73	-	34.87	7.98	35.41
PK	7.1974G	62.10	88.20	-26.10	53.06	3	Vertical	324	1.73	-	36.38	8.20	35.54
RMS	7.245G	51.74	68.20	-16.46	42.33	3	Vertical	324	1.73	-	36.67	8.29	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.04	88.20	-30.16	51.52	3	Horizontal	354	1.78	-	34.57	7.50	35.55
RMS	5.925G	47.44	68.20	-20.76	40.78	3	Horizontal	354	1.78	-	34.70	7.52	35.56
PK	6.5478G	95.65	Inf	-Inf	88.17	3	Horizontal	354	1.78	-	34.89	8.00	35.41
RMS	6.5422G	86.77	Inf	-Inf	79.33	3	Horizontal	354	1.78	-	34.87	7.98	35.41
PK	7.1862G	62.84	88.20	-25.36	53.86	3	Horizontal	354	1.78	-	36.32	8.20	35.54
RMS	7.245G	51.66	68.20	-16.54	42.25	3	Horizontal	354	1.78	-	36.67	8.29	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09726G	57.47	88.20	-30.73	40.08	3	Vertical	232	1.31	-	39.79	11.68	34.08
RMS	13.07878G	46.81	68.20	-21.39	29.52	3	Vertical	232	1.31	-	39.74	11.66	34.11

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07962G	57.02	88.20	-31.18	39.73	3	Horizontal	342	2.47	-	39.74	11.66	34.11
RMS	13.09402G	46.77	68.20	-21.43	29.39	3	Horizontal	342	2.47	-	39.78	11.68	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62324G	47.79	83.54	-35.75	44.29	1	Vertical	307	2.47	-	37.85	15.35	49.70
AV	19.64868G	35.71	63.54	-27.83	32.21	1	Vertical	307	2.47	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63806G	46.18	83.54	-37.36	42.68	1	Horizontal	16	1.41	-	37.84	15.36	49.70
AV	19.63938G	35.99	63.54	-27.55	32.49	1	Horizontal	16	1.41	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	108.07	Inf	-Inf	100.21	3	Vertical	325	1.78	-	35.18	8.10	35.42
RMS	6.6226G	98.49	Inf	-Inf	90.62	3	Vertical	325	1.78	-	35.19	8.10	35.42
PK	7.1866G	62.25	88.20	-25.95	53.27	3	Vertical	325	1.78	-	36.32	8.20	35.54
RMS	7.1578G	51.62	68.20	-16.58	42.80	3	Vertical	325	1.78	-	36.15	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.613G	107.17	Inf	-Inf	99.34	3	Horizontal	354	1.74	-	35.15	8.10	35.42	
RMS	6.6226G	97.72	Inf	-Inf	89.85	3	Horizontal	354	1.74	-	35.19	8.10	35.42	
PK	7.1626G	63.09	88.20	-25.11	54.24	3	Horizontal	354	1.74	-	36.18	8.20	35.53	
RMS	7.1602G	51.59	68.20	-16.61	42.76	3	Horizontal	354	1.74	-	36.16	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2585G	58.07	74.00	-15.93	40.05	3	Vertical	99	2.29	-	40.02	11.81	33.81
AV	13.26122G	47.02	54.00	-6.98	29.00	3	Vertical	99	2.29	-	40.02	11.81	33.81

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25972G	58.09	74.00	-15.91	40.07	3	Horizontal	338	2.34	-	40.02	11.81	33.81
AV	13.25562G	47.02	54.00	-6.98	29.03	3	Horizontal	338	2.34	-	40.01	11.80	33.82

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.86318G	47.27	83.54	-36.27	43.90	1	Vertical	72	1.25	-	37.62	15.45	49.70	
AV	19.8897G	35.90	63.54	-27.64	32.56	1	Vertical	72	1.25	-	37.58	15.46	49.70	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87482G	46.63	83.54	-36.91	43.28	1	Horizontal	355	2.68	-	37.60	15.45	49.70
AV	19.86G	35.89	63.54	-27.65	32.53	1	Horizontal	355	2.68	-	37.62	15.44	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.42	Inf	-Inf	99.32	3	Vertical	325	1.91	-	35.44	8.10	35.44	
RMS	6.707G	97.58	Inf	-Inf	89.49	3	Vertical	325	1.91	-	35.43	8.10	35.44	
PK	7.155G	62.03	88.20	-26.17	53.23	3	Vertical	325	1.91	-	36.13	8.20	35.53	
RMS	7.159G	51.64	68.20	-16.56	42.82	3	Vertical	325	1.91	-	36.15	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.51	Inf	-Inf	99.41	3	Horizontal	354	1.80	-	35.44	8.10	35.44	
RMS	6.707G	97.13	Inf	-Inf	89.04	3	Horizontal	354	1.80	-	35.43	8.10	35.44	
PK	7.125G	62.32	88.20	-25.88	53.69	3	Horizontal	354	1.80	-	35.95	8.20	35.52	
RMS	7.159G	51.66	68.20	-16.54	42.84	3	Horizontal	354	1.80	-	36.15	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41258G	58.91	88.20	-29.29	40.23	3	Vertical	360	2.09	-	40.31	11.93	33.56
RMS	13.4232G	47.72	68.20	-20.48	29.00	3	Vertical	360	2.09	-	40.32	11.94	33.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42452G	58.75	88.20	-29.45	40.03	3	Horizontal	337	2.77	-	40.32	11.94	33.54
RMS	13.41926G	47.82	68.20	-20.38	29.10	3	Horizontal	337	2.77	-	40.32	11.94	33.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10054G	47.18	83.54	-36.36	43.89	1	Vertical	326	2.91	-	37.48	15.55	49.74	
AV	20.1201G	36.43	63.54	-27.11	33.13	1	Vertical	326	2.91	-	37.50	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10708G	46.95	83.54	-36.59	43.65	1	Horizontal	63	2.39	-	37.49	15.55	49.74	
AV	20.1189G	36.82	63.54	-26.72	33.52	1	Horizontal	63	2.39	-	37.50	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7886G	108.07	Inf	-Inf	99.67	3	Vertical	324	1.95	-	35.75	8.10	35.45	
RMS	6.7868G	97.77	Inf	-Inf	89.37	3	Vertical	324	1.95	-	35.75	8.10	35.45	
PK	7.145G	63.26	88.20	-24.94	54.52	3	Vertical	324	1.95	-	36.07	8.20	35.53	
RMS	7.1486G	51.69	68.20	-16.51	42.93	3	Vertical	324	1.95	-	36.09	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7886G	107.53	Inf	-Inf	99.13	3	Horizontal	356	1.76	-	35.75	8.10	35.45	
RMS	6.7796G	97.63	Inf	-Inf	89.26	3	Horizontal	356	1.76	-	35.72	8.10	35.45	
PK	7.2242G	62.52	88.20	-25.68	53.27	3	Horizontal	356	1.76	-	36.55	8.25	35.55	
RMS	7.1504G	51.71	68.20	-16.49	42.94	3	Horizontal	356	1.76	-	36.10	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58146G	59.59	88.20	-28.61	40.48	3	Vertical	166	1.80	-	40.48	12.07	33.44
RMS	13.58416G	48.60	68.20	-19.60	29.49	3	Vertical	166	1.80	-	40.48	12.07	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5817G	61.22	88.20	-26.98	42.11	3	Horizontal	146	2.39	-	40.48	12.07	33.44
RMS	13.5769G	50.73	68.20	-17.47	31.63	3	Horizontal	146	2.39	-	40.48	12.06	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.3529G	46.98	83.54	-36.56	43.52	1	Vertical	348	1.34	-	37.64	15.66	49.84	
AV	20.35068G	35.92	63.54	-27.62	32.46	1	Vertical	348	1.34	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.3487G	46.20	83.54	-37.34	42.74	1	Horizontal	319	2.86	-	37.64	15.66	49.84
AV	20.34774G	36.12	63.54	-27.42	32.66	1	Horizontal	319	2.86	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8692G	99.50	Inf	-Inf	91.18	3	Vertical	322	2.06	-	35.66	8.13	35.47
RMS	6.8622G	88.12	Inf	-Inf	79.78	3	Vertical	322	2.06	-	35.68	8.13	35.47
PK	7.1968G	62.45	88.20	-25.75	53.41	3	Vertical	322	2.06	-	36.38	8.20	35.54
RMS	7.1506G	51.67	68.20	-16.53	42.90	3	Vertical	322	2.06	-	36.10	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8594G	98.43	Inf	-Inf	90.08	3	Horizontal	355	1.73	-	35.68	8.13	35.46
RMS	6.8622G	88.00	Inf	-Inf	79.66	3	Horizontal	355	1.73	-	35.68	8.13	35.47
PK	7.2066G	62.68	88.20	-25.52	53.57	3	Horizontal	355	1.73	-	36.44	8.21	35.54
RMS	7.1618G	51.64	68.20	-16.56	42.80	3	Horizontal	355	1.73	-	36.17	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71764G	59.27	88.20	-28.93	39.94	3	Vertical	194	1.77	-	40.64	12.17	33.48
RMS	13.7168G	48.66	68.20	-19.54	29.34	3	Vertical	194	1.77	-	40.63	12.17	33.48

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71512G	58.65	88.20	-29.55	39.33	3	Horizontal	221	1.84	-	40.63	12.17	33.48
RMS	13.71944G	48.41	68.20	-19.79	29.07	3	Horizontal	221	1.84	-	40.64	12.18	33.48

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58132G	48.93	83.54	-34.61	45.24	1	Vertical	92	2.53	-	37.80	15.76	49.87
AV	20.59212G	37.36	63.54	-26.18	33.64	1	Vertical	92	2.53	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60598G	48.06	83.54	-35.48	44.32	1	Horizontal	234	1.70	-	37.83	15.77	49.86
AV	20.60658G	37.28	63.54	-26.26	33.54	1	Horizontal	234	1.70	-	37.83	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 10.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	99.54	Inf	-Inf	91.15	3	Vertical	326	1.80	-	35.70	8.17	35.48	
RMS	6.9474G	89.59	Inf	-Inf	81.21	3	Vertical	326	1.80	-	35.69	8.17	35.48	
PK	7.1418G	62.64	88.20	-25.56	53.92	3	Vertical	326	1.80	-	36.05	8.20	35.53	
RMS	7.245G	51.71	68.20	-16.49	42.30	3	Vertical	326	1.80	-	36.67	8.29	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
 Setting 10.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	98.83	Inf	-Inf	90.44	3	Horizontal	355	1.72	-	35.70	8.17	35.48	
RMS	6.9474G	88.89	Inf	-Inf	80.51	3	Horizontal	355	1.72	-	35.69	8.17	35.48	
PK	7.1514G	62.46	88.20	-25.74	53.68	3	Horizontal	355	1.72	-	36.11	8.20	35.53	
RMS	7.2414G	51.65	68.20	-16.55	42.27	3	Horizontal	355	1.72	-	36.65	8.28	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8804G	59.60	88.20	-28.60	39.88	3	Vertical	198	2.10	-	40.96	12.30	33.54
RMS	13.89738G	49.42	68.20	-18.78	29.66	3	Vertical	198	2.10	-	40.99	12.32	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8894G	59.95	88.20	-28.25	40.20	3	Horizontal	101	1.24	-	40.98	12.31	33.54
RMS	13.89876G	48.86	68.20	-19.34	29.09	3	Horizontal	101	1.24	-	41.00	12.32	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.83362G	47.18	83.54	-36.36	43.20	1	Vertical	170	2.52	-	37.87	15.88	49.77	
AV	20.84112G	36.20	63.54	-27.34	32.23	1	Vertical	170	2.52	-	37.85	15.88	49.76	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.84418G	47.09	83.54	-36.45	43.12	1	Horizontal	157	2.57	-	37.85	15.88	49.76
AV	20.82312G	36.36	63.54	-27.18	32.38	1	Horizontal	157	2.57	-	37.88	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9874G	106.44	Inf	-Inf	95.83	3	Vertical	74	1.69	-	36.35	7.28	33.02	
RMS	6.9874G	97.19	Inf	-Inf	86.58	3	Vertical	74	1.69	-	36.35	7.28	33.02	
PK	7.1314G	77.85	88.20	-10.35	66.96	3	Vertical	74	1.69	-	36.75	7.23	33.09	
RMS	7.125G	67.59	68.20	-0.61	56.74	3	Vertical	74	1.69	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.013G	105.08	Inf	-Inf	94.44	3	Horizontal	17	1.80	-	36.38	7.29	33.03	
RMS	7.0002G	95.99	Inf	-Inf	85.41	3	Horizontal	17	1.80	-	36.30	7.30	33.02	
PK	7.1314G	76.23	88.20	-11.97	65.34	3	Horizontal	17	1.80	-	36.75	7.23	33.09	
RMS	7.125G	66.20	68.20	-2.00	55.35	3	Horizontal	17	1.80	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04974G	62.28	88.20	-25.92	40.99	3	Vertical	114	2.71	-	40.90	9.91	29.52	
RMS	14.0455G	52.86	68.20	-15.34	31.57	3	Vertical	114	2.71	-	40.90	9.91	29.52	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04588G	62.82	88.20	-25.38	41.53	3	Horizontal	353	1.98	-	40.90	9.91	29.52
RMS	14.05416G	53.00	68.20	-15.20	31.71	3	Horizontal	353	1.98	-	40.90	9.92	29.53

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.0715G	47.77	83.54	-35.77	43.88	1	Vertical	44	1.50	-	37.60	15.98	49.69	
AV	21.07G	37.73	63.54	-25.81	33.84	1	Vertical	44	1.50	-	37.60	15.98	49.69	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07878G	47.40	83.54	-36.14	43.49	1	Horizontal	153	1.56	-	37.60	15.99	49.68
AV	21.07218G	37.63	63.54	-25.91	33.74	1	Horizontal	153	1.56	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
 Setting 16.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	83.26	88.20	-4.94	74.56	3	Vertical	72	1.40	-	34.90	6.60	32.80
RMS	5.901G	67.84	68.20	-0.36	59.14	3	Vertical	72	1.40	-	34.90	6.60	32.80
PK	6G	104.42	Inf	-Inf	95.36	3	Vertical	72	1.40	-	35.30	6.60	32.84
RMS	6.03G	94.84	Inf	-Inf	85.80	3	Vertical	72	1.40	-	35.24	6.64	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	79.97	88.20	-8.23	71.27	3	Horizontal	360	1.17	-	34.90	6.60	32.80
RMS	5.923G	65.41	68.20	-2.79	56.63	3	Horizontal	360	1.17	-	34.99	6.60	32.81
PK	6.103G	102.26	Inf	-Inf	93.05	3	Horizontal	360	1.17	-	35.30	6.75	32.84
RMS	6.03G	92.94	Inf	-Inf	83.90	3	Horizontal	360	1.17	-	35.24	6.64	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.75
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05054G	58.43	74.00	-15.57	42.41	3	Vertical	299	2.00	-	38.55	9.02	31.55
AV	12.05398G	48.75	54.00	-5.25	32.73	3	Vertical	299	2.00	-	38.55	9.02	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.75
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05132G	59.09	74.00	-14.91	43.07	3	Horizontal	42	2.03	-	38.55	9.02	31.55
AV	12.05398G	48.58	54.00	-5.42	32.56	3	Horizontal	42	2.03	-	38.55	9.02	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07096G	45.92	83.54	-37.62	43.82	1	Vertical	239	1.55	-	37.64	14.73	50.27
AV	18.0788G	35.10	63.54	-28.44	33.00	1	Vertical	239	1.55	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
Setting 16.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07216G	44.34	83.54	-39.20	42.24	1	Horizontal	271	1.50	-	37.64	14.73	50.27
AV	18.07634G	34.96	63.54	-28.58	32.86	1	Horizontal	271	1.50	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	69.81	88.20	-18.39	63.17	3	Vertical	221	1.79	-	34.68	7.52	35.56	
RMS	5.921G	53.67	68.20	-14.53	47.03	3	Vertical	221	1.79	-	34.68	7.52	35.56	
PK	6.181G	105.03	Inf	-Inf	97.75	3	Vertical	221	1.79	-	35.12	7.69	35.53	
RMS	6.181G	95.62	Inf	-Inf	88.34	3	Vertical	221	1.79	-	35.12	7.69	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	67.06	88.20	-21.14	60.47	3	Horizontal	5	1.89	-	34.63	7.51	35.55
RMS	5.919G	51.51	68.20	-16.69	44.87	3	Horizontal	5	1.89	-	34.68	7.52	35.56
PK	6.181G	103.65	Inf	-Inf	96.37	3	Horizontal	5	1.89	-	35.12	7.69	35.53
RMS	6.189G	94.06	Inf	-Inf	86.73	3	Horizontal	5	1.89	-	35.16	7.69	35.52

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.38074G	59.75	74.00	-14.25	45.18	3	Vertical	176	2.54	-	38.88	11.10	35.41	
AV	12.38338G	48.25	54.00	-5.75	33.67	3	Vertical	176	2.54	-	38.88	11.11	35.41	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38392G	59.59	74.00	-14.41	45.01	3	Horizontal	203	2.62	-	38.88	11.11	35.41
AV	12.3811G	48.06	54.00	-5.94	33.49	3	Horizontal	203	2.62	-	38.88	11.10	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55476G	45.59	83.54	-37.95	42.94	1	Vertical	68	1.16	-	37.78	14.92	50.05	
AV	18.56256G	34.90	63.54	-28.64	32.24	1	Vertical	68	1.16	-	37.77	14.93	50.04	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56118G	45.09	83.54	-38.45	42.43	1	Horizontal	19	2.83	-	37.78	14.92	50.04
AV	18.54672G	34.34	63.54	-29.20	31.69	1	Horizontal	19	2.83	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
 Setting 15
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	58.69	88.20	-29.51	52.09	3	Vertical	320	1.91	-	34.65	7.51	35.56
RMS	5.919G	47.67	68.20	-20.53	41.03	3	Vertical	320	1.91	-	34.68	7.52	35.56
PK	6.342G	103.16	Inf	-Inf	96.00	3	Vertical	320	1.91	-	34.92	7.70	35.46
RMS	6.342G	93.52	Inf	-Inf	86.36	3	Vertical	320	1.91	-	34.92	7.70	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.658G	58.69	88.20	-29.51	52.25	3	Horizontal	6	1.69	-	34.47	7.40	35.43	
RMS	5.922G	47.70	68.20	-20.50	41.05	3	Horizontal	6	1.69	-	34.69	7.52	35.56	
PK	6.342G	101.82	Inf	-Inf	94.66	3	Horizontal	6	1.69	-	34.92	7.70	35.46	
RMS	6.342G	92.14	Inf	-Inf	84.98	3	Horizontal	6	1.69	-	34.92	7.70	35.46	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69474G	56.55	74.00	-17.45	41.05	3	Vertical	8	2.32	-	39.08	11.36	34.94
AV	12.69648G	45.79	54.00	-8.21	30.28	3	Vertical	8	2.32	-	39.09	11.36	34.94

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68412G	56.71	74.00	-17.29	41.28	3	Horizontal	316	2.50	-	39.05	11.35	34.97
AV	12.6867G	45.50	54.00	-8.50	30.05	3	Horizontal	316	2.50	-	39.06	11.35	34.96

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.02072G	45.62	83.54	-37.92	42.13	1	Vertical	319	1.48	-	37.98	15.11	49.60
AV	19.0239G	34.78	63.54	-28.76	31.30	1	Vertical	319	1.48	-	37.97	15.11	49.60

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03326G	45.79	83.54	-37.75	42.33	1	Horizontal	187	2.99	-	37.96	15.11	49.61
AV	19.02924G	34.87	63.54	-28.67	31.41	1	Horizontal	187	2.99	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	58.61	88.20	-29.59	52.49	3	Vertical	326	2.02	-	34.22	7.41	35.51
RMS	5.925G	47.55	68.20	-20.65	40.89	3	Vertical	326	2.02	-	34.70	7.52	35.56
PK	6.5078G	96.81	Inf	-Inf	89.56	3	Vertical	326	2.02	-	34.73	7.92	35.40
RMS	6.5106G	88.05	Inf	-Inf	80.79	3	Vertical	326	2.02	-	34.74	7.92	35.40
PK	7.1518G	61.77	88.20	-26.43	52.99	3	Vertical	326	2.02	-	36.11	8.20	35.53
RMS	7.1518G	51.75	68.20	-16.45	42.97	3	Vertical	326	2.02	-	36.11	8.20	35.53

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	58.38	88.20	-29.82	51.83	3	Horizontal	353	1.79	-	34.60	7.50	35.55
RMS	5.9198G	47.47	68.20	-20.73	40.83	3	Horizontal	353	1.79	-	34.68	7.52	35.56
PK	6.5022G	96.16	Inf	-Inf	88.95	3	Horizontal	353	1.79	-	34.71	7.90	35.40
RMS	6.5022G	86.71	Inf	-Inf	79.50	3	Horizontal	353	1.79	-	34.71	7.90	35.40
PK	7.163G	62.50	88.20	-25.70	53.65	3	Horizontal	353	1.79	-	36.18	8.20	35.53
RMS	7.1462G	51.72	68.20	-16.48	42.97	3	Horizontal	353	1.79	-	36.08	8.20	35.53

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99812G	57.66	88.20	-30.54	40.80	3	Vertical	205	1.49	-	39.50	11.60	34.24
RMS	13.01498G	47.04	68.20	-21.16	30.11	3	Vertical	205	1.49	-	39.54	11.61	34.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00502G	58.03	88.20	-30.17	41.14	3	Horizontal	38	1.33	-	39.52	11.60	34.23
RMS	12.99962G	47.05	68.20	-21.15	30.19	3	Horizontal	38	1.33	-	39.50	11.60	34.24

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52628G	46.79	83.54	-36.75	43.29	1	Vertical	248	2.62	-	37.89	15.31	49.70
AV	19.51926G	36.02	63.54	-27.52	32.52	1	Vertical	248	2.62	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52106G	45.83	83.54	-37.71	42.33	1	Horizontal	8	2.37	-	37.89	15.31	49.70
AV	19.51386G	35.60	63.54	-27.94	32.10	1	Horizontal	8	2.37	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
 Setting 18.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6606G	104.36	Inf	-Inf	96.37	3	Vertical	352	1.79	-	35.32	8.10	35.43	
RMS	6.6672G	94.69	Inf	-Inf	86.69	3	Vertical	352	1.79	-	35.33	8.10	35.43	
PK	7.1402G	64.82	88.20	-23.38	56.11	3	Vertical	352	1.79	-	36.04	8.20	35.53	
RMS	7.1292G	52.40	68.20	-15.80	43.74	3	Vertical	352	1.79	-	35.98	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	104.74	Inf	-Inf	96.77	3	Horizontal	326	1.80	-	35.30	8.10	35.43	
RMS	6.6694G	94.72	Inf	-Inf	86.71	3	Horizontal	326	1.80	-	35.34	8.10	35.43	
PK	7.1292G	66.46	88.20	-21.74	57.80	3	Horizontal	326	1.80	-	35.98	8.20	35.52	
RMS	7.1314G	53.31	68.20	-14.89	44.64	3	Horizontal	326	1.80	-	35.99	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33984G	58.40	74.00	-15.60	40.03	3	Vertical	360	2.23	-	40.18	11.87	33.68	
AV	13.33402G	48.50	54.00	-5.50	30.15	3	Vertical	360	2.23	-	40.17	11.87	33.69	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32088G	58.44	74.00	-15.56	40.15	3	Horizontal	184	1.71	-	40.14	11.86	33.71
AV	13.3369G	47.96	54.00	-6.04	29.60	3	Horizontal	184	1.71	-	40.17	11.87	33.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99086G	47.04	83.54	-36.50	43.83	1	Vertical	4	1.42	-	37.41	15.50	49.70
AV	20.00016G	36.47	63.54	-27.07	33.27	1	Vertical	4	1.42	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00532G	47.58	83.54	-35.96	44.38	1	Horizontal	3	2.87	-	37.40	15.50	49.70
AV	19.99746G	36.27	63.54	-27.27	33.07	1	Horizontal	3	2.87	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8378G	97.53	Inf	-Inf	89.15	3	Vertical	324	2.07	-	35.72	8.12	35.46	
RMS	6.8298G	88.07	Inf	-Inf	79.68	3	Vertical	324	2.07	-	35.74	8.11	35.46	
PK	7.1834G	62.93	88.20	-25.27	53.97	3	Vertical	324	2.07	-	36.30	8.20	35.54	
RMS	7.1626G	51.77	68.20	-16.43	42.92	3	Vertical	324	2.07	-	36.18	8.20	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 14
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8378G	97.15	Inf	-Inf	88.77	3	Horizontal	354	1.78	-	35.72	8.12	35.46	
RMS	6.8298G	87.88	Inf	-Inf	79.49	3	Horizontal	354	1.78	-	35.74	8.11	35.46	
PK	7.1306G	63.08	88.20	-25.12	54.42	3	Horizontal	354	1.78	-	35.98	8.20	35.52	
RMS	7.1562G	51.78	68.20	-16.42	42.97	3	Horizontal	354	1.78	-	36.14	8.20	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6434G	58.63	88.20	-29.57	39.44	3	Vertical	317	1.82	-	40.54	12.11	33.46
RMS	13.63566G	47.95	68.20	-20.25	28.76	3	Vertical	317	1.82	-	40.54	12.11	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65156G	58.64	88.20	-29.56	39.43	3	Horizontal	245	1.44	-	40.55	12.12	33.46
RMS	13.63938G	47.87	68.20	-20.33	28.68	3	Horizontal	245	1.44	-	40.54	12.11	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4678G	47.30	83.54	-36.24	43.79	1	Vertical	153	1.92	-	37.69	15.71	49.89
AV	20.47878G	36.49	63.54	-27.05	32.97	1	Vertical	153	1.92	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47368G	47.06	83.54	-36.48	43.55	1	Horizontal	140	2.82	-	37.69	15.71	49.89
AV	20.4867G	36.71	63.54	-26.83	33.19	1	Horizontal	140	2.82	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	102.69	Inf	-Inf	92.00	3	Vertical	76	1.70	-	36.46	7.24	33.01
RMS	6.98G	93.02	Inf	-Inf	82.38	3	Vertical	76	1.70	-	36.38	7.27	33.01
PK	7.127G	81.96	88.20	-6.24	71.09	3	Vertical	76	1.70	-	36.72	7.24	33.09
RMS	7.128G	68.16	68.20	-0.04	57.29	3	Vertical	76	1.70	-	36.72	7.24	33.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	101.95	Inf	-Inf	91.31	3	Horizontal	19	1.94	-	36.38	7.29	33.03
RMS	7.013G	92.01	Inf	-Inf	81.37	3	Horizontal	19	1.94	-	36.38	7.29	33.03
PK	7.128G	80.36	88.20	-7.84	69.49	3	Horizontal	19	1.94	-	36.72	7.24	33.09
RMS	7.132G	66.96	68.20	-1.24	56.06	3	Horizontal	19	1.94	-	36.76	7.23	33.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96562G	61.86	88.20	-26.34	40.59	3	Vertical	55	2.35	-	40.90	9.88	29.51	
RMS	13.97346G	52.38	68.20	-15.82	31.10	3	Vertical	55	2.35	-	40.90	9.89	29.51	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97282G	62.25	88.20	-25.95	40.97	3	Horizontal	323	1.52	-	40.90	9.89	29.51
RMS	13.96638G	52.66	68.20	-15.54	31.39	3	Horizontal	323	1.52	-	40.90	9.88	29.51

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95192G	47.29	83.54	-36.25	43.40	1	Vertical	198	1.53	-	37.68	15.93	49.72
AV	20.95188G	38.17	63.54	-25.37	34.28	1	Vertical	198	1.53	-	37.68	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95414G	48.36	83.54	-35.18	44.48	1	Horizontal	343	1.53	-	37.67	15.93	49.72
AV	20.9536G	38.05	63.54	-25.49	34.17	1	Horizontal	343	1.53	-	37.67	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Non-beamforming mode_1TX_Ant. 2


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.19	68.20	-0.01	3	Vertical	31	1.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 19
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.66	88.20	-16.54	62.87	3	Vertical	36	1.82	-	35.00	6.60	32.81	
RMS	5.9246G	54.25	68.20	-13.95	45.46	3	Vertical	36	1.82	-	35.00	6.60	32.81	
PK	5.9546G	116.58	Inf	-Inf	107.68	3	Vertical	36	1.82	-	35.12	6.60	32.82	
RMS	5.9578G	106.14	Inf	-Inf	97.23	3	Vertical	36	1.82	-	35.13	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 19
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	63.11	88.20	-25.09	54.32	3	Horizontal	58	1.79	-	35.00	6.60	32.81	
RMS	5.925G	51.41	68.20	-16.79	42.62	3	Horizontal	58	1.79	-	35.00	6.60	32.81	
PK	5.9546G	106.87	Inf	-Inf	97.97	3	Horizontal	58	1.79	-	35.12	6.60	32.82	
RMS	5.9578G	96.39	Inf	-Inf	87.48	3	Horizontal	58	1.79	-	35.13	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 19
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.915G	57.61	74.00	-16.39	41.70	3	Vertical	228	1.80	-	38.50	8.98	31.57	
AV	11.9078G	45.60	54.00	-8.40	29.70	3	Vertical	228	1.80	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 19
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91306G	66.41	74.00	-7.59	50.50	3	Horizontal	204	1.80	-	38.50	8.98	31.57
AV	11.90862G	53.76	54.00	-0.24	37.86	3	Horizontal	204	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9108G	61.07	88.20	-27.13	52.33	3	Vertical	243	1.74	-	34.94	6.60	32.80	
RMS	5.915G	48.20	68.20	-20.00	39.45	3	Vertical	243	1.74	-	34.96	6.60	32.81	
PK	6.195G	117.65	Inf	-Inf	108.13	3	Vertical	243	1.74	-	35.48	6.89	32.85	
RMS	6.1964G	105.46	Inf	-Inf	95.93	3	Vertical	243	1.74	-	35.49	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8576G	61.31	88.20	-26.89	52.67	3	Horizontal	176	2.71	-	34.82	6.60	32.78	
RMS	5.9206G	48.19	68.20	-20.01	39.42	3	Horizontal	176	2.71	-	34.98	6.60	32.81	
PK	6.195G	111.25	Inf	-Inf	101.73	3	Horizontal	176	2.71	-	35.48	6.89	32.85	
RMS	6.1964G	98.34	Inf	-Inf	88.81	3	Horizontal	176	2.71	-	35.49	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38976G	61.93	74.00	-12.07	45.65	3	Vertical	236	1.79	-	38.68	9.18	31.58
AV	12.3888G	48.07	54.00	-5.93	31.80	3	Vertical	236	1.79	-	38.68	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39336G	66.25	74.00	-7.75	49.96	3	Horizontal	205	1.80	-	38.69	9.18	31.58
AV	12.38912G	52.71	54.00	-1.29	36.43	3	Horizontal	205	1.80	-	38.68	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58529G	46.98	83.54	-36.56	44.29	1	Vertical	132	1.66	-	37.77	14.93	50.01
AV	18.58879G	34.25	63.54	-29.29	31.56	1	Vertical	132	1.66	-	37.76	14.94	50.01

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.58887G	47.71	83.54	-35.83	45.02	1	Horizontal	254	1.69	-	37.76	14.94	50.01	
AV	18.58138G	34.35	63.54	-29.19	31.67	1	Horizontal	254	1.69	-	37.77	14.93	50.02	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8966G	60.58	88.20	-27.62	51.89	3	Vertical	324	1.72	-	34.89	6.60	32.80	
RMS	5.9206G	48.17	68.20	-20.03	39.40	3	Vertical	324	1.72	-	34.98	6.60	32.81	
PK	6.4174G	115.96	Inf	-Inf	106.29	3	Vertical	324	1.72	-	35.53	7.00	32.86	
RMS	6.415G	104.82	Inf	-Inf	95.14	3	Vertical	324	1.72	-	35.54	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9206G	60.77	88.20	-27.43	52.00	3	Horizontal	157	1.62	-	34.98	6.60	32.81	
RMS	5.9206G	48.23	68.20	-19.97	39.46	3	Horizontal	157	1.62	-	34.98	6.60	32.81	
PK	6.4174G	107.25	Inf	-Inf	97.58	3	Horizontal	157	1.62	-	35.53	7.00	32.86	
RMS	6.415G	96.41	Inf	-Inf	86.73	3	Horizontal	157	1.62	-	35.54	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83336G	63.59	88.20	-24.61	45.86	3	Vertical	273	1.80	-	39.23	9.38	30.88
RMS	12.8276G	49.41	68.20	-18.79	31.70	3	Vertical	273	1.80	-	39.23	9.37	30.89

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83336G	66.37	88.20	-21.83	48.64	3	Horizontal	202	1.80	-	39.23	9.38	30.88	
RMS	12.82736G	52.65	68.20	-15.55	34.94	3	Horizontal	202	1.80	-	39.23	9.37	30.89	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24286G	48.46	83.54	-35.08	45.20	1	Vertical	130	2.21	-	37.71	15.20	49.65
AV	19.24458G	35.05	63.54	-28.49	31.79	1	Vertical	130	2.21	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24324G	47.92	83.54	-35.62	44.66	1	Horizontal	275	2.22	-	37.71	15.20	49.65
AV	19.24198G	34.31	63.54	-29.23	31.05	1	Horizontal	275	2.22	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting 5.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	60.42	88.20	-27.78	51.94	3	Vertical	322	1.80	-	34.65	6.60	32.77
RMS	5.925G	50.03	68.20	-18.17	41.24	3	Vertical	322	1.80	-	35.00	6.60	32.81
PK	6.435G	101.46	Inf	-Inf	91.86	3	Vertical	322	1.80	-	35.46	7.00	32.86
RMS	6.435G	90.86	Inf	-Inf	81.26	3	Vertical	322	1.80	-	35.46	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting 5.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9176G	60.91	88.20	-27.29	52.15	3	Horizontal	161	1.00	-	34.97	6.60	32.81	
RMS	5.9228G	50.02	68.20	-18.18	41.24	3	Horizontal	161	1.00	-	34.99	6.60	32.81	
PK	6.4376G	91.03	Inf	-Inf	81.44	3	Horizontal	161	1.00	-	35.45	7.00	32.86	
RMS	6.435G	82.19	Inf	-Inf	72.59	3	Horizontal	161	1.00	-	35.46	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting 5.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87127G	59.13	88.20	-29.07	41.27	3	Vertical	193	2.68	-	39.27	9.39	30.80
RMS	12.86968G	44.97	68.20	-23.23	27.11	3	Vertical	193	2.68	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86971G	58.80	88.20	-29.40	40.94	3	Horizontal	319	1.20	-	39.27	9.39	30.80
RMS	12.86852G	44.93	68.20	-23.27	27.07	3	Horizontal	319	1.20	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 5.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30604G	47.71	83.54	-35.83	44.41	1	Vertical	99	1.12	-	37.74	15.22	49.66
AV	19.3057G	34.82	63.54	-28.72	31.52	1	Vertical	99	1.12	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 5.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30287G	47.79	83.54	-35.75	44.49	1	Horizontal	353	2.82	-	37.74	15.22	49.66	
AV	19.3085G	34.08	63.54	-29.46	30.77	1	Horizontal	353	2.82	-	37.75	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.803G	60.22	88.20	-27.98	51.96	3	Vertical	324	1.88	-	34.42	6.60	32.76
RMS	5.9234G	50.05	68.20	-18.15	41.27	3	Vertical	324	1.88	-	34.99	6.60	32.81
PK	6.475G	99.04	Inf	-Inf	89.40	3	Vertical	324	1.88	-	35.50	7.00	32.86
RMS	6.475G	89.70	Inf	-Inf	80.06	3	Vertical	324	1.88	-	35.50	7.00	32.86
PK	7.1274G	63.30	88.20	-24.90	52.43	3	Vertical	324	1.88	-	36.72	7.24	33.09
RMS	7.1722G	53.06	68.20	-15.14	41.97	3	Vertical	324	1.88	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	59.99	88.20	-28.21	51.34	3	Horizontal	138	2.75	-	34.84	6.60	32.79
RMS	5.9234G	49.97	68.20	-18.23	41.19	3	Horizontal	138	2.75	-	34.99	6.60	32.81
PK	6.475G	92.51	Inf	-Inf	82.87	3	Horizontal	138	2.75	-	35.50	7.00	32.86
RMS	6.475G	81.74	Inf	-Inf	72.10	3	Horizontal	138	2.75	-	35.50	7.00	32.86
PK	7.1386G	63.28	88.20	-24.92	52.33	3	Horizontal	138	2.75	-	36.81	7.23	33.09
RMS	7.1722G	53.05	68.20	-15.15	41.96	3	Horizontal	138	2.75	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95238G	59.37	88.20	-28.83	41.10	3	Vertical	216	1.46	-	39.46	9.43	30.62	
RMS	12.9506G	45.55	68.20	-22.65	27.30	3	Vertical	216	1.46	-	39.45	9.43	30.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94761G	59.50	88.20	-28.70	41.26	3	Horizontal	61	2.80	-	39.44	9.43	30.63
RMS	12.95064G	45.54	68.20	-22.66	27.29	3	Horizontal	61	2.80	-	39.45	9.43	30.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42377G	48.38	83.54	-35.16	44.95	1	Vertical	274	2.73	-	37.84	15.27	49.68	
AV	19.42198G	34.38	63.54	-29.16	30.95	1	Vertical	274	2.73	-	37.84	15.27	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42732G	48.67	83.54	-34.87	45.25	1	Horizontal	202	2.22	-	37.84	15.27	49.69
AV	19.42554G	35.00	63.54	-28.54	31.58	1	Horizontal	202	2.22	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.815G	60.23	88.20	-27.97	51.88	3	Vertical	61	1.10	-	34.52	6.60	32.77
RMS	5.9242G	50.00	68.20	-18.20	41.21	3	Vertical	61	1.10	-	35.00	6.60	32.81
PK	6.5178G	99.07	Inf	-Inf	89.27	3	Vertical	61	1.10	-	35.67	7.00	32.87
RMS	6.515G	89.16	Inf	-Inf	79.36	3	Vertical	61	1.10	-	35.66	7.00	32.86
PK	7.187G	63.24	88.20	-24.96	52.10	3	Vertical	61	1.10	-	37.05	7.21	33.12
RMS	7.1926G	53.22	68.20	-14.98	42.07	3	Vertical	61	1.10	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	60.65	88.20	-27.55	52.02	3	Horizontal	137	1.77	-	34.81	6.60	32.78
RMS	5.9242G	49.98	68.20	-18.22	41.19	3	Horizontal	137	1.77	-	35.00	6.60	32.81
PK	6.5178G	92.03	Inf	-Inf	82.23	3	Horizontal	137	1.77	-	35.67	7.00	32.87
RMS	6.515G	82.06	Inf	-Inf	72.26	3	Horizontal	137	1.77	-	35.66	7.00	32.86
PK	7.1758G	64.25	88.20	-23.95	53.15	3	Horizontal	137	1.77	-	37.00	7.21	33.11
RMS	7.1926G	53.16	68.20	-15.04	42.01	3	Horizontal	137	1.77	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02849G	60.66	88.20	-27.54	42.05	3	Vertical	211	1.24	-	39.63	9.46	30.48	
RMS	13.02975G	46.11	68.20	-22.09	27.50	3	Vertical	211	1.24	-	39.63	9.46	30.48	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03149G	59.97	88.20	-28.23	41.35	3	Horizontal	189	2.15	-	39.63	9.46	30.47
RMS	13.02754G	46.15	68.20	-22.05	27.54	3	Horizontal	189	2.15	-	39.63	9.46	30.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54871G	47.60	83.54	-35.94	44.10	1	Vertical	6	1.08	-	37.88	15.32	49.70
AV	19.5431G	34.72	63.54	-28.82	31.22	1	Vertical	6	1.08	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54193G	47.85	83.54	-35.69	44.35	1	Horizontal	250	2.97	-	37.88	15.32	49.70
AV	19.54849G	34.70	63.54	-28.84	31.20	1	Horizontal	250	2.97	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	59.92	88.20	-28.28	51.28	3	Vertical	62	1.61	-	34.82	6.60	32.78
RMS	5.9218G	48.17	68.20	-20.03	39.39	3	Vertical	62	1.61	-	34.99	6.60	32.81
PK	6.5378G	116.40	Inf	-Inf	106.52	3	Vertical	62	1.61	-	35.75	7.00	32.87
RMS	6.535G	105.16	Inf	-Inf	95.29	3	Vertical	62	1.61	-	35.74	7.00	32.87
PK	7.1258G	63.55	88.20	-24.65	52.69	3	Vertical	62	1.61	-	36.71	7.24	33.09
RMS	7.2126G	51.46	68.20	-16.74	40.28	3	Vertical	62	1.61	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	61.33	88.20	-26.87	52.59	3	Horizontal	137	1.68	-	34.94	6.60	32.80
RMS	5.9246G	48.23	68.20	-19.97	39.44	3	Horizontal	137	1.68	-	35.00	6.60	32.81
PK	6.535G	108.15	Inf	-Inf	98.28	3	Horizontal	137	1.68	-	35.74	7.00	32.87
RMS	6.535G	97.58	Inf	-Inf	87.71	3	Horizontal	137	1.68	-	35.74	7.00	32.87
PK	7.2182G	64.49	88.20	-23.71	53.30	3	Horizontal	137	1.68	-	37.10	7.22	33.13
RMS	7.2266G	51.48	68.20	-16.72	40.29	3	Horizontal	137	1.68	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06968G	60.85	88.20	-27.35	42.12	3	Vertical	276	1.79	-	39.67	9.48	30.42
RMS	13.06712G	47.99	68.20	-20.21	29.26	3	Vertical	276	1.79	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0684G	64.57	88.20	-23.63	45.84	3	Horizontal	146	2.65	-	39.67	9.48	30.42
RMS	13.0678G	50.78	68.20	-17.42	32.05	3	Horizontal	146	2.65	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60358G	47.92	83.54	-35.62	44.42	1	Vertical	20	2.84	-	37.86	15.34	49.70
AV	19.60681G	35.22	63.54	-28.32	31.72	1	Vertical	20	2.84	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60262G	48.53	83.54	-35.01	45.03	1	Horizontal	258	1.00	-	37.86	15.34	49.70
AV	19.6031G	35.12	63.54	-28.42	31.62	1	Horizontal	258	1.00	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	114.59	Inf	-Inf	104.60	3	Vertical	240	1.46	-	35.91	7.00	32.92	
RMS	6.695G	104.40	Inf	-Inf	94.41	3	Vertical	240	1.46	-	35.91	7.00	32.92	
PK	7.1922G	63.80	88.20	-24.40	52.65	3	Vertical	240	1.46	-	37.07	7.20	33.12	
RMS	7.1922G	51.45	68.20	-16.75	40.30	3	Vertical	240	1.46	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	106.80	Inf	-Inf	96.81	3	Horizontal	134	1.68	-	35.91	7.00	32.92
RMS	6.695G	95.89	Inf	-Inf	85.90	3	Horizontal	134	1.68	-	35.91	7.00	32.92
PK	7.2252G	64.41	88.20	-23.79	53.22	3	Horizontal	134	1.68	-	37.10	7.23	33.14
RMS	7.2274G	51.52	68.20	-16.68	40.33	3	Horizontal	134	1.68	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39336G	62.89	74.00	-11.11	43.01	3	Vertical	305	1.88	-	40.19	9.63	29.94
AV	13.38734G	48.16	54.00	-5.84	28.32	3	Vertical	305	1.88	-	40.17	9.62	29.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39155G	65.25	74.00	-8.75	45.38	3	Horizontal	144	2.79	-	40.18	9.63	29.94
AV	13.3875G	50.66	54.00	-3.34	30.81	3	Horizontal	144	2.79	-	40.18	9.62	29.95

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08454G	47.90	83.54	-35.64	44.62	1	Vertical	10	2.94	-	37.47	15.54	49.73
AV	20.08359G	35.07	63.54	-28.47	31.79	1	Vertical	10	2.94	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08108G	48.00	83.54	-35.54	44.73	1	Horizontal	68	2.26	-	37.46	15.54	49.73
AV	20.08391G	35.02	63.54	-28.52	31.74	1	Horizontal	68	2.26	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	117.68	Inf	-Inf	106.99	3	Vertical	26	1.54	-	36.58	7.08	32.97
RMS	6.8578G	108.38	Inf	-Inf	97.72	3	Vertical	26	1.54	-	36.54	7.09	32.97
PK	7.1616G	63.45	88.20	-24.75	52.38	3	Vertical	26	1.54	-	36.95	7.22	33.10
RMS	7.1994G	53.30	68.20	-14.90	42.12	3	Vertical	26	1.54	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.855G	107.86	Inf	-Inf	97.19	3	Horizontal	30	2.29	-	36.56	7.08	32.97
RMS	6.8522G	99.07	Inf	-Inf	88.38	3	Horizontal	30	2.29	-	36.58	7.08	32.97
PK	7.1728G	63.88	88.20	-24.32	52.79	3	Horizontal	30	2.29	-	36.99	7.21	33.11
RMS	7.2008G	53.34	68.20	-14.86	42.16	3	Horizontal	30	2.29	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69812G	62.71	88.20	-25.49	42.12	3	Vertical	305	1.79	-	40.50	9.76	29.67
RMS	13.70682G	50.39	68.20	-17.81	29.76	3	Vertical	305	1.79	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70988G	65.96	88.20	-22.24	45.32	3	Horizontal	209	1.90	-	40.53	9.77	29.66
RMS	13.707G	53.54	68.20	-14.66	32.91	3	Horizontal	209	1.90	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5533G	47.23	83.54	-36.31	43.60	1	Vertical	102	2.85	-	37.76	15.75	49.88
AV	20.57922G	34.74	63.54	-28.80	31.05	1	Vertical	102	2.85	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55954G	47.53	83.54	-36.01	43.89	1	Horizontal	37	2.83	-	37.77	15.75	49.88
AV	20.57922G	34.74	63.54	-28.80	31.05	1	Horizontal	37	2.83	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.875G	99.29	Inf	-Inf	88.76	3	Vertical	233	1.80	-	36.40	7.11	32.98	
RMS	6.8738G	88.69	Inf	-Inf	78.15	3	Vertical	233	1.80	-	36.41	7.11	32.98	
PK	7.175G	64.36	88.20	-23.84	53.26	3	Vertical	233	1.80	-	37.00	7.21	33.11	
RMS	7.1714G	53.18	68.20	-15.02	42.09	3	Vertical	233	1.80	-	36.99	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.875G	91.19	Inf	-Inf	80.66	3	Horizontal	187	2.81	-	36.40	7.11	32.98	
RMS	6.8738G	80.93	Inf	-Inf	70.39	3	Horizontal	187	2.81	-	36.41	7.11	32.98	
PK	7.1282G	63.69	88.20	-24.51	52.81	3	Horizontal	187	2.81	-	36.73	7.24	33.09	
RMS	7.1642G	53.15	68.20	-15.05	42.08	3	Horizontal	187	2.81	-	36.96	7.22	33.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7489G	62.97	88.20	-25.23	42.17	3	Vertical	186	2.91	-	40.65	9.79	29.64
RMS	13.7527G	49.56	68.20	-18.64	28.74	3	Vertical	186	2.91	-	40.66	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74626G	63.40	88.20	-24.80	42.61	3	Horizontal	50	1.46	-	40.64	9.79	29.64
RMS	13.74902G	49.50	68.20	-18.70	28.70	3	Horizontal	50	1.46	-	40.65	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62236G	48.59	83.54	-34.95	44.81	1	Vertical	74	1.08	-	37.85	15.78	49.85
AV	20.62329G	35.86	63.54	-27.68	32.08	1	Vertical	74	1.08	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62265G	48.74	83.54	-34.80	44.96	1	Horizontal	56	2.08	-	37.85	15.78	49.85
AV	20.62202G	35.11	63.54	-28.43	31.33	1	Horizontal	56	2.08	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.895G	100.37	Inf	-Inf	89.98	3	Vertical	236	2.16	-	36.24	7.14	32.99	
RMS	6.8962G	89.98	Inf	-Inf	79.60	3	Vertical	236	2.16	-	36.23	7.14	32.99	
PK	7.135G	63.84	88.20	-24.36	52.92	3	Vertical	236	2.16	-	36.78	7.23	33.09	
RMS	7.1938G	53.24	68.20	-14.96	42.08	3	Vertical	236	2.16	-	37.08	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT Y_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.895G	93.82	Inf	-Inf	83.43	3	Horizontal	350	2.87	-	36.24	7.14	32.99
RMS	6.8962G	83.15	Inf	-Inf	72.77	3	Horizontal	350	2.87	-	36.23	7.14	32.99
PK	7.1902G	63.77	88.20	-24.43	52.63	3	Horizontal	350	2.87	-	37.06	7.20	33.12
RMS	7.1938G	53.24	68.20	-14.96	42.08	3	Horizontal	350	2.87	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7895G	63.78	88.20	-24.42	42.81	3	Vertical	90	1.58	-	40.77	9.81	29.61	
RMS	13.79179G	49.69	68.20	-18.51	28.71	3	Vertical	90	1.58	-	40.78	9.81	29.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78619G	63.06	88.20	-25.14	42.11	3	Horizontal	306	1.11	-	40.76	9.80	29.61
RMS	13.78754G	49.67	68.20	-18.53	28.72	3	Horizontal	306	1.11	-	40.76	9.80	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68724G	49.61	83.54	-33.93	45.71	1	Vertical	144	1.04	-	37.92	15.81	49.83
AV	20.68577G	35.95	63.54	-27.59	32.05	1	Vertical	144	1.04	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68497G	48.61	83.54	-34.93	44.71	1	Horizontal	239	1.08	-	37.92	15.81	49.83
AV	20.685G	35.32	63.54	-28.22	31.42	1	Horizontal	239	1.08	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT Y_1TX
 Setting 5.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.995G	100.77	Inf	-Inf	90.18	3	Vertical	65	2.04	-	36.32	7.29	33.02	
RMS	6.9958G	90.46	Inf	-Inf	79.87	3	Vertical	65	2.04	-	36.32	7.29	33.02	
PK	7.1838G	63.65	88.20	-24.55	52.52	3	Vertical	65	2.04	-	37.04	7.21	33.12	
RMS	7.1926G	53.21	68.20	-14.99	42.06	3	Vertical	65	2.04	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 5.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.995G	91.77	Inf	-Inf	81.18	3	Horizontal	137	3.00	-	36.32	7.29	33.02	
RMS	6.9942G	81.43	Inf	-Inf	70.84	3	Horizontal	137	3.00	-	36.32	7.29	33.02	
PK	7.1478G	64.65	88.20	-23.55	53.64	3	Horizontal	137	3.00	-	36.88	7.23	33.10	
RMS	7.1806G	53.20	68.20	-15.00	42.08	3	Horizontal	137	3.00	-	37.02	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99198G	64.38	88.20	-23.82	43.07	3	Vertical	289	2.72	-	40.90	9.90	29.49	
RMS	13.99258G	50.53	68.20	-17.67	29.22	3	Vertical	289	2.72	-	40.90	9.90	29.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99072G	64.41	88.20	-23.79	43.11	3	Horizontal	215	1.16	-	40.90	9.90	29.50
RMS	13.98674G	50.50	68.20	-17.70	29.21	3	Horizontal	215	1.16	-	40.90	9.89	29.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98209G	49.28	83.54	-34.26	45.42	1	Vertical	343	2.19	-	37.63	15.94	49.71
AV	20.98727G	36.06	63.54	-27.48	32.21	1	Vertical	343	2.19	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98154G	49.49	83.54	-34.05	45.63	1	Horizontal	184	1.90	-	37.63	15.94	49.71
AV	20.98246G	35.93	63.54	-27.61	32.07	1	Horizontal	184	1.90	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0946G	101.02	Inf	-Inf	90.33	3	Vertical	65	1.29	-	36.51	7.25	33.07
RMS	7.0942G	90.62	Inf	-Inf	79.93	3	Vertical	65	1.29	-	36.51	7.25	33.07
PK	7.1482G	64.43	88.20	-23.77	53.41	3	Vertical	65	1.29	-	36.89	7.23	33.10
RMS	7.1914G	53.21	68.20	-14.99	42.06	3	Vertical	65	1.29	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0942G	93.55	Inf	-Inf	82.86	3	Horizontal	133	2.81	-	36.51	7.25	33.07
RMS	7.0942G	83.19	Inf	-Inf	72.50	3	Horizontal	133	2.81	-	36.51	7.25	33.07
PK	7.139G	64.42	88.20	-23.78	53.47	3	Horizontal	133	2.81	-	36.81	7.23	33.09
RMS	7.195G	53.24	68.20	-14.96	42.08	3	Horizontal	133	2.81	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18642G	64.22	88.20	-23.98	43.07	3	Vertical	26	2.71	-	40.81	9.96	29.62	
RMS	14.1928G	50.08	68.20	-18.12	28.93	3	Vertical	26	2.71	-	40.81	9.96	29.62	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19096G	64.08	88.20	-24.12	42.93	3	Horizontal	229	2.50	-	40.81	9.96	29.62
RMS	14.18814G	50.09	68.20	-18.11	28.94	3	Horizontal	229	2.50	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28433G	49.80	83.54	-33.74	45.72	1	Vertical	308	1.14	-	37.64	16.08	49.64
AV	21.28841G	36.12	63.54	-27.42	32.03	1	Vertical	308	1.14	-	37.65	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28116G	50.45	83.54	-33.09	46.37	1	Horizontal	213	1.22	-	37.64	16.08	49.64
AV	21.28468G	36.15	63.54	-27.39	32.07	1	Horizontal	213	1.22	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10868G	103.94	Inf	-Inf	93.20	3	Vertical	31	1.62	-	36.57	7.25	33.08
RMS	7.11368G	93.41	Inf	-Inf	82.64	3	Vertical	31	1.62	-	36.61	7.24	33.08
PK	7.1275G	80.51	88.20	-7.69	69.64	3	Vertical	31	1.62	-	36.72	7.24	33.09
RMS	7.1255G	68.19	68.20	-0.01	57.34	3	Vertical	31	1.62	-	36.70	7.24	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.10993G	91.27	Inf	-Inf	80.52	3	Horizontal	356	1.88	-	36.58	7.25	33.08	
RMS	7.11365G	80.91	Inf	-Inf	70.14	3	Horizontal	356	1.88	-	36.61	7.24	33.08	
PK	7.1275G	69.09	88.20	-19.11	58.22	3	Horizontal	356	1.88	-	36.72	7.24	33.09	
RMS	7.1255G	58.03	68.20	-10.17	47.18	3	Horizontal	356	1.88	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2306G	63.85	88.20	-24.35	42.79	3	Vertical	178	1.81	-	40.74	9.97	29.65	
RMS	14.22886G	50.68	68.20	-17.52	29.62	3	Vertical	178	1.81	-	40.74	9.97	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2189G	63.86	88.20	-24.34	42.77	3	Horizontal	218	1.63	-	40.76	9.97	29.64	
RMS	14.2297G	51.12	68.20	-17.08	30.06	3	Horizontal	218	1.63	-	40.74	9.97	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.35574G	48.17	83.54	-35.37	43.96	1	Vertical	96	1.22	-	37.73	16.11	49.63	
AV	21.3531G	35.91	63.54	-27.63	31.71	1	Vertical	96	1.22	-	37.72	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34902G	49.01	83.54	-34.53	44.81	1	Horizontal	253	2.76	-	37.72	16.11	49.63
AV	21.35112G	35.92	63.54	-27.62	31.72	1	Horizontal	253	2.76	-	37.72	16.11	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT Y_1TX
Setting 8.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	79.76	88.20	-8.44	70.98	3	Vertical	18	2.35	-	34.99	6.60	32.81	
RMS	5.9238G	67.90	68.20	-0.30	59.11	3	Vertical	18	2.35	-	35.00	6.60	32.81	
PK	5.9678G	113.55	Inf	-Inf	104.61	3	Vertical	18	2.35	-	35.17	6.60	32.83	
RMS	5.9674G	103.18	Inf	-Inf	94.24	3	Vertical	18	2.35	-	35.17	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
 Setting 8.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.61	88.20	-16.59	62.82	3	Horizontal	344	2.88	-	35.00	6.60	32.81	
RMS	5.925G	59.96	68.20	-8.24	51.17	3	Horizontal	344	2.88	-	35.00	6.60	32.81	
PK	5.9678G	104.85	Inf	-Inf	95.91	3	Horizontal	344	2.88	-	35.17	6.60	32.83	
RMS	5.9678G	94.70	Inf	-Inf	85.76	3	Horizontal	344	2.88	-	35.17	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 8.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93672G	59.78	74.00	-14.22	43.87	3	Vertical	229	1.77	-	38.50	8.98	31.57
AV	11.93336G	47.13	54.00	-6.87	31.22	3	Vertical	229	1.77	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 8.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93696G	60.57	74.00	-13.43	44.66	3	Horizontal	205	1.78	-	38.50	8.98	31.57
AV	11.92964G	50.20	54.00	-3.80	34.29	3	Horizontal	205	1.78	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9074G	60.27	88.20	-27.93	51.54	3	Vertical	315	1.78	-	34.93	6.60	32.80	
RMS	5.9218G	50.02	68.20	-18.18	41.24	3	Vertical	315	1.78	-	34.99	6.60	32.81	
PK	6.2074G	113.85	Inf	-Inf	104.36	3	Vertical	315	1.78	-	35.44	6.90	32.85	
RMS	6.2026G	104.52	Inf	-Inf	94.99	3	Vertical	315	1.78	-	35.48	6.90	32.85	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.51	88.20	-27.69	51.73	3	Horizontal	175	2.71	-	34.99	6.60	32.81	
RMS	5.9242G	50.01	68.20	-18.19	41.22	3	Horizontal	175	2.71	-	35.00	6.60	32.81	
PK	6.2038G	108.14	Inf	-Inf	98.62	3	Horizontal	175	2.71	-	35.47	6.90	32.85	
RMS	6.2026G	98.79	Inf	-Inf	89.26	3	Horizontal	175	2.71	-	35.48	6.90	32.85	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40632G	60.27	74.00	-13.73	43.98	3	Vertical	235	1.80	-	38.69	9.18	31.58
AV	12.40584G	46.78	54.00	-7.22	30.49	3	Vertical	235	1.80	-	38.69	9.18	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39928G	63.47	74.00	-10.53	47.17	3	Horizontal	205	1.79	-	38.70	9.18	31.58	
AV	12.40584G	50.74	54.00	-3.26	34.45	3	Horizontal	205	1.79	-	38.69	9.18	31.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61766G	47.91	83.54	-35.63	45.19	1	Vertical	204	2.89	-	37.75	14.95	49.98
AV	18.61759G	33.61	63.54	-29.93	30.89	1	Vertical	204	2.89	-	37.75	14.95	49.98

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61364G	47.39	83.54	-36.15	44.68	1	Horizontal	38	1.18	-	37.75	14.95	49.99
AV	18.61729G	33.67	63.54	-29.87	30.95	1	Horizontal	38	1.18	-	37.75	14.95	49.98

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	60.62	88.20	-27.58	51.96	3	Vertical	321	1.74	-	34.85	6.60	32.79
RMS	5.9226G	49.97	68.20	-18.23	41.19	3	Vertical	321	1.74	-	34.99	6.60	32.81
PK	6.4002G	112.62	Inf	-Inf	102.88	3	Vertical	321	1.74	-	35.60	7.00	32.86
RMS	6.4074G	103.64	Inf	-Inf	93.93	3	Vertical	321	1.74	-	35.57	7.00	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.67	88.20	-27.53	51.94	3	Horizontal	156	1.81	-	34.93	6.60	32.80
RMS	5.9226G	49.97	68.20	-18.23	41.19	3	Horizontal	156	1.81	-	34.99	6.60	32.81
PK	6.4002G	103.94	Inf	-Inf	94.20	3	Horizontal	156	1.81	-	35.60	7.00	32.86
RMS	6.4074G	94.90	Inf	-Inf	85.19	3	Horizontal	156	1.81	-	35.57	7.00	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80568G	61.35	88.20	-26.85	43.72	3	Vertical	278	1.80	-	39.21	9.36	30.94
RMS	12.80568G	48.05	68.20	-20.15	30.42	3	Vertical	278	1.80	-	39.21	9.36	30.94

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80152G	64.30	88.20	-23.90	46.68	3	Horizontal	207	1.80	-	39.20	9.36	30.94
RMS	12.80568G	51.12	68.20	-17.08	33.49	3	Horizontal	207	1.80	-	39.21	9.36	30.94

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21399G	48.76	83.54	-34.78	45.47	1	Vertical	2	1.99	-	37.74	15.19	49.64	
AV	19.21822G	34.23	63.54	-29.31	30.94	1	Vertical	2	1.99	-	37.74	15.19	49.64	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21762G	48.03	83.54	-35.51	44.74	1	Horizontal	137	1.32	-	37.74	15.19	49.64
AV	19.21438G	34.17	63.54	-29.37	30.88	1	Horizontal	137	1.32	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8366G	60.66	88.20	-27.54	52.14	3	Vertical	321	2.18	-	34.69	6.60	32.77	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Vertical	321	2.18	-	35.00	6.60	32.81	
PK	6.445G	100.44	Inf	-Inf	90.88	3	Vertical	321	2.18	-	35.42	7.00	32.86	
RMS	6.4424G	90.93	Inf	-Inf	81.36	3	Vertical	321	2.18	-	35.43	7.00	32.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8626G	61.06	88.20	-27.14	52.42	3	Horizontal	155	1.61	-	34.83	6.60	32.79	
RMS	5.9224G	49.94	68.20	-18.26	41.16	3	Horizontal	155	1.61	-	34.99	6.60	32.81	
PK	6.4476G	91.84	Inf	-Inf	82.29	3	Horizontal	155	1.61	-	35.41	7.00	32.86	
RMS	6.4424G	82.40	Inf	-Inf	72.83	3	Horizontal	155	1.61	-	35.43	7.00	32.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88895G	58.55	88.20	-29.65	40.62	3	Vertical	262	1.12	-	39.29	9.40	30.76	
RMS	12.8924G	45.06	68.20	-23.14	27.12	3	Vertical	262	1.12	-	39.29	9.40	30.75	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88857G	59.25	88.20	-28.95	41.32	3	Horizontal	37	2.07	-	39.29	9.40	30.76
RMS	12.88927G	45.07	68.20	-23.13	27.14	3	Horizontal	37	2.07	-	39.29	9.40	30.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33177G	47.20	83.54	-36.34	43.87	1	Vertical	303	2.30	-	37.77	15.23	49.67	
AV	19.33222G	34.43	63.54	-29.11	31.10	1	Vertical	303	2.30	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33263G	47.35	83.54	-36.19	44.02	1	Horizontal	46	2.20	-	37.77	15.23	49.67	
AV	19.33892G	34.64	63.54	-28.90	31.30	1	Horizontal	46	2.20	-	37.77	15.24	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	61.40	88.20	-26.80	52.66	3	Vertical	157	1.91	-	34.94	6.60	32.80
RMS	5.922G	50.01	68.20	-18.19	41.23	3	Vertical	157	1.91	-	34.99	6.60	32.81
PK	6.4878G	99.28	Inf	-Inf	89.59	3	Vertical	157	1.91	-	35.55	7.00	32.86
RMS	6.4822G	90.16	Inf	-Inf	80.49	3	Vertical	157	1.91	-	35.53	7.00	32.86
PK	7.1738G	63.19	88.20	-25.01	52.09	3	Vertical	157	1.91	-	37.00	7.21	33.11
RMS	7.1738G	53.06	68.20	-15.14	41.96	3	Vertical	157	1.91	-	37.00	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8382G	60.66	88.20	-27.54	52.13	3	Horizontal	136	1.72	-	34.71	6.60	32.78
RMS	5.925G	49.95	68.20	-18.25	41.16	3	Horizontal	136	1.72	-	35.00	6.60	32.81
PK	6.4878G	92.35	Inf	-Inf	82.66	3	Horizontal	136	1.72	-	35.55	7.00	32.86
RMS	6.4878G	82.53	Inf	-Inf	72.84	3	Horizontal	136	1.72	-	35.55	7.00	32.86
PK	7.1402G	62.87	88.20	-25.33	51.91	3	Horizontal	136	1.72	-	36.82	7.23	33.09
RMS	7.1458G	52.98	68.20	-15.22	41.98	3	Horizontal	136	1.72	-	36.87	7.23	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97207G	60.39	88.20	-27.81	42.01	3	Vertical	159	2.29	-	39.52	9.44	30.58	
RMS	12.97236G	45.85	68.20	-22.35	27.47	3	Vertical	159	2.29	-	39.52	9.44	30.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97202G	59.48	88.20	-28.72	41.10	3	Horizontal	158	2.81	-	39.52	9.44	30.58	
RMS	12.96998G	45.77	68.20	-22.43	27.40	3	Horizontal	158	2.81	-	39.51	9.44	30.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45335G	47.90	83.54	-35.64	44.45	1	Vertical	255	2.48	-	37.86	15.28	49.69
AV	19.45334G	34.71	63.54	-28.83	31.26	1	Vertical	255	2.48	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45484G	47.74	83.54	-35.80	44.29	1	Horizontal	64	1.86	-	37.86	15.28	49.69
AV	19.45482G	34.64	63.54	-28.90	31.19	1	Horizontal	64	1.86	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	60.30	88.20	-27.90	51.67	3	Vertical	158	1.90	-	34.81	6.60	32.78
RMS	5.9202G	50.02	68.20	-18.18	41.25	3	Vertical	158	1.90	-	34.98	6.60	32.81
PK	6.5278G	99.96	Inf	-Inf	90.12	3	Vertical	158	1.90	-	35.71	7.00	32.87
RMS	6.5278G	90.05	Inf	-Inf	80.21	3	Vertical	158	1.90	-	35.71	7.00	32.87
PK	7.1466G	63.57	88.20	-24.63	52.57	3	Vertical	158	1.90	-	36.87	7.23	33.10
RMS	7.225G	53.01	68.20	-15.19	41.82	3	Vertical	158	1.90	-	37.10	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8754G	60.34	88.20	-27.86	51.68	3	Horizontal	138	1.77	-	34.85	6.60	32.79
RMS	5.923G	50.02	68.20	-18.18	41.24	3	Horizontal	138	1.77	-	34.99	6.60	32.81
PK	6.5278G	92.19	Inf	-Inf	82.35	3	Horizontal	138	1.77	-	35.71	7.00	32.87
RMS	6.5278G	82.74	Inf	-Inf	72.90	3	Horizontal	138	1.77	-	35.71	7.00	32.87
PK	7.1886G	63.13	88.20	-25.07	51.99	3	Horizontal	138	1.77	-	37.05	7.21	33.12
RMS	7.1438G	53.00	68.20	-15.20	42.01	3	Horizontal	138	1.77	-	36.85	7.23	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04939G	60.65	88.20	-27.55	41.98	3	Vertical	304	2.30	-	39.65	9.47	30.45
RMS	13.04983G	46.28	68.20	-21.92	27.61	3	Vertical	304	2.30	-	39.65	9.47	30.45

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05195G	60.66	88.20	-27.54	41.98	3	Horizontal	67	1.46	-	39.65	9.47	30.44
RMS	13.05168G	46.34	68.20	-21.86	27.66	3	Horizontal	67	1.46	-	39.65	9.47	30.44

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57135G	48.07	74.00	-25.93	44.57	1	Vertical	119	2.54	-	37.87	15.33	49.70
AV	19.57231G	34.78	54.00	-19.22	31.28	1	Vertical	119	2.54	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57223G	47.59	83.54	-35.95	44.09	1	Horizontal	44	1.55	-	37.87	15.33	49.70
AV	19.5733G	34.78	63.54	-28.76	31.28	1	Horizontal	44	1.55	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	112.34	Inf	-Inf	102.40	3	Vertical	155	1.14	-	35.82	7.00	32.88
RMS	6.5674G	103.35	Inf	-Inf	93.40	3	Vertical	155	1.14	-	35.83	7.00	32.88
PK	7.1626G	63.04	88.20	-25.16	51.97	3	Vertical	155	1.14	-	36.95	7.22	33.10
RMS	7.1482G	52.99	68.20	-15.21	41.97	3	Vertical	155	1.14	-	36.89	7.23	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	106.36	Inf	-Inf	96.41	3	Horizontal	137	1.77	-	35.83	7.00	32.88
RMS	6.5626G	96.68	Inf	-Inf	86.73	3	Horizontal	137	1.77	-	35.83	7.00	32.88
PK	7.141G	63.31	88.20	-24.89	52.34	3	Horizontal	137	1.77	-	36.83	7.23	33.09
RMS	7.1458G	53.03	68.20	-15.17	42.03	3	Horizontal	137	1.77	-	36.87	7.23	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1287G	60.73	88.20	-27.47	41.79	3	Vertical	275	1.80	-	39.76	9.51	30.33
RMS	13.1259G	47.24	68.20	-20.96	28.31	3	Vertical	275	1.80	-	39.75	9.51	30.33

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13G	60.49	88.20	-27.71	41.55	3	Horizontal	72	2.41	-	39.76	9.51	30.33
RMS	13.135G	47.22	68.20	-20.98	28.26	3	Horizontal	72	2.41	-	39.77	9.51	30.32

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69689G	49.61	83.54	-33.93	46.11	1	Vertical	320	1.78	-	37.82	15.38	49.70
AV	19.69494G	36.11	63.54	-27.43	32.61	1	Vertical	320	1.78	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69127G	49.00	83.54	-34.54	45.50	1	Horizontal	317	1.86	-	37.82	15.38	49.70
AV	19.69396G	35.51	63.54	-28.03	32.01	1	Horizontal	317	1.86	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	111.91	Inf	-Inf	101.89	3	Vertical	240	1.51	-	35.94	7.00	32.92
RMS	6.683G	103.14	Inf	-Inf	93.13	3	Vertical	240	1.51	-	35.93	7.00	32.92
PK	7.131G	63.37	88.20	-24.83	52.48	3	Vertical	240	1.51	-	36.75	7.23	33.09
RMS	7.175G	53.11	68.20	-15.09	42.01	3	Vertical	240	1.51	-	37.00	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	104.11	Inf	-Inf	94.10	3	Horizontal	135	1.67	-	35.93	7.00	32.92	
RMS	6.687G	94.53	Inf	-Inf	84.52	3	Horizontal	135	1.67	-	35.93	7.00	32.92	
PK	7.165G	63.30	88.20	-24.90	52.23	3	Horizontal	135	1.67	-	36.96	7.22	33.11	
RMS	7.175G	53.05	68.20	-15.15	41.95	3	Horizontal	135	1.67	-	37.00	7.21	33.11	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3636G	60.83	74.00	-13.17	41.07	3	Vertical	311	1.81	-	40.13	9.61	29.98	
AV	13.3735G	47.29	54.00	-6.71	27.49	3	Vertical	311	1.81	-	40.15	9.62	29.97	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37024G	60.22	74.00	-13.78	40.43	3	Horizontal	92	1.88	-	40.14	9.62	29.97	
AV	13.37036G	46.39	54.00	-7.61	26.60	3	Horizontal	92	1.88	-	40.14	9.62	29.97	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0554G	48.20	83.54	-35.34	44.96	1	Vertical	347	2.76	-	37.44	15.52	49.72
AV	20.05151G	35.02	63.54	-28.52	31.78	1	Vertical	347	2.76	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05446G	48.25	83.54	-35.29	45.01	1	Horizontal	341	1.12	-	37.44	15.52	49.72
AV	20.05524G	34.92	63.54	-28.62	31.68	1	Horizontal	341	1.12	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.885G	99.38	Inf	-Inf	88.91	3	Vertical	235	2.15	-	36.32	7.13	32.98	
RMS	6.8864G	89.68	Inf	-Inf	79.22	3	Vertical	235	2.15	-	36.31	7.13	32.98	
PK	7.1832G	64.37	88.20	-23.83	53.25	3	Vertical	235	2.15	-	37.03	7.21	33.12	
RMS	7.2238G	53.28	68.20	-14.92	42.10	3	Vertical	235	2.15	-	37.10	7.22	33.14	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	92.08	Inf	-Inf	81.63	3	Horizontal	350	2.86	-	36.30	7.13	32.98
RMS	6.8878G	82.11	Inf	-Inf	71.66	3	Horizontal	350	2.86	-	36.30	7.13	32.98
PK	7.2028G	63.99	88.20	-24.21	52.82	3	Horizontal	350	2.86	-	37.10	7.20	33.13
RMS	7.2154G	53.32	68.20	-14.88	42.13	3	Horizontal	350	2.86	-	37.10	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76782G	63.80	88.20	-24.40	42.92	3	Vertical	167	1.62	-	40.70	9.80	29.62
RMS	13.76767G	49.56	68.20	-18.64	28.68	3	Vertical	167	1.62	-	40.70	9.80	29.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76938G	63.48	88.20	-24.72	42.59	3	Horizontal	231	2.87	-	40.71	9.80	29.62
RMS	13.77188G	49.58	68.20	-18.62	28.68	3	Horizontal	231	2.87	-	40.72	9.80	29.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.65604G	48.61	83.54	-34.93	44.76	1	Vertical	229	2.96	-	37.89	15.80	49.84	
AV	20.65569G	35.06	63.54	-28.48	31.21	1	Vertical	229	2.96	-	37.89	15.80	49.84	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65342G	49.17	83.54	-34.37	45.34	1	Horizontal	245	1.18	-	37.88	15.79	49.84
AV	20.65554G	35.06	63.54	-28.48	31.22	1	Horizontal	245	1.18	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	100.08	Inf	-Inf	89.53	3	Vertical	65	1.21	-	36.36	7.19	33.00
RMS	6.9274G	90.13	Inf	-Inf	79.58	3	Vertical	65	1.21	-	36.36	7.19	33.00
PK	7.2214G	64.33	88.20	-23.87	53.15	3	Vertical	65	1.21	-	37.10	7.22	33.14
RMS	7.1938G	53.30	68.20	-14.90	42.14	3	Vertical	65	1.21	-	37.08	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	91.94	Inf	-Inf	81.39	3	Horizontal	355	2.68	-	36.36	7.19	33.00	
RMS	6.9262G	82.15	Inf	-Inf	71.60	3	Horizontal	355	2.68	-	36.36	7.19	33.00	
PK	7.1914G	64.60	88.20	-23.60	53.45	3	Horizontal	355	2.68	-	37.07	7.20	33.12	
RMS	7.207G	53.28	68.20	-14.92	42.10	3	Horizontal	355	2.68	-	37.10	7.21	33.13	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84756G	64.19	88.20	-24.01	43.09	3	Vertical	39	2.95	-	40.85	9.83	29.58
RMS	13.85211G	49.80	68.20	-18.40	28.70	3	Vertical	39	2.95	-	40.85	9.83	29.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85175G	64.08	88.20	-24.12	42.98	3	Horizontal	342	2.74	-	40.85	9.83	29.58
RMS	13.85047G	49.86	68.20	-18.34	28.76	3	Horizontal	342	2.74	-	40.85	9.83	29.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.77834G	50.03	83.54	-33.51	46.02	1	Vertical	204	2.59	-	37.95	15.85	49.79	
AV	20.77303G	36.18	63.54	-27.36	32.16	1	Vertical	204	2.59	-	37.96	15.85	49.79	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77553G	49.48	83.54	-34.06	45.46	1	Horizontal	193	2.43	-	37.96	15.85	49.79
AV	20.77321G	35.91	63.54	-27.63	31.89	1	Horizontal	193	2.43	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0082G	101.56	Inf	-Inf	90.93	3	Vertical	65	1.21	-	36.35	7.30	33.02	
RMS	7.0026G	91.34	Inf	-Inf	80.74	3	Vertical	65	1.21	-	36.32	7.30	33.02	
PK	7.1586G	64.18	88.20	-24.02	53.13	3	Vertical	65	1.21	-	36.93	7.22	33.10	
RMS	7.2034G	53.36	68.20	-14.84	42.19	3	Vertical	65	1.21	-	37.10	7.20	33.13	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
 Setting 8
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	92.39	Inf	-Inf	81.77	3	Horizontal	355	2.68	-	36.34	7.30	33.02	
RMS	7.0074G	82.45	Inf	-Inf	71.83	3	Horizontal	355	2.68	-	36.34	7.30	33.02	
PK	7.1418G	64.38	88.20	-23.82	53.41	3	Horizontal	355	2.68	-	36.83	7.23	33.09	
RMS	7.205G	53.34	68.20	-14.86	42.16	3	Horizontal	355	2.68	-	37.10	7.21	33.13	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01021G	64.51	88.20	-23.69	43.21	3	Vertical	291	1.54	-	40.90	9.90	29.50
RMS	14.01233G	50.32	68.20	-17.88	29.02	3	Vertical	291	1.54	-	40.90	9.90	29.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00997G	63.88	88.20	-24.32	42.58	3	Horizontal	345	2.75	-	40.90	9.90	29.50
RMS	14.00937G	50.31	68.20	-17.89	29.01	3	Horizontal	345	2.75	-	40.90	9.90	29.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01105G	49.28	83.54	-34.26	45.43	1	Vertical	110	2.93	-	37.60	15.95	49.70
AV	21.01218G	35.20	63.54	-28.34	31.34	1	Vertical	110	2.93	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01266G	49.03	83.54	-34.51	45.17	1	Horizontal	35	2.60	-	37.60	15.96	49.70
AV	21.01713G	35.30	63.54	-28.24	31.44	1	Horizontal	35	2.60	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 9.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0878G	111.61	Inf	-Inf	100.90	3	Vertical	34	2.60	-	36.52	7.26	33.07	
RMS	7.0938G	101.55	Inf	-Inf	90.86	3	Vertical	34	2.60	-	36.51	7.25	33.07	
PK	7.1326G	81.44	88.20	-6.76	70.54	3	Vertical	34	2.60	-	36.76	7.23	33.09	
RMS	7.125G	67.20	68.20	-1.00	56.35	3	Vertical	34	2.60	-	36.70	7.24	33.09	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 9.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	102.61	Inf	-Inf	91.89	3	Horizontal	28	2.93	-	36.53	7.26	33.07
RMS	7.0714G	93.22	Inf	-Inf	82.46	3	Horizontal	28	2.93	-	36.56	7.26	33.06
PK	7.1278G	75.70	88.20	-12.50	64.83	3	Horizontal	28	2.93	-	36.72	7.24	33.09
RMS	7.125G	59.37	68.20	-8.83	48.52	3	Horizontal	28	2.93	-	36.70	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 9.75
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17494G	62.94	88.20	-25.26	41.77	3	Vertical	345	2.20	-	40.83	9.95	29.61	
RMS	14.17274G	49.92	68.20	-18.28	28.75	3	Vertical	345	2.20	-	40.83	9.95	29.61	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 9.75
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16922G	62.88	88.20	-25.32	41.71	3	Horizontal	273	1.03	-	40.83	9.95	29.61
RMS	14.17252G	49.92	68.20	-18.28	28.75	3	Horizontal	273	1.03	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 9.75
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25582G	48.52	83.54	-35.02	44.49	1	Vertical	358	1.58	-	37.61	16.07	49.65
AV	21.2569G	35.64	63.54	-27.90	31.61	1	Vertical	358	1.58	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 9.75
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25322G	48.46	83.54	-35.08	44.45	1	Horizontal	165	1.58	-	37.60	16.06	49.65
AV	21.25952G	35.63	63.54	-27.91	31.60	1	Horizontal	165	1.58	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 11.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	80.58	88.20	-7.62	71.80	3	Vertical	18	2.44	-	34.99	6.60	32.81
RMS	5.923G	67.72	68.20	-0.48	58.94	3	Vertical	18	2.44	-	34.99	6.60	32.81
PK	6.01G	107.45	Inf	-Inf	98.39	3	Vertical	18	2.44	-	35.28	6.62	32.84
RMS	6.018G	100.24	Inf	-Inf	91.19	3	Vertical	18	2.44	-	35.26	6.63	32.84

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 11.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.916G	73.27	88.20	-14.93	64.52	3	Horizontal	349	2.87	-	34.96	6.60	32.81	
RMS	5.925G	60.30	68.20	-7.90	51.51	3	Horizontal	349	2.87	-	35.00	6.60	32.81	
PK	5.967G	99.87	Inf	-Inf	90.93	3	Horizontal	349	2.87	-	35.17	6.60	32.83	
RMS	5.968G	91.98	Inf	-Inf	83.04	3	Horizontal	349	2.87	-	35.17	6.60	32.83	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 11.25
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9669G	58.17	74.00	-15.83	42.23	3	Vertical	289	1.20	-	38.50	8.99	31.55
AV	11.96678G	48.95	54.00	-5.05	33.01	3	Vertical	289	1.20	-	38.50	8.99	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 11.25
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96662G	58.19	74.00	-15.81	42.25	3	Horizontal	177	2.21	-	38.50	8.99	31.55
AV	11.97014G	48.81	54.00	-5.19	32.87	3	Horizontal	177	2.21	-	38.50	8.99	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	61.72	88.20	-26.48	52.94	3	Vertical	318	1.75	-	34.99	6.60	32.81	
RMS	5.921G	50.18	68.20	-18.02	41.41	3	Vertical	318	1.75	-	34.98	6.60	32.81	
PK	6.229G	111.19	Inf	-Inf	101.86	3	Vertical	318	1.75	-	35.27	6.91	32.85	
RMS	6.223G	101.20	Inf	-Inf	91.82	3	Vertical	318	1.75	-	35.32	6.91	32.85	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.873G	60.92	88.20	-27.28	52.26	3	Horizontal	173	2.56	-	34.85	6.60	32.79	
RMS	5.921G	50.03	68.20	-18.17	41.26	3	Horizontal	173	2.56	-	34.98	6.60	32.81	
PK	6.219G	105.28	Inf	-Inf	95.87	3	Horizontal	173	2.56	-	35.35	6.91	32.85	
RMS	6.219G	95.75	Inf	-Inf	86.34	3	Horizontal	173	2.56	-	35.35	6.91	32.85	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45122G	58.44	74.00	-15.56	42.23	3	Vertical	337	2.01	-	38.60	9.20	31.59
AV	12.44683G	47.40	54.00	-6.60	31.17	3	Vertical	337	2.01	-	38.61	9.20	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.44619G	58.32	74.00	-15.68	42.09	3	Horizontal	79	1.52	-	38.61	9.20	31.58	
AV	12.45341G	47.30	54.00	-6.70	31.10	3	Horizontal	79	1.52	-	38.59	9.20	31.59	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67842G	47.33	83.54	-36.21	44.55	1	Vertical	227	1.79	-	37.73	14.97	49.92
AV	18.67343G	36.73	63.54	-26.81	33.96	1	Vertical	227	1.79	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6775G	48.00	83.54	-35.54	45.22	1	Horizontal	227	1.79	-	37.73	14.97	49.92
AV	18.67151G	37.27	63.54	-26.27	34.50	1	Horizontal	227	1.79	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8762G	60.54	88.20	-27.66	51.88	3	Vertical	320	1.67	-	34.85	6.60	32.79	
RMS	5.9218G	50.00	68.20	-18.20	41.22	3	Vertical	320	1.67	-	34.99	6.60	32.81	
PK	6.3874G	108.11	Inf	-Inf	98.46	3	Vertical	320	1.67	-	35.52	6.99	32.86	
RMS	6.3826G	99.17	Inf	-Inf	89.54	3	Vertical	320	1.67	-	35.50	6.99	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.905G	60.91	88.20	-27.29	52.19	3	Horizontal	157	1.62	-	34.92	6.60	32.80	
RMS	5.9242G	49.99	68.20	-18.21	41.20	3	Horizontal	157	1.62	-	35.00	6.60	32.81	
PK	6.3874G	100.98	Inf	-Inf	91.33	3	Horizontal	157	1.62	-	35.52	6.99	32.86	
RMS	6.3874G	91.75	Inf	-Inf	82.10	3	Horizontal	157	1.62	-	35.52	6.99	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76796G	58.57	88.20	-29.63	41.10	3	Vertical	112	1.64	-	39.14	9.35	31.02	
RMS	12.76952G	48.10	68.20	-20.10	30.62	3	Vertical	112	1.64	-	39.14	9.35	31.01	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76924G	58.97	88.20	-29.23	41.49	3	Horizontal	270	1.17	-	39.14	9.35	31.01	
RMS	12.7681G	48.24	68.20	-19.96	30.77	3	Horizontal	270	1.17	-	39.14	9.35	31.02	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15255G	48.35	83.54	-35.19	45.00	1	Vertical	310	1.05	-	37.82	15.16	49.63
AV	19.15858G	37.22	63.54	-26.32	33.88	1	Vertical	310	1.05	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15113G	48.28	83.54	-35.26	44.93	1	Horizontal	311	1.67	-	37.82	15.16	49.63
AV	19.15796G	37.34	63.54	-26.20	34.00	1	Horizontal	311	1.67	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8592G	60.32	88.20	-27.88	51.68	3	Vertical	323	1.79	-	34.82	6.60	32.78	
RMS	5.9216G	50.00	68.20	-18.20	41.22	3	Vertical	323	1.79	-	34.99	6.60	32.81	
PK	6.4598G	98.98	Inf	-Inf	89.40	3	Vertical	323	1.79	-	35.44	7.00	32.86	
RMS	6.4598G	89.48	Inf	-Inf	79.90	3	Vertical	323	1.79	-	35.44	7.00	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	61.63	88.20	-26.57	52.84	3	Horizontal	138	1.80	-	35.00	6.60	32.81	
RMS	5.9242G	49.96	68.20	-18.24	41.17	3	Horizontal	138	1.80	-	35.00	6.60	32.81	
PK	6.4598G	90.63	Inf	-Inf	81.05	3	Horizontal	138	1.80	-	35.44	7.00	32.86	
RMS	6.4624G	81.18	Inf	-Inf	71.59	3	Horizontal	138	1.80	-	35.45	7.00	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92954G	59.42	88.20	-28.78	41.28	3	Vertical	142	2.58	-	39.39	9.42	30.67
RMS	12.93126G	48.85	68.20	-19.35	30.71	3	Vertical	142	2.58	-	39.39	9.42	30.67

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92932G	59.54	88.20	-28.66	41.40	3	Horizontal	296	2.43	-	39.39	9.42	30.67
RMS	12.93016G	48.76	68.20	-19.44	30.62	3	Horizontal	296	2.43	-	39.39	9.42	30.67

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39386G	47.67	83.54	-35.87	44.27	1	Vertical	289	1.50	-	37.82	15.26	49.68	
AV	19.3953G	36.74	63.54	-26.80	33.34	1	Vertical	289	1.50	-	37.82	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39218G	47.96	83.54	-35.58	44.57	1	Horizontal	294	1.44	-	37.81	15.26	49.68	
AV	19.39177G	36.93	63.54	-26.61	33.54	1	Horizontal	294	1.44	-	37.81	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.56	88.20	-26.64	52.80	3	Vertical	61	1.71	-	34.97	6.60	32.81
RMS	5.9234G	50.07	68.20	-18.13	41.29	3	Vertical	61	1.71	-	34.99	6.60	32.81
PK	6.5478G	99.02	Inf	-Inf	89.11	3	Vertical	61	1.71	-	35.79	7.00	32.88
RMS	6.5478G	89.34	Inf	-Inf	79.43	3	Vertical	61	1.71	-	35.79	7.00	32.88
PK	7.189G	64.01	88.20	-24.19	52.86	3	Vertical	61	1.71	-	37.06	7.21	33.12
RMS	7.231G	53.32	68.20	-14.88	42.13	3	Vertical	61	1.71	-	37.10	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	60.87	88.20	-27.33	52.12	3	Horizontal	138	1.80	-	34.95	6.60	32.80
RMS	5.9234G	50.03	68.20	-18.17	41.25	3	Horizontal	138	1.80	-	34.99	6.60	32.81
PK	6.5478G	91.19	Inf	-Inf	81.28	3	Horizontal	138	1.80	-	35.79	7.00	32.88
RMS	6.5478G	81.76	Inf	-Inf	71.85	3	Horizontal	138	1.80	-	35.79	7.00	32.88
PK	7.1442G	64.00	88.20	-24.20	53.01	3	Horizontal	138	1.80	-	36.85	7.23	33.09
RMS	7.231G	53.29	68.20	-14.91	42.10	3	Horizontal	138	1.80	-	37.10	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09231G	61.25	88.20	-26.95	42.45	3	Vertical	266	1.25	-	39.69	9.49	30.38	
RMS	13.08984G	49.77	68.20	-18.43	30.98	3	Vertical	266	1.25	-	39.69	9.49	30.39	

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09022G	60.76	88.20	-27.44	41.97	3	Horizontal	281	2.69	-	39.69	9.49	30.39
RMS	13.09248G	49.69	68.20	-18.51	30.89	3	Horizontal	281	2.69	-	39.69	9.49	30.38

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63761G	48.45	83.54	-35.09	44.95	1	Vertical	357	1.00	-	37.84	15.36	49.70
AV	19.63484G	38.05	63.54	-25.49	34.55	1	Vertical	357	1.00	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63572G	49.31	83.54	-34.23	45.81	1	Horizontal	145	1.80	-	37.85	15.35	49.70
AV	19.63702G	38.33	63.54	-25.21	34.83	1	Horizontal	145	1.80	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT Y_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	109.32	Inf	-Inf	99.28	3	Vertical	244	1.55	-	35.94	7.00	32.90
RMS	6.6274G	99.93	Inf	-Inf	89.88	3	Vertical	244	1.55	-	35.95	7.00	32.90
PK	7.1746G	64.07	88.20	-24.13	52.97	3	Vertical	244	1.55	-	37.00	7.21	33.11
RMS	7.2178G	53.37	68.20	-14.83	42.18	3	Vertical	244	1.55	-	37.10	7.22	33.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	101.41	Inf	-Inf	91.34	3	Horizontal	137	1.76	-	35.97	7.00	32.90
RMS	6.6274G	92.24	Inf	-Inf	82.19	3	Horizontal	137	1.76	-	35.95	7.00	32.90
PK	7.177G	64.55	88.20	-23.65	53.44	3	Horizontal	137	1.76	-	37.01	7.21	33.11
RMS	7.189G	53.35	68.20	-14.85	42.20	3	Horizontal	137	1.76	-	37.06	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25302G	60.41	74.00	-13.59	41.05	3	Vertical	212	2.67	-	39.95	9.56	30.15
AV	13.25314G	50.06	54.00	-3.94	30.70	3	Vertical	212	2.67	-	39.95	9.56	30.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2503G	61.03	74.00	-12.97	41.67	3	Horizontal	146	1.18	-	39.95	9.56	30.15
AV	13.2511G	50.15	54.00	-3.85	30.79	3	Horizontal	146	1.18	-	39.95	9.56	30.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87898G	48.16	83.54	-35.38	44.82	1	Vertical	336	2.77	-	37.59	15.45	49.70	
AV	19.87374G	37.65	63.54	-25.89	34.30	1	Vertical	336	2.77	-	37.60	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87302G	48.42	83.54	-35.12	45.07	1	Horizontal	345	1.23	-	37.60	15.45	49.70	
AV	19.87566G	38.30	63.54	-25.24	34.95	1	Horizontal	345	1.23	-	37.60	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	110.35	Inf	-Inf	100.37	3	Vertical	309	1.73	-	35.90	7.00	32.92	
RMS	6.703G	101.18	Inf	-Inf	91.18	3	Vertical	309	1.73	-	35.92	7.00	32.92	
PK	7.201G	65.62	88.20	-22.58	54.44	3	Vertical	309	1.73	-	37.10	7.20	33.12	
RMS	7.203G	53.92	68.20	-14.28	42.75	3	Vertical	309	1.73	-	37.10	7.20	33.13	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	105.20	Inf	-Inf	95.18	3	Horizontal	185	2.47	-	35.95	7.00	32.93	
RMS	6.703G	95.33	Inf	-Inf	85.33	3	Horizontal	185	2.47	-	35.92	7.00	32.92	
PK	7.133G	64.82	88.20	-23.38	53.92	3	Horizontal	185	2.47	-	36.76	7.23	33.09	
RMS	7.187G	53.87	68.20	-14.33	42.73	3	Horizontal	185	2.47	-	37.05	7.21	33.12	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41189G	60.51	88.20	-27.69	40.58	3	Vertical	143	2.65	-	40.20	9.64	29.91	
RMS	13.41096G	49.94	68.20	-18.26	30.02	3	Vertical	143	2.65	-	40.20	9.63	29.91	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4132G	60.70	88.20	-27.50	40.77	3	Horizontal	168	1.12	-	40.20	9.64	29.91	
RMS	13.4085G	49.79	68.20	-18.41	29.88	3	Horizontal	168	1.12	-	40.20	9.63	29.92	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11388G	48.08	83.54	-35.46	44.79	1	Vertical	87	2.66	-	37.49	15.55	49.75
AV	20.11206G	37.74	63.54	-25.80	34.44	1	Vertical	87	2.66	-	37.49	15.55	49.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11334G	48.55	83.54	-34.99	45.26	1	Horizontal	163	2.83	-	37.49	15.55	49.75
AV	20.11897G	37.94	63.54	-25.60	34.64	1	Horizontal	163	2.83	-	37.50	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	111.36	Inf	-Inf	101.11	3	Vertical	312	2.24	-	36.20	7.00	32.95
RMS	6.7834G	101.71	Inf	-Inf	91.46	3	Vertical	312	2.24	-	36.20	7.00	32.95
PK	7.1386G	64.27	88.20	-23.93	53.32	3	Vertical	312	2.24	-	36.81	7.23	33.09
RMS	7.1274G	53.95	68.20	-14.25	43.08	3	Vertical	312	2.24	-	36.72	7.24	33.09

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7802G	102.51	Inf	-Inf	92.26	3	Horizontal	169	2.60	-	36.20	7.00	32.95	
RMS	6.7834G	93.05	Inf	-Inf	82.80	3	Horizontal	169	2.60	-	36.20	7.00	32.95	
PK	7.1722G	63.95	88.20	-24.25	52.86	3	Horizontal	169	2.60	-	36.99	7.21	33.11	
RMS	7.1514G	53.75	68.20	-14.45	42.72	3	Horizontal	169	2.60	-	36.91	7.22	33.10	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57032G	60.79	88.20	-27.41	40.55	3	Vertical	150	2.45	-	40.27	9.71	29.74
RMS	13.56731G	50.33	68.20	-17.87	30.09	3	Vertical	150	2.45	-	40.27	9.71	29.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56843G	60.57	88.20	-27.63	40.33	3	Horizontal	275	1.57	-	40.27	9.71	29.74
RMS	13.57272G	50.06	68.20	-18.14	29.82	3	Horizontal	275	1.57	-	40.27	9.71	29.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35767G	49.24	83.54	-34.30	45.78	1	Vertical	271	2.53	-	37.64	15.66	49.84
AV	20.35862G	39.28	63.54	-24.26	35.82	1	Vertical	271	2.53	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.35831G	50.07	83.54	-33.47	46.61	1	Horizontal	215	2.77	-	37.64	15.66	49.84	
AV	20.35196G	38.96	63.54	-24.58	35.50	1	Horizontal	215	2.77	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8674G	99.39	Inf	-Inf	88.81	3	Vertical	268	1.78	-	36.46	7.10	32.98	
RMS	6.8674G	90.02	Inf	-Inf	79.44	3	Vertical	268	1.78	-	36.46	7.10	32.98	
PK	7.1422G	64.08	88.20	-24.12	53.10	3	Vertical	268	1.78	-	36.84	7.23	33.09	
RMS	7.1506G	53.74	68.20	-14.46	42.72	3	Vertical	268	1.78	-	36.90	7.22	33.10	

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8806G	91.40	Inf	-Inf	80.90	3	Horizontal	347	3.00	-	36.36	7.12	32.98	
RMS	6.8674G	81.56	Inf	-Inf	70.98	3	Horizontal	347	3.00	-	36.46	7.10	32.98	
PK	7.129G	64.32	88.20	-23.88	53.44	3	Horizontal	347	3.00	-	36.73	7.24	33.09	
RMS	7.1458G	53.69	68.20	-14.51	42.69	3	Horizontal	347	3.00	-	36.87	7.23	33.10	

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72974G	63.65	88.20	-24.55	42.93	3	Vertical	257	2.68	-	40.59	9.78	29.65
RMS	13.72918G	53.01	68.20	-15.19	32.29	3	Vertical	257	2.68	-	40.59	9.78	29.65