


## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72648G    | 63.47             | 88.20             | -24.73         | 42.76         | 3           | Horizontal | 206            | 1.33          | -       | 40.58      | 9.78       | 29.65      |
| RMS  | 13.7311G     | 53.10             | 68.20             | -15.10         | 32.38         | 3           | Horizontal | 206            | 1.33          | -       | 40.59      | 9.78       | 29.65      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59796G    | 48.66             | 83.54             | -34.88         | 44.93         | 1           | Vertical  | 185            | 1.26          | -       | 37.82      | 15.77      | 49.86      |
| AV   | 20.5926G     | 38.44             | 63.54             | -25.10         | 34.72         | 1           | Vertical  | 185            | 1.26          | -       | 37.81      | 15.77      | 49.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59106G    | 48.36             | 83.54             | -35.18         | 44.64         | 1           | Horizontal | 242            | 2.04          | -       | 37.81      | 15.77      | 49.86      |
| AV   | 20.5965G     | 38.28             | 63.54             | -25.26         | 34.55         | 1           | Horizontal | 242            | 2.04          | -       | 37.82      | 15.77      | 49.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9486G      | 102.39            | Inf               | -Inf           | 91.68         | 3           | Vertical  | 63             | 1.35          | -       | 36.49      | 7.22       | 33.00      |
| RMS  | 6.9474G      | 92.63             | Inf               | -Inf           | 81.93         | 3           | Vertical  | 63             | 1.35          | -       | 36.48      | 7.22       | 33.00      |
| PK   | 7.2282G      | 64.41             | 88.20             | -23.79         | 53.22         | 3           | Vertical  | 63             | 1.35          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.1994G      | 53.88             | 68.20             | -14.32         | 42.70         | 3           | Vertical  | 63             | 1.35          | -       | 37.10      | 7.20       | 33.12      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9402G      | 90.51             | Inf               | -Inf           | 79.86         | 3           | Horizontal | 342            | 1.80          | -       | 36.44      | 7.21       | 33.00      |
| RMS  | 6.9426G      | 81.24             | Inf               | -Inf           | 70.57         | 3           | Horizontal | 342            | 1.80          | -       | 36.46      | 7.21       | 33.00      |
| PK   | 7.209G       | 65.18             | 88.20             | -23.02         | 54.00         | 3           | Horizontal | 342            | 1.80          | -       | 37.10      | 7.21       | 33.13      |
| RMS  | 7.2378G      | 53.83             | 68.20             | -14.37         | 42.63         | 3           | Horizontal | 342            | 1.80          | -       | 37.10      | 7.24       | 33.14      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.88885G    | 64.05             | 88.20             | -24.15         | 42.86         | 3           | Vertical  | 98             | 1.57          | -       | 40.89      | 9.85       | 29.55      |  |
| RMS  | 13.8889G     | 53.55             | 68.20             | -14.65         | 32.36         | 3           | Vertical  | 98             | 1.57          | -       | 40.89      | 9.85       | 29.55      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.88862G    | 64.39             | 88.20             | -23.81         | 43.20         | 3           | Horizontal | 296            | 2.88          | -       | 40.89      | 9.85       | 29.55      |  |
| RMS  | 13.89056G    | 53.93             | 68.20             | -14.27         | 32.74         | 3           | Horizontal | 296            | 2.88          | -       | 40.89      | 9.85       | 29.55      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.8363G     | 49.83             | 83.54             | -33.71         | 45.86         | 1           | Vertical  | 291            | 2.47          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83382G    | 39.52             | 63.54             | -24.02         | 35.54         | 1           | Vertical  | 291            | 2.47          | -       | 37.87      | 15.88      | 49.77      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83572G    | 50.06             | 83.54             | -33.48         | 46.09         | 1           | Horizontal | 6              | 1.64          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83788G    | 40.00             | 63.54             | -23.54         | 36.02         | 1           | Horizontal | 6              | 1.64          | -       | 37.86      | 15.88      | 49.76      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0066G      | 106.53            | Inf               | -Inf           | 95.91         | 3           | Vertical  | 50             | 1.66          | -       | 36.34      | 7.30       | 33.02      |
| RMS  | 7.0002G      | 98.74             | Inf               | -Inf           | 88.16         | 3           | Vertical  | 50             | 1.66          | -       | 36.30      | 7.30       | 33.02      |
| PK   | 7.125G       | 79.58             | 88.20             | -8.62          | 68.73         | 3           | Vertical  | 50             | 1.66          | -       | 36.70      | 7.24       | 33.09      |
| RMS  | 7.125G       | 67.88             | 68.20             | -0.32          | 57.03         | 3           | Vertical  | 50             | 1.66          | -       | 36.70      | 7.24       | 33.09      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0066G      | 100.75            | Inf               | -Inf           | 90.13         | 3           | Horizontal | 29             | 2.87          | -       | 36.34      | 7.30       | 33.02      |  |
| RMS  | 6.9986G      | 92.87             | Inf               | -Inf           | 82.28         | 3           | Horizontal | 29             | 2.87          | -       | 36.31      | 7.30       | 33.02      |  |
| PK   | 7.125G       | 74.48             | 88.20             | -13.72         | 63.63         | 3           | Horizontal | 29             | 2.87          | -       | 36.70      | 7.24       | 33.09      |  |
| RMS  | 7.125G       | 63.15             | 68.20             | -5.05          | 52.30         | 3           | Horizontal | 29             | 2.87          | -       | 36.70      | 7.24       | 33.09      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.05248G    | 63.83             | 88.20             | -24.37         | 42.54         | 3           | Vertical  | 198            | 1.53          | -       | 40.90      | 9.92       | 29.53      |
| RMS  | 14.05262G    | 52.75             | 68.20             | -15.45         | 31.46         | 3           | Vertical  | 198            | 1.53          | -       | 40.90      | 9.92       | 29.53      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04764G    | 62.46             | 88.20             | -25.74         | 41.17         | 3           | Horizontal | 296            | 1.84          | -       | 40.90      | 9.91       | 29.52      |
| RMS  | 14.0484G     | 52.76             | 68.20             | -15.44         | 31.47         | 3           | Horizontal | 296            | 1.84          | -       | 40.90      | 9.91       | 29.52      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07368G    | 47.82             | 83.54             | -35.72         | 43.93         | 1           | Vertical  | 357            | 1.53          | -       | 37.60      | 15.98      | 49.69      |
| AV   | 21.07572G    | 37.84             | 63.54             | -25.70         | 33.94         | 1           | Vertical  | 357            | 1.53          | -       | 37.60      | 15.98      | 49.68      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 10.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07594G    | 47.49             | 83.54             | -36.05         | 43.59         | 1           | Horizontal | 326            | 1.56          | -       | 37.60      | 15.98      | 49.68      |
| AV   | 21.07704G    | 37.85             | 63.54             | -25.69         | 33.95         | 1           | Horizontal | 326            | 1.56          | -       | 37.60      | 15.98      | 49.68      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8906G      | 81.04             | 88.20             | -7.16          | 72.36         | 3           | Vertical  | 19             | 2.31          | -       | 34.88      | 6.60       | 32.80      |
| RMS  | 5.9162G      | 68.17             | 68.20             | -0.03          | 59.42         | 3           | Vertical  | 19             | 2.31          | -       | 34.96      | 6.60       | 32.81      |
| PK   | 6.0538G      | 103.42            | Inf               | -Inf           | 94.37         | 3           | Vertical  | 19             | 2.31          | -       | 35.21      | 6.68       | 32.84      |
| RMS  | 6.0986G      | 96.13             | Inf               | -Inf           | 86.92         | 3           | Vertical  | 19             | 2.31          | -       | 35.30      | 6.75       | 32.84      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8906G      | 72.77             | 88.20             | -15.43         | 64.09         | 3           | Horizontal | 349            | 2.93          | -       | 34.88      | 6.60       | 32.80      |
| RMS  | 5.9018G      | 59.29             | 68.20             | -8.91          | 50.58         | 3           | Horizontal | 349            | 2.93          | -       | 34.91      | 6.60       | 32.80      |
| PK   | 5.993G       | 94.72             | Inf               | -Inf           | 85.69         | 3           | Horizontal | 349            | 2.93          | -       | 35.27      | 6.60       | 32.84      |
| RMS  | 5.993G       | 86.69             | Inf               | -Inf           | 77.66         | 3           | Horizontal | 349            | 2.93          | -       | 35.27      | 6.60       | 32.84      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.052G      | 58.44             | 74.00             | -15.56         | 42.42         | 3           | Vertical  | 348            | 2.50          | -       | 38.55      | 9.02       | 31.55      |
| AV   | 12.04626G    | 48.52             | 54.00             | -5.48          | 32.49         | 3           | Vertical  | 348            | 2.50          | -       | 38.55      | 9.02       | 31.54      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 16.25  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.0466G     | 58.21             | 74.00             | -15.79         | 42.18         | 3           | Horizontal | 348            | 1.98          | -       | 38.55      | 9.02       | 31.54      |
| AV   | 12.04716G    | 49.02             | 54.00             | -4.98          | 32.99         | 3           | Horizontal | 348            | 1.98          | -       | 38.55      | 9.02       | 31.54      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.07482G | 44.86    | 83.54    | -38.68 | 42.76  | 1    | Vertical  | 281     | 1.52   | -       | 37.64 | 14.73 | 50.27 |  |
| AV   | 18.07146G | 35.19    | 63.54    | -28.35 | 33.09  | 1    | Vertical  | 281     | 1.52   | -       | 37.64 | 14.73 | 50.27 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.07252G | 45.44    | 83.54    | -38.10 | 43.34  | 1    | Horizontal | 359     | 1.58   | -       | 37.64 | 14.73 | 50.27 |
| AV   | 18.07706G | 35.16    | 63.54    | -28.38 | 33.06  | 1    | Horizontal | 359     | 1.58   | -       | 37.64 | 14.73 | 50.27 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9178G      | 62.67             | 88.20             | -25.53         | 53.91         | 3           | Vertical  | 287            | 1.80          | -       | 34.97      | 6.60       | 32.81      |
| RMS  | 5.921G       | 51.69             | 68.20             | -16.51         | 42.92         | 3           | Vertical  | 287            | 1.80          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.169G       | 108.10            | Inf               | -Inf           | 98.72         | 3           | Vertical  | 287            | 1.80          | -       | 35.38      | 6.85       | 32.85      |
| RMS  | 6.1882G      | 98.56             | Inf               | -Inf           | 89.08         | 3           | Vertical  | 287            | 1.80          | -       | 35.45      | 6.88       | 32.85      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.921G       | 65.74             | 88.20             | -22.46         | 56.97         | 3           | Horizontal | 182            | 2.90          | -       | 34.98      | 6.60       | 32.81      |
| RMS  | 5.921G       | 52.48             | 68.20             | -15.72         | 43.71         | 3           | Horizontal | 182            | 2.90          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.1818G      | 103.48            | Inf               | -Inf           | 94.03         | 3           | Horizontal | 182            | 2.90          | -       | 35.43      | 6.87       | 32.85      |
| RMS  | 6.1882G      | 93.89             | Inf               | -Inf           | 84.41         | 3           | Horizontal | 182            | 2.90          | -       | 35.45      | 6.88       | 32.85      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3707G     | 57.10             | 74.00             | -16.90         | 40.87         | 3           | Vertical  | 54             | 2.67          | -       | 38.64      | 9.17       | 31.58      |
| AV   | 12.37355G    | 46.85             | 54.00             | -7.15          | 30.61         | 3           | Vertical  | 54             | 2.67          | -       | 38.65      | 9.17       | 31.58      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36813G    | 57.90             | 74.00             | -16.10         | 41.67         | 3           | Horizontal | 188            | 1.74          | -       | 38.64      | 9.17       | 31.58      |
| AV   | 12.37174G    | 47.02             | 54.00             | -6.98          | 30.79         | 3           | Horizontal | 188            | 1.74          | -       | 38.64      | 9.17       | 31.58      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55788G    | 47.25             | 83.54             | -36.29         | 44.59         | 1           | Vertical  | 193            | 2.74          | -       | 37.78      | 14.92      | 50.04      |
| AV   | 18.55284G    | 36.66             | 63.54             | -26.88         | 34.01         | 1           | Vertical  | 193            | 2.74          | -       | 37.78      | 14.92      | 50.05      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.5565G  | 46.72    | 83.54    | -36.82 | 44.06  | 1    | Horizontal | 256     | 2.31   | -       | 37.78 | 14.92 | 50.04 |
| AV   | 18.55202G | 36.37    | 63.54    | -27.17 | 33.72  | 1    | Horizontal | 256     | 2.31   | -       | 37.78 | 14.92 | 50.05 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT Y\_1TX  
 Setting 15  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.909G       | 60.59             | 88.20             | -27.61         | 51.85         | 3           | Vertical  | 226            | 1.85          | -       | 34.94      | 6.60       | 32.80      |  |
| RMS  | 5.921G       | 50.76             | 68.20             | -17.44         | 41.99         | 3           | Vertical  | 226            | 1.85          | -       | 34.98      | 6.60       | 32.81      |  |
| PK   | 6.369G       | 106.66            | Inf               | -Inf           | 97.12         | 3           | Vertical  | 226            | 1.85          | -       | 35.41      | 6.98       | 32.85      |  |
| RMS  | 6.349G       | 97.80             | Inf               | -Inf           | 88.38         | 3           | Vertical  | 226            | 1.85          | -       | 35.30      | 6.97       | 32.85      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.909G       | 61.49             | 88.20             | -26.71         | 52.75         | 3           | Horizontal | 174            | 2.67          | -       | 34.94      | 6.60       | 32.80      |
| RMS  | 5.923G       | 50.71             | 68.20             | -17.49         | 41.93         | 3           | Horizontal | 174            | 2.67          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.357G       | 101.57            | Inf               | -Inf           | 92.10         | 3           | Horizontal | 174            | 2.67          | -       | 35.34      | 6.98       | 32.85      |
| RMS  | 6.349G       | 92.53             | Inf               | -Inf           | 83.11         | 3           | Horizontal | 174            | 2.67          | -       | 35.30      | 6.97       | 32.85      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 15  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69354G    | 58.77             | 74.00             | -15.23         | 41.66         | 3           | Vertical  | 283            | 2.03          | -       | 38.98      | 9.31       | 31.18      |
| AV   | 12.6933G     | 48.22             | 54.00             | -5.78          | 31.11         | 3           | Vertical  | 283            | 2.03          | -       | 38.98      | 9.31       | 31.18      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 15  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68715G    | 58.93             | 74.00             | -15.07         | 41.85         | 3           | Horizontal | 265            | 1.14          | -       | 38.96      | 9.31       | 31.19      |
| AV   | 12.68997G    | 48.05             | 54.00             | -5.95          | 30.95         | 3           | Horizontal | 265            | 1.14          | -       | 38.97      | 9.31       | 31.18      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.03575G | 47.40    | 83.54    | -36.14 | 43.94  | 1    | Vertical  | 313     | 1.83   | -       | 37.96 | 15.11 | 49.61 |  |
| AV   | 19.03209G | 36.53    | 63.54    | -27.01 | 33.07  | 1    | Vertical  | 313     | 1.83   | -       | 37.96 | 15.11 | 49.61 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.03204G | 47.62    | 83.54    | -35.92 | 44.16  | 1    | Horizontal | 253     | 1.97   | -       | 37.96 | 15.11 | 49.61 |
| AV   | 19.03874G | 36.75    | 63.54    | -26.79 | 33.29  | 1    | Horizontal | 253     | 1.97   | -       | 37.95 | 15.12 | 49.61 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8554G      | 61.16             | 88.20             | -27.04         | 52.53         | 3           | Vertical  | 222            | 1.85          | -       | 34.81      | 6.60       | 32.78      |
| RMS  | 5.925G       | 50.92             | 68.20             | -17.28         | 42.13         | 3           | Vertical  | 222            | 1.85          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.4882G      | 101.21            | Inf               | -Inf           | 91.52         | 3           | Vertical  | 222            | 1.85          | -       | 35.55      | 7.00       | 32.86      |
| RMS  | 6.4966G      | 91.83             | Inf               | -Inf           | 82.10         | 3           | Vertical  | 222            | 1.85          | -       | 35.59      | 7.00       | 32.86      |
| PK   | 7.177G       | 65.83             | 88.20             | -22.37         | 54.72         | 3           | Vertical  | 222            | 1.85          | -       | 37.01      | 7.21       | 33.11      |
| RMS  | 7.1938G      | 54.11             | 68.20             | -14.09         | 42.95         | 3           | Vertical  | 222            | 1.85          | -       | 37.08      | 7.20       | 33.12      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8274G      | 61.33             | 88.20             | -26.87         | 52.88         | 3           | Horizontal | 154            | 2.64          | -       | 34.62      | 6.60       | 32.77      |
| RMS  | 5.925G       | 50.92             | 68.20             | -17.28         | 42.13         | 3           | Horizontal | 154            | 2.64          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.4882G      | 90.63             | Inf               | -Inf           | 80.94         | 3           | Horizontal | 154            | 2.64          | -       | 35.55      | 7.00       | 32.86      |
| RMS  | 6.4966G      | 81.22             | Inf               | -Inf           | 71.49         | 3           | Horizontal | 154            | 2.64          | -       | 35.59      | 7.00       | 32.86      |
| PK   | 7.1826G      | 64.61             | 88.20             | -23.59         | 53.48         | 3           | Horizontal | 154            | 2.64          | -       | 37.03      | 7.21       | 33.11      |
| RMS  | 7.191G       | 54.06             | 68.20             | -14.14         | 42.92         | 3           | Horizontal | 154            | 2.64          | -       | 37.06      | 7.20       | 33.12      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01294G    | 59.67             | 88.20             | -28.53         | 41.10         | 3           | Vertical  | 344            | 2.13          | -       | 39.61      | 9.46       | 30.50      |
| RMS  | 13.0071G     | 49.23             | 68.20             | -18.97         | 30.68         | 3           | Vertical  | 344            | 2.13          | -       | 39.61      | 9.45       | 30.51      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.00613G    | 59.98             | 88.20             | -28.22         | 41.43         | 3           | Horizontal | 197            | 2.57          | -       | 39.61      | 9.45       | 30.51      |
| RMS  | 13.0068G     | 49.30             | 68.20             | -18.90         | 30.75         | 3           | Horizontal | 197            | 2.57          | -       | 39.61      | 9.45       | 30.51      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Y\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51586G    | 47.74             | 83.54             | -35.80         | 44.24         | 1           | Vertical  | 33             | 1.31          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51426G    | 36.83             | 63.54             | -26.71         | 33.33         | 1           | Vertical  | 33             | 1.31          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Y\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51366G    | 48.25             | 83.54             | -35.29         | 44.75         | 1           | Horizontal | 189            | 1.21          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51714G    | 36.68             | 63.54             | -26.86         | 33.18         | 1           | Horizontal | 189            | 1.21          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.75  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6606G      | 108.01            | Inf               | -Inf           | 97.94         | 3           | Vertical  | 218            | 1.90          | -       | 35.98      | 7.00       | 32.91      |  |
| RMS  | 6.6694G      | 98.42             | Inf               | -Inf           | 88.37         | 3           | Vertical  | 218            | 1.90          | -       | 35.96      | 7.00       | 32.91      |  |
| PK   | 7.1908G      | 65.39             | 88.20             | -22.81         | 54.25         | 3           | Vertical  | 218            | 1.90          | -       | 37.06      | 7.20       | 33.12      |  |
| RMS  | 7.1974G      | 54.25             | 68.20             | -13.95         | 43.08         | 3           | Vertical  | 218            | 1.90          | -       | 37.09      | 7.20       | 33.12      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.75  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6606G      | 101.83            | Inf               | -Inf           | 91.76         | 3           | Horizontal | 185            | 2.48          | -       | 35.98      | 7.00       | 32.91      |  |
| RMS  | 6.6694G      | 92.68             | Inf               | -Inf           | 82.63         | 3           | Horizontal | 185            | 2.48          | -       | 35.96      | 7.00       | 32.91      |  |
| PK   | 7.2084G      | 64.83             | 88.20             | -23.37         | 53.65         | 3           | Horizontal | 185            | 2.48          | -       | 37.10      | 7.21       | 33.13      |  |
| RMS  | 7.2128G      | 54.10             | 68.20             | -14.10         | 42.92         | 3           | Horizontal | 185            | 2.48          | -       | 37.10      | 7.21       | 33.13      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.3276G     | 60.31             | 74.00             | -13.69         | 40.69         | 3           | Vertical  | 256            | 1.96          | -       | 40.06      | 9.60       | 30.04      |  |
| AV   | 13.33326G    | 49.49             | 54.00             | -4.51          | 29.85         | 3           | Vertical  | 256            | 1.96          | -       | 40.07      | 9.60       | 30.03      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
 Setting 18.75  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.32915G    | 60.56             | 74.00             | -13.44         | 40.93         | 3           | Horizontal | 185            | 2.63          | -       | 40.06      | 9.60       | 30.03      |
| AV   | 13.33157G    | 50.41             | 54.00             | -3.59          | 30.78         | 3           | Horizontal | 185            | 2.63          | -       | 40.06      | 9.60       | 30.03      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.99654G | 48.29    | 83.54    | -35.25 | 45.08  | 1    | Vertical  | 63      | 2.75   | -       | 37.41 | 15.50 | 49.70 |  |
| AV   | 19.99588G | 37.78    | 63.54    | -25.76 | 34.57  | 1    | Vertical  | 63      | 2.75   | -       | 37.41 | 15.50 | 49.70 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 18.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.99625G | 48.66    | 83.54    | -34.88 | 45.45  | 1    | Horizontal | 1       | 3.00   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99466G | 37.92    | 63.54    | -25.62 | 34.71  | 1    | Horizontal | 1       | 3.00   | -       | 37.41 | 15.50 | 49.70 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
 Setting 14  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8378G      | 99.75             | Inf               | -Inf           | 89.16         | 3           | Vertical  | 268            | 1.75          | -       | 36.50      | 7.06       | 32.97      |
| RMS  | 6.8298G      | 90.02             | Inf               | -Inf           | 79.51         | 3           | Vertical  | 268            | 1.75          | -       | 36.44      | 7.04       | 32.97      |
| PK   | 7.1402G      | 65.05             | 88.20             | -23.15         | 54.09         | 3           | Vertical  | 268            | 1.75          | -       | 36.82      | 7.23       | 33.09      |
| RMS  | 7.209G       | 54.10             | 68.20             | -14.10         | 42.92         | 3           | Vertical  | 268            | 1.75          | -       | 37.10      | 7.21       | 33.13      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
 Setting 14  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.809G       | 90.61             | Inf               | -Inf           | 80.29         | 3           | Horizontal | 170            | 2.60          | -       | 36.27      | 7.01       | 32.96      |
| RMS  | 6.817G       | 81.20             | Inf               | -Inf           | 70.79         | 3           | Horizontal | 170            | 2.60          | -       | 36.34      | 7.03       | 32.96      |
| PK   | 7.1962G      | 64.50             | 88.20             | -23.70         | 53.34         | 3           | Horizontal | 170            | 2.60          | -       | 37.08      | 7.20       | 33.12      |
| RMS  | 7.2074G      | 54.12             | 68.20             | -14.08         | 42.94         | 3           | Horizontal | 170            | 2.60          | -       | 37.10      | 7.21       | 33.13      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64848G    | 63.46             | 88.20             | -24.74         | 43.01         | 3           | Vertical  | 68             | 1.64          | -       | 40.40      | 9.74       | 29.69      |
| RMS  | 13.64812G    | 52.72             | 68.20             | -15.48         | 32.27         | 3           | Vertical  | 68             | 1.64          | -       | 40.40      | 9.74       | 29.69      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65097G    | 63.06             | 88.20             | -25.14         | 42.61         | 3           | Horizontal | 3              | 2.81          | -       | 40.40      | 9.74       | 29.69      |
| RMS  | 13.64985G    | 52.38             | 68.20             | -15.82         | 31.93         | 3           | Horizontal | 3              | 2.81          | -       | 40.40      | 9.74       | 29.69      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Y\_1TX  
 Setting 14  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47482G    | 49.14             | 83.54             | -34.40         | 45.63         | 1           | Vertical  | 255            | 2.20          | -       | 37.69      | 15.71      | 49.89      |
| AV   | 20.47799G    | 38.62             | 63.54             | -24.92         | 35.10         | 1           | Vertical  | 255            | 2.20          | -       | 37.69      | 15.72      | 49.89      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 14  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.4759G  | 49.46    | 83.54    | -34.08 | 45.95  | 1    | Horizontal | 171     | 1.16   | -       | 37.69 | 15.71 | 49.89 |
| AV   | 20.47162G | 38.48    | 63.54    | -25.06 | 34.97  | 1    | Horizontal | 171     | 1.16   | -       | 37.69 | 15.71 | 49.89 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 13  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.013G       | 101.56            | Inf               | -Inf           | 90.92         | 3           | Vertical  | 36             | 2.21          | -       | 36.38      | 7.29       | 33.03      |  |
| RMS  | 7.012G       | 93.74             | Inf               | -Inf           | 83.11         | 3           | Vertical  | 36             | 2.21          | -       | 36.37      | 7.29       | 33.03      |  |
| PK   | 7.13G        | 81.24             | 88.20             | -6.96          | 70.35         | 3           | Vertical  | 36             | 2.21          | -       | 36.74      | 7.24       | 33.09      |  |
| RMS  | 7.128G       | 68.19             | 68.20             | -0.01          | 57.32         | 3           | Vertical  | 36             | 2.21          | -       | 36.72      | 7.24       | 33.09      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 13  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.97G        | 94.02             | Inf               | -Inf           | 83.36         | 3           | Horizontal | 28             | 2.90          | -       | 36.42      | 7.25       | 33.01      |  |
| RMS  | 6.977G       | 86.59             | Inf               | -Inf           | 75.94         | 3           | Horizontal | 28             | 2.90          | -       | 36.39      | 7.27       | 33.01      |  |
| PK   | 7.13G        | 73.73             | 88.20             | -14.47         | 62.84         | 3           | Horizontal | 28             | 2.90          | -       | 36.74      | 7.24       | 33.09      |  |
| RMS  | 7.128G       | 60.35             | 68.20             | -7.85          | 49.48         | 3           | Horizontal | 28             | 2.90          | -       | 36.72      | 7.24       | 33.09      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9703G     | 62.39             | 88.20             | -25.81         | 41.11         | 3           | Vertical  | 133            | 1.10          | -       | 40.90      | 9.89       | 29.51      |
| RMS  | 13.9747G     | 52.49             | 68.20             | -15.71         | 31.20         | 3           | Vertical  | 133            | 1.10          | -       | 40.90      | 9.89       | 29.50      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.96774G    | 62.32             | 88.20             | -25.88         | 41.04         | 3           | Horizontal | 359            | 2.88          | -       | 40.90      | 9.89       | 29.51      |  |
| RMS  | 13.96722G    | 52.48             | 68.20             | -15.72         | 31.20         | 3           | Horizontal | 359            | 2.88          | -       | 40.90      | 9.89       | 29.51      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.25  
 01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.95214G | 47.69    | 83.54    | -35.85 | 43.80  | 1    | Vertical  | 309     | 1.57   | -       | 37.68 | 15.93 | 49.72 |
| AV   | 20.9574G  | 38.05    | 63.54    | -25.49 | 34.17  | 1    | Vertical  | 309     | 1.57   | -       | 37.67 | 15.93 | 49.72 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom



EUT\_V\_1TX  
Setting 16.25  
01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.95248G | 47.84    | 83.54    | -35.70 | 43.95  | 1    | Horizontal | 240     | 1.51   | -       | 37.68 | 15.93 | 49.72 |
| AV   | 20.9554G  | 38.16    | 63.54    | -25.38 | 34.28  | 1    | Horizontal | 240     | 1.51   | -       | 37.67 | 15.93 | 49.72 |



**RSE TX above 1GHz**  
**<Full RU> low power\_Non-beamforming mode\_1TX\_Ant. 3**


**Appendix E.4**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW80_Nss1.(MCS0)_1TX | Pass   | AV   | 11.9841G     | 53.97             | 54.00             | -0.03          | 3           | Horizontal | 211            | 1.79          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9242G      | 68.73             | 88.20             | -19.47         | 59.94         | 3           | Vertical  | 90             | 1.46          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.925G       | 52.83             | 68.20             | -15.37         | 44.04         | 3           | Vertical  | 90             | 1.46          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 5.9546G      | 112.85            | Inf               | -Inf           | 103.95        | 3           | Vertical  | 90             | 1.46          | -       | 35.12      | 6.60       | 32.82      |  |
| RMS  | 5.9538G      | 102.29            | Inf               | -Inf           | 93.39         | 3           | Vertical  | 90             | 1.46          | -       | 35.12      | 6.60       | 32.82      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 14  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.91264G | 57.97    | 74.00    | -16.03 | 42.06  | 3    | Vertical  | 38      | 1.80   | -       | 38.50 | 8.98 | 31.57 |  |
| AV   | 11.91726G | 48.32    | 54.00    | -5.68  | 32.41  | 3    | Vertical  | 38      | 1.80   | -       | 38.50 | 8.98 | 31.57 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 14  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.9076G     | 63.81             | 74.00             | -10.19         | 47.91         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.98       | 31.58      |
| AV   | 11.9115G     | 53.77             | 54.00             | -0.23          | 37.87         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.98       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.923G       | 58.62             | 88.20             | -29.58         | 51.97         | 3           | Vertical  | 70             | 1.78          | -       | 34.69      | 7.52       | 35.56      |
| RMS  | 5.921G       | 47.58             | 68.20             | -20.62         | 40.94         | 3           | Vertical  | 70             | 1.78          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.195G       | 117.98            | Inf               | -Inf           | 110.62        | 3           | Vertical  | 70             | 1.78          | -       | 35.18      | 7.70       | 35.52      |
| RMS  | 6.195G       | 108.34            | Inf               | -Inf           | 100.98        | 3           | Vertical  | 70             | 1.78          | -       | 35.18      | 7.70       | 35.52      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.39114G    | 58.51             | 74.00             | -15.49         | 43.92         | 3           | Vertical  | 229            | 1.69          | -       | 38.89      | 11.11      | 35.41      |
| AV   | 12.38742G    | 45.04             | 54.00             | -8.96          | 30.45         | 3           | Vertical  | 229            | 1.69          | -       | 38.89      | 11.11      | 35.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.39366G    | 65.07             | 74.00             | -8.93          | 50.48         | 3           | Horizontal | 204            | 2.31          | -       | 38.89      | 11.11      | 35.41      |
| AV   | 12.38736G    | 50.97             | 54.00             | -3.03          | 36.38         | 3           | Horizontal | 204            | 2.31          | -       | 38.89      | 11.11      | 35.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5901G     | 46.41             | 83.54             | -37.13         | 43.72         | 1           | Vertical  | 97             | 2.66          | -       | 37.76      | 14.94      | 50.01      |
| AV   | 18.58704G    | 32.44             | 63.54             | -31.10         | 29.75         | 1           | Vertical  | 97             | 2.66          | -       | 37.77      | 14.93      | 50.01      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.57942G    | 45.81             | 83.54             | -37.73         | 43.13         | 1           | Horizontal | 144            | 2.34          | -       | 37.77      | 14.93      | 50.02      |
| AV   | 18.58572G    | 32.42             | 63.54             | -31.12         | 29.73         | 1           | Horizontal | 144            | 2.34          | -       | 37.77      | 14.93      | 50.01      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
 Setting 19.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8774G      | 59.32             | 88.20             | -28.88         | 52.92         | 3           | Vertical  | 70             | 1.80          | -       | 34.46      | 7.48       | 35.54      |
| RMS  | 5.9158G      | 47.49             | 68.20             | -20.71         | 40.87         | 3           | Vertical  | 70             | 1.80          | -       | 34.66      | 7.52       | 35.56      |
| PK   | 6.4182G      | 117.54            | Inf               | -Inf           | 110.40        | 3           | Vertical  | 70             | 1.80          | -       | 34.83      | 7.74       | 35.43      |
| RMS  | 6.415G       | 108.99            | Inf               | -Inf           | 101.85        | 3           | Vertical  | 70             | 1.80          | -       | 34.84      | 7.73       | 35.43      |
| PK   | 7.1382G      | 60.71             | 88.20             | -27.49         | 52.01         | 3           | Vertical  | 70             | 1.80          | -       | 36.03      | 8.20       | 35.53      |
| RMS  | 7.2118G      | 50.29             | 68.20             | -17.91         | 41.15         | 3           | Vertical  | 70             | 1.80          | -       | 36.47      | 8.22       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 19.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82724G    | 58.69             | 88.20             | -29.51         | 42.54         | 3           | Vertical  | 227            | 1.80          | -       | 39.33      | 11.46      | 34.64      |
| RMS  | 12.8273G     | 44.66             | 68.20             | -23.54         | 28.51         | 3           | Vertical  | 227            | 1.80          | -       | 39.33      | 11.46      | 34.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 19.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83372G    | 64.25             | 88.20             | -23.95         | 48.07         | 3           | Horizontal | 204            | 2.20          | -       | 39.33      | 11.47      | 34.62      |
| RMS  | 12.8273G     | 50.54             | 68.20             | -17.66         | 34.39         | 3           | Horizontal | 204            | 2.20          | -       | 39.33      | 11.46      | 34.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 19.5  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.25586G | 46.52    | 83.54    | -37.02 | 43.27  | 1    | Vertical  | 158     | 1.19   | -       | 37.70 | 15.20 | 49.65 |  |
| AV   | 19.23G    | 33.00    | 63.54    | -30.54 | 29.74  | 1    | Vertical  | 158     | 1.19   | -       | 37.72 | 15.19 | 49.65 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 19.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2345G     | 45.81             | 83.54             | -37.73         | 42.55         | 1           | Horizontal | 248            | 2.89          | -       | 37.72      | 15.19      | 49.65      |
| AV   | 19.23006G    | 32.84             | 63.54             | -30.70         | 29.58         | 1           | Horizontal | 248            | 2.89          | -       | 37.72      | 15.19      | 49.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
 Setting 5.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.875G       | 58.47             | 88.20             | -29.73         | 52.09         | 3           | Vertical  | 71             | 1.79          | -       | 34.45      | 7.47       | 35.54      |
| RMS  | 5.925G       | 47.50             | 68.20             | -20.70         | 40.84         | 3           | Vertical  | 71             | 1.79          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.435G       | 102.08            | Inf               | -Inf           | 94.98         | 3           | Vertical  | 71             | 1.79          | -       | 34.76      | 7.77       | 35.43      |
| RMS  | 6.435G       | 93.38             | Inf               | -Inf           | 86.28         | 3           | Vertical  | 71             | 1.79          | -       | 34.76      | 7.77       | 35.43      |
| PK   | 7.1902G      | 60.89             | 88.20             | -27.31         | 51.89         | 3           | Vertical  | 71             | 1.79          | -       | 36.34      | 8.20       | 35.54      |
| RMS  | 7.2318G      | 50.44             | 68.20             | -17.76         | 41.14         | 3           | Vertical  | 71             | 1.79          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
Setting 5.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8628G     | 56.60             | 88.20             | -31.60         | 40.31         | 3           | Vertical  | 338            | 2.59          | -       | 39.36      | 11.49      | 34.56      |
| RMS  | 12.8697G     | 42.79             | 68.20             | -25.41         | 26.46         | 3           | Vertical  | 338            | 2.59          | -       | 39.37      | 11.50      | 34.54      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 5.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.86106G    | 56.55             | 88.20             | -31.65         | 40.26         | 3           | Horizontal | 208            | 1.90          | -       | 39.36      | 11.49      | 34.56      |  |
| RMS  | 12.87006G    | 42.72             | 68.20             | -25.48         | 26.39         | 3           | Horizontal | 208            | 1.90          | -       | 39.37      | 11.50      | 34.54      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
Setting 5.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.31616G | 47.16    | 83.54    | -36.38 | 43.84  | 1    | Vertical  | 326     | 2.72   | -       | 37.75 | 15.23 | 49.66 |  |
| AV   | 19.29186G | 32.86    | 63.54    | -30.68 | 29.57  | 1    | Vertical  | 326     | 2.72   | -       | 37.73 | 15.22 | 49.66 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
Setting 5.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2954G  | 46.16    | 83.54    | -37.38 | 42.86  | 1    | Horizontal | 219     | 2.53   | -       | 37.74 | 15.22 | 49.66 |
| AV   | 19.29786G | 32.67    | 63.54    | -30.87 | 29.37  | 1    | Horizontal | 219     | 2.53   | -       | 37.74 | 15.22 | 49.66 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.746G       | 58.15             | 88.20             | -30.05         | 52.01         | 3           | Vertical  | 73             | 1.81          | -       | 34.21      | 7.40       | 35.47      |
| RMS  | 5.92G        | 47.54             | 68.20             | -20.66         | 40.90         | 3           | Vertical  | 73             | 1.81          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.478G       | 102.31            | Inf               | -Inf           | 95.16         | 3           | Vertical  | 73             | 1.81          | -       | 34.70      | 7.86       | 35.41      |
| RMS  | 6.475G       | 92.91             | Inf               | -Inf           | 85.77         | 3           | Vertical  | 73             | 1.81          | -       | 34.70      | 7.85       | 35.41      |
| PK   | 7.192G       | 60.91             | 88.20             | -27.29         | 51.90         | 3           | Vertical  | 73             | 1.81          | -       | 36.35      | 8.20       | 35.54      |
| RMS  | 7.216G       | 50.30             | 68.20             | -17.90         | 41.12         | 3           | Vertical  | 73             | 1.81          | -       | 36.50      | 8.23       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.94418G    | 56.48             | 88.20             | -31.72         | 39.85         | 3           | Vertical  | 235            | 2.89          | -       | 39.44      | 11.56      | 34.37      |  |
| RMS  | 12.95144G    | 42.85             | 68.20             | -25.35         | 26.19         | 3           | Vertical  | 235            | 2.89          | -       | 39.45      | 11.56      | 34.35      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.95774G    | 56.23             | 88.20             | -31.97         | 39.54         | 3           | Horizontal | 258            | 1.42          | -       | 39.46      | 11.57      | 34.34      |  |
| RMS  | 12.95306G    | 42.86             | 68.20             | -25.34         | 26.20         | 3           | Horizontal | 258            | 1.42          | -       | 39.45      | 11.56      | 34.35      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.43988G    | 46.59             | 83.54             | -36.95         | 43.15         | 1           | Vertical  | 280            | 2.32          | -       | 37.85      | 15.28      | 49.69      |
| AV   | 19.41138G    | 33.04             | 63.54             | -30.50         | 29.63         | 1           | Vertical  | 280            | 2.32          | -       | 37.83      | 15.26      | 49.68      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.437G   | 46.84    | 83.54    | -36.70 | 43.41  | 1    | Horizontal | 187     | 2.65   | -       | 37.85 | 15.27 | 49.69 |
| AV   | 19.41384G | 32.99    | 63.54    | -30.55 | 29.57  | 1    | Horizontal | 187     | 2.65   | -       | 37.83 | 15.27 | 49.68 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8962G      | 57.77             | 88.20             | -30.43         | 51.24         | 3           | Vertical  | 88             | 1.83          | -       | 34.58      | 7.50       | 35.55      |
| RMS  | 5.9214G      | 47.53             | 68.20             | -20.67         | 40.88         | 3           | Vertical  | 88             | 1.83          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.5178G      | 102.29            | Inf               | -Inf           | 94.98         | 3           | Vertical  | 88             | 1.83          | -       | 34.77      | 7.94       | 35.40      |
| RMS  | 6.515G       | 92.88             | Inf               | -Inf           | 85.59         | 3           | Vertical  | 88             | 1.83          | -       | 34.76      | 7.93       | 35.40      |
| PK   | 7.173G       | 60.59             | 88.20             | -27.61         | 51.68         | 3           | Vertical  | 88             | 1.83          | -       | 36.24      | 8.20       | 35.53      |
| RMS  | 7.215G       | 50.04             | 68.20             | -18.16         | 40.87         | 3           | Vertical  | 88             | 1.83          | -       | 36.49      | 8.23       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.03906G    | 58.22             | 88.20             | -29.98         | 41.15         | 3           | Vertical  | 56             | 2.25          | -       | 39.62      | 11.63      | 34.18      |  |
| RMS  | 13.03174G    | 44.01             | 68.20             | -24.19         | 26.97         | 3           | Vertical  | 56             | 2.25          | -       | 39.60      | 11.63      | 34.19      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.01614G    | 57.52             | 88.20             | -30.68         | 40.57         | 3           | Horizontal | 116            | 3.00          | -       | 39.55      | 11.61      | 34.21      |  |
| RMS  | 13.03348G    | 44.20             | 68.20             | -24.00         | 27.15         | 3           | Horizontal | 116            | 3.00          | -       | 39.60      | 11.63      | 34.18      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.53054G | 47.15    | 83.54    | -36.39 | 43.65  | 1    | Vertical  | 36      | 2.72   | -       | 37.89 | 15.31 | 49.70 |
| AV   | 19.55814G | 33.40    | 63.54    | -30.14 | 29.90  | 1    | Vertical  | 36      | 2.72   | -       | 37.88 | 15.32 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.53114G    | 46.98             | 83.54             | -36.56         | 43.48         | 1           | Horizontal | 252            | 2.52          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.55526G    | 33.50             | 63.54             | -30.04         | 30.00         | 1           | Horizontal | 252            | 2.52          | -       | 37.88      | 15.32      | 49.70      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8406G      | 57.51             | 88.20             | -30.69         | 51.31         | 3           | Vertical  | 69             | 1.80          | -       | 34.28      | 7.44       | 35.52      |
| RMS  | 5.9246G      | 47.53             | 68.20             | -20.67         | 40.87         | 3           | Vertical  | 69             | 1.80          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.5378G      | 119.57            | Inf               | -Inf           | 112.15        | 3           | Vertical  | 69             | 1.80          | -       | 34.85      | 7.98       | 35.41      |
| RMS  | 6.535G       | 110.56            | Inf               | -Inf           | 103.16        | 3           | Vertical  | 69             | 1.80          | -       | 34.84      | 7.97       | 35.41      |
| PK   | 7.207G       | 61.65             | 88.20             | -26.55         | 52.54         | 3           | Vertical  | 69             | 1.80          | -       | 36.44      | 8.21       | 35.54      |
| RMS  | 7.2322G      | 50.36             | 68.20             | -17.84         | 41.06         | 3           | Vertical  | 69             | 1.80          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 21  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0634G     | 59.06             | 88.20             | -29.14         | 41.85         | 3           | Vertical  | 232            | 1.80          | -       | 39.69      | 11.65      | 34.13      |  |
| RMS  | 13.06742G    | 45.09             | 68.20             | -23.11         | 27.87         | 3           | Vertical  | 232            | 1.80          | -       | 39.70      | 11.65      | 34.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 21  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07234G    | 60.79             | 88.20             | -27.41         | 43.53         | 3           | Horizontal | 144            | 2.24          | -       | 39.72      | 11.66      | 34.12      |
| RMS  | 13.06748G    | 47.39             | 68.20             | -20.81         | 30.17         | 3           | Horizontal | 144            | 2.24          | -       | 39.70      | 11.65      | 34.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60266G    | 47.68             | 83.54             | -35.86         | 44.18         | 1           | Vertical  | 176            | 1.22          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.60746G    | 34.09             | 63.54             | -29.45         | 30.59         | 1           | Vertical  | 176            | 1.22          | -       | 37.86      | 15.34      | 49.70      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.60422G | 48.03    | 83.54    | -35.51 | 44.53  | 1    | Horizontal | 312     | 2.66   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.60836G | 34.10    | 63.54    | -29.44 | 30.60  | 1    | Horizontal | 312     | 2.66   | -       | 37.86 | 15.34 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 120.21            | Inf               | -Inf           | 112.16        | 3           | Vertical  | 69             | 1.70          | -       | 35.39      | 8.10       | 35.44      |  |
| RMS  | 6.695G       | 111.24            | Inf               | -Inf           | 103.19        | 3           | Vertical  | 69             | 1.70          | -       | 35.39      | 8.10       | 35.44      |  |
| PK   | 7.135G       | 60.98             | 88.20             | -27.22         | 52.30         | 3           | Vertical  | 69             | 1.70          | -       | 36.01      | 8.20       | 35.53      |  |
| RMS  | 7.2318G      | 50.43             | 68.20             | -17.77         | 41.13         | 3           | Vertical  | 69             | 1.70          | -       | 36.59      | 8.26       | 35.55      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.39498G    | 59.83             | 74.00             | -14.17         | 41.20         | 3           | Vertical  | 315            | 1.80          | -       | 40.29      | 11.92      | 33.58      |  |
| AV   | 13.3927G     | 45.89             | 54.00             | -8.11          | 27.28         | 3           | Vertical  | 315            | 1.80          | -       | 40.29      | 11.91      | 33.59      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39366G    | 63.59             | 74.00             | -10.41         | 44.98         | 3           | Horizontal | 147            | 2.92          | -       | 40.29      | 11.91      | 33.59      |
| AV   | 13.38754G    | 49.95             | 54.00             | -4.05          | 31.36         | 3           | Horizontal | 147            | 2.92          | -       | 40.28      | 11.91      | 33.60      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08296G    | 47.20             | 83.54             | -36.34         | 43.92         | 1           | Vertical  | 194            | 2.06          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08236G    | 34.00             | 63.54             | -29.54         | 30.72         | 1           | Vertical  | 194            | 2.06          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0748G     | 48.16             | 83.54             | -35.38         | 44.90         | 1           | Horizontal | 233            | 2.74          | -       | 37.46      | 15.53      | 49.73      |
| AV   | 20.0823G     | 34.03             | 63.54             | -29.51         | 30.75         | 1           | Horizontal | 233            | 2.74          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8536G      | 120.20            | Inf               | -Inf           | 109.52        | 3           | Vertical  | 56             | 1.50          | -       | 36.57      | 7.08       | 32.97      |  |
| RMS  | 6.8522G      | 111.16            | Inf               | -Inf           | 100.47        | 3           | Vertical  | 56             | 1.50          | -       | 36.58      | 7.08       | 32.97      |  |
| PK   | 7.1924G      | 64.40             | 88.20             | -23.80         | 53.25         | 3           | Vertical  | 56             | 1.50          | -       | 37.07      | 7.20       | 33.12      |  |
| RMS  | 7.1994G      | 53.27             | 68.20             | -14.93         | 42.09         | 3           | Vertical  | 56             | 1.50          | -       | 37.10      | 7.20       | 33.12      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.7085G     | 62.00             | 88.20             | -26.20         | 41.36         | 3           | Vertical  | 64             | 1.80          | -       | 40.53      | 9.77       | 29.66      |  |
| RMS  | 13.70304G    | 49.81             | 68.20             | -18.39         | 29.19         | 3           | Vertical  | 64             | 1.80          | -       | 40.51      | 9.77       | 29.66      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.70724G    | 66.10             | 88.20             | -22.10         | 45.47         | 3           | Horizontal | 211            | 2.54          | -       | 40.52      | 9.77       | 29.66      |  |
| RMS  | 13.70718G    | 53.65             | 68.20             | -14.55         | 33.02         | 3           | Horizontal | 211            | 2.54          | -       | 40.52      | 9.77       | 29.66      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.57766G    | 47.82             | 83.54             | -35.72         | 44.14         | 1           | Vertical  | 150            | 2.17          | -       | 37.79      | 15.76      | 49.87      |
| AV   | 20.56956G    | 34.61             | 63.54             | -28.93         | 30.94         | 1           | Vertical  | 150            | 2.17          | -       | 37.78      | 15.76      | 49.87      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56866G    | 47.01             | 83.54             | -36.53         | 43.34         | 1           | Horizontal | 194            | 1.68          | -       | 37.78      | 15.76      | 49.87      |
| AV   | 20.57184G    | 34.63             | 63.54             | -28.91         | 30.95         | 1           | Horizontal | 194            | 1.68          | -       | 37.79      | 15.76      | 49.87      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.875G       | 103.63            | Inf               | -Inf           | 95.31         | 3           | Vertical  | 76             | 1.70          | -       | 35.65      | 8.14       | 35.47      |  |
| RMS  | 6.8736G      | 93.26             | Inf               | -Inf           | 84.94         | 3           | Vertical  | 76             | 1.70          | -       | 35.65      | 8.14       | 35.47      |  |
| PK   | 7.1368G      | 61.66             | 88.20             | -26.54         | 52.97         | 3           | Vertical  | 76             | 1.70          | -       | 36.02      | 8.20       | 35.53      |  |
| RMS  | 7.218G       | 50.31             | 68.20             | -17.89         | 41.11         | 3           | Vertical  | 76             | 1.70          | -       | 36.51      | 8.24       | 35.55      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73902G    | 61.65             | 88.20             | -26.55         | 42.27         | 3           | Vertical  | 240            | 2.92          | -       | 40.68      | 12.19      | 33.49      |
| RMS  | 13.73524G    | 47.65             | 68.20             | -20.55         | 28.28         | 3           | Vertical  | 240            | 2.92          | -       | 40.67      | 12.19      | 33.49      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76074G    | 61.41             | 88.20             | -26.79         | 41.98         | 3           | Horizontal | 83             | 1.39          | -       | 40.72      | 12.21      | 33.50      |
| RMS  | 13.7353G     | 47.65             | 68.20             | -20.55         | 28.28         | 3           | Horizontal | 83             | 1.39          | -       | 40.67      | 12.19      | 33.49      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.61912G    | 47.17             | 83.54             | -36.37         | 43.40         | 1           | Vertical  | 163            | 2.61          | -       | 37.84      | 15.78      | 49.85      |
| AV   | 20.61624G    | 33.81             | 63.54             | -29.73         | 30.04         | 1           | Vertical  | 163            | 2.61          | -       | 37.84      | 15.78      | 49.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.6133G     | 47.30             | 83.54             | -36.24         | 43.53         | 1           | Horizontal | 272            | 1.10          | -       | 37.84      | 15.78      | 49.85      |
| AV   | 20.61102G    | 33.83             | 63.54             | -29.71         | 30.09         | 1           | Horizontal | 272            | 1.10          | -       | 37.83      | 15.77      | 49.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8964G      | 101.77            | Inf               | -Inf           | 93.48         | 3           | Vertical  | 79             | 1.82          | -       | 35.61      | 8.15       | 35.47      |
| RMS  | 6.8936G      | 92.46             | Inf               | -Inf           | 84.17         | 3           | Vertical  | 79             | 1.82          | -       | 35.61      | 8.15       | 35.47      |
| PK   | 7.21G        | 61.10             | 88.20             | -27.10         | 51.96         | 3           | Vertical  | 79             | 1.82          | -       | 36.46      | 8.22       | 35.54      |
| RMS  | 7.231G       | 50.44             | 68.20             | -17.76         | 41.14         | 3           | Vertical  | 79             | 1.82          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80158G    | 61.05             | 88.20             | -27.15         | 41.52         | 3           | Vertical  | 323            | 2.22          | -       | 40.80      | 12.24      | 33.51      |
| RMS  | 13.79426G    | 47.37             | 68.20             | -20.83         | 27.85         | 3           | Vertical  | 323            | 2.22          | -       | 40.79      | 12.24      | 33.51      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.78814G    | 61.16             | 88.20             | -27.04         | 41.66         | 3           | Horizontal | 214            | 1.88          | -       | 40.78      | 12.23      | 33.51      |  |
| RMS  | 13.78388G    | 47.55             | 68.20             | -20.65         | 28.06         | 3           | Horizontal | 214            | 1.88          | -       | 40.77      | 12.23      | 33.51      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.67768G | 48.80    | 83.54    | -34.74 | 44.92  | 1    | Vertical  | 113     | 2.99   | -       | 37.91 | 15.80 | 49.83 |  |
| AV   | 20.6775G  | 34.23    | 63.54    | -29.31 | 30.35  | 1    | Vertical  | 113     | 2.99   | -       | 37.91 | 15.80 | 49.83 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.67726G    | 48.45             | 83.54             | -35.09         | 44.57         | 1           | Horizontal | 58             | 1.59          | -       | 37.91      | 15.80      | 49.83      |
| AV   | 20.68014G    | 34.20             | 63.54             | -29.34         | 30.30         | 1           | Horizontal | 58             | 1.59          | -       | 37.92      | 15.81      | 49.83      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
 Setting 5.25  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.995G       | 103.29            | Inf               | -Inf           | 94.88         | 3           | Vertical  | 76             | 1.70          | -       | 35.70      | 8.20       | 35.49      |
| RMS  | 6.994G       | 92.91             | Inf               | -Inf           | 84.50         | 3           | Vertical  | 76             | 1.70          | -       | 35.70      | 8.20       | 35.49      |
| PK   | 7.24G        | 61.25             | 88.20             | -26.95         | 51.88         | 3           | Vertical  | 76             | 1.70          | -       | 36.64      | 8.28       | 35.55      |
| RMS  | 7.241G       | 50.41             | 68.20             | -17.79         | 41.03         | 3           | Vertical  | 76             | 1.70          | -       | 36.65      | 8.28       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 5.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99408G    | 62.35             | 88.20             | -25.85         | 42.34         | 3           | Vertical  | 244            | 1.05          | -       | 41.19      | 12.40      | 33.58      |
| RMS  | 14.00278G    | 48.95             | 68.20             | -19.25         | 28.92         | 3           | Vertical  | 244            | 1.05          | -       | 41.21      | 12.40      | 33.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
 Setting 5.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99546G    | 62.30             | 88.20             | -25.90         | 42.29         | 3           | Horizontal | 57             | 1.60          | -       | 41.19      | 12.40      | 33.58      |
| RMS  | 14.0017G     | 48.91             | 68.20             | -19.29         | 28.88         | 3           | Horizontal | 57             | 1.60          | -       | 41.21      | 12.40      | 33.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 5.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.97564G    | 47.44             | 83.54             | -36.10         | 43.57         | 1           | Vertical  | 235            | 1.61          | -       | 37.64      | 15.94      | 49.71      |
| AV   | 20.9823G     | 33.66             | 63.54             | -29.88         | 29.80         | 1           | Vertical  | 235            | 1.61          | -       | 37.63      | 15.94      | 49.71      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT\_V\_1TX  
Setting 5.25  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.98806G | 46.99    | 83.54    | -36.55 | 43.13  | 1    | Horizontal | 83      | 1.99   | -       | 37.62 | 15.94 | 49.70 |
| AV   | 20.99334G | 33.60    | 63.54    | -29.94 | 29.74  | 1    | Horizontal | 83      | 1.99   | -       | 37.61 | 15.95 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
 Setting 6.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0974G      | 103.54            | Inf               | -Inf           | 95.07         | 3           | Vertical  | 72             | 1.62          | -       | 35.79      | 8.20       | 35.52      |  |
| RMS  | 7.0958G      | 92.94             | Inf               | -Inf           | 84.46         | 3           | Vertical  | 72             | 1.62          | -       | 35.79      | 8.20       | 35.51      |  |
| PK   | 7.1914G      | 61.16             | 88.20             | -27.04         | 52.15         | 3           | Vertical  | 72             | 1.62          | -       | 36.35      | 8.20       | 35.54      |  |
| RMS  | 7.195G       | 50.22             | 68.20             | -17.98         | 41.19         | 3           | Vertical  | 72             | 1.62          | -       | 36.37      | 8.20       | 35.54      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 6.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.17608G    | 62.75             | 88.20             | -25.45         | 42.54         | 3           | Vertical  | 132            | 1.02          | -       | 41.58      | 12.49      | 33.86      |
| RMS  | 14.17638G    | 49.61             | 68.20             | -18.59         | 29.40         | 3           | Vertical  | 132            | 1.02          | -       | 41.58      | 12.49      | 33.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19096G    | 63.47             | 88.20             | -24.73         | 43.26         | 3           | Horizontal | 32             | 2.74          | -       | 41.59      | 12.50      | 33.88      |
| RMS  | 14.18742G    | 49.58             | 68.20             | -18.62         | 29.38         | 3           | Horizontal | 32             | 2.74          | -       | 41.59      | 12.49      | 33.88      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28542G    | 47.67             | 83.54             | -35.87         | 43.59         | 1           | Vertical  | 126            | 2.18          | -       | 37.64      | 16.08      | 49.64      |
| AV   | 21.28434G    | 34.62             | 63.54             | -28.92         | 30.54         | 1           | Vertical  | 126            | 2.18          | -       | 37.64      | 16.08      | 49.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
Setting 6.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.29358G | 47.75    | 83.54    | -35.79 | 43.66  | 1    | Horizontal | 309     | 1.25   | -       | 37.65 | 16.08 | 49.64 |
| AV   | 21.2703G  | 34.45    | 63.54    | -29.09 | 30.41  | 1    | Horizontal | 309     | 1.25   | -       | 37.62 | 16.07 | 49.65 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.10868G     | 101.53            | Inf               | -Inf           | 90.79         | 3           | Vertical  | 263            | 1.80          | -       | 36.57      | 7.25       | 33.08      |
| RMS  | 7.11128G     | 91.36             | Inf               | -Inf           | 80.61         | 3           | Vertical  | 263            | 1.80          | -       | 36.59      | 7.24       | 33.08      |
| PK   | 7.1275G      | 79.32             | 88.20             | -8.88          | 68.45         | 3           | Vertical  | 263            | 1.80          | -       | 36.72      | 7.24       | 33.09      |
| RMS  | 7.1255G      | 67.83             | 68.20             | -0.37          | 56.98         | 3           | Vertical  | 263            | 1.80          | -       | 36.70      | 7.24       | 33.09      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.23168G    | 64.28             | 88.20             | -23.92         | 43.22         | 3           | Vertical  | 173            | 1.83          | -       | 40.74      | 9.97       | 29.65      |
| RMS  | 14.23072G    | 51.47             | 68.20             | -16.73         | 30.41         | 3           | Vertical  | 173            | 1.83          | -       | 40.74      | 9.97       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.2315G     | 64.17             | 88.20             | -24.03         | 43.11         | 3           | Horizontal | 142            | 2.27          | -       | 40.74      | 9.97       | 29.65      |
| RMS  | 14.22952G    | 51.78             | 68.20             | -16.42         | 30.72         | 3           | Horizontal | 142            | 2.27          | -       | 40.74      | 9.97       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.3555G  | 48.46    | 83.54    | -35.08 | 44.25  | 1    | Vertical  | 99      | 1.55   | -       | 37.73 | 16.11 | 49.63 |
| AV   | 21.35394G | 35.83    | 63.54    | -27.71 | 31.63  | 1    | Vertical  | 99      | 1.55   | -       | 37.72 | 16.11 | 49.63 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.3528G  | 48.69    | 83.54    | -34.85 | 44.49  | 1    | Horizontal | 283     | 2.05   | -       | 37.72 | 16.11 | 49.63 |  |
| AV   | 21.35298G | 35.83    | 63.54    | -27.71 | 31.63  | 1    | Horizontal | 283     | 2.05   | -       | 37.72 | 16.11 | 49.63 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT V\_1TX  
Setting 17.5  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.923G       | 82.98             | 88.20             | -5.22          | 74.20         | 3           | Vertical  | 88             | 1.36          | -       | 34.99      | 6.60       | 32.81      |
| RMS  | 5.9238G      | 67.68             | 68.20             | -0.52          | 58.89         | 3           | Vertical  | 88             | 1.36          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 5.9678G      | 113.67            | Inf               | -Inf           | 104.73        | 3           | Vertical  | 88             | 1.36          | -       | 35.17      | 6.60       | 32.83      |
| RMS  | 5.9738G      | 103.46            | Inf               | -Inf           | 94.49         | 3           | Vertical  | 88             | 1.36          | -       | 35.20      | 6.60       | 32.83      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.94368G    | 58.59             | 74.00             | -15.41         | 42.66         | 3           | Vertical  | 3              | 1.05          | -       | 38.50      | 8.99       | 31.56      |
| AV   | 11.94086G    | 46.04             | 54.00             | -7.96          | 30.11         | 3           | Vertical  | 3              | 1.05          | -       | 38.50      | 8.99       | 31.56      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.5  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93708G    | 64.57             | 74.00             | -9.43          | 48.66         | 3           | Horizontal | 206            | 1.65          | -       | 38.50      | 8.98       | 31.57      |
| AV   | 11.92946G    | 51.81             | 54.00             | -2.19          | 35.90         | 3           | Horizontal | 206            | 1.65          | -       | 38.50      | 8.98       | 31.57      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6205MHz\_TnomVnom




EUT Y\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.787G       | 58.07             | 88.20             | -30.13         | 51.96         | 3           | Vertical  | 74             | 1.80          | -       | 34.20      | 7.40       | 35.49      |  |
| RMS  | 5.919G       | 47.53             | 68.20             | -20.67         | 40.89         | 3           | Vertical  | 74             | 1.80          | -       | 34.68      | 7.52       | 35.56      |  |
| PK   | 6.209G       | 115.48            | Inf               | -Inf           | 108.14        | 3           | Vertical  | 74             | 1.80          | -       | 35.16      | 7.70       | 35.52      |  |
| RMS  | 6.207G       | 105.66            | Inf               | -Inf           | 98.31         | 3           | Vertical  | 74             | 1.80          | -       | 35.17      | 7.70       | 35.52      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6205MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.40604G    | 57.89             | 74.00             | -16.11         | 43.29         | 3           | Vertical  | 284            | 1.80          | -       | 38.89      | 11.12      | 35.41      |
| AV   | 12.41348G    | 43.60             | 54.00             | -10.40         | 28.99         | 3           | Vertical  | 284            | 1.80          | -       | 38.89      | 11.13      | 35.41      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6205MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.41066G    | 62.64             | 74.00             | -11.36         | 48.03         | 3           | Horizontal | 207            | 2.36          | -       | 38.89      | 11.13      | 35.41      |
| AV   | 12.4058G     | 49.00             | 54.00             | -5.00          | 34.40         | 3           | Horizontal | 207            | 2.36          | -       | 38.89      | 11.12      | 35.41      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6205MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.61254G | 46.10    | 83.54    | -37.44 | 43.39  | 1    | Vertical  | 1       | 1.38   | -       | 37.75 | 14.95 | 49.99 |  |
| AV   | 18.61098G | 31.91    | 63.54    | -31.63 | 29.20  | 1    | Vertical  | 1       | 1.38   | -       | 37.76 | 14.94 | 49.99 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6205MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.618G   | 45.18    | 83.54    | -38.36 | 42.46  | 1    | Horizontal | 238     | 2.12   | -       | 37.75 | 14.95 | 49.98 |  |
| AV   | 18.61074G | 31.80    | 63.54    | -31.74 | 29.09  | 1    | Horizontal | 238     | 2.12   | -       | 37.76 | 14.94 | 49.99 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7586G      | 57.85             | 88.20             | -30.35         | 51.73         | 3           | Vertical  | 70             | 1.80          | -       | 34.20      | 7.40       | 35.48      |
| RMS  | 5.9058G      | 47.43             | 68.20             | -20.77         | 40.85         | 3           | Vertical  | 70             | 1.80          | -       | 34.62      | 7.51       | 35.55      |
| PK   | 6.4082G      | 114.78            | Inf               | -Inf           | 107.63        | 3           | Vertical  | 70             | 1.80          | -       | 34.87      | 7.72       | 35.44      |
| RMS  | 6.4018G      | 105.53            | Inf               | -Inf           | 98.38         | 3           | Vertical  | 70             | 1.80          | -       | 34.89      | 7.70       | 35.44      |
| PK   | 7.205G       | 60.46             | 88.20             | -27.74         | 51.36         | 3           | Vertical  | 70             | 1.80          | -       | 36.43      | 8.21       | 35.54      |
| RMS  | 7.205G       | 50.13             | 68.20             | -18.07         | 41.03         | 3           | Vertical  | 70             | 1.80          | -       | 36.43      | 8.21       | 35.54      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80382G    | 57.09             | 88.20             | -31.11         | 41.04         | 3           | Vertical  | 228            | 1.87          | -       | 39.30      | 11.44      | 34.69      |
| RMS  | 12.80574G    | 43.65             | 68.20             | -24.55         | 27.59         | 3           | Vertical  | 228            | 1.87          | -       | 39.31      | 11.44      | 34.69      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8136G     | 62.54             | 88.20             | -25.66         | 46.45         | 3           | Horizontal | 206            | 1.79          | -       | 39.31      | 11.45      | 34.67      |
| RMS  | 12.80586G    | 48.71             | 68.20             | -19.49         | 32.65         | 3           | Horizontal | 206            | 1.79          | -       | 39.31      | 11.44      | 34.69      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21434G    | 46.91             | 83.54             | -36.63         | 43.62         | 1           | Vertical  | 182            | 2.33          | -       | 37.74      | 15.19      | 49.64      |
| AV   | 19.22478G    | 32.75             | 63.54             | -30.79         | 29.47         | 1           | Vertical  | 182            | 2.33          | -       | 37.73      | 15.19      | 49.64      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.22958G    | 46.20             | 83.54             | -37.34         | 42.94         | 1           | Horizontal | 266            | 1.32          | -       | 37.72      | 15.19      | 49.65      |
| AV   | 19.22538G    | 32.88             | 63.54             | -30.66         | 29.61         | 1           | Horizontal | 266            | 1.32          | -       | 37.73      | 15.19      | 49.65      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT V\_1TX  
 Setting 8.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7442G      | 58.71             | 88.20             | -29.49         | 52.57         | 3           | Vertical  | 69             | 1.78          | -       | 34.21      | 7.40       | 35.47      |
| RMS  | 5.925G       | 47.42             | 68.20             | -20.78         | 40.76         | 3           | Vertical  | 69             | 1.78          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.445G       | 102.63            | Inf               | -Inf           | 95.54         | 3           | Vertical  | 69             | 1.78          | -       | 34.72      | 7.79       | 35.42      |
| RMS  | 6.4482G      | 93.10             | Inf               | -Inf           | 86.01         | 3           | Vertical  | 69             | 1.78          | -       | 34.71      | 7.80       | 35.42      |
| PK   | 7.1906G      | 60.57             | 88.20             | -27.63         | 51.57         | 3           | Vertical  | 69             | 1.78          | -       | 36.34      | 8.20       | 35.54      |
| RMS  | 7.245G       | 50.32             | 68.20             | -17.88         | 40.91         | 3           | Vertical  | 69             | 1.78          | -       | 36.67      | 8.29       | 35.55      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT\_V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.87782G    | 56.06             | 88.20             | -32.14         | 39.70         | 3           | Vertical  | 140            | 1.71          | -       | 39.38      | 11.50      | 34.52      |  |
| RMS  | 12.87932G    | 42.69             | 68.20             | -25.51         | 26.33         | 3           | Vertical  | 140            | 1.71          | -       | 39.38      | 11.50      | 34.52      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.89012G    | 56.30             | 88.20             | -31.90         | 39.89         | 3           | Horizontal | 38             | 1.76          | -       | 39.39      | 11.51      | 34.49      |
| RMS  | 12.89348G    | 42.70             | 68.20             | -25.50         | 26.28         | 3           | Horizontal | 38             | 1.76          | -       | 39.39      | 11.51      | 34.48      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.338G  | 46.50    | 83.54    | -37.04 | 43.16  | 1    | Vertical  | 108     | 1.08   | -       | 37.77 | 15.24 | 49.67 |  |
| AV   | 19.3224G | 32.85    | 63.54    | -30.69 | 29.52  | 1    | Vertical  | 108     | 1.08   | -       | 37.76 | 15.23 | 49.66 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.3281G  | 46.71    | 83.54    | -36.83 | 43.39  | 1    | Horizontal | 14      | 1.36   | -       | 37.76 | 15.23 | 49.67 |
| AV   | 19.32246G | 32.77    | 63.54    | -30.77 | 29.44  | 1    | Horizontal | 14      | 1.36   | -       | 37.76 | 15.23 | 49.66 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT V\_1TX  
 Setting 8.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.909G       | 57.81             | 88.20             | -30.39         | 51.21         | 3           | Vertical  | 80             | 1.71          | -       | 34.64      | 7.51       | 35.55      |
| RMS  | 5.918G       | 47.43             | 68.20             | -20.77         | 40.80         | 3           | Vertical  | 80             | 1.71          | -       | 34.67      | 7.52       | 35.56      |
| PK   | 6.488G       | 103.14            | Inf               | -Inf           | 95.96         | 3           | Vertical  | 80             | 1.71          | -       | 34.70      | 7.88       | 35.40      |
| RMS  | 6.488G       | 93.00             | Inf               | -Inf           | 85.82         | 3           | Vertical  | 80             | 1.71          | -       | 34.70      | 7.88       | 35.40      |
| PK   | 7.169G       | 60.18             | 88.20             | -28.02         | 51.30         | 3           | Vertical  | 80             | 1.71          | -       | 36.21      | 8.20       | 35.53      |
| RMS  | 7.232G       | 50.25             | 68.20             | -17.95         | 40.95         | 3           | Vertical  | 80             | 1.71          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT\_V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96484G    | 57.54             | 88.20             | -30.66         | 40.83         | 3           | Vertical  | 243            | 1.89          | -       | 39.46      | 11.57      | 34.32      |
| RMS  | 12.97534G    | 43.42             | 68.20             | -24.78         | 26.66         | 3           | Vertical  | 243            | 1.89          | -       | 39.48      | 11.58      | 34.30      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.97144G    | 57.55             | 88.20             | -30.65         | 40.81         | 3           | Horizontal | 128            | 1.92          | -       | 39.47      | 11.58      | 34.31      |
| RMS  | 12.98368G    | 43.40             | 68.20             | -24.80         | 26.61         | 3           | Horizontal | 128            | 1.92          | -       | 39.48      | 11.59      | 34.28      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.46514G | 46.37    | 83.54    | -37.17 | 42.90  | 1    | Vertical  | 284     | 1.15   | -       | 37.87 | 15.29 | 49.69 |
| AV   | 19.46148G | 32.88    | 63.54    | -30.66 | 29.42  | 1    | Vertical  | 284     | 1.15   | -       | 37.87 | 15.28 | 49.69 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.45914G | 46.04    | 83.54    | -37.50 | 42.58  | 1    | Horizontal | 263     | 1.57   | -       | 37.87 | 15.28 | 49.69 |
| AV   | 19.45626G | 32.78    | 63.54    | -30.76 | 29.32  | 1    | Horizontal | 263     | 1.57   | -       | 37.87 | 15.28 | 49.69 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 9  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9062G      | 57.33             | 88.20             | -30.87         | 50.75         | 3           | Vertical  | 71             | 1.78          | -       | 34.62      | 7.51       | 35.55      |
| RMS  | 5.925G       | 47.39             | 68.20             | -20.81         | 40.73         | 3           | Vertical  | 71             | 1.78          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.5278G      | 103.72            | Inf               | -Inf           | 96.36         | 3           | Vertical  | 71             | 1.78          | -       | 34.81      | 7.96       | 35.41      |
| RMS  | 6.5278G      | 93.25             | Inf               | -Inf           | 85.89         | 3           | Vertical  | 71             | 1.78          | -       | 34.81      | 7.96       | 35.41      |
| PK   | 7.1354G      | 60.30             | 88.20             | -27.90         | 51.62         | 3           | Vertical  | 71             | 1.78          | -       | 36.01      | 8.20       | 35.53      |
| RMS  | 7.2222G      | 50.03             | 68.20             | -18.17         | 40.81         | 3           | Vertical  | 71             | 1.78          | -       | 36.53      | 8.24       | 35.55      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 9  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04886G    | 58.49             | 88.20             | -29.71         | 41.36         | 3           | Vertical  | 80             | 1.37          | -       | 39.65      | 11.64      | 34.16      |
| RMS  | 13.05588G    | 44.55             | 68.20             | -23.65         | 27.39         | 3           | Vertical  | 80             | 1.37          | -       | 39.67      | 11.64      | 34.15      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 9  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04532G    | 57.94             | 88.20             | -30.26         | 40.82         | 3           | Horizontal | 125            | 2.53          | -       | 39.64      | 11.64      | 34.16      |
| RMS  | 13.04784G    | 44.45             | 68.20             | -23.75         | 27.33         | 3           | Horizontal | 125            | 2.53          | -       | 39.64      | 11.64      | 34.16      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 9  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.56258G    | 46.67             | 83.54             | -36.87         | 43.17         | 1           | Vertical  | 210            | 2.45          | -       | 37.87      | 15.33      | 49.70      |
| AV   | 19.57188G    | 33.26             | 63.54             | -30.28         | 29.76         | 1           | Vertical  | 210            | 2.45          | -       | 37.87      | 15.33      | 49.70      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 9  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.58754G    | 46.85             | 83.54             | -36.69         | 43.35         | 1           | Horizontal | 9              | 1.42          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.56618G    | 33.04             | 63.54             | -30.50         | 29.54         | 1           | Horizontal | 9              | 1.42          | -       | 37.87      | 15.33      | 49.70      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 22.25  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 57.26             | 88.20             | -30.94         | 50.60         | 3           | Vertical  | 71             | 1.67          | -       | 34.70      | 7.52       | 35.56      |
| RMS  | 5.915G       | 47.42             | 68.20             | -20.78         | 40.81         | 3           | Vertical  | 71             | 1.67          | -       | 34.66      | 7.51       | 35.56      |
| PK   | 6.5676G      | 116.49            | Inf               | -Inf           | 108.89        | 3           | Vertical  | 71             | 1.67          | -       | 34.97      | 8.04       | 35.41      |
| RMS  | 6.5624G      | 106.70            | Inf               | -Inf           | 99.14         | 3           | Vertical  | 71             | 1.67          | -       | 34.95      | 8.02       | 35.41      |
| PK   | 7.1786G      | 60.74             | 88.20             | -27.46         | 51.81         | 3           | Vertical  | 71             | 1.67          | -       | 36.27      | 8.20       | 35.54      |
| RMS  | 7.2098G      | 50.09             | 68.20             | -18.11         | 40.95         | 3           | Vertical  | 71             | 1.67          | -       | 36.46      | 8.22       | 35.54      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.11554G    | 58.03             | 88.20             | -30.17         | 40.57         | 3           | Vertical  | 334            | 1.74          | -       | 39.82      | 11.69      | 34.05      |
| RMS  | 13.12028G    | 44.21             | 68.20             | -23.99         | 26.73         | 3           | Vertical  | 334            | 1.74          | -       | 39.82      | 11.70      | 34.04      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.13894G    | 57.91             | 88.20             | -30.29         | 40.37         | 3           | Horizontal | 137            | 2.99          | -       | 39.84      | 11.71      | 34.01      |
| RMS  | 13.12316G    | 44.16             | 68.20             | -24.04         | 26.68         | 3           | Horizontal | 137            | 2.99          | -       | 39.82      | 11.70      | 34.04      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.25  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.70922G | 48.12    | 83.54    | -35.42 | 44.62  | 1    | Vertical  | 148     | 2.89   | -       | 37.82 | 15.38 | 49.70 |
| AV   | 19.68264G | 34.12    | 63.54    | -29.42 | 30.62  | 1    | Vertical  | 148     | 2.89   | -       | 37.83 | 15.37 | 49.70 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.68438G    | 48.10             | 83.54             | -35.44         | 44.60         | 1           | Horizontal | 134            | 2.33          | -       | 37.83      | 15.37      | 49.70      |
| AV   | 19.70262G    | 34.11             | 63.54             | -29.43         | 30.61         | 1           | Horizontal | 134            | 2.33          | -       | 37.82      | 15.38      | 49.70      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6806G      | 118.09            | Inf               | -Inf           | 110.06        | 3           | Vertical  | 70             | 1.71          | -       | 35.36      | 8.10       | 35.43      |  |
| RMS  | 6.6828G      | 108.70            | Inf               | -Inf           | 100.66        | 3           | Vertical  | 70             | 1.71          | -       | 35.37      | 8.10       | 35.43      |  |
| PK   | 7.213G       | 60.89             | 88.20             | -27.31         | 51.73         | 3           | Vertical  | 70             | 1.71          | -       | 36.48      | 8.23       | 35.55      |  |
| RMS  | 7.2328G      | 50.42             | 68.20             | -17.78         | 41.10         | 3           | Vertical  | 70             | 1.71          | -       | 36.60      | 8.27       | 35.55      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3733G     | 58.88             | 74.00             | -15.12         | 40.35         | 3           | Vertical  | 252            | 2.68          | -       | 40.25      | 11.90      | 33.62      |
| AV   | 13.37552G    | 44.93             | 54.00             | -9.07          | 26.40         | 3           | Vertical  | 252            | 2.68          | -       | 40.25      | 11.90      | 33.62      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36022G    | 58.79             | 74.00             | -15.21         | 40.32         | 3           | Horizontal | 280            | 2.78          | -       | 40.22      | 11.89      | 33.64      |
| AV   | 13.37612G    | 44.99             | 54.00             | -9.01          | 26.46         | 3           | Horizontal | 280            | 2.78          | -       | 40.25      | 11.90      | 33.62      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.058G      | 47.51             | 83.54             | -36.03         | 44.25         | 1           | Vertical  | 199            | 1.10          | -       | 37.45      | 15.53      | 49.72      |
| AV   | 20.04402G    | 33.78             | 63.54             | -29.76         | 30.54         | 1           | Vertical  | 199            | 1.10          | -       | 37.44      | 15.52      | 49.72      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05602G    | 47.19             | 83.54             | -36.35         | 43.94         | 1           | Horizontal | 325            | 2.80          | -       | 37.44      | 15.53      | 49.72      |
| AV   | 20.06052G    | 33.67             | 63.54             | -29.87         | 30.41         | 1           | Horizontal | 325            | 2.80          | -       | 37.45      | 15.53      | 49.72      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_1TX  
 Setting 8.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8836G      | 104.05            | Inf               | -Inf           | 95.75         | 3           | Vertical  | 70             | 1.61          | -       | 35.63      | 8.14       | 35.47      |
| RMS  | 6.8836G      | 94.23             | Inf               | -Inf           | 85.93         | 3           | Vertical  | 70             | 1.61          | -       | 35.63      | 8.14       | 35.47      |
| PK   | 7.2042G      | 60.42             | 88.20             | -27.78         | 51.32         | 3           | Vertical  | 70             | 1.61          | -       | 36.43      | 8.21       | 35.54      |
| RMS  | 7.2294G      | 50.40             | 68.20             | -17.80         | 41.11         | 3           | Vertical  | 70             | 1.61          | -       | 36.58      | 8.26       | 35.55      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78482G    | 61.06             | 88.20             | -27.14         | 41.57         | 3           | Vertical  | 324            | 1.85          | -       | 40.77      | 12.23      | 33.51      |
| RMS  | 13.75512G    | 47.41             | 68.20             | -20.79         | 28.00         | 3           | Vertical  | 324            | 1.85          | -       | 40.71      | 12.20      | 33.50      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.77252G    | 61.21             | 88.20             | -26.99         | 41.74         | 3           | Horizontal | 330            | 2.32          | -       | 40.75      | 12.22      | 33.50      |
| RMS  | 13.7568G     | 47.53             | 68.20             | -20.67         | 28.11         | 3           | Horizontal | 330            | 2.32          | -       | 40.71      | 12.21      | 33.50      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.66118G    | 47.48             | 83.54             | -36.06         | 43.63         | 1           | Vertical  | 121            | 1.88          | -       | 37.89      | 15.80      | 49.84      |  |
| AV   | 20.66892G    | 33.95             | 63.54             | -29.59         | 30.08         | 1           | Vertical  | 121            | 1.88          | -       | 37.90      | 15.80      | 49.83      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 8.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.6625G     | 47.54             | 83.54             | -36.00         | 43.68         | 1           | Horizontal | 280            | 2.17          | -       | 37.90      | 15.80      | 49.84      |
| AV   | 20.6673G     | 33.96             | 63.54             | -29.58         | 30.09         | 1           | Horizontal | 280            | 2.17          | -       | 37.90      | 15.80      | 49.83      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT V\_1TX  
 Setting 8.25  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9274G      | 104.56            | Inf               | -Inf           | 96.23         | 3           | Vertical  | 70             | 1.61          | -       | 35.65      | 8.16       | 35.48      |
| RMS  | 6.9238G      | 94.59             | Inf               | -Inf           | 86.26         | 3           | Vertical  | 70             | 1.61          | -       | 35.65      | 8.16       | 35.48      |
| PK   | 7.2034G      | 61.13             | 88.20             | -27.07         | 52.04         | 3           | Vertical  | 70             | 1.61          | -       | 36.42      | 8.21       | 35.54      |
| RMS  | 7.2226G      | 50.34             | 68.20             | -17.86         | 41.10         | 3           | Vertical  | 70             | 1.61          | -       | 36.54      | 8.25       | 35.55      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.84736G    | 60.93             | 88.20             | -27.27         | 41.29         | 3           | Vertical  | 331            | 2.57          | -       | 40.89      | 12.28      | 33.53      |
| RMS  | 13.86326G    | 47.48             | 68.20             | -20.72         | 27.79         | 3           | Vertical  | 331            | 2.57          | -       | 40.93      | 12.29      | 33.53      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.85012G    | 61.82             | 88.20             | -26.38         | 42.17         | 3           | Horizontal | 339            | 2.45          | -       | 40.90      | 12.28      | 33.53      |
| RMS  | 13.86344G    | 47.50             | 68.20             | -20.70         | 27.81         | 3           | Horizontal | 339            | 2.45          | -       | 40.93      | 12.29      | 33.53      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT V\_1TX  
Setting 8.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77026G    | 48.95             | 83.54             | -34.59         | 44.92         | 1           | Vertical  | 320            | 2.53          | -       | 37.97      | 15.85      | 49.79      |
| AV   | 20.76744G    | 34.82             | 63.54             | -28.72         | 30.79         | 1           | Vertical  | 320            | 2.53          | -       | 37.97      | 15.85      | 49.79      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT V\_1TX  
Setting 8.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.76288G    | 48.26             | 83.54             | -35.28         | 44.23         | 1           | Horizontal | 324            | 1.88          | -       | 37.98      | 15.84      | 49.79      |
| AV   | 20.76438G    | 34.71             | 63.54             | -28.83         | 30.68         | 1           | Horizontal | 324            | 1.88          | -       | 37.98      | 15.84      | 49.79      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0034G      | 103.65            | Inf               | -Inf           | 95.24         | 3           | Vertical  | 69             | 1.64          | -       | 35.70      | 8.20       | 35.49      |
| RMS  | 7.0034G      | 93.68             | Inf               | -Inf           | 85.27         | 3           | Vertical  | 69             | 1.64          | -       | 35.70      | 8.20       | 35.49      |
| PK   | 7.145G       | 61.60             | 88.20             | -26.60         | 52.86         | 3           | Vertical  | 69             | 1.64          | -       | 36.07      | 8.20       | 35.53      |
| RMS  | 7.2034G      | 50.29             | 68.20             | -17.91         | 41.20         | 3           | Vertical  | 69             | 1.64          | -       | 36.42      | 8.21       | 35.54      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT\_V\_1TX  
Setting 8  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.02374G    | 62.62             | 88.20             | -25.58         | 42.56         | 3           | Vertical  | 26             | 2.06          | -       | 41.27      | 12.41      | 33.62      |
| RMS  | 14.02464G    | 49.06             | 68.20             | -19.14         | 29.00         | 3           | Vertical  | 26             | 2.06          | -       | 41.27      | 12.41      | 33.62      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 8  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.00052G    | 62.76             | 88.20             | -25.44         | 42.74         | 3           | Horizontal | 94             | 1.91          | -       | 41.20      | 12.40      | 33.58      |
| RMS  | 14.0217G     | 49.05             | 68.20             | -19.15         | 28.98         | 3           | Horizontal | 94             | 1.91          | -       | 41.27      | 12.41      | 33.61      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT\_V\_1TX  
Setting 8  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.0105G     | 48.12             | 83.54             | -35.42         | 44.27         | 1           | Vertical  | 47             | 1.29          | -       | 37.60      | 15.95      | 49.70      |
| AV   | 21.02856G    | 33.77             | 63.54             | -29.77         | 29.90         | 1           | Vertical  | 47             | 1.29          | -       | 37.60      | 15.96      | 49.69      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT\_V\_1TX  
Setting 8  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.02058G | 48.10    | 83.54    | -35.44 | 44.24  | 1    | Horizontal | 255     | 2.36   | -       | 37.60 | 15.96 | 49.70 |
| AV   | 21.02856G | 33.61    | 63.54    | -29.93 | 29.74  | 1    | Horizontal | 255     | 2.36   | -       | 37.60 | 15.96 | 49.69 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT V\_1TX  
 Setting 17.5  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0878G      | 110.73            | Inf               | -Inf           | 100.02        | 3           | Vertical  | 57             | 1.32          | -       | 36.52      | 7.26       | 33.07      |  |
| RMS  | 7.0698G      | 100.69            | Inf               | -Inf           | 89.92         | 3           | Vertical  | 57             | 1.32          | -       | 36.56      | 7.27       | 33.06      |  |
| PK   | 7.1378G      | 86.11             | 88.20             | -2.09          | 75.17         | 3           | Vertical  | 57             | 1.32          | -       | 36.80      | 7.23       | 33.09      |  |
| RMS  | 7.1266G      | 67.75             | 68.20             | -0.45          | 56.89         | 3           | Vertical  | 57             | 1.32          | -       | 36.71      | 7.24       | 33.09      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.5  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.16382G    | 64.18             | 88.20             | -24.02         | 42.99         | 3           | Vertical  | 174            | 1.89          | -       | 40.84      | 9.95       | 29.60      |  |
| RMS  | 14.17426G    | 51.27             | 68.20             | -16.93         | 30.10         | 3           | Vertical  | 174            | 1.89          | -       | 40.83      | 9.95       | 29.61      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.5  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.18416G    | 63.99             | 88.20             | -24.21         | 42.83         | 3           | Horizontal | 142            | 1.86          | -       | 40.82      | 9.96       | 29.62      |
| RMS  | 14.17444G    | 51.19             | 68.20             | -17.01         | 30.02         | 3           | Horizontal | 142            | 1.86          | -       | 40.83      | 9.95       | 29.61      |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.5  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.2529G | 48.17    | 83.54    | -35.37 | 44.16  | 1    | Vertical  | 155     | 2.07   | -       | 37.60 | 16.06 | 49.65 |
| AV   | 21.2592G | 35.69    | 63.54    | -27.85 | 31.66  | 1    | Vertical  | 155     | 2.07   | -       | 37.61 | 16.07 | 49.65 |

## 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.5  
 01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.2559G | 48.14    | 83.54    | -35.40 | 44.11  | 1    | Horizontal | 230     | 1.00   | -       | 37.61 | 16.07 | 49.65 |
| AV   | 21.2676G | 35.75    | 63.54    | -27.79 | 31.71  | 1    | Horizontal | 230     | 1.00   | -       | 37.62 | 16.07 | 49.65 |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT Y\_1TX  
Setting 16.75  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.921G       | 81.07             | 88.20             | -7.13          | 72.30         | 3           | Vertical  | 88             | 1.47          | -       | 34.98      | 6.60       | 32.81      |  |
| RMS  | 5.923G       | 67.50             | 68.20             | -0.70          | 58.72         | 3           | Vertical  | 88             | 1.47          | -       | 34.99      | 6.60       | 32.81      |  |
| PK   | 6.018G       | 110.53            | Inf               | -Inf           | 101.48        | 3           | Vertical  | 88             | 1.47          | -       | 35.26      | 6.63       | 32.84      |  |
| RMS  | 6.019G       | 100.33            | Inf               | -Inf           | 91.28         | 3           | Vertical  | 88             | 1.47          | -       | 35.26      | 6.63       | 32.84      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT\_V\_1TX  
Setting 16.75  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.97282G    | 58.40             | 74.00             | -15.60         | 42.46         | 3           | Vertical  | 213            | 1.80          | -       | 38.50      | 8.99       | 31.55      |
| AV   | 11.96712G    | 48.85             | 54.00             | -5.15          | 32.91         | 3           | Vertical  | 213            | 1.80          | -       | 38.50      | 8.99       | 31.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT\_V\_1TX  
Setting 16.75  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 11.98476G | 63.18    | 74.00    | -10.82 | 47.23  | 3    | Horizontal | 211     | 1.79   | -       | 38.50 | 9.00 | 31.55 |
| AV   | 11.9841G  | 53.97    | 54.00    | -0.03  | 38.02  | 3    | Horizontal | 211     | 1.79   | -       | 38.50 | 9.00 | 31.55 |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6225MHz\_TnomVnom




EUT V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.915G       | 60.16             | 88.20             | -28.04         | 53.55         | 3           | Vertical  | 70             | 1.74          | -       | 34.66      | 7.51       | 35.56      |
| RMS  | 5.921G       | 47.95             | 68.20             | -20.25         | 41.31         | 3           | Vertical  | 70             | 1.74          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.219G       | 112.92            | Inf               | -Inf           | 105.61        | 3           | Vertical  | 70             | 1.74          | -       | 35.12      | 7.70       | 35.51      |
| RMS  | 6.221G       | 103.30            | Inf               | -Inf           | 95.99         | 3           | Vertical  | 70             | 1.74          | -       | 35.12      | 7.70       | 35.51      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6225MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.45396G    | 56.53             | 74.00             | -17.47         | 41.92         | 3           | Vertical  | 283            | 2.10          | -       | 38.85      | 11.16      | 35.40      |
| AV   | 12.45678G    | 45.75             | 54.00             | -8.25          | 31.14         | 3           | Vertical  | 283            | 2.10          | -       | 38.84      | 11.17      | 35.40      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6225MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.46218G    | 60.28             | 74.00             | -13.72         | 45.67         | 3           | Horizontal | 204            | 2.18          | -       | 38.84      | 11.17      | 35.40      |
| AV   | 12.44568G    | 49.46             | 54.00             | -4.54          | 34.85         | 3           | Horizontal | 204            | 2.18          | -       | 38.85      | 11.16      | 35.40      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6225MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.66504G | 44.67    | 83.54    | -38.87 | 41.90  | 1    | Vertical  | 91      | 1.03   | -       | 37.73 | 14.97 | 49.93 |
| AV   | 18.66606G | 34.01    | 63.54    | -29.53 | 31.24  | 1    | Vertical  | 91      | 1.03   | -       | 37.73 | 14.97 | 49.93 |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6225MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.66114G    | 44.63             | 83.54             | -38.91         | 41.87         | 1           | Horizontal | 230            | 2.67          | -       | 37.74      | 14.96      | 49.94      |  |
| AV   | 18.66126G    | 34.51             | 63.54             | -29.03         | 31.75         | 1           | Horizontal | 230            | 2.67          | -       | 37.74      | 14.96      | 49.94      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8104G      | 58.14             | 88.20             | -30.06         | 52.02         | 3           | Vertical  | 69             | 1.80          | -       | 34.22      | 7.41       | 35.51      |
| RMS  | 5.909G       | 47.49             | 68.20             | -20.71         | 40.89         | 3           | Vertical  | 69             | 1.80          | -       | 34.64      | 7.51       | 35.55      |
| PK   | 6.385G       | 109.70            | Inf               | -Inf           | 102.55        | 3           | Vertical  | 69             | 1.80          | -       | 34.90      | 7.70       | 35.45      |
| RMS  | 6.3884G      | 100.43            | Inf               | -Inf           | 93.27         | 3           | Vertical  | 69             | 1.80          | -       | 34.90      | 7.70       | 35.44      |
| PK   | 7.2316G      | 60.19             | 88.20             | -28.01         | 50.89         | 3           | Vertical  | 69             | 1.80          | -       | 36.59      | 8.26       | 35.55      |
| RMS  | 7.235G       | 50.36             | 68.20             | -17.84         | 41.03         | 3           | Vertical  | 69             | 1.80          | -       | 36.61      | 8.27       | 35.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.77396G    | 55.01             | 88.20             | -33.19         | 39.10         | 3           | Vertical  | 208            | 2.23          | -       | 39.25      | 11.42      | 34.76      |
| RMS  | 12.77744G    | 44.28             | 68.20             | -23.92         | 28.36         | 3           | Vertical  | 208            | 2.23          | -       | 39.25      | 11.42      | 34.75      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.76112G    | 55.65             | 88.20             | -32.55         | 39.81         | 3           | Horizontal | 99             | 2.36          | -       | 39.22      | 11.41      | 34.79      |
| RMS  | 12.77774G    | 44.49             | 68.20             | -23.71         | 28.56         | 3           | Horizontal | 99             | 2.36          | -       | 39.26      | 11.42      | 34.75      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.1628G     | 45.64             | 83.54             | -37.90         | 42.30         | 1           | Vertical  | 145            | 1.31          | -       | 37.80      | 15.17      | 49.63      |
| AV   | 19.15332G    | 35.57             | 63.54             | -27.97         | 32.22         | 1           | Vertical  | 145            | 1.31          | -       | 37.82      | 15.16      | 49.63      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.1412G  | 45.59    | 83.54    | -37.95 | 42.23  | 1    | Horizontal | 305     | 2.85   | -       | 37.83 | 15.16 | 49.63 |  |
| AV   | 19.15494G | 34.83    | 63.54    | -28.71 | 31.49  | 1    | Horizontal | 305     | 2.85   | -       | 37.81 | 15.16 | 49.63 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.73G        | 59.13             | 88.20             | -29.07         | 52.96         | 3           | Vertical  | 88             | 1.80          | -       | 34.24      | 7.40       | 35.47      |
| RMS  | 5.925G       | 47.44             | 68.20             | -20.76         | 40.77         | 3           | Vertical  | 88             | 1.80          | -       | 34.70      | 7.53       | 35.56      |
| PK   | 6.462G       | 102.31            | Inf               | -Inf           | 95.21         | 3           | Vertical  | 88             | 1.80          | -       | 34.70      | 7.82       | 35.42      |
| RMS  | 6.459G       | 93.04             | Inf               | -Inf           | 85.94         | 3           | Vertical  | 88             | 1.80          | -       | 34.70      | 7.82       | 35.42      |
| PK   | 7.179G       | 60.16             | 88.20             | -28.04         | 51.23         | 3           | Vertical  | 88             | 1.80          | -       | 36.27      | 8.20       | 35.54      |
| RMS  | 7.194G       | 50.09             | 68.20             | -18.11         | 41.07         | 3           | Vertical  | 88             | 1.80          | -       | 36.36      | 8.20       | 35.54      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.92568G    | 56.52             | 88.20             | -31.68         | 39.96         | 3           | Vertical  | 327            | 2.93          | -       | 39.43      | 11.54      | 34.41      |
| RMS  | 12.92844G    | 45.24             | 68.20             | -22.96         | 28.67         | 3           | Vertical  | 327            | 2.93          | -       | 39.43      | 11.54      | 34.40      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9372G     | 56.34             | 88.20             | -31.86         | 39.73         | 3           | Horizontal | 258            | 1.20          | -       | 39.44      | 11.55      | 34.38      |
| RMS  | 12.91968G    | 45.90             | 68.20             | -22.30         | 29.36         | 3           | Horizontal | 258            | 1.20          | -       | 39.42      | 11.54      | 34.42      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39248G    | 46.36             | 83.54             | -37.18         | 42.97         | 1           | Vertical  | 84             | 1.27          | -       | 37.81      | 15.26      | 49.68      |
| AV   | 19.39212G    | 35.19             | 63.54             | -28.35         | 31.80         | 1           | Vertical  | 84             | 1.27          | -       | 37.81      | 15.26      | 49.68      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39056G    | 45.69             | 83.54             | -37.85         | 42.30         | 1           | Horizontal | 106            | 2.62          | -       | 37.81      | 15.26      | 49.68      |
| AV   | 19.39026G    | 34.96             | 63.54             | -28.58         | 31.57         | 1           | Horizontal | 106            | 2.62          | -       | 37.81      | 15.26      | 49.68      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 58.23             | 88.20             | -29.97         | 51.57         | 3           | Vertical  | 69             | 1.80          | -       | 34.70      | 7.52       | 35.56      |
| RMS  | 5.925G       | 47.49             | 68.20             | -20.71         | 40.83         | 3           | Vertical  | 69             | 1.80          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.5478G      | 103.26            | Inf               | -Inf           | 95.78         | 3           | Vertical  | 69             | 1.80          | -       | 34.89      | 8.00       | 35.41      |
| RMS  | 6.5478G      | 93.14             | Inf               | -Inf           | 85.66         | 3           | Vertical  | 69             | 1.80          | -       | 34.89      | 8.00       | 35.41      |
| PK   | 7.2338G      | 60.78             | 88.20             | -27.42         | 51.46         | 3           | Vertical  | 69             | 1.80          | -       | 36.60      | 8.27       | 35.55      |
| RMS  | 7.245G       | 50.43             | 68.20             | -17.77         | 41.02         | 3           | Vertical  | 69             | 1.80          | -       | 36.67      | 8.29       | 35.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07764G    | 57.66             | 88.20             | -30.54         | 40.38         | 3           | Vertical  | 348            | 1.20          | -       | 39.73      | 11.66      | 34.11      |
| RMS  | 13.07866G    | 46.80             | 68.20             | -21.40         | 29.51         | 3           | Vertical  | 348            | 1.20          | -       | 39.74      | 11.66      | 34.11      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08532G    | 57.79             | 88.20             | -30.41         | 40.46         | 3           | Horizontal | 106            | 1.92          | -       | 39.76      | 11.67      | 34.10      |
| RMS  | 13.08832G    | 47.27             | 68.20             | -20.93         | 29.93         | 3           | Horizontal | 106            | 1.92          | -       | 39.76      | 11.67      | 34.09      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.62396G    | 45.94             | 83.54             | -37.60         | 42.44         | 1           | Vertical  | 74             | 1.47          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.63128G    | 35.98             | 63.54             | -27.56         | 32.48         | 1           | Vertical  | 74             | 1.47          | -       | 37.85      | 15.35      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.62222G    | 46.06             | 83.54             | -37.48         | 42.56         | 1           | Horizontal | 10             | 1.19          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.62294G    | 35.48             | 63.54             | -28.06         | 31.98         | 1           | Horizontal | 10             | 1.19          | -       | 37.85      | 15.35      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT V\_1TX  
 Setting 22.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6346G      | 113.52            | Inf               | -Inf           | 105.60        | 3           | Vertical  | 72             | 1.80          | -       | 35.24      | 8.10       | 35.42      |
| RMS  | 6.6274G      | 104.46            | Inf               | -Inf           | 96.57         | 3           | Vertical  | 72             | 1.80          | -       | 35.21      | 8.10       | 35.42      |
| PK   | 7.1842G      | 61.41             | 88.20             | -26.79         | 52.44         | 3           | Vertical  | 72             | 1.80          | -       | 36.31      | 8.20       | 35.54      |
| RMS  | 7.213G       | 50.35             | 68.20             | -17.85         | 41.19         | 3           | Vertical  | 72             | 1.80          | -       | 36.48      | 8.23       | 35.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.24898G    | 57.97             | 88.20             | -30.23         | 40.00         | 3           | Vertical  | 242            | 1.35          | -       | 40.00      | 11.80      | 33.83      |  |
| RMS  | 13.2419G     | 46.74             | 68.20             | -21.46         | 28.81         | 3           | Vertical  | 242            | 1.35          | -       | 39.98      | 11.79      | 33.84      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.24098G    | 57.20             | 88.20             | -31.00         | 39.27         | 3           | Horizontal | 308            | 1.37          | -       | 39.98      | 11.79      | 33.84      |
| RMS  | 13.24178G    | 46.91             | 68.20             | -21.29         | 28.98         | 3           | Horizontal | 308            | 1.37          | -       | 39.98      | 11.79      | 33.84      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.88064G    | 46.80             | 83.54             | -36.74         | 43.46         | 1           | Vertical  | 273            | 2.75          | -       | 37.59      | 15.45      | 49.70      |
| AV   | 19.87134G    | 36.12             | 63.54             | -27.42         | 32.76         | 1           | Vertical  | 273            | 2.75          | -       | 37.61      | 15.45      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.86306G    | 46.35             | 83.54             | -37.19         | 42.98         | 1           | Horizontal | 5              | 1.59          | -       | 37.62      | 15.45      | 49.70      |
| AV   | 19.88418G    | 36.64             | 63.54             | -26.90         | 33.30         | 1           | Horizontal | 5              | 1.59          | -       | 37.59      | 15.45      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.709G       | 115.72            | Inf               | -Inf           | 107.62        | 3           | Vertical  | 70             | 1.66          | -       | 35.44      | 8.10       | 35.44      |  |
| RMS  | 6.703G       | 105.75            | Inf               | -Inf           | 97.68         | 3           | Vertical  | 70             | 1.66          | -       | 35.41      | 8.10       | 35.44      |  |
| PK   | 7.147G       | 60.39             | 88.20             | -27.81         | 51.64         | 3           | Vertical  | 70             | 1.66          | -       | 36.08      | 8.20       | 35.53      |  |
| RMS  | 7.143G       | 50.34             | 68.20             | -17.86         | 41.61         | 3           | Vertical  | 70             | 1.66          | -       | 36.06      | 8.20       | 35.53      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41684G    | 58.26             | 88.20             | -29.94         | 39.56         | 3           | Vertical  | 258            | 1.95          | -       | 40.32      | 11.93      | 33.55      |
| RMS  | 13.41698G    | 47.61             | 68.20             | -20.59         | 28.91         | 3           | Vertical  | 258            | 1.95          | -       | 40.32      | 11.93      | 33.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.4177G     | 60.77             | 88.20             | -27.43         | 42.07         | 3           | Horizontal | 142            | 2.91          | -       | 40.32      | 11.93      | 33.55      |  |
| RMS  | 13.40274G    | 49.67             | 68.20             | -18.53         | 31.02         | 3           | Horizontal | 142            | 2.91          | -       | 40.30      | 11.92      | 33.57      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.10348G    | 46.90             | 83.54             | -36.64         | 43.61         | 1           | Vertical  | 65             | 1.80          | -       | 37.48      | 15.55      | 49.74      |  |
| AV   | 20.11386G    | 36.30             | 63.54             | -27.24         | 33.01         | 1           | Vertical  | 65             | 1.80          | -       | 37.49      | 15.55      | 49.75      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.1042G  | 47.00    | 83.54    | -36.54 | 43.71  | 1    | Horizontal | 204     | 1.47   | -       | 37.48 | 15.55 | 49.74 |  |
| AV   | 20.12682G | 36.36    | 63.54    | -27.18 | 33.05  | 1    | Horizontal | 204     | 1.47   | -       | 37.50 | 15.56 | 49.75 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 20.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7976G      | 114.79            | Inf               | -Inf           | 106.35        | 3           | Vertical  | 71             | 1.71          | -       | 35.79      | 8.10       | 35.45      |
| RMS  | 6.7832G      | 104.82            | Inf               | -Inf           | 96.44         | 3           | Vertical  | 71             | 1.71          | -       | 35.73      | 8.10       | 35.45      |
| PK   | 7.127G       | 72.92             | 88.20             | -15.28         | 64.28         | 3           | Vertical  | 71             | 1.71          | -       | 35.96      | 8.20       | 35.52      |
| RMS  | 7.1288G      | 58.35             | 68.20             | -9.85          | 49.70         | 3           | Vertical  | 71             | 1.71          | -       | 35.97      | 8.20       | 35.52      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT V\_1TX  
 Setting 20.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.57264G    | 58.66             | 88.20             | -29.54         | 39.56         | 3           | Vertical  | 215            | 1.06          | -       | 40.47      | 12.06      | 33.43      |
| RMS  | 13.57942G    | 47.85             | 68.20             | -20.35         | 28.75         | 3           | Vertical  | 215            | 1.06          | -       | 40.48      | 12.06      | 33.44      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT V\_1TX  
 Setting 20.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56052G    | 59.21             | 88.20             | -28.99         | 40.13         | 3           | Horizontal | 17             | 2.81          | -       | 40.46      | 12.05      | 33.43      |
| RMS  | 13.57144G    | 47.98             | 68.20             | -20.22         | 28.88         | 3           | Horizontal | 17             | 2.81          | -       | 40.47      | 12.06      | 33.43      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.34588G | 47.26    | 83.54    | -36.28 | 43.80  | 1    | Vertical  | 206     | 2.79   | -       | 37.64 | 15.66 | 49.84 |  |
| AV   | 20.3631G  | 36.55    | 63.54    | -26.99 | 33.09  | 1    | Vertical  | 206     | 2.79   | -       | 37.65 | 15.66 | 49.85 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.36184G | 47.05    | 83.54    | -36.49 | 43.59  | 1    | Horizontal | 319     | 2.30   | -       | 37.64 | 15.66 | 49.84 |  |
| AV   | 20.3553G  | 36.69    | 63.54    | -26.85 | 33.23  | 1    | Horizontal | 319     | 2.30   | -       | 37.64 | 15.66 | 49.84 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_1TX  
 Setting 11.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8692G      | 104.32            | Inf               | -Inf           | 96.00         | 3           | Vertical  | 75             | 1.71          | -       | 35.66      | 8.13       | 35.47      |
| RMS  | 6.8678G      | 94.50             | Inf               | -Inf           | 86.18         | 3           | Vertical  | 75             | 1.71          | -       | 35.66      | 8.13       | 35.47      |
| PK   | 7.1492G      | 60.96             | 88.20             | -27.24         | 52.19         | 3           | Vertical  | 75             | 1.71          | -       | 36.10      | 8.20       | 35.53      |
| RMS  | 7.2122G      | 50.37             | 68.20             | -17.83         | 41.23         | 3           | Vertical  | 75             | 1.71          | -       | 36.47      | 8.22       | 35.55      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73438G    | 61.48             | 88.20             | -26.72         | 42.11         | 3           | Vertical  | 297            | 2.95          | -       | 40.67      | 12.19      | 33.49      |
| RMS  | 13.72382G    | 51.16             | 68.20             | -17.04         | 31.82         | 3           | Vertical  | 297            | 2.95          | -       | 40.65      | 12.18      | 33.49      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 11.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72694G    | 61.21             | 88.20             | -26.99         | 41.87         | 3           | Horizontal | 104            | 1.29          | -       | 40.65      | 12.18      | 33.49      |
| RMS  | 13.73G       | 50.96             | 68.20             | -17.24         | 31.61         | 3           | Horizontal | 104            | 1.29          | -       | 40.66      | 12.18      | 33.49      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.59956G    | 48.05             | 83.54             | -35.49         | 44.32         | 1           | Vertical  | 30             | 2.76          | -       | 37.82      | 15.77      | 49.86      |  |
| AV   | 20.59038G    | 36.95             | 63.54             | -26.59         | 33.23         | 1           | Vertical  | 30             | 2.76          | -       | 37.81      | 15.77      | 49.86      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 11.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.58624G    | 47.29             | 83.54             | -36.25         | 43.60         | 1           | Horizontal | 128            | 2.45          | -       | 37.80      | 15.76      | 49.87      |
| AV   | 20.5893G     | 36.73             | 63.54             | -26.81         | 33.01         | 1           | Horizontal | 128            | 2.45          | -       | 37.81      | 15.77      | 49.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT V\_1TX  
 Setting 10.5  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9486G      | 104.71            | Inf               | -Inf           | 96.32         | 3           | Vertical  | 72             | 1.67          | -       | 35.70      | 8.17       | 35.48      |  |
| RMS  | 6.9474G      | 95.07             | Inf               | -Inf           | 86.69         | 3           | Vertical  | 72             | 1.67          | -       | 35.69      | 8.17       | 35.48      |  |
| PK   | 7.2246G      | 61.36             | 88.20             | -26.84         | 52.11         | 3           | Vertical  | 72             | 1.67          | -       | 36.55      | 8.25       | 35.55      |  |
| RMS  | 7.2426G      | 50.56             | 68.20             | -17.64         | 41.16         | 3           | Vertical  | 72             | 1.67          | -       | 36.66      | 8.29       | 35.55      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.88892G    | 61.72             | 88.20             | -26.48         | 41.97         | 3           | Vertical  | 170            | 2.56          | -       | 40.98      | 12.31      | 33.54      |  |
| RMS  | 13.90314G    | 50.76             | 68.20             | -17.44         | 30.98         | 3           | Vertical  | 170            | 2.56          | -       | 41.01      | 12.32      | 33.55      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.89024G    | 61.58             | 88.20             | -26.62         | 41.83         | 3           | Horizontal | 216            | 1.26          | -       | 40.98      | 12.31      | 33.54      |
| RMS  | 13.8858G     | 50.75             | 68.20             | -17.45         | 31.01         | 3           | Horizontal | 216            | 1.26          | -       | 40.97      | 12.31      | 33.54      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.83308G | 47.56    | 83.54    | -35.98 | 43.59  | 1    | Vertical  | 121     | 1.12   | -       | 37.87 | 15.87 | 49.77 |
| AV   | 20.82726G | 37.97    | 63.54    | -25.57 | 33.99  | 1    | Vertical  | 121     | 1.12   | -       | 37.88 | 15.87 | 49.77 |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT\_V\_1TX  
Setting 10.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83872G    | 47.76             | 83.54             | -35.78         | 43.78         | 1           | Horizontal | 314            | 2.40          | -       | 37.86      | 15.88      | 49.76      |
| AV   | 20.82132G    | 37.14             | 63.54             | -26.40         | 33.15         | 1           | Horizontal | 314            | 2.40          | -       | 37.89      | 15.87      | 49.77      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.5  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0018G      | 109.70            | Inf               | -Inf           | 99.11         | 3           | Vertical  | 57             | 1.38          | -       | 36.31      | 7.30       | 33.02      |
| RMS  | 7.001G       | 100.65            | Inf               | -Inf           | 90.06         | 3           | Vertical  | 57             | 1.38          | -       | 36.31      | 7.30       | 33.02      |
| PK   | 7.1266G      | 79.15             | 88.20             | -9.05          | 68.29         | 3           | Vertical  | 57             | 1.38          | -       | 36.71      | 7.24       | 33.09      |
| RMS  | 7.125G       | 67.60             | 68.20             | -0.60          | 56.75         | 3           | Vertical  | 57             | 1.38          | -       | 36.70      | 7.24       | 33.09      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.5  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.04826G    | 62.84             | 88.20             | -25.36         | 41.55         | 3           | Vertical  | 164            | 1.80          | -       | 40.90      | 9.91       | 29.52      |  |
| RMS  | 14.04322G    | 53.49             | 68.20             | -14.71         | 32.20         | 3           | Vertical  | 164            | 1.80          | -       | 40.90      | 9.91       | 29.52      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 16.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.05756G    | 62.93             | 88.20             | -25.27         | 41.64         | 3           | Horizontal | 154            | 2.01          | -       | 40.90      | 9.92       | 29.53      |
| RMS  | 14.05978G    | 53.85             | 68.20             | -14.35         | 32.56         | 3           | Horizontal | 154            | 2.01          | -       | 40.90      | 9.92       | 29.53      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 16.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.06882G    | 47.35             | 83.54             | -36.19         | 43.46         | 1           | Vertical  | 39             | 1.87          | -       | 37.60      | 15.98      | 49.69      |
| AV   | 21.06222G    | 38.15             | 63.54             | -25.39         | 34.26         | 1           | Vertical  | 39             | 1.87          | -       | 37.60      | 15.98      | 49.69      |

## 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 16.5  
 01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.07062G | 47.79    | 83.54    | -35.75 | 43.90  | 1    | Horizontal | 318     | 2.67   | -       | 37.60 | 15.98 | 49.69 |
| AV   | 21.0759G  | 38.26    | 63.54    | -25.28 | 34.36  | 1    | Horizontal | 318     | 2.67   | -       | 37.60 | 15.98 | 49.68 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT V\_1TX  
 Setting 15.5  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.901G       | 83.45             | 88.20             | -4.75          | 74.75         | 3           | Vertical  | 89             | 1.48          | -       | 34.90      | 6.60       | 32.80      |  |
| RMS  | 5.907G       | 67.57             | 68.20             | -0.63          | 58.84         | 3           | Vertical  | 89             | 1.48          | -       | 34.93      | 6.60       | 32.80      |  |
| PK   | 6G           | 105.45            | Inf               | -Inf           | 96.39         | 3           | Vertical  | 89             | 1.48          | -       | 35.30      | 6.60       | 32.84      |  |
| RMS  | 6.03G        | 96.16             | Inf               | -Inf           | 87.12         | 3           | Vertical  | 89             | 1.48          | -       | 35.24      | 6.64       | 32.84      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05492G    | 59.15             | 74.00             | -14.85         | 43.13         | 3           | Vertical  | 222            | 1.80          | -       | 38.55      | 9.02       | 31.55      |
| AV   | 12.03908G    | 48.97             | 54.00             | -5.03          | 32.95         | 3           | Vertical  | 222            | 1.80          | -       | 38.54      | 9.02       | 31.54      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.06206G    | 61.65             | 74.00             | -12.35         | 45.61         | 3           | Horizontal | 210            | 1.80          | -       | 38.56      | 9.03       | 31.55      |
| AV   | 12.06308G    | 53.47             | 54.00             | -0.53          | 37.43         | 3           | Horizontal | 210            | 1.80          | -       | 38.56      | 9.03       | 31.55      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.0747G     | 44.71             | 83.54             | -38.83         | 42.61         | 1           | Vertical  | 111            | 2.76          | -       | 37.64      | 14.73      | 50.27      |
| AV   | 18.06408G    | 35.46             | 63.54             | -28.08         | 33.35         | 1           | Vertical  | 111            | 2.76          | -       | 37.65      | 14.73      | 50.27      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.0675G     | 45.55             | 83.54             | -37.99         | 43.44         | 1           | Horizontal | 73             | 1.67          | -       | 37.65      | 14.73      | 50.27      |
| AV   | 18.08466G    | 35.34             | 63.54             | -28.20         | 33.25         | 1           | Horizontal | 73             | 1.67          | -       | 37.63      | 14.73      | 50.27      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 73.05             | 88.20             | -15.15         | 66.41         | 3           | Vertical  | 69             | 1.76          | -       | 34.68      | 7.52       | 35.56      |
| RMS  | 5.921G       | 56.60             | 68.20             | -11.60         | 49.96         | 3           | Vertical  | 69             | 1.76          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.181G       | 110.35            | Inf               | -Inf           | 103.07        | 3           | Vertical  | 69             | 1.76          | -       | 35.12      | 7.69       | 35.53      |
| RMS  | 6.189G       | 100.93            | Inf               | -Inf           | 93.60         | 3           | Vertical  | 69             | 1.76          | -       | 35.16      | 7.69       | 35.52      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37942G    | 56.10             | 74.00             | -17.90         | 41.53         | 3           | Vertical  | 281            | 1.76          | -       | 38.88      | 11.10      | 35.41      |
| AV   | 12.3811G     | 45.42             | 54.00             | -8.58          | 30.85         | 3           | Vertical  | 281            | 1.76          | -       | 38.88      | 11.10      | 35.41      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3838G     | 61.22             | 74.00             | -12.78         | 46.64         | 3           | Horizontal | 206            | 2.30          | -       | 38.88      | 11.11      | 35.41      |
| AV   | 12.38134G    | 50.29             | 54.00             | -3.71          | 35.71         | 3           | Horizontal | 206            | 2.30          | -       | 38.88      | 11.11      | 35.41      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.5559G  | 45.79    | 83.54    | -37.75 | 43.13  | 1    | Vertical  | 180     | 2.82   | -       | 37.78 | 14.92 | 50.04 |
| AV   | 18.54132G | 34.73    | 63.54    | -28.81 | 32.09  | 1    | Vertical  | 180     | 2.82   | -       | 37.78 | 14.92 | 50.06 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55782G    | 45.68             | 83.54             | -37.86         | 43.02         | 1           | Horizontal | 89             | 1.79          | -       | 37.78      | 14.92      | 50.04      |
| AV   | 18.55242G    | 34.93             | 63.54             | -28.61         | 32.28         | 1           | Horizontal | 89             | 1.79          | -       | 37.78      | 14.92      | 50.05      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT Y\_1TX  
 Setting 15  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 61.27             | 88.20             | -26.93         | 54.63         | 3           | Vertical  | 69             | 1.73          | -       | 34.68      | 7.52       | 35.56      |
| RMS  | 5.922G       | 48.02             | 68.20             | -20.18         | 41.37         | 3           | Vertical  | 69             | 1.73          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.342G       | 107.81            | Inf               | -Inf           | 100.65        | 3           | Vertical  | 69             | 1.73          | -       | 34.92      | 7.70       | 35.46      |
| RMS  | 6.342G       | 98.53             | Inf               | -Inf           | 91.37         | 3           | Vertical  | 69             | 1.73          | -       | 34.92      | 7.70       | 35.46      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68868G    | 55.63             | 74.00             | -18.37         | 40.17         | 3           | Vertical  | 48             | 1.20          | -       | 39.07      | 11.35      | 34.96      |
| AV   | 12.68676G    | 45.59             | 54.00             | -8.41          | 30.14         | 3           | Vertical  | 48             | 1.20          | -       | 39.06      | 11.35      | 34.96      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69356G    | 56.31             | 74.00             | -17.69         | 40.82         | 3           | Horizontal | 25             | 2.75          | -       | 39.08      | 11.35      | 34.94      |
| AV   | 12.6912G     | 44.67             | 54.00             | -9.33          | 29.20         | 3           | Horizontal | 25             | 2.75          | -       | 39.07      | 11.35      | 34.95      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT Y\_1TX  
Setting 15  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.038G   | 46.13    | 83.54    | -37.41 | 42.67  | 1    | Vertical  | 73      | 2.70   | -       | 37.95 | 15.12 | 49.61 |
| AV   | 19.03002G | 36.03    | 63.54    | -27.51 | 32.57  | 1    | Vertical  | 73      | 2.70   | -       | 37.96 | 15.11 | 49.61 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 15  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.02096G    | 46.15             | 83.54             | -37.39         | 42.67         | 1           | Horizontal | 294            | 2.32          | -       | 37.97      | 15.11      | 49.60      |  |
| AV   | 19.02996G    | 35.93             | 63.54             | -27.61         | 32.47         | 1           | Horizontal | 294            | 2.32          | -       | 37.96      | 15.11      | 49.61      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9198G      | 57.67             | 88.20             | -30.53         | 51.03         | 3           | Vertical  | 68             | 1.78          | -       | 34.68      | 7.52       | 35.56      |
| RMS  | 5.9226G      | 47.60             | 68.20             | -20.60         | 40.95         | 3           | Vertical  | 68             | 1.78          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.4994G      | 101.67            | Inf               | -Inf           | 94.47         | 3           | Vertical  | 68             | 1.78          | -       | 34.70      | 7.90       | 35.40      |
| RMS  | 6.5022G      | 92.59             | Inf               | -Inf           | 85.38         | 3           | Vertical  | 68             | 1.78          | -       | 34.71      | 7.90       | 35.40      |
| PK   | 7.1518G      | 60.65             | 88.20             | -27.55         | 51.87         | 3           | Vertical  | 68             | 1.78          | -       | 36.11      | 8.20       | 35.53      |
| RMS  | 7.205G       | 50.23             | 68.20             | -17.97         | 41.13         | 3           | Vertical  | 68             | 1.78          | -       | 36.43      | 8.21       | 35.54      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0172G     | 57.85             | 88.20             | -30.35         | 40.90         | 3           | Vertical  | 207            | 2.77          | -       | 39.55      | 11.61      | 34.21      |
| RMS  | 13.00976G    | 47.28             | 68.20             | -20.92         | 30.36         | 3           | Vertical  | 207            | 2.77          | -       | 39.53      | 11.61      | 34.22      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0199G     | 57.32             | 88.20             | -30.88         | 40.35         | 3           | Horizontal | 135            | 1.74          | -       | 39.56      | 11.62      | 34.21      |
| RMS  | 12.99674G    | 47.66             | 68.20             | -20.54         | 30.81         | 3           | Horizontal | 135            | 1.74          | -       | 39.50      | 11.60      | 34.25      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 14  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.52544G    | 46.77             | 83.54             | -36.77         | 43.27         | 1           | Vertical  | 219            | 1.08          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51128G    | 35.94             | 63.54             | -27.60         | 32.44         | 1           | Vertical  | 219            | 1.08          | -       | 37.90      | 15.30      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.52772G    | 48.35             | 83.54             | -35.19         | 44.85         | 1           | Horizontal | 330            | 2.04          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.50324G    | 36.30             | 63.54             | -27.24         | 32.80         | 1           | Horizontal | 330            | 2.04          | -       | 37.90      | 15.30      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.75  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6496G      | 112.77            | Inf               | -Inf           | 104.80        | 3           | Vertical  | 69             | 1.73          | -       | 35.30      | 8.10       | 35.43      |  |
| RMS  | 6.6606G      | 103.10            | Inf               | -Inf           | 95.11         | 3           | Vertical  | 69             | 1.73          | -       | 35.32      | 8.10       | 35.43      |  |
| PK   | 7.1292G      | 64.97             | 88.20             | -23.23         | 56.31         | 3           | Vertical  | 69             | 1.73          | -       | 35.98      | 8.20       | 35.52      |  |
| RMS  | 7.1292G      | 52.25             | 68.20             | -15.95         | 43.59         | 3           | Vertical  | 69             | 1.73          | -       | 35.98      | 8.20       | 35.52      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 18.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.32382G    | 58.35             | 74.00             | -15.65         | 40.04         | 3           | Vertical  | 8              | 1.12          | -       | 40.15      | 11.86      | 33.70      |
| AV   | 13.33402G    | 47.37             | 54.00             | -6.63          | 29.02         | 3           | Vertical  | 8              | 1.12          | -       | 40.17      | 11.87      | 33.69      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 18.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33282G    | 58.05             | 74.00             | -15.95         | 39.70         | 3           | Horizontal | 358            | 2.14          | -       | 40.17      | 11.87      | 33.69      |
| AV   | 13.34068G    | 47.38             | 54.00             | -6.62          | 29.00         | 3           | Horizontal | 358            | 2.14          | -       | 40.18      | 11.87      | 33.67      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 18.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.00544G    | 46.96             | 83.54             | -36.58         | 43.76         | 1           | Vertical  | 353            | 1.19          | -       | 37.40      | 15.50      | 49.70      |
| AV   | 20.00712G    | 36.65             | 63.54             | -26.89         | 33.44         | 1           | Vertical  | 353            | 1.19          | -       | 37.41      | 15.50      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 18.75  
03-D-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.9938G  | 48.15    | 83.54    | -35.39 | 44.94  | 1    | Horizontal | 107     | 2.35   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 20.00094G | 36.75    | 63.54    | -26.79 | 33.55  | 1    | Horizontal | 107     | 2.35   | -       | 37.40 | 15.50 | 49.70 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8218G      | 104.04            | Inf               | -Inf           | 95.63         | 3           | Vertical  | 71             | 1.67          | -       | 35.76      | 8.11       | 35.46      |
| RMS  | 6.8218G      | 94.69             | Inf               | -Inf           | 86.28         | 3           | Vertical  | 71             | 1.67          | -       | 35.76      | 8.11       | 35.46      |
| PK   | 7.2186G      | 62.24             | 88.20             | -25.96         | 53.04         | 3           | Vertical  | 71             | 1.67          | -       | 36.51      | 8.24       | 35.55      |
| RMS  | 7.209G       | 50.51             | 68.20             | -17.69         | 41.38         | 3           | Vertical  | 71             | 1.67          | -       | 36.45      | 8.22       | 35.54      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65594G    | 62.07             | 88.20             | -26.13         | 42.85         | 3           | Vertical  | 56             | 1.12          | -       | 40.56      | 12.12      | 33.46      |
| RMS  | 13.64844G    | 51.09             | 68.20             | -17.11         | 31.88         | 3           | Vertical  | 56             | 1.12          | -       | 40.55      | 12.12      | 33.46      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.63578G    | 61.60             | 88.20             | -26.60         | 42.41         | 3           | Horizontal | 23             | 1.72          | -       | 40.54      | 12.11      | 33.46      |
| RMS  | 13.6485G     | 50.88             | 68.20             | -17.32         | 31.67         | 3           | Horizontal | 23             | 1.72          | -       | 40.55      | 12.12      | 33.46      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.46948G    | 47.84             | 83.54             | -35.70         | 44.33         | 1           | Vertical  | 356            | 1.24          | -       | 37.69      | 15.71      | 49.89      |
| AV   | 20.47764G    | 37.45             | 63.54             | -26.09         | 33.94         | 1           | Vertical  | 356            | 1.24          | -       | 37.69      | 15.71      | 49.89      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
 Setting 14  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.4618G     | 47.65             | 83.54             | -35.89         | 44.14         | 1           | Horizontal | 37             | 1.59          | -       | 37.68      | 15.71      | 49.88      |
| AV   | 20.475G      | 37.30             | 63.54             | -26.24         | 33.79         | 1           | Horizontal | 37             | 1.59          | -       | 37.69      | 15.71      | 49.89      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 13.5  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.96G        | 104.63            | Inf               | -Inf           | 93.94         | 3           | Vertical  | 57             | 1.41          | -       | 36.46      | 7.24       | 33.01      |  |
| RMS  | 6.98G        | 94.88             | Inf               | -Inf           | 84.24         | 3           | Vertical  | 57             | 1.41          | -       | 36.38      | 7.27       | 33.01      |  |
| PK   | 7.127G       | 83.63             | 88.20             | -4.57          | 72.76         | 3           | Vertical  | 57             | 1.41          | -       | 36.72      | 7.24       | 33.09      |  |
| RMS  | 7.132G       | 68.13             | 68.20             | -0.07          | 57.23         | 3           | Vertical  | 57             | 1.41          | -       | 36.76      | 7.23       | 33.09      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 13.5  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9628G     | 62.25             | 88.20             | -25.95         | 40.98         | 3           | Vertical  | 8              | 1.80          | -       | 40.90      | 9.88       | 29.51      |
| RMS  | 13.98488G    | 52.56             | 68.20             | -15.64         | 31.27         | 3           | Vertical  | 8              | 1.80          | -       | 40.90      | 9.89       | 29.50      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.97108G    | 62.21             | 88.20             | -25.99         | 40.93         | 3           | Horizontal | 38             | 1.80          | -       | 40.90      | 9.89       | 29.51      |  |
| RMS  | 13.97852G    | 52.55             | 68.20             | -15.65         | 31.26         | 3           | Horizontal | 38             | 1.80          | -       | 40.90      | 9.89       | 29.50      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.5  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.94096G | 47.59    | 83.54    | -35.95 | 43.70  | 1    | Vertical  | 108     | 1.87   | -       | 37.69 | 15.92 | 49.72 |
| AV   | 20.9424G  | 38.21    | 63.54    | -25.33 | 34.32  | 1    | Vertical  | 108     | 1.87   | -       | 37.69 | 15.92 | 49.72 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom



EUT\_V\_1TX  
Setting 13.5  
01-M-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.9553G  | 47.64    | 83.54    | -35.90 | 43.76  | 1    | Horizontal | 316     | 1.42   | -       | 37.67 | 15.93 | 49.72 |
| AV   | 20.95074G | 39.17    | 63.54    | -24.37 | 35.28  | 1    | Horizontal | 316     | 1.42   | -       | 37.68 | 15.93 | 49.72 |



**RSE TX above 1GHz**  
**<Full RU> low power\_Beamforming mode\_2TX\_Ant. 1**


**Appendix E.5**

**Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass   | AV   | 11.9112G     | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 220            | 1.80          | -        |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 15  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9242G      | 80.87             | 88.20             | -7.33          | 72.08         | 3           | Vertical  | 48             | 1.49          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.924G       | 63.69             | 68.20             | -4.51          | 54.90         | 3           | Vertical  | 48             | 1.49          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 5.9544G      | 120.66            | Inf               | -Inf           | 111.76        | 3           | Vertical  | 48             | 1.49          | -       | 35.12      | 6.60       | 32.82      |  |
| RMS  | 5.9582G      | 109.56            | Inf               | -Inf           | 100.65        | 3           | Vertical  | 48             | 1.49          | -       | 35.13      | 6.60       | 32.82      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 66.47             | 88.20             | -21.73         | 57.68         | 3           | Horizontal | 45             | 2.30          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.9232G      | 52.98             | 68.20             | -15.22         | 44.20         | 3           | Horizontal | 45             | 2.30          | -       | 34.99      | 6.60       | 32.81      |  |
| PK   | 5.9546G      | 115.08            | Inf               | -Inf           | 106.18        | 3           | Horizontal | 45             | 2.30          | -       | 35.12      | 6.60       | 32.82      |  |
| RMS  | 5.96G        | 103.79            | Inf               | -Inf           | 94.87         | 3           | Horizontal | 45             | 2.30          | -       | 35.14      | 6.60       | 32.82      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 15  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.9254G     | 61.87             | 74.00             | -12.13         | 45.96         | 3           | Vertical  | 55             | 1.80          | -       | 38.50      | 8.98       | 31.57      |  |
| AV   | 11.9084G     | 48.19             | 54.00             | -5.81          | 32.29         | 3           | Vertical  | 55             | 1.80          | -       | 38.50      | 8.98       | 31.58      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.916G      | 68.77             | 74.00             | -5.23          | 52.86         | 3           | Horizontal | 220            | 1.80          | -       | 38.50      | 8.98       | 31.57      |
| AV   | 11.9112G     | 53.86             | 54.00             | -0.14          | 37.96         | 3           | Horizontal | 220            | 1.80          | -       | 38.50      | 8.98       | 31.58      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6126G      | 62.29             | 88.20             | -25.91         | 55.73         | 3           | Vertical  | 125            | 1.98          | -       | 34.57      | 7.40       | 35.41      |
| RMS  | 5.545G       | 50.33             | 68.20             | -17.87         | 43.75         | 3           | Vertical  | 125            | 1.98          | -       | 34.60      | 7.35       | 35.37      |
| PK   | 6.1976G      | 116.53            | Inf               | -Inf           | 109.16        | 3           | Vertical  | 125            | 1.98          | -       | 35.19      | 7.70       | 35.52      |
| RMS  | 6.195G       | 104.87            | Inf               | -Inf           | 97.51         | 3           | Vertical  | 125            | 1.98          | -       | 35.18      | 7.70       | 35.52      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.6282G      | 61.38             | 88.20             | -26.82         | 54.85         | 3           | Horizontal | 360            | 1.89          | -       | 34.54      | 7.40       | 35.41      |  |
| RMS  | 5.6204G      | 50.29             | 68.20             | -17.91         | 43.74         | 3           | Horizontal | 360            | 1.89          | -       | 34.56      | 7.40       | 35.41      |  |
| PK   | 6.195G       | 117.18            | Inf               | -Inf           | 109.82        | 3           | Horizontal | 360            | 1.89          | -       | 35.18      | 7.70       | 35.52      |  |
| RMS  | 6.195G       | 104.18            | Inf               | -Inf           | 96.82         | 3           | Horizontal | 360            | 1.89          | -       | 35.18      | 7.70       | 35.52      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3939G     | 62.14             | 74.00             | -11.86         | 47.54         | 3           | Vertical  | 234            | 1.79          | -       | 38.89      | 11.12      | 35.41      |
| AV   | 12.39084G    | 47.29             | 54.00             | -6.71          | 32.70         | 3           | Vertical  | 234            | 1.79          | -       | 38.89      | 11.11      | 35.41      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.39036G    | 64.95             | 74.00             | -9.05          | 50.36         | 3           | Horizontal | 207            | 1.80          | -       | 38.89      | 11.11      | 35.41      |
| AV   | 12.38802G    | 51.39             | 54.00             | -2.61          | 36.80         | 3           | Horizontal | 207            | 1.80          | -       | 38.89      | 11.11      | 35.41      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.59568G    | 49.36             | 83.54             | -34.18         | 46.66         | 1           | Vertical  | 45             | 1.02          | -       | 37.76      | 14.94      | 50.00      |  |
| AV   | 18.59952G    | 34.47             | 63.54             | -29.07         | 31.77         | 1           | Vertical  | 45             | 1.02          | -       | 37.76      | 14.94      | 50.00      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.59598G    | 48.40             | 83.54             | -35.14         | 45.70         | 1           | Horizontal | 74             | 1.44          | -       | 37.76      | 14.94      | 50.00      |  |
| AV   | 18.58782G    | 34.44             | 63.54             | -29.10         | 31.75         | 1           | Horizontal | 74             | 1.44          | -       | 37.76      | 14.94      | 50.01      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
 Setting 19.75  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8522G      | 61.96             | 88.20             | -26.24         | 55.73         | 3           | Vertical  | 328            | 2.08          | -       | 34.31      | 7.45       | 35.53      |
| RMS  | 5.925G       | 50.25             | 68.20             | -17.95         | 43.58         | 3           | Vertical  | 328            | 2.08          | -       | 34.70      | 7.53       | 35.56      |
| PK   | 6.415G       | 118.55            | Inf               | -Inf           | 111.41        | 3           | Vertical  | 328            | 2.08          | -       | 34.84      | 7.73       | 35.43      |
| RMS  | 6.415G       | 105.58            | Inf               | -Inf           | 98.44         | 3           | Vertical  | 328            | 2.08          | -       | 34.84      | 7.73       | 35.43      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
 Setting 19.75  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8662G      | 61.06             | 88.20             | -27.14         | 54.72         | 3           | Horizontal | 360            | 1.80          | -       | 34.40      | 7.47       | 35.53      |
| RMS  | 5.9222G      | 50.21             | 68.20             | -17.99         | 43.56         | 3           | Horizontal | 360            | 1.80          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.415G       | 116.14            | Inf               | -Inf           | 109.00        | 3           | Horizontal | 360            | 1.80          | -       | 34.84      | 7.73       | 35.43      |
| RMS  | 6.415G       | 104.82            | Inf               | -Inf           | 97.68         | 3           | Horizontal | 360            | 1.80          | -       | 34.84      | 7.73       | 35.43      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.75  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83084G    | 61.58             | 88.20             | -26.62         | 45.42         | 3           | Vertical  | 238            | 1.74          | -       | 39.33      | 11.46      | 34.63      |
| RMS  | 12.83072G    | 48.07             | 68.20             | -20.13         | 31.91         | 3           | Vertical  | 238            | 1.74          | -       | 39.33      | 11.46      | 34.63      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.75  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83378G    | 65.64             | 88.20             | -22.56         | 49.46         | 3           | Horizontal | 208            | 1.80          | -       | 39.33      | 11.47      | 34.62      |
| RMS  | 12.83144G    | 51.42             | 68.20             | -16.78         | 35.25         | 3           | Horizontal | 208            | 1.80          | -       | 39.33      | 11.47      | 34.63      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.75  
03-B-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2339G  | 48.65    | 83.54    | -34.89 | 45.39  | 1    | Vertical  | 242     | 2.72   | -       | 37.72 | 15.19 | 49.65 |
| AV   | 19.23468G | 35.10    | 63.54    | -28.44 | 31.84  | 1    | Vertical  | 242     | 2.72   | -       | 37.72 | 15.19 | 49.65 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 19.75  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.25688G    | 49.38             | 83.54             | -34.16         | 46.12         | 1           | Horizontal | 159            | 2.60          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.2324G     | 35.11             | 63.54             | -28.43         | 31.85         | 1           | Horizontal | 159            | 2.60          | -       | 37.72      | 15.19      | 49.65      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 0.5  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.862G       | 61.84             | 88.20             | -26.36         | 55.54         | 3           | Vertical  | 300            | 1.33          | -       | 34.37      | 7.46       | 35.53      |
| RMS  | 5.919G       | 50.17             | 68.20             | -18.03         | 43.53         | 3           | Vertical  | 300            | 1.33          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.435G       | 97.49             | Inf               | -Inf           | 90.39         | 3           | Vertical  | 300            | 1.33          | -       | 34.76      | 7.77       | 35.43      |
| RMS  | 6.435G       | 87.08             | Inf               | -Inf           | 79.98         | 3           | Vertical  | 300            | 1.33          | -       | 34.76      | 7.77       | 35.43      |
| PK   | 7.164G       | 65.13             | 88.20             | -23.07         | 56.28         | 3           | Vertical  | 300            | 1.33          | -       | 36.18      | 8.20       | 35.53      |
| RMS  | 7.155G       | 54.65             | 68.20             | -13.55         | 45.85         | 3           | Vertical  | 300            | 1.33          | -       | 36.13      | 8.20       | 35.53      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 0.5  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 61.89             | 88.20             | -26.31         | 55.22         | 3           | Horizontal | 360            | 1.80          | -       | 34.70      | 7.53       | 35.56      |
| RMS  | 5.922G       | 50.25             | 68.20             | -17.95         | 43.60         | 3           | Horizontal | 360            | 1.80          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.432G       | 96.83             | Inf               | -Inf           | 89.73         | 3           | Horizontal | 360            | 1.80          | -       | 34.77      | 7.76       | 35.43      |
| RMS  | 6.435G       | 86.27             | Inf               | -Inf           | 79.17         | 3           | Horizontal | 360            | 1.80          | -       | 34.76      | 7.77       | 35.43      |
| PK   | 7.173G       | 65.17             | 88.20             | -23.03         | 56.26         | 3           | Horizontal | 360            | 1.80          | -       | 36.24      | 8.20       | 35.53      |
| RMS  | 7.158G       | 54.65             | 68.20             | -13.55         | 45.83         | 3           | Horizontal | 360            | 1.80          | -       | 36.15      | 8.20       | 35.53      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.86058G    | 59.74             | 88.20             | -28.46         | 43.45         | 3           | Vertical  | 92             | 1.10          | -       | 39.36      | 11.49      | 34.56      |
| RMS  | 12.88488G    | 45.90             | 68.20             | -22.30         | 29.51         | 3           | Vertical  | 92             | 1.10          | -       | 39.38      | 11.51      | 34.50      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.87606G    | 59.42             | 88.20             | -28.78         | 43.07         | 3           | Horizontal | 20             | 2.82          | -       | 39.38      | 11.50      | 34.53      |  |
| RMS  | 12.88014G    | 45.87             | 68.20             | -22.33         | 29.51         | 3           | Horizontal | 20             | 2.82          | -       | 39.38      | 11.50      | 34.52      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30062G    | 49.76             | 83.54             | -33.78         | 46.46         | 1           | Vertical  | 37             | 2.09          | -       | 37.74      | 15.22      | 49.66      |
| AV   | 19.31376G    | 35.04             | 63.54             | -28.50         | 31.72         | 1           | Vertical  | 37             | 2.09          | -       | 37.75      | 15.23      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.31334G    | 48.79             | 83.54             | -34.75         | 45.47         | 1           | Horizontal | 38             | 2.81          | -       | 37.75      | 15.23      | 49.66      |
| AV   | 19.31622G    | 35.03             | 63.54             | -28.51         | 31.71         | 1           | Horizontal | 38             | 2.81          | -       | 37.75      | 15.23      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 0.5  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.878G       | 61.87             | 88.20             | -26.33         | 55.46         | 3           | Vertical  | 329            | 2.13          | -       | 34.47      | 7.48       | 35.54      |
| RMS  | 5.925G       | 50.18             | 68.20             | -18.02         | 43.52         | 3           | Vertical  | 329            | 2.13          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.475G       | 96.98             | Inf               | -Inf           | 89.84         | 3           | Vertical  | 329            | 2.13          | -       | 34.70      | 7.85       | 35.41      |
| RMS  | 6.475G       | 86.28             | Inf               | -Inf           | 79.14         | 3           | Vertical  | 329            | 2.13          | -       | 34.70      | 7.85       | 35.41      |
| PK   | 7.144G       | 65.71             | 88.20             | -22.49         | 56.98         | 3           | Vertical  | 329            | 2.13          | -       | 36.06      | 8.20       | 35.53      |
| RMS  | 7.162G       | 54.62             | 68.20             | -13.58         | 45.78         | 3           | Vertical  | 329            | 2.13          | -       | 36.17      | 8.20       | 35.53      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 0.5  
 03-B-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.836G       | 60.76             | 88.20             | -27.44         | 54.57         | 3           | Horizontal | 115            | 1.70          | -       | 34.27      | 7.44       | 35.52      |
| RMS  | 5.925G       | 50.27             | 68.20             | -17.93         | 43.61         | 3           | Horizontal | 115            | 1.70          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.475G       | 95.98             | Inf               | -Inf           | 88.84         | 3           | Horizontal | 115            | 1.70          | -       | 34.70      | 7.85       | 35.41      |
| RMS  | 6.475G       | 85.20             | Inf               | -Inf           | 78.06         | 3           | Horizontal | 115            | 1.70          | -       | 34.70      | 7.85       | 35.41      |
| PK   | 7.165G       | 65.82             | 88.20             | -22.38         | 56.96         | 3           | Horizontal | 115            | 1.70          | -       | 36.19      | 8.20       | 35.53      |
| RMS  | 7.159G       | 54.70             | 68.20             | -13.50         | 45.88         | 3           | Horizontal | 115            | 1.70          | -       | 36.15      | 8.20       | 35.53      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95282G    | 61.29             | 88.20             | -26.91         | 44.63         | 3           | Vertical  | 203            | 2.43          | -       | 39.45      | 11.56      | 34.35      |
| RMS  | 12.95702G    | 46.51             | 68.20             | -21.69         | 29.82         | 3           | Vertical  | 203            | 2.43          | -       | 39.46      | 11.57      | 34.34      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96278G    | 60.21             | 88.20             | -27.99         | 43.51         | 3           | Horizontal | 297            | 2.39          | -       | 39.46      | 11.57      | 34.33      |
| RMS  | 12.95222G    | 46.50             | 68.20             | -21.70         | 29.84         | 3           | Horizontal | 297            | 2.39          | -       | 39.45      | 11.56      | 34.35      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom



EUT V\_2TX  
Setting 0.5  
03-B-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.43064G | 49.09    | 83.54    | -34.45 | 45.67  | 1    | Vertical  | 248     | 2.03   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.42776G | 35.44    | 63.54    | -28.10 | 32.02  | 1    | Vertical  | 248     | 2.03   | -       | 37.84 | 15.27 | 49.69 |  |