


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.9831G	52.34	83.54	-31.20	48.48	1	Vertical	195	2.14	-	37.63	15.94	49.71	
AV	20.98415G	37.88	63.54	-25.66	34.02	1	Vertical	195	2.14	-	37.63	15.94	49.71	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98731G	51.35	83.54	-32.19	47.50	1	Horizontal	87	2.51	-	37.62	15.94	49.71
AV	20.98802G	37.90	63.54	-25.64	34.04	1	Horizontal	87	2.51	-	37.62	15.94	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Y_2TX
Setting 0
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	117.85	Inf	-Inf	107.16	3	Vertical	52	2.18	-	36.51	7.25	33.07	
RMS	7.0962G	108.53	Inf	-Inf	97.84	3	Vertical	52	2.18	-	36.51	7.25	33.07	
PK	7.1278G	87.76	88.20	-0.44	76.89	3	Vertical	52	2.18	-	36.72	7.24	33.09	
RMS	7.125G	64.54	68.20	-3.66	53.69	3	Vertical	52	2.18	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	110.22	Inf	-Inf	99.53	3	Horizontal	30	2.89	-	36.51	7.25	33.07
RMS	7.0922G	101.50	Inf	-Inf	90.80	3	Horizontal	30	2.89	-	36.52	7.25	33.07
PK	7.127G	82.02	88.20	-6.18	71.15	3	Horizontal	30	2.89	-	36.72	7.24	33.09
RMS	7.1254G	59.97	68.20	-8.23	49.12	3	Horizontal	30	2.89	-	36.70	7.24	33.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19178G	66.39	88.20	-21.81	45.24	3	Vertical	63	2.33	-	40.81	9.96	29.62	
RMS	14.19226G	54.02	68.20	-14.18	32.87	3	Vertical	63	2.33	-	40.81	9.96	29.62	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18714G	66.91	88.20	-21.29	45.76	3	Horizontal	287	2.33	-	40.81	9.96	29.62	
RMS	14.19192G	54.02	68.20	-14.18	32.87	3	Horizontal	287	2.33	-	40.81	9.96	29.62	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28116G	51.48	83.54	-32.06	47.40	1	Vertical	219	1.58	-	37.64	16.08	49.64
AV	21.28066G	38.32	63.54	-25.22	34.24	1	Vertical	219	1.58	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28384G	50.79	83.54	-32.75	46.71	1	Horizontal	114	1.54	-	37.64	16.08	49.64
AV	21.28704G	38.38	63.54	-25.16	34.30	1	Horizontal	114	1.54	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10755G	106.77	Inf	-Inf	96.04	3	Vertical	50	2.24	-	36.56	7.25	33.08	
RMS	7.1075G	91.39	Inf	-Inf	80.66	3	Vertical	50	2.24	-	36.56	7.25	33.08	
PK	7.1255G	82.55	88.20	-5.65	71.70	3	Vertical	50	2.24	-	36.70	7.24	33.09	
RMS	7.1255G	67.60	68.20	-0.60	56.75	3	Vertical	50	2.24	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11255G	98.87	Inf	-Inf	88.11	3	Horizontal	33	2.82	-	36.60	7.24	33.08	
RMS	7.11G	87.19	Inf	-Inf	76.44	3	Horizontal	33	2.82	-	36.58	7.25	33.08	
PK	7.1255G	76.41	88.20	-11.79	65.56	3	Horizontal	33	2.82	-	36.70	7.24	33.09	
RMS	7.1255G	64.16	68.20	-4.04	53.31	3	Horizontal	33	2.82	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23912G	66.72	88.20	-21.48	45.69	3	Vertical	236	1.78	-	40.72	9.97	29.66
RMS	14.22796G	54.69	68.20	-13.51	33.63	3	Vertical	236	1.78	-	40.74	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22796G	67.29	88.20	-20.91	46.23	3	Horizontal	201	2.66	-	40.74	9.97	29.65
RMS	14.22748G	56.54	68.20	-11.66	35.47	3	Horizontal	201	2.66	-	40.75	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3455G	51.45	83.54	-32.09	47.26	1	Vertical	174	1.57	-	37.71	16.11	49.63	
AV	21.34874G	39.30	63.54	-24.24	35.10	1	Vertical	174	1.57	-	37.72	16.11	49.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34772G	51.23	83.54	-32.31	47.03	1	Horizontal	5	1.54	-	37.72	16.11	49.63
AV	21.34532G	39.37	63.54	-24.17	35.18	1	Horizontal	5	1.54	-	37.71	16.11	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	86.00	88.20	-2.20	77.21	3	Vertical	42	2.12	-	35.00	6.60	32.81	
RMS	5.9246G	67.85	68.20	-0.35	59.06	3	Vertical	42	2.12	-	35.00	6.60	32.81	
PK	5.9562G	115.39	Inf	-Inf	106.49	3	Vertical	42	2.12	-	35.12	6.60	32.82	
RMS	5.9562G	106.41	Inf	-Inf	97.51	3	Vertical	42	2.12	-	35.12	6.60	32.82	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	77.00	88.20	-11.20	68.21	3	Horizontal	57	1.84	-	35.00	6.60	32.81	
RMS	5.925G	60.27	68.20	-7.93	51.48	3	Horizontal	57	1.84	-	35.00	6.60	32.81	
PK	5.9502G	106.45	Inf	-Inf	97.57	3	Horizontal	57	1.84	-	35.10	6.60	32.82	
RMS	5.9494G	98.22	Inf	-Inf	89.34	3	Horizontal	57	1.84	-	35.10	6.60	32.82	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92832G	60.84	74.00	-13.16	44.93	3	Vertical	305	1.89	-	38.50	8.98	31.57
AV	11.92908G	48.55	54.00	-5.45	32.64	3	Vertical	305	1.89	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93078G	61.58	74.00	-12.42	45.67	3	Horizontal	166	1.53	-	38.50	8.98	31.57
AV	11.9286G	48.55	54.00	-5.45	32.64	3	Horizontal	166	1.53	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.862G	64.46	88.20	-23.74	55.82	3	Vertical	318	1.80	-	34.82	6.60	32.78	
RMS	5.9236G	52.94	68.20	-15.26	44.16	3	Vertical	318	1.80	-	34.99	6.60	32.81	
PK	6.2078G	117.41	Inf	-Inf	107.92	3	Vertical	318	1.80	-	35.44	6.90	32.85	
RMS	6.2078G	107.18	Inf	-Inf	97.69	3	Vertical	318	1.80	-	35.44	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.883G	63.18	88.20	-25.02	54.50	3	Horizontal	182	2.65	-	34.87	6.60	32.79	
RMS	5.9222G	52.94	68.20	-15.26	44.16	3	Horizontal	182	2.65	-	34.99	6.60	32.81	
PK	6.2036G	111.62	Inf	-Inf	102.10	3	Horizontal	182	2.65	-	35.47	6.90	32.85	
RMS	6.2036G	100.37	Inf	-Inf	90.85	3	Horizontal	182	2.65	-	35.47	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
 Setting 20
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42056G	61.89	74.00	-12.11	45.62	3	Vertical	231	1.79	-	38.66	9.19	31.58
AV	12.40616G	48.68	54.00	-5.32	32.39	3	Vertical	231	1.79	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41084G	64.47	74.00	-9.53	48.19	3	Horizontal	215	1.80	-	38.68	9.18	31.58
AV	12.4058G	50.92	54.00	-3.08	34.63	3	Horizontal	215	1.80	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.61329G	50.41	83.54	-33.13	47.70	1	Vertical	23	2.49	-	37.75	14.95	49.99	
AV	18.61662G	37.05	63.54	-26.49	34.33	1	Vertical	23	2.49	-	37.75	14.95	49.98	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.61433G	50.25	83.54	-33.29	47.54	1	Horizontal	343	1.80	-	37.75	14.95	49.99	
AV	18.61835G	36.16	63.54	-27.38	33.44	1	Horizontal	343	1.80	-	37.75	14.95	49.98	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	64.03	88.20	-24.17	55.32	3	Vertical	325	1.74	-	34.91	6.60	32.80
RMS	5.9226G	53.00	68.20	-15.20	44.22	3	Vertical	325	1.74	-	34.99	6.60	32.81
PK	6.405G	116.83	Inf	-Inf	107.11	3	Vertical	325	1.74	-	35.58	7.00	32.86
RMS	6.4074G	105.63	Inf	-Inf	95.92	3	Vertical	325	1.74	-	35.57	7.00	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8986G	63.69	88.20	-24.51	54.99	3	Horizontal	144	1.76	-	34.90	6.60	32.80	
RMS	5.9226G	52.94	68.20	-15.26	44.16	3	Horizontal	144	1.76	-	34.99	6.60	32.81	
PK	6.4074G	109.55	Inf	-Inf	99.84	3	Horizontal	144	1.76	-	35.57	7.00	32.86	
RMS	6.4074G	99.81	Inf	-Inf	90.10	3	Horizontal	144	1.76	-	35.57	7.00	32.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80896G	61.13	88.20	-27.07	43.49	3	Vertical	237	1.06	-	39.21	9.36	30.93
RMS	12.80831G	47.58	68.20	-20.62	29.94	3	Vertical	237	1.06	-	39.21	9.36	30.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81266G	61.18	88.20	-27.02	43.52	3	Horizontal	59	2.21	-	39.21	9.37	30.92
RMS	12.80856G	48.24	68.20	-19.96	30.60	3	Horizontal	59	2.21	-	39.21	9.36	30.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.21564G	49.93	83.54	-33.61	46.64	1	Vertical	325	2.76	-	37.74	15.19	49.64	
AV	19.21786G	36.44	63.54	-27.10	33.15	1	Vertical	325	2.76	-	37.74	15.19	49.64	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2159G	50.62	83.54	-32.92	47.33	1	Horizontal	263	1.28	-	37.74	15.19	49.64
AV	19.21195G	37.06	63.54	-26.48	33.77	1	Horizontal	263	1.28	-	37.75	15.18	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	63.39	88.20	-24.81	54.65	3	Vertical	324	2.34	-	34.94	6.60	32.80	
RMS	5.9224G	52.90	68.20	-15.30	44.12	3	Vertical	324	2.34	-	34.99	6.60	32.81	
PK	6.445G	97.78	Inf	-Inf	88.22	3	Vertical	324	2.34	-	35.42	7.00	32.86	
RMS	6.4424G	87.88	Inf	-Inf	78.31	3	Vertical	324	2.34	-	35.43	7.00	32.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8028G	63.16	88.20	-25.04	54.90	3	Horizontal	143	1.83	-	34.42	6.60	32.76
RMS	5.925G	52.92	68.20	-15.28	44.13	3	Horizontal	143	1.83	-	35.00	6.60	32.81
PK	6.4476G	93.13	Inf	-Inf	83.58	3	Horizontal	143	1.83	-	35.41	7.00	32.86
RMS	6.4424G	81.77	Inf	-Inf	72.20	3	Horizontal	143	1.83	-	35.43	7.00	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89059G	62.24	88.20	-25.96	44.30	3	Vertical	78	2.47	-	39.29	9.40	30.75	
RMS	12.88927G	48.99	68.20	-19.21	31.06	3	Vertical	78	2.47	-	39.29	9.40	30.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8886G	62.13	88.20	-26.07	44.20	3	Horizontal	327	1.14	-	39.29	9.40	30.76	
RMS	12.88691G	48.29	68.20	-19.91	30.36	3	Horizontal	327	1.14	-	39.29	9.40	30.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.33525G	49.39	83.54	-34.15	46.06	1	Vertical	332	1.74	-	37.77	15.23	49.67
AV	19.3359G	35.94	63.54	-27.60	32.61	1	Vertical	332	1.74	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33219G	49.86	83.54	-33.68	46.53	1	Horizontal	262	2.06	-	37.77	15.23	49.67
AV	19.33548G	36.07	63.54	-27.47	32.74	1	Horizontal	262	2.06	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	63.00	88.20	-25.20	54.53	3	Vertical	31	1.80	-	34.64	6.60	32.77
RMS	5.9222G	52.98	68.20	-15.22	44.20	3	Vertical	31	1.80	-	34.99	6.60	32.81
PK	6.4822G	99.25	Inf	-Inf	89.58	3	Vertical	31	1.80	-	35.53	7.00	32.86
RMS	6.4822G	87.91	Inf	-Inf	78.24	3	Vertical	31	1.80	-	35.53	7.00	32.86
PK	7.157G	67.42	88.20	-20.78	56.37	3	Vertical	31	1.80	-	36.93	7.22	33.10
RMS	7.1738G	56.07	68.20	-12.13	44.97	3	Vertical	31	1.80	-	37.00	7.21	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	63.72	88.20	-24.48	55.08	3	Horizontal	144	1.80	-	34.82	6.60	32.78
RMS	5.925G	52.98	68.20	-15.22	44.19	3	Horizontal	144	1.80	-	35.00	6.60	32.81
PK	6.4822G	90.09	Inf	-Inf	80.42	3	Horizontal	144	1.80	-	35.53	7.00	32.86
RMS	6.4822G	80.42	Inf	-Inf	70.75	3	Horizontal	144	1.80	-	35.53	7.00	32.86
PK	7.1766G	66.64	88.20	-21.56	55.53	3	Horizontal	144	1.80	-	37.01	7.21	33.11
RMS	7.1822G	56.03	68.20	-12.17	44.90	3	Horizontal	144	1.80	-	37.03	7.21	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96737G	62.76	88.20	-25.44	44.41	3	Vertical	330	1.05	-	39.50	9.44	30.59	
RMS	12.97281G	48.94	68.20	-19.26	30.56	3	Vertical	330	1.05	-	39.52	9.44	30.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9708G	62.94	88.20	-25.26	44.57	3	Horizontal	172	1.23	-	39.51	9.44	30.58	
RMS	12.96745G	49.70	68.20	-18.50	31.35	3	Horizontal	172	1.23	-	39.50	9.44	30.59	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45769G	50.05	83.54	-33.49	46.59	1	Vertical	26	1.13	-	37.87	15.28	49.69
AV	19.45164G	36.64	63.54	-26.90	33.19	1	Vertical	26	1.13	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45844G	49.97	83.54	-33.57	46.51	1	Horizontal	191	1.63	-	37.87	15.28	49.69
AV	19.45619G	35.98	63.54	-27.56	32.53	1	Horizontal	191	1.63	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	63.41	88.20	-24.79	54.63	3	Vertical	258	1.80	-	34.99	6.60	32.81
RMS	5.923G	52.94	68.20	-15.26	44.16	3	Vertical	258	1.80	-	34.99	6.60	32.81
PK	6.522G	95.97	Inf	-Inf	86.15	3	Vertical	258	1.80	-	35.69	7.00	32.87
RMS	6.5278G	85.68	Inf	-Inf	75.84	3	Vertical	258	1.80	-	35.71	7.00	32.87
PK	7.1354G	66.65	88.20	-21.55	55.73	3	Vertical	258	1.80	-	36.78	7.23	33.09
RMS	7.2222G	56.17	68.20	-12.03	44.99	3	Vertical	258	1.80	-	37.10	7.22	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	63.25	88.20	-24.95	54.50	3	Horizontal	205	3.00	-	34.96	6.60	32.81
RMS	5.925G	53.33	68.20	-14.87	44.54	3	Horizontal	205	3.00	-	35.00	6.60	32.81
PK	6.5278G	92.11	Inf	-Inf	82.27	3	Horizontal	205	3.00	-	35.71	7.00	32.87
RMS	6.5278G	81.45	Inf	-Inf	71.61	3	Horizontal	205	3.00	-	35.71	7.00	32.87
PK	7.1802G	67.09	88.20	-21.11	55.97	3	Horizontal	205	3.00	-	37.02	7.21	33.11
RMS	7.2222G	56.44	68.20	-11.76	45.26	3	Horizontal	205	3.00	-	37.10	7.22	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04765G	63.90	88.20	-24.30	45.23	3	Vertical	33	1.95	-	39.65	9.47	30.45
RMS	13.05069G	49.53	68.20	-18.67	30.85	3	Vertical	33	1.95	-	39.65	9.47	30.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.04789G	63.48	88.20	-24.72	44.81	3	Horizontal	84	1.90	-	39.65	9.47	30.45	
RMS	13.05339G	49.48	68.20	-18.72	30.80	3	Horizontal	84	1.90	-	39.65	9.47	30.44	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5744G	50.23	83.54	-33.31	46.73	1	Vertical	141	2.15	-	37.87	15.33	49.70
AV	19.57291G	37.50	63.54	-26.04	34.00	1	Vertical	141	2.15	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57619G	50.49	83.54	-33.05	46.99	1	Horizontal	115	1.62	-	37.87	15.33	49.70
AV	19.57752G	36.85	63.54	-26.69	33.35	1	Horizontal	115	1.62	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	118.09	Inf	-Inf	108.14	3	Vertical	262	1.73	-	35.83	7.00	32.88
RMS	6.5674G	106.82	Inf	-Inf	96.87	3	Vertical	262	1.73	-	35.83	7.00	32.88
PK	7.1338G	67.06	88.20	-21.14	56.15	3	Vertical	262	1.73	-	36.77	7.23	33.09
RMS	7.1554G	56.22	68.20	-11.98	45.18	3	Vertical	262	1.73	-	36.92	7.22	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	110.44	Inf	-Inf	100.49	3	Horizontal	342	1.80	-	35.83	7.00	32.88
RMS	6.5674G	98.37	Inf	-Inf	88.42	3	Horizontal	342	1.80	-	35.83	7.00	32.88
PK	7.1578G	66.57	88.20	-21.63	55.52	3	Horizontal	342	1.80	-	36.93	7.22	33.10
RMS	7.1434G	56.38	68.20	-11.82	45.39	3	Horizontal	342	1.80	-	36.85	7.23	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16052G	63.48	88.20	-24.72	44.42	3	Vertical	238	1.80	-	39.82	9.52	30.28
RMS	13.13546G	50.37	68.20	-17.83	31.41	3	Vertical	238	1.80	-	39.77	9.51	30.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13644G	64.40	88.20	-23.80	45.44	3	Horizontal	151	1.79	-	39.77	9.51	30.32	
RMS	13.12664G	50.91	68.20	-17.29	31.98	3	Horizontal	151	1.79	-	39.75	9.51	30.33	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69478G	51.39	83.54	-32.15	47.89	1	Vertical	273	1.07	-	37.82	15.38	49.70
AV	19.69613G	38.75	63.54	-24.79	35.25	1	Vertical	273	1.07	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69303G	51.32	83.54	-32.22	47.82	1	Horizontal	177	2.55	-	37.82	15.38	49.70
AV	19.69345G	38.46	63.54	-25.08	34.96	1	Horizontal	177	2.55	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	116.17	Inf	-Inf	106.16	3	Vertical	33	1.62	-	35.93	7.00	32.92	
RMS	6.683G	104.99	Inf	-Inf	94.98	3	Vertical	33	1.62	-	35.93	7.00	32.92	
PK	7.173G	67.16	88.20	-21.04	56.07	3	Vertical	33	1.62	-	36.99	7.21	33.11	
RMS	7.173G	56.27	68.20	-11.93	45.18	3	Vertical	33	1.62	-	36.99	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	107.15	Inf	-Inf	97.14	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
RMS	6.683G	95.97	Inf	-Inf	85.96	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
PK	7.169G	67.52	88.20	-20.68	56.43	3	Horizontal	142	1.80	-	36.98	7.22	33.11	
RMS	7.167G	56.22	68.20	-11.98	45.14	3	Horizontal	142	1.80	-	36.97	7.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37098G	65.25	74.00	-8.75	45.46	3	Vertical	291	1.32	-	40.14	9.62	29.97
AV	13.3756G	51.27	54.00	-2.73	31.46	3	Vertical	291	1.32	-	40.15	9.62	29.96

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38022G	64.70	74.00	-9.30	44.88	3	Horizontal	148	1.78	-	40.16	9.62	29.96
AV	13.37462G	50.97	54.00	-3.03	31.17	3	Horizontal	148	1.78	-	40.15	9.62	29.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.05345G	50.47	83.54	-33.07	47.23	1	Vertical	228	2.72	-	37.44	15.52	49.72	
AV	20.05182G	36.88	63.54	-26.66	33.64	1	Vertical	228	2.72	-	37.44	15.52	49.72	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05615G	50.26	83.54	-33.28	47.01	1	Horizontal	215	2.85	-	37.44	15.53	49.72
AV	20.05725G	36.23	63.54	-27.31	32.97	1	Horizontal	215	2.85	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 4.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8808G	100.24	Inf	-Inf	89.75	3	Vertical	67	1.62	-	36.35	7.12	32.98	
RMS	6.8822G	89.69	Inf	-Inf	79.21	3	Vertical	67	1.62	-	36.34	7.12	32.98	
PK	7.144G	67.04	88.20	-21.16	56.05	3	Vertical	67	1.62	-	36.85	7.23	33.09	
RMS	7.1734G	56.18	68.20	-12.02	45.09	3	Vertical	67	1.62	-	36.99	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 4.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8878G	90.08	Inf	-Inf	79.63	3	Horizontal	332	1.78	-	36.30	7.13	32.98	
RMS	6.8878G	79.23	Inf	-Inf	68.78	3	Horizontal	332	1.78	-	36.30	7.13	32.98	
PK	7.1944G	67.38	88.20	-20.82	56.22	3	Horizontal	332	1.78	-	37.08	7.20	33.12	
RMS	7.2112G	56.43	68.20	-11.77	45.25	3	Horizontal	332	1.78	-	37.10	7.21	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7708G	66.93	88.20	-21.27	46.04	3	Vertical	93	1.07	-	40.71	9.80	29.62	
RMS	13.77077G	53.50	68.20	-14.70	32.61	3	Vertical	93	1.07	-	40.71	9.80	29.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 4.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76814G	67.14	88.20	-21.06	46.26	3	Horizontal	267	2.95	-	40.70	9.80	29.62
RMS	13.77035G	52.66	68.20	-15.54	31.77	3	Horizontal	267	2.95	-	40.71	9.80	29.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65826G	52.20	83.54	-31.34	48.35	1	Vertical	214	2.02	-	37.89	15.80	49.84
AV	20.65644G	37.96	63.54	-25.58	34.11	1	Vertical	214	2.02	-	37.89	15.80	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.65532G	51.79	83.54	-31.75	47.95	1	Horizontal	291	2.77	-	37.89	15.79	49.84	
AV	20.65314G	38.54	63.54	-25.00	34.71	1	Horizontal	291	2.77	-	37.88	15.79	49.84	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	103.33	Inf	-Inf	92.78	3	Vertical	71	1.48	-	36.36	7.19	33.00	
RMS	6.9274G	92.78	Inf	-Inf	82.23	3	Vertical	71	1.48	-	36.36	7.19	33.00	
PK	7.1566G	67.14	88.20	-21.06	56.09	3	Vertical	71	1.48	-	36.93	7.22	33.10	
RMS	7.2214G	56.41	68.20	-11.79	45.23	3	Vertical	71	1.48	-	37.10	7.22	33.14	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9286G	92.31	Inf	-Inf	81.75	3	Horizontal	331	1.80	-	36.37	7.19	33.00	
RMS	6.9274G	81.18	Inf	-Inf	70.63	3	Horizontal	331	1.80	-	36.36	7.19	33.00	
PK	7.1566G	67.23	88.20	-20.97	56.18	3	Horizontal	331	1.80	-	36.93	7.22	33.10	
RMS	7.201G	56.35	68.20	-11.85	45.17	3	Horizontal	331	1.80	-	37.10	7.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85128G	66.47	88.20	-21.73	45.37	3	Vertical	25	1.86	-	40.85	9.83	29.58	
RMS	13.85055G	53.68	68.20	-14.52	32.58	3	Vertical	25	1.86	-	40.85	9.83	29.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84945G	66.91	88.20	-21.29	45.81	3	Horizontal	161	1.43	-	40.85	9.83	29.58	
RMS	13.85102G	52.97	68.20	-15.23	31.87	3	Horizontal	161	1.43	-	40.85	9.83	29.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77305G	52.54	83.54	-31.00	48.52	1	Vertical	349	2.39	-	37.96	15.85	49.79
AV	20.77174G	38.82	63.54	-24.72	34.79	1	Vertical	349	2.39	-	37.97	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77597G	53.10	83.54	-30.44	49.08	1	Horizontal	79	2.52	-	37.96	15.85	49.79
AV	20.77487G	39.39	63.54	-24.15	35.37	1	Horizontal	79	2.52	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	104.38	Inf	-Inf	93.76	3	Vertical	67	1.71	-	36.34	7.30	33.02	
RMS	7.0074G	93.12	Inf	-Inf	82.50	3	Vertical	67	1.71	-	36.34	7.30	33.02	
PK	7.2018G	68.08	88.20	-20.12	56.90	3	Vertical	67	1.71	-	37.10	7.20	33.12	
RMS	7.2034G	56.26	68.20	-11.94	45.09	3	Vertical	67	1.71	-	37.10	7.20	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	93.47	Inf	-Inf	82.85	3	Horizontal	333	1.90	-	36.34	7.30	33.02	
RMS	7.0074G	82.86	Inf	-Inf	72.24	3	Horizontal	333	1.90	-	36.34	7.30	33.02	
PK	7.1346G	67.46	88.20	-20.74	56.54	3	Horizontal	333	1.90	-	36.78	7.23	33.09	
RMS	7.2018G	56.25	68.20	-11.95	45.07	3	Horizontal	333	1.90	-	37.10	7.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00878G	67.41	88.20	-20.79	46.11	3	Vertical	225	2.34	-	40.90	9.90	29.50
RMS	14.01111G	53.56	68.20	-14.64	32.26	3	Vertical	225	2.34	-	40.90	9.90	29.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0107G	67.10	88.20	-21.10	45.80	3	Horizontal	236	1.89	-	40.90	9.90	29.50	
RMS	14.01112G	53.55	68.20	-14.65	32.25	3	Horizontal	236	1.89	-	40.90	9.90	29.50	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01606G	51.03	83.54	-32.51	47.17	1	Vertical	282	2.57	-	37.60	15.96	49.70
AV	21.01438G	37.11	63.54	-26.43	33.25	1	Vertical	282	2.57	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01319G	50.80	83.54	-32.74	46.94	1	Horizontal	319	1.02	-	37.60	15.96	49.70
AV	21.01275G	37.58	63.54	-25.96	33.72	1	Horizontal	319	1.02	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1014G	114.26	Inf	-Inf	103.57	3	Vertical	49	2.39	-	36.51	7.25	33.07	
RMS	7.0954G	105.81	Inf	-Inf	95.12	3	Vertical	49	2.39	-	36.51	7.25	33.07	
PK	7.1298G	88.05	88.20	-0.15	77.16	3	Vertical	49	2.39	-	36.74	7.24	33.09	
RMS	7.1258G	65.12	68.20	-3.08	54.26	3	Vertical	49	2.39	-	36.71	7.24	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0926G	106.50	Inf	-Inf	95.81	3	Horizontal	32	2.90	-	36.51	7.25	33.07
RMS	7.0738G	96.16	Inf	-Inf	85.41	3	Horizontal	32	2.90	-	36.55	7.26	33.06
PK	7.125G	82.40	88.20	-5.80	71.55	3	Horizontal	32	2.90	-	36.70	7.24	33.09
RMS	7.125G	61.93	68.20	-6.27	51.08	3	Horizontal	32	2.90	-	36.70	7.24	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16636G	64.96	88.20	-23.24	43.79	3	Vertical	185	2.87	-	40.83	9.95	29.61	
RMS	14.16978G	53.37	68.20	-14.83	32.20	3	Vertical	185	2.87	-	40.83	9.95	29.61	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17198G	65.90	88.20	-22.30	44.73	3	Horizontal	282	1.90	-	40.83	9.95	29.61	
RMS	14.1729G	53.47	68.20	-14.73	32.30	3	Horizontal	282	1.90	-	40.83	9.95	29.61	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25362G	51.19	83.54	-32.35	47.18	1	Vertical	321	1.53	-	37.60	16.06	49.65
AV	21.25936G	39.03	63.54	-24.51	35.00	1	Vertical	321	1.53	-	37.61	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25144G	50.81	83.54	-32.73	46.80	1	Horizontal	333	1.54	-	37.60	16.06	49.65
AV	21.25686G	39.03	63.54	-24.51	35.00	1	Horizontal	333	1.54	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	83.06	88.20	-5.14	74.31	3	Vertical	41	2.32	-	34.96	6.60	32.81
RMS	5.925G	67.63	68.20	-0.57	58.84	3	Vertical	41	2.32	-	35.00	6.60	32.81
PK	5.9666G	112.41	Inf	-Inf	103.47	3	Vertical	41	2.32	-	35.17	6.60	32.83
RMS	5.9498G	102.61	Inf	-Inf	93.73	3	Vertical	41	2.32	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
 Setting 16.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	73.66	88.20	-14.54	64.92	3	Horizontal	56	1.80	-	34.95	6.60	32.81
RMS	5.9234G	60.59	68.20	-7.61	51.81	3	Horizontal	56	1.80	-	34.99	6.60	32.81
PK	5.9666G	102.34	Inf	-Inf	93.40	3	Horizontal	56	1.80	-	35.17	6.60	32.83
RMS	5.9498G	94.34	Inf	-Inf	85.46	3	Horizontal	56	1.80	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.974G	61.57	74.00	-12.43	45.63	3	Vertical	247	2.13	-	38.50	8.99	31.55
AV	11.96718G	51.55	54.00	-2.45	35.61	3	Vertical	247	2.13	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97484G	61.15	74.00	-12.85	45.21	3	Horizontal	346	1.65	-	38.50	8.99	31.55
AV	11.97024G	51.47	54.00	-2.53	35.53	3	Horizontal	346	1.65	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	63.36	88.20	-24.84	54.67	3	Vertical	321	1.80	-	34.89	6.60	32.80
RMS	5.925G	53.10	68.20	-15.10	44.31	3	Vertical	321	1.80	-	35.00	6.60	32.81
PK	6.2124G	114.89	Inf	-Inf	105.43	3	Vertical	321	1.80	-	35.40	6.91	32.85
RMS	6.2208G	104.34	Inf	-Inf	94.95	3	Vertical	321	1.80	-	35.33	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	63.60	88.20	-24.60	54.90	3	Horizontal	142	1.74	-	34.90	6.60	32.80
RMS	5.925G	53.02	68.20	-15.18	44.23	3	Horizontal	142	1.74	-	35.00	6.60	32.81
PK	6.2292G	106.16	Inf	-Inf	96.83	3	Horizontal	142	1.74	-	35.27	6.91	32.85
RMS	6.2194G	96.61	Inf	-Inf	87.21	3	Horizontal	142	1.74	-	35.34	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4661G	61.95	74.00	-12.05	45.76	3	Vertical	235	1.80	-	38.57	9.21	31.59
AV	12.43544G	50.91	54.00	-3.09	34.66	3	Vertical	235	1.80	-	38.63	9.20	31.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46652G	63.07	74.00	-10.93	46.88	3	Horizontal	204	1.80	-	38.57	9.21	31.59
AV	12.45588G	51.98	54.00	-2.02	35.77	3	Horizontal	204	1.80	-	38.59	9.21	31.59

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.67283G	50.38	83.54	-33.16	47.61	1	Vertical	42	2.11	-	37.73	14.97	49.93	
AV	18.67746G	39.50	63.54	-24.04	36.72	1	Vertical	42	2.11	-	37.73	14.97	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67241G	49.86	83.54	-33.68	47.09	1	Horizontal	317	2.31	-	37.73	14.97	49.93
AV	18.67247G	39.79	63.54	-23.75	37.02	1	Horizontal	317	2.31	-	37.73	14.97	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
 Setting 18
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.833G	63.55	88.20	-24.65	55.06	3	Vertical	326	1.80	-	34.66	6.60	32.77	
RMS	5.924G	53.01	68.20	-15.19	44.22	3	Vertical	326	1.80	-	35.00	6.60	32.81	
PK	6.3874G	113.37	Inf	-Inf	103.72	3	Vertical	326	1.80	-	35.52	6.99	32.86	
RMS	6.3874G	102.79	Inf	-Inf	93.14	3	Vertical	326	1.80	-	35.52	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
 Setting 18
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8042G	64.72	88.20	-23.48	56.45	3	Horizontal	142	1.72	-	34.43	6.60	32.76	
RMS	5.9242G	53.10	68.20	-15.10	44.31	3	Horizontal	142	1.72	-	35.00	6.60	32.81	
PK	6.3802G	105.97	Inf	-Inf	96.36	3	Horizontal	142	1.72	-	35.48	6.99	32.86	
RMS	6.3826G	96.35	Inf	-Inf	86.72	3	Horizontal	142	1.72	-	35.50	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77153G	60.78	88.20	-27.42	43.30	3	Vertical	286	1.49	-	39.14	9.35	31.01	
RMS	12.76842G	50.17	68.20	-18.03	32.70	3	Vertical	286	1.49	-	39.14	9.35	31.02	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77028G	61.22	88.20	-26.98	43.74	3	Horizontal	2	1.02	-	39.14	9.35	31.01	
RMS	12.77295G	50.11	68.20	-18.09	32.62	3	Horizontal	2	1.02	-	39.15	9.35	31.01	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15801G	50.29	83.54	-33.25	46.95	1	Vertical	220	2.92	-	37.81	15.16	49.63	
AV	19.15612G	39.86	63.54	-23.68	36.52	1	Vertical	220	2.92	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15545G	49.91	83.54	-33.63	46.57	1	Horizontal	346	1.68	-	37.81	15.16	49.63
AV	19.15238G	39.93	63.54	-23.61	36.58	1	Horizontal	346	1.68	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	62.84	88.20	-25.36	54.05	3	Vertical	277	1.76	-	35.00	6.60	32.81	
RMS	5.9216G	53.01	68.20	-15.19	44.23	3	Vertical	277	1.76	-	34.99	6.60	32.81	
PK	6.452G	99.05	Inf	-Inf	89.50	3	Vertical	277	1.76	-	35.41	7.00	32.86	
RMS	6.4624G	88.75	Inf	-Inf	79.16	3	Vertical	277	1.76	-	35.45	7.00	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8722G	63.61	88.20	-24.59	54.96	3	Horizontal	143	1.80	-	34.84	6.60	32.79	
RMS	5.919G	53.07	68.20	-15.13	44.30	3	Horizontal	143	1.80	-	34.98	6.60	32.81	
PK	6.4442G	91.79	Inf	-Inf	82.23	3	Horizontal	143	1.80	-	35.42	7.00	32.86	
RMS	6.4624G	81.83	Inf	-Inf	72.24	3	Horizontal	143	1.80	-	35.45	7.00	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.92742G	62.13	88.20	-26.07	44.01	3	Vertical	15	2.50	-	39.38	9.42	30.68	
RMS	12.93143G	51.40	68.20	-16.80	33.26	3	Vertical	15	2.50	-	39.39	9.42	30.67	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93105G	62.32	88.20	-25.88	44.18	3	Horizontal	31	1.81	-	39.39	9.42	30.67
RMS	12.92759G	51.53	68.20	-16.67	33.40	3	Horizontal	31	1.81	-	39.38	9.42	30.67

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39391G	49.63	83.54	-33.91	46.23	1	Vertical	61	1.04	-	37.82	15.26	49.68	
AV	19.39609G	38.81	63.54	-24.73	35.41	1	Vertical	61	1.04	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39214G	49.21	83.54	-34.33	45.82	1	Horizontal	175	1.83	-	37.81	15.26	49.68	
AV	19.39429G	38.65	63.54	-24.89	35.25	1	Horizontal	175	1.83	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 7
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	62.98	88.20	-25.22	54.30	3	Vertical	266	1.80	-	34.87	6.60	32.79
RMS	5.925G	53.07	68.20	-15.13	44.28	3	Vertical	266	1.80	-	35.00	6.60	32.81
PK	6.538G	99.60	Inf	-Inf	89.73	3	Vertical	266	1.80	-	35.74	7.00	32.87
RMS	6.542G	88.48	Inf	-Inf	78.58	3	Vertical	266	1.80	-	35.77	7.00	32.87
PK	7.197G	66.94	88.20	-21.26	55.77	3	Vertical	266	1.80	-	37.09	7.20	33.12
RMS	7.245G	56.33	68.20	-11.87	45.13	3	Vertical	266	1.80	-	37.10	7.25	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	63.25	88.20	-24.95	54.48	3	Horizontal	354	2.87	-	34.98	6.60	32.81
RMS	5.9178G	53.05	68.20	-15.15	44.29	3	Horizontal	354	2.87	-	34.97	6.60	32.81
PK	6.5618G	93.32	Inf	-Inf	83.38	3	Horizontal	354	2.87	-	35.82	7.00	32.88
RMS	6.5506G	81.65	Inf	-Inf	71.73	3	Horizontal	354	2.87	-	35.80	7.00	32.88
PK	7.2226G	66.80	88.20	-21.40	55.62	3	Horizontal	354	2.87	-	37.10	7.22	33.14
RMS	7.245G	56.34	68.20	-11.86	45.14	3	Horizontal	354	2.87	-	37.10	7.25	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08874G	62.58	88.20	-25.62	43.79	3	Vertical	95	1.66	-	39.69	9.49	30.39
RMS	13.09036G	52.58	68.20	-15.62	33.79	3	Vertical	95	1.66	-	39.69	9.49	30.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09167G	63.36	88.20	-24.84	44.56	3	Horizontal	262	1.42	-	39.69	9.49	30.38	
RMS	13.087G	52.49	68.20	-15.71	33.70	3	Horizontal	262	1.42	-	39.69	9.49	30.39	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.63223G	51.62	83.54	-31.92	48.12	1	Vertical	324	2.32	-	37.85	15.35	49.70	
AV	19.63508G	40.63	63.54	-22.91	37.13	1	Vertical	324	2.32	-	37.85	15.35	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63758G	50.94	83.54	-32.60	47.44	1	Horizontal	279	2.55	-	37.84	15.36	49.70
AV	19.63193G	40.72	63.54	-22.82	37.22	1	Horizontal	279	2.55	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	113.40	Inf	-Inf	103.34	3	Vertical	260	1.72	-	35.96	7.00	32.90
RMS	6.6274G	102.01	Inf	-Inf	91.96	3	Vertical	260	1.72	-	35.95	7.00	32.90
PK	7.1434G	67.39	88.20	-20.81	56.40	3	Vertical	260	1.72	-	36.85	7.23	33.09
RMS	7.2106G	56.36	68.20	-11.84	45.18	3	Vertical	260	1.72	-	37.10	7.21	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6274G	105.40	Inf	-Inf	95.35	3	Horizontal	57	1.80	-	35.95	7.00	32.90	
RMS	6.6226G	94.09	Inf	-Inf	84.04	3	Horizontal	57	1.80	-	35.95	7.00	32.90	
PK	7.189G	66.94	88.20	-21.26	55.79	3	Horizontal	57	1.80	-	37.06	7.21	33.12	
RMS	7.2202G	56.33	68.20	-11.87	45.14	3	Horizontal	57	1.80	-	37.10	7.22	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2526G	63.29	74.00	-10.71	43.93	3	Vertical	88	1.80	-	39.95	9.56	30.15
AV	13.2514G	52.27	54.00	-1.73	32.91	3	Vertical	88	1.80	-	39.95	9.56	30.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
 Setting 19.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26526G	63.48	74.00	-10.52	44.07	3	Horizontal	108	1.80	-	39.97	9.57	30.13
AV	13.26878G	52.49	54.00	-1.51	33.07	3	Horizontal	108	1.80	-	39.97	9.57	30.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87335G	49.66	83.54	-33.88	46.31	1	Vertical	80	1.68	-	37.60	15.45	49.70	
AV	19.87263G	39.62	63.54	-23.92	36.27	1	Vertical	80	1.68	-	37.60	15.45	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87182G	50.47	83.54	-33.07	47.11	1	Horizontal	190	2.17	-	37.61	15.45	49.70
AV	19.87443G	39.04	63.54	-24.50	35.69	1	Horizontal	190	2.17	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.713G	113.24	Inf	-Inf	103.19	3	Vertical	69	1.57	-	35.98	7.00	32.93	
RMS	6.707G	102.95	Inf	-Inf	92.94	3	Vertical	69	1.57	-	35.94	7.00	32.93	
PK	7.171G	66.71	88.20	-21.49	55.63	3	Vertical	69	1.57	-	36.98	7.21	33.11	
RMS	7.193G	56.30	68.20	-11.90	45.15	3	Vertical	69	1.57	-	37.07	7.20	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
 Setting 19
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	103.18	Inf	-Inf	93.20	3	Horizontal	58	1.80	-	35.90	7.00	32.92	
RMS	6.703G	93.48	Inf	-Inf	83.48	3	Horizontal	58	1.80	-	35.92	7.00	32.92	
PK	7.127G	67.41	88.20	-20.79	56.54	3	Horizontal	58	1.80	-	36.72	7.24	33.09	
RMS	7.161G	56.08	68.20	-12.12	45.02	3	Horizontal	58	1.80	-	36.94	7.22	33.10	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41242G	63.13	88.20	-25.07	43.20	3	Vertical	30	1.78	-	40.20	9.64	29.91	
RMS	13.40929G	52.20	68.20	-16.00	32.28	3	Vertical	30	1.78	-	40.20	9.63	29.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40885G	63.04	88.20	-25.16	43.12	3	Horizontal	279	2.65	-	40.20	9.63	29.91	
RMS	13.41108G	52.33	68.20	-15.87	32.41	3	Horizontal	279	2.65	-	40.20	9.63	29.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11262G	51.01	83.54	-32.53	47.72	1	Vertical	283	2.82	-	37.49	15.55	49.75
AV	20.11482G	40.39	63.54	-23.15	37.10	1	Vertical	283	2.82	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11843G	50.58	83.54	-32.96	47.29	1	Horizontal	57	2.61	-	37.49	15.55	49.75
AV	20.11475G	40.53	63.54	-23.01	37.24	1	Horizontal	57	2.61	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
 Setting 19
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	115.00	Inf	-Inf	104.75	3	Vertical	70	1.56	-	36.20	7.00	32.95
RMS	6.7834G	104.43	Inf	-Inf	94.18	3	Vertical	70	1.56	-	36.20	7.00	32.95
PK	7.1418G	67.38	88.20	-20.82	56.41	3	Vertical	70	1.56	-	36.83	7.23	33.09
RMS	7.1578G	56.16	68.20	-12.04	45.11	3	Vertical	70	1.56	-	36.93	7.22	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
 Setting 19
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7802G	105.61	Inf	-Inf	95.36	3	Horizontal	340	2.98	-	36.20	7.00	32.95	
RMS	6.7898G	95.35	Inf	-Inf	85.10	3	Horizontal	340	2.98	-	36.20	7.00	32.95	
PK	7.1674G	67.49	88.20	-20.71	56.41	3	Horizontal	340	2.98	-	36.97	7.22	33.11	
RMS	7.1802G	56.26	68.20	-11.94	45.14	3	Horizontal	340	2.98	-	37.02	7.21	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5917G	64.41	88.20	-23.79	44.13	3	Vertical	276	1.80	-	40.29	9.72	29.73	
RMS	13.59828G	54.33	68.20	-13.87	34.03	3	Vertical	276	1.80	-	40.30	9.72	29.72	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.60164G	64.84	88.20	-23.36	44.54	3	Horizontal	219	1.77	-	40.30	9.72	29.72
RMS	13.5966G	54.91	68.20	-13.29	34.61	3	Horizontal	219	1.77	-	40.30	9.72	29.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35378G	51.99	83.54	-31.55	48.53	1	Vertical	189	2.67	-	37.64	15.66	49.84	
AV	20.35448G	41.08	63.54	-22.46	37.62	1	Vertical	189	2.67	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35317G	51.76	83.54	-31.78	48.30	1	Horizontal	221	2.28	-	37.64	15.66	49.84
AV	20.35212G	40.64	63.54	-22.90	37.18	1	Horizontal	221	2.28	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting 7.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8686G	102.16	Inf	-Inf	91.59	3	Vertical	70	1.56	-	36.45	7.10	32.98	
RMS	6.8674G	90.92	Inf	-Inf	80.34	3	Vertical	70	1.56	-	36.46	7.10	32.98	
PK	7.129G	66.67	88.20	-21.53	55.79	3	Vertical	70	1.56	-	36.73	7.24	33.09	
RMS	7.1482G	56.24	68.20	-11.96	45.22	3	Vertical	70	1.56	-	36.89	7.23	33.10	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 7.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8542G	89.74	Inf	-Inf	79.06	3	Horizontal	340	2.98	-	36.57	7.08	32.97
RMS	6.8578G	79.15	Inf	-Inf	68.49	3	Horizontal	340	2.98	-	36.54	7.09	32.97
PK	7.1362G	66.63	88.20	-21.57	55.70	3	Horizontal	340	2.98	-	36.79	7.23	33.09
RMS	7.1518G	56.23	68.20	-11.97	45.20	3	Horizontal	340	2.98	-	36.91	7.22	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72923G	67.00	88.20	-21.20	46.28	3	Vertical	138	2.89	-	40.59	9.78	29.65
RMS	13.7298G	55.81	68.20	-12.39	35.09	3	Vertical	138	2.89	-	40.59	9.78	29.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72768G	66.36	88.20	-21.84	45.65	3	Horizontal	0	1.63	-	40.58	9.78	29.65
RMS	13.72969G	55.76	68.20	-12.44	35.04	3	Horizontal	0	1.63	-	40.59	9.78	29.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59266G	51.52	83.54	-32.02	47.80	1	Vertical	332	1.45	-	37.81	15.77	49.86
AV	20.5945G	40.05	63.54	-23.49	36.33	1	Vertical	332	1.45	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59693G	50.42	83.54	-33.12	46.69	1	Horizontal	219	1.30	-	37.82	15.77	49.86
AV	20.59606G	40.42	63.54	-23.12	36.69	1	Horizontal	219	1.30	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	102.89	Inf	-Inf	92.18	3	Vertical	65	1.76	-	36.49	7.22	33.00
RMS	6.9474G	93.07	Inf	-Inf	82.37	3	Vertical	65	1.76	-	36.48	7.22	33.00
PK	7.2354G	66.77	88.20	-21.43	55.57	3	Vertical	65	1.76	-	37.10	7.24	33.14
RMS	7.2126G	56.38	68.20	-11.82	45.20	3	Vertical	65	1.76	-	37.10	7.21	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9402G	94.20	Inf	-Inf	83.55	3	Horizontal	333	1.80	-	36.44	7.21	33.00
RMS	6.9498G	83.94	Inf	-Inf	73.22	3	Horizontal	333	1.80	-	36.50	7.22	33.00
PK	7.1394G	67.56	88.20	-20.64	56.60	3	Horizontal	333	1.80	-	36.82	7.23	33.09
RMS	7.2078G	56.34	68.20	-11.86	45.16	3	Horizontal	333	1.80	-	37.10	7.21	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88985G	66.78	88.20	-21.42	45.59	3	Vertical	290	2.10	-	40.89	9.85	29.55	
RMS	13.89174G	56.25	68.20	-11.95	35.06	3	Vertical	290	2.10	-	40.89	9.85	29.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88653G	67.48	88.20	-20.72	46.30	3	Horizontal	16	1.86	-	40.89	9.85	29.56	
RMS	13.88654G	56.05	68.20	-12.15	34.87	3	Horizontal	16	1.86	-	40.89	9.85	29.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83732G	52.58	83.54	-30.96	48.61	1	Vertical	141	1.15	-	37.86	15.88	49.77
AV	20.83604G	41.32	63.54	-22.22	37.35	1	Vertical	141	1.15	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8348G	52.44	83.54	-31.10	48.47	1	Horizontal	77	1.36	-	37.86	15.88	49.77
AV	20.83314G	41.48	63.54	-22.06	37.51	1	Horizontal	77	1.36	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT V_2TX
Setting 13.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	111.55	Inf	-Inf	100.93	3	Vertical	50	2.24	-	36.34	7.30	33.02
RMS	7.0002G	103.33	Inf	-Inf	92.75	3	Vertical	50	2.24	-	36.30	7.30	33.02
PK	7.129G	79.82	88.20	-8.38	68.94	3	Vertical	50	2.24	-	36.73	7.24	33.09
RMS	7.125G	67.94	68.20	-0.26	57.09	3	Vertical	50	2.24	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 13.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	104.00	Inf	-Inf	93.38	3	Horizontal	31	2.88	-	36.34	7.30	33.02
RMS	7.013G	92.01	Inf	-Inf	81.37	3	Horizontal	31	2.88	-	36.38	7.29	33.03
PK	7.129G	73.98	88.20	-14.22	63.10	3	Horizontal	31	2.88	-	36.73	7.24	33.09
RMS	7.125G	60.21	68.20	-7.99	49.36	3	Horizontal	31	2.88	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04982G	65.80	88.20	-22.40	44.51	3	Vertical	302	2.94	-	40.90	9.91	29.52	
RMS	14.05024G	55.99	68.20	-12.21	34.70	3	Vertical	302	2.94	-	40.90	9.92	29.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04684G	65.72	88.20	-22.48	44.43	3	Horizontal	312	1.55	-	40.90	9.91	29.52	
RMS	14.04804G	55.70	68.20	-12.50	34.41	3	Horizontal	312	1.55	-	40.90	9.91	29.52	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.0776G	50.51	83.54	-33.03	46.61	1	Vertical	163	1.56	-	37.60	15.98	49.68	
AV	21.07514G	40.74	63.54	-22.80	36.84	1	Vertical	163	1.56	-	37.60	15.98	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.07694G	50.83	83.54	-32.71	46.93	1	Horizontal	233	1.55	-	37.60	15.98	49.68	
AV	21.07904G	40.94	63.54	-22.60	37.03	1	Horizontal	233	1.55	-	37.60	15.99	49.68	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	82.76	88.20	-5.44	74.08	3	Vertical	58	2.28	-	34.88	6.60	32.80
RMS	5.916G	67.76	68.20	-0.44	59.01	3	Vertical	58	2.28	-	34.96	6.60	32.81
PK	6.03G	107.59	Inf	-Inf	98.55	3	Vertical	58	2.28	-	35.24	6.64	32.84
RMS	6.03G	99.70	Inf	-Inf	90.66	3	Vertical	58	2.28	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89G	75.66	88.20	-12.54	66.98	3	Horizontal	59	1.95	-	34.88	6.60	32.80	
RMS	5.9G	61.52	68.20	-6.68	52.82	3	Horizontal	59	1.95	-	34.90	6.60	32.80	
PK	6.017G	98.16	Inf	-Inf	89.10	3	Horizontal	59	1.95	-	35.27	6.63	32.84	
RMS	6.02G	91.12	Inf	-Inf	82.07	3	Horizontal	59	1.95	-	35.26	6.63	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05058G	61.26	74.00	-12.74	45.24	3	Vertical	71	1.55	-	38.55	9.02	31.55
AV	12.04808G	51.64	54.00	-2.36	35.61	3	Vertical	71	1.55	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0453G	61.17	74.00	-12.83	45.14	3	Horizontal	176	2.70	-	38.55	9.02	31.54
AV	12.0461G	51.36	54.00	-2.64	35.33	3	Horizontal	176	2.70	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07278G	48.42	83.54	-35.12	46.32	1	Vertical	128	1.56	-	37.64	14.73	50.27
AV	18.07078G	38.01	63.54	-25.53	35.91	1	Vertical	128	1.56	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07238G	47.13	83.54	-36.41	45.03	1	Horizontal	79	1.57	-	37.64	14.73	50.27	
AV	18.07744G	37.80	63.54	-25.74	35.70	1	Horizontal	79	1.57	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
 Setting 19.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	65.98	88.20	-22.22	57.29	3	Vertical	229	1.76	-	34.89	6.60	32.80
RMS	5.9178G	53.64	68.20	-14.56	44.88	3	Vertical	229	1.76	-	34.97	6.60	32.81
PK	6.1802G	111.63	Inf	-Inf	102.19	3	Vertical	229	1.76	-	35.42	6.87	32.85
RMS	6.1818G	100.98	Inf	-Inf	91.53	3	Vertical	229	1.76	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
 Setting 19.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	66.86	88.20	-21.34	58.11	3	Horizontal	182	2.74	-	34.95	6.60	32.80
RMS	5.921G	53.86	68.20	-14.34	45.09	3	Horizontal	182	2.74	-	34.98	6.60	32.81
PK	6.1818G	106.54	Inf	-Inf	97.09	3	Horizontal	182	2.74	-	35.43	6.87	32.85
RMS	6.1818G	95.49	Inf	-Inf	86.04	3	Horizontal	182	2.74	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39156G	62.57	74.00	-11.43	46.29	3	Vertical	234	1.77	-	38.68	9.18	31.58
AV	12.39114G	51.50	54.00	-2.50	35.22	3	Vertical	234	1.77	-	38.68	9.18	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39128G	63.29	74.00	-10.71	47.01	3	Horizontal	145	1.76	-	38.68	9.18	31.58
AV	12.39128G	52.02	54.00	-1.98	35.74	3	Horizontal	145	1.76	-	38.68	9.18	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55328G	49.55	83.54	-33.99	46.90	1	Vertical	27	1.79	-	37.78	14.92	50.05
AV	18.55584G	38.87	63.54	-24.67	36.21	1	Vertical	27	1.79	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55289G	50.20	83.54	-33.34	47.55	1	Horizontal	58	3.00	-	37.78	14.92	50.05	
AV	18.55529G	38.69	63.54	-24.85	36.03	1	Horizontal	58	3.00	-	37.78	14.92	50.04	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.881G	63.53	88.20	-24.67	54.86	3	Vertical	224	1.79	-	34.86	6.60	32.79	
RMS	5.923G	53.16	68.20	-15.04	44.38	3	Vertical	224	1.79	-	34.99	6.60	32.81	
PK	6.375G	110.55	Inf	-Inf	100.97	3	Vertical	224	1.79	-	35.45	6.99	32.86	
RMS	6.353G	100.16	Inf	-Inf	90.71	3	Vertical	224	1.79	-	35.32	6.98	32.85	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	63.92	88.20	-24.28	55.25	3	Horizontal	205	2.66	-	34.86	6.60	32.79
RMS	5.925G	53.15	68.20	-15.05	44.36	3	Horizontal	205	2.66	-	35.00	6.60	32.81
PK	6.349G	101.51	Inf	-Inf	92.09	3	Horizontal	205	2.66	-	35.30	6.97	32.85
RMS	6.349G	91.90	Inf	-Inf	82.48	3	Horizontal	205	2.66	-	35.30	6.97	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6909G	60.75	74.00	-13.25	43.65	3	Vertical	128	1.09	-	38.97	9.31	31.18
AV	12.68755G	50.34	54.00	-3.66	33.26	3	Vertical	128	1.09	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6883G	62.01	74.00	-11.99	44.93	3	Horizontal	243	1.54	-	38.96	9.31	31.19
AV	12.68817G	50.15	54.00	-3.85	33.07	3	Horizontal	243	1.54	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03804G	50.03	83.54	-33.51	46.57	1	Vertical	330	1.30	-	37.95	15.12	49.61
AV	19.03289G	39.15	63.54	-24.39	35.69	1	Vertical	330	1.30	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03424G	49.73	83.54	-33.81	46.27	1	Horizontal	135	1.69	-	37.96	15.11	49.61
AV	19.03662G	39.28	63.54	-24.26	35.82	1	Horizontal	135	1.69	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 9.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	63.36	88.20	-24.84	54.68	3	Vertical	229	1.76	-	34.88	6.60	32.80
RMS	5.925G	53.16	68.20	-15.04	44.37	3	Vertical	229	1.76	-	35.00	6.60	32.81
PK	6.5022G	95.81	Inf	-Inf	86.06	3	Vertical	229	1.76	-	35.61	7.00	32.86
RMS	6.5022G	84.55	Inf	-Inf	74.80	3	Vertical	229	1.76	-	35.61	7.00	32.86
PK	7.1714G	66.34	88.20	-21.86	55.25	3	Vertical	229	1.76	-	36.99	7.21	33.11
RMS	7.1742G	56.30	68.20	-11.90	45.20	3	Vertical	229	1.76	-	37.00	7.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 9.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	63.86	88.20	-24.34	55.11	3	Horizontal	182	2.74	-	34.96	6.60	32.81
RMS	5.9226G	53.14	68.20	-15.06	44.36	3	Horizontal	182	2.74	-	34.99	6.60	32.81
PK	6.4798G	89.55	Inf	-Inf	79.89	3	Horizontal	182	2.74	-	35.52	7.00	32.86
RMS	6.5022G	78.39	Inf	-Inf	68.64	3	Horizontal	182	2.74	-	35.61	7.00	32.86
PK	7.1602G	66.21	88.20	-21.99	55.15	3	Horizontal	182	2.74	-	36.94	7.22	33.10
RMS	7.1882G	56.21	68.20	-11.99	45.07	3	Horizontal	182	2.74	-	37.05	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00932G	63.07	88.20	-25.13	44.52	3	Vertical	177	2.86	-	39.61	9.45	30.51	
RMS	13.01145G	52.21	68.20	-15.99	33.64	3	Vertical	177	2.86	-	39.61	9.46	30.50	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01119G	63.21	88.20	-24.99	44.64	3	Horizontal	135	2.67	-	39.61	9.46	30.50
RMS	13.01135G	51.81	68.20	-16.39	33.24	3	Horizontal	135	2.67	-	39.61	9.46	30.50

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51795G	49.68	83.54	-33.86	46.18	1	Vertical	327	2.56	-	37.89	15.31	49.70
AV	19.51293G	39.17	63.54	-24.37	35.67	1	Vertical	327	2.56	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51319G	49.95	83.54	-33.59	46.45	1	Horizontal	197	2.41	-	37.89	15.31	49.70
AV	19.51262G	39.05	63.54	-24.49	35.55	1	Horizontal	197	2.41	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	111.18	Inf	-Inf	101.09	3	Vertical	216	1.80	-	36.00	7.00	32.91	
RMS	6.6694G	99.87	Inf	-Inf	89.82	3	Vertical	216	1.80	-	35.96	7.00	32.91	
PK	7.1534G	67.44	88.20	-20.76	56.41	3	Vertical	216	1.80	-	36.91	7.22	33.10	
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Vertical	216	1.80	-	37.09	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6628G	103.02	Inf	-Inf	92.96	3	Horizontal	60	1.74	-	35.97	7.00	32.91	
RMS	6.6606G	92.48	Inf	-Inf	82.41	3	Horizontal	60	1.74	-	35.98	7.00	32.91	
PK	7.1732G	66.95	88.20	-21.25	55.86	3	Horizontal	60	1.74	-	36.99	7.21	33.11	
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Horizontal	60	1.74	-	37.09	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32759G	63.51	74.00	-10.49	43.89	3	Vertical	307	2.44	-	40.06	9.60	30.04
AV	13.32829G	52.14	54.00	-1.86	32.51	3	Vertical	307	2.44	-	40.06	9.60	30.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.29272G	63.40	74.00	-10.60	43.92	3	Horizontal	295	2.65	-	39.99	9.58	30.09
AV	13.33624G	51.80	54.00	-2.20	32.15	3	Horizontal	295	2.65	-	40.07	9.60	30.02

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99773G	50.30	83.54	-33.24	47.10	1	Vertical	295	1.02	-	37.40	15.50	49.70
AV	19.99828G	39.23	63.54	-24.31	36.03	1	Vertical	295	1.02	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT V_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99202G	50.35	83.54	-33.19	47.14	1	Horizontal	211	1.19	-	37.41	15.50	49.70
AV	19.99157G	39.01	63.54	-24.53	35.80	1	Horizontal	211	1.19	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 9.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.801G	99.24	Inf	-Inf	88.99	3	Vertical	216	1.80	-	36.21	7.00	32.96
RMS	6.8202G	89.10	Inf	-Inf	78.67	3	Vertical	216	1.80	-	36.36	7.03	32.96
PK	7.2202G	67.15	88.20	-21.05	55.96	3	Vertical	216	1.80	-	37.10	7.22	33.13
RMS	7.2154G	56.33	68.20	-11.87	45.14	3	Vertical	216	1.80	-	37.10	7.22	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 9.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8218G	89.64	Inf	-Inf	79.20	3	Horizontal	60	1.74	-	36.37	7.03	32.96
RMS	6.817G	78.65	Inf	-Inf	68.24	3	Horizontal	60	1.74	-	36.34	7.03	32.96
PK	7.1834G	66.86	88.20	-21.34	55.74	3	Horizontal	60	1.74	-	37.03	7.21	33.12
RMS	7.2202G	56.37	68.20	-11.83	45.18	3	Horizontal	60	1.74	-	37.10	7.22	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64988G	66.69	88.20	-21.51	46.24	3	Vertical	202	2.24	-	40.40	9.74	29.69
RMS	13.64755G	54.59	68.20	-13.61	34.14	3	Vertical	202	2.24	-	40.40	9.74	29.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.649G	65.72	88.20	-22.48	45.27	3	Horizontal	150	1.95	-	40.40	9.74	29.69
RMS	13.64964G	54.93	68.20	-13.27	34.48	3	Horizontal	150	1.95	-	40.40	9.74	29.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.47811G	50.94	83.54	-32.60	47.42	1	Vertical	134	1.91	-	37.69	15.72	49.89	
AV	20.4715G	40.25	63.54	-23.29	36.74	1	Vertical	134	1.91	-	37.69	15.71	49.89	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47234G	50.91	83.54	-32.63	47.40	1	Horizontal	234	2.30	-	37.69	15.71	49.89
AV	20.47366G	40.15	63.54	-23.39	36.64	1	Horizontal	234	2.30	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
 Setting 10.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.981G	104.25	Inf	-Inf	93.61	3	Vertical	243	1.80	-	36.38	7.27	33.01	
RMS	6.98G	94.89	Inf	-Inf	84.25	3	Vertical	243	1.80	-	36.38	7.27	33.01	
PK	7.128G	79.38	88.20	-8.82	68.51	3	Vertical	243	1.80	-	36.72	7.24	33.09	
RMS	7.143G	67.56	68.20	-0.64	56.58	3	Vertical	243	1.80	-	36.84	7.23	33.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 10.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.969G	95.47	Inf	-Inf	84.81	3	Horizontal	240	1.88	-	36.42	7.25	33.01	
RMS	6.97G	85.98	Inf	-Inf	75.32	3	Horizontal	240	1.88	-	36.42	7.25	33.01	
PK	7.129G	69.97	88.20	-18.23	59.09	3	Horizontal	240	1.88	-	36.73	7.24	33.09	
RMS	7.132G	60.97	68.20	-7.23	50.07	3	Horizontal	240	1.88	-	36.76	7.23	33.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.97346G	65.85	88.20	-22.35	44.57	3	Vertical	32	2.79	-	40.90	9.89	29.51	
RMS	13.9712G	55.33	68.20	-12.87	34.05	3	Vertical	32	2.79	-	40.90	9.89	29.51	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT V_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98918G	65.59	88.20	-22.61	44.29	3	Horizontal	87	1.13	-	40.90	9.90	29.50	
RMS	13.98054G	55.48	68.20	-12.72	34.19	3	Horizontal	87	1.13	-	40.90	9.89	29.50	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94532G	50.54	83.54	-33.00	46.64	1	Vertical	149	1.53	-	37.69	15.93	49.72
AV	20.94112G	41.19	63.54	-22.35	37.30	1	Vertical	149	1.53	-	37.69	15.92	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9475G	50.44	83.54	-33.10	46.55	1	Horizontal	15	1.53	-	37.68	15.93	49.72
AV	20.94736G	40.65	63.54	-22.89	36.76	1	Horizontal	15	1.53	-	37.68	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Beamforming mode_2TX_Ant. 3


Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.901G	68.19	68.20	-0.01	3	Vertical	87	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.863G	66.13	88.20	-22.07	57.49	3	Vertical	90	1.54	-	34.83	6.60	32.79	
RMS	5.925G	54.80	68.20	-13.40	46.01	3	Vertical	90	1.54	-	35.00	6.60	32.81	
PK	5.9542G	120.06	Inf	-Inf	111.16	3	Vertical	90	1.54	-	35.12	6.60	32.82	
RMS	5.9538G	107.59	Inf	-Inf	98.69	3	Vertical	90	1.54	-	35.12	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91516G	61.29	74.00	-12.71	45.38	3	Vertical	230	1.77	-	38.50	8.98	31.57
AV	11.91276G	49.06	54.00	-4.94	33.15	3	Vertical	230	1.77	-	38.50	8.98	31.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91606G	66.37	74.00	-7.63	50.46	3	Horizontal	200	1.80	-	38.50	8.98	31.57
AV	11.90868G	53.76	54.00	-0.24	37.86	3	Horizontal	200	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 19.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	62.41	88.20	-25.79	56.09	3	Vertical	75	1.80	-	34.39	7.46	35.53
RMS	5.907G	51.33	68.20	-16.87	44.74	3	Vertical	75	1.80	-	34.63	7.51	35.55
PK	6.197G	123.18	Inf	-Inf	115.81	3	Vertical	75	1.80	-	35.19	7.70	35.52
RMS	6.193G	111.35	Inf	-Inf	104.00	3	Vertical	75	1.80	-	35.17	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38802G	62.18	74.00	-11.82	47.59	3	Vertical	224	1.90	-	38.89	11.11	35.41
AV	12.39036G	48.42	54.00	-5.58	33.83	3	Vertical	224	1.90	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3933G	66.77	74.00	-7.23	52.18	3	Horizontal	204	2.33	-	38.89	11.11	35.41
AV	12.3903G	53.23	54.00	-0.77	38.64	3	Horizontal	204	2.33	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58602G	49.17	83.54	-34.37	46.48	1	Vertical	38	1.76	-	37.77	14.93	50.01
AV	18.5988G	35.89	63.54	-27.65	33.19	1	Vertical	38	1.76	-	37.76	14.94	50.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.59904G	50.10	83.54	-33.44	47.40	1	Horizontal	293	1.25	-	37.76	14.94	50.00	
AV	18.57306G	36.03	63.54	-27.51	33.36	1	Horizontal	293	1.25	-	37.77	14.93	50.03	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8678G	62.25	88.20	-25.95	55.90	3	Vertical	71	1.80	-	34.41	7.47	35.53
RMS	5.919G	51.20	68.20	-17.00	44.56	3	Vertical	71	1.80	-	34.68	7.52	35.56
PK	6.415G	123.07	Inf	-Inf	115.93	3	Vertical	71	1.80	-	34.84	7.73	35.43
RMS	6.415G	112.30	Inf	-Inf	105.16	3	Vertical	71	1.80	-	34.84	7.73	35.43
PK	7.2086G	64.36	88.20	-23.84	55.23	3	Vertical	71	1.80	-	36.45	8.22	35.54
RMS	7.2118G	54.15	68.20	-14.05	45.01	3	Vertical	71	1.80	-	36.47	8.22	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83354G	65.87	88.20	-22.33	49.69	3	Vertical	204	2.33	-	39.33	11.47	34.62	
RMS	12.82886G	51.36	68.20	-16.84	35.20	3	Vertical	204	2.33	-	39.33	11.46	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83162G	66.09	88.20	-22.11	49.92	3	Horizontal	144	1.80	-	39.33	11.47	34.63
RMS	12.83138G	51.72	68.20	-16.48	35.55	3	Horizontal	144	1.80	-	39.33	11.47	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23906G	51.00	83.54	-32.54	47.74	1	Vertical	72	1.89	-	37.71	15.20	49.65
AV	19.24356G	36.99	63.54	-26.55	33.73	1	Vertical	72	1.89	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25898G	51.40	83.54	-32.14	48.14	1	Horizontal	162	1.56	-	37.71	15.20	49.65
AV	19.23846G	37.08	63.54	-26.46	33.82	1	Horizontal	162	1.56	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	61.88	88.20	-26.32	55.31	3	Vertical	74	1.80	-	34.62	7.50	35.55
RMS	5.925G	51.16	68.20	-17.04	44.50	3	Vertical	74	1.80	-	34.70	7.52	35.56
PK	6.4382G	105.11	Inf	-Inf	98.00	3	Vertical	74	1.80	-	34.75	7.78	35.42
RMS	6.435G	93.89	Inf	-Inf	86.79	3	Vertical	74	1.80	-	34.76	7.77	35.43
PK	7.1294G	64.15	88.20	-24.05	55.49	3	Vertical	74	1.80	-	35.98	8.20	35.52
RMS	7.2094G	54.14	68.20	-14.06	45.00	3	Vertical	74	1.80	-	36.46	8.22	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88104G	61.15	88.20	-27.05	44.78	3	Vertical	275	2.01	-	39.38	11.50	34.51
RMS	12.86538G	46.48	68.20	-21.72	30.17	3	Vertical	275	2.01	-	39.37	11.49	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86628G	59.93	88.20	-28.27	43.62	3	Horizontal	164	1.86	-	39.37	11.49	34.55	
RMS	12.8805G	46.50	68.20	-21.70	30.13	3	Horizontal	164	1.86	-	39.38	11.50	34.51	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31754G	50.52	83.54	-33.02	47.20	1	Vertical	141	1.22	-	37.75	15.23	49.66
AV	19.31616G	36.89	63.54	-26.65	33.57	1	Vertical	141	1.22	-	37.75	15.23	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31388G	50.44	83.54	-33.10	47.12	1	Horizontal	286	1.76	-	37.75	15.23	49.66
AV	19.30554G	36.81	63.54	-26.73	33.51	1	Horizontal	286	1.76	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.824G	61.08	88.20	-27.12	54.92	3	Vertical	73	1.80	-	34.25	7.42	35.51
RMS	5.925G	51.18	68.20	-17.02	44.52	3	Vertical	73	1.80	-	34.70	7.52	35.56
PK	6.475G	105.38	Inf	-Inf	98.24	3	Vertical	73	1.80	-	34.70	7.85	35.41
RMS	6.475G	93.28	Inf	-Inf	86.14	3	Vertical	73	1.80	-	34.70	7.85	35.41
PK	7.147G	65.03	88.20	-23.17	56.28	3	Vertical	73	1.80	-	36.08	8.20	35.53
RMS	7.213G	54.12	68.20	-14.08	44.96	3	Vertical	73	1.80	-	36.48	8.23	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95078G	60.83	88.20	-27.37	44.17	3	Vertical	213	2.58	-	39.45	11.56	34.35
RMS	12.94748G	46.43	68.20	-21.77	29.78	3	Vertical	213	2.58	-	39.45	11.56	34.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94202G	60.13	88.20	-28.07	43.51	3	Horizontal	217	2.14	-	39.44	11.55	34.37	
RMS	12.9419G	46.44	68.20	-21.76	29.82	3	Horizontal	217	2.14	-	39.44	11.55	34.37	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.43298G	50.23	83.54	-33.31	46.80	1	Vertical	115	2.39	-	37.85	15.27	49.69	
AV	19.43754G	37.12	63.54	-26.42	33.68	1	Vertical	115	2.39	-	37.85	15.28	49.69	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43844G	51.03	83.54	-32.51	47.59	1	Horizontal	271	2.93	-	37.85	15.28	49.69
AV	19.43976G	37.06	63.54	-26.48	33.62	1	Horizontal	271	2.93	-	37.85	15.28	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	61.67	88.20	-26.53	55.10	3	Vertical	71	1.85	-	34.62	7.50	35.55
RMS	5.9102G	51.14	68.20	-17.06	44.55	3	Vertical	71	1.85	-	34.64	7.51	35.56
PK	6.5178G	103.67	Inf	-Inf	96.36	3	Vertical	71	1.85	-	34.77	7.94	35.40
RMS	6.515G	93.45	Inf	-Inf	86.16	3	Vertical	71	1.85	-	34.76	7.93	35.40
PK	7.201G	64.66	88.20	-23.54	55.59	3	Vertical	71	1.85	-	36.41	8.20	35.54
RMS	7.2122G	54.18	68.20	-14.02	45.04	3	Vertical	71	1.85	-	36.47	8.22	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02574G	60.81	88.20	-27.39	43.81	3	Vertical	232	2.56	-	39.58	11.62	34.20
RMS	13.03246G	47.59	68.20	-20.61	30.55	3	Vertical	232	2.56	-	39.60	11.63	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03492G	60.57	88.20	-27.63	43.52	3	Horizontal	115	2.09	-	39.60	11.63	34.18	
RMS	13.03558G	47.58	68.20	-20.62	30.52	3	Horizontal	115	2.09	-	39.61	11.63	34.18	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5447G	51.15	83.54	-32.39	47.65	1	Vertical	325	2.72	-	37.88	15.32	49.70
AV	19.5378G	37.59	63.54	-25.95	34.09	1	Vertical	325	2.72	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54812G	52.13	83.54	-31.41	48.63	1	Horizontal	31	1.60	-	37.88	15.32	49.70
AV	19.55934G	37.45	63.54	-26.09	33.95	1	Horizontal	31	1.60	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
 Setting 19.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.73	88.20	-26.47	55.07	3	Vertical	72	1.80	-	34.70	7.52	35.56
RMS	5.919G	51.14	68.20	-17.06	44.50	3	Vertical	72	1.80	-	34.68	7.52	35.56
PK	6.535G	121.91	Inf	-Inf	114.51	3	Vertical	72	1.80	-	34.84	7.97	35.41
RMS	6.535G	111.90	Inf	-Inf	104.50	3	Vertical	72	1.80	-	34.84	7.97	35.41
PK	7.1958G	64.78	88.20	-23.42	55.75	3	Vertical	72	1.80	-	36.37	8.20	35.54
RMS	7.235G	54.19	68.20	-14.01	44.86	3	Vertical	72	1.80	-	36.61	8.27	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08476G	61.87	88.20	-26.33	44.55	3	Vertical	240	1.78	-	39.75	11.67	34.10	
RMS	13.07486G	48.06	68.20	-20.14	30.80	3	Vertical	240	1.78	-	39.72	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06916G	63.77	88.20	-24.43	46.53	3	Horizontal	146	2.03	-	39.71	11.66	34.13	
RMS	13.06934G	49.55	68.20	-18.65	32.30	3	Horizontal	146	2.03	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.61748G	51.36	83.54	-32.18	47.86	1	Vertical	159	1.16	-	37.85	15.35	49.70
AV	19.61748G	37.31	63.54	-26.23	33.81	1	Vertical	159	1.16	-	37.85	15.35	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5939G	50.36	83.54	-33.18	46.86	1	Horizontal	354	1.61	-	37.86	15.34	49.70
AV	19.6041G	37.32	63.54	-26.22	33.82	1	Horizontal	354	1.61	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	125.00	Inf	-Inf	116.95	3	Vertical	72	1.76	-	35.39	8.10	35.44
RMS	6.695G	112.87	Inf	-Inf	104.82	3	Vertical	72	1.76	-	35.39	8.10	35.44
PK	7.2362G	65.12	88.20	-23.08	55.78	3	Vertical	72	1.76	-	36.62	8.27	35.55
RMS	7.245G	54.16	68.20	-14.04	44.75	3	Vertical	72	1.76	-	36.67	8.29	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3903G	64.59	74.00	-9.41	45.99	3	Vertical	217	2.63	-	40.28	11.91	33.59
AV	13.3903G	50.35	54.00	-3.65	31.75	3	Vertical	217	2.63	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38994G	65.27	74.00	-8.73	46.67	3	Horizontal	198	3.00	-	40.28	11.91	33.59
AV	13.39006G	52.19	54.00	-1.81	33.59	3	Horizontal	198	3.00	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09262G	52.19	83.54	-31.35	48.92	1	Vertical	149	2.10	-	37.47	15.54	49.74
AV	20.07942G	38.01	63.54	-25.53	34.74	1	Vertical	149	2.10	-	37.46	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08224G	51.72	83.54	-31.82	48.44	1	Horizontal	13	2.41	-	37.47	15.54	49.73
AV	20.07444G	37.97	63.54	-25.57	34.71	1	Horizontal	13	2.41	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.855G	124.16	Inf	-Inf	113.49	3	Vertical	90	1.68	-	36.56	7.08	32.97	
RMS	6.8536G	113.49	Inf	-Inf	102.81	3	Vertical	90	1.68	-	36.57	7.08	32.97	
PK	7.1672G	66.93	88.20	-21.27	55.85	3	Vertical	90	1.68	-	36.97	7.22	33.11	
RMS	7.184G	56.22	68.20	-11.98	45.09	3	Vertical	90	1.68	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70724G	66.69	88.20	-21.51	46.06	3	Vertical	153	1.00	-	40.52	9.77	29.66	
RMS	13.70712G	52.88	68.20	-15.32	32.25	3	Vertical	153	1.00	-	40.52	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7091G	68.18	88.20	-20.02	47.54	3	Horizontal	199	2.95	-	40.53	9.77	29.66	
RMS	13.70994G	55.13	68.20	-13.07	34.49	3	Horizontal	199	2.95	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.55126G	50.39	83.54	-33.15	46.76	1	Vertical	184	1.35	-	37.76	15.75	49.88	
AV	20.57406G	37.49	63.54	-26.05	33.81	1	Vertical	184	1.35	-	37.79	15.76	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58G	50.35	83.54	-33.19	46.66	1	Horizontal	202	1.69	-	37.80	15.76	49.87
AV	20.57256G	37.49	63.54	-26.05	33.81	1	Horizontal	202	1.69	-	37.79	15.76	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8764G	104.93	Inf	-Inf	96.61	3	Vertical	72	1.69	-	35.65	8.14	35.47
RMS	6.8764G	94.76	Inf	-Inf	86.44	3	Vertical	72	1.69	-	35.65	8.14	35.47
PK	7.2012G	64.92	88.20	-23.28	55.85	3	Vertical	72	1.69	-	36.41	8.20	35.54
RMS	7.218G	54.10	68.20	-14.10	44.90	3	Vertical	72	1.69	-	36.51	8.24	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74886G	64.91	88.20	-23.29	45.50	3	Vertical	343	2.39	-	40.70	12.20	33.49
RMS	13.735G	51.59	68.20	-16.61	32.22	3	Vertical	343	2.39	-	40.67	12.19	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76176G	65.15	88.20	-23.05	45.72	3	Horizontal	5	2.04	-	40.72	12.21	33.50
RMS	13.74028G	51.60	68.20	-16.60	32.22	3	Horizontal	5	2.04	-	40.68	12.19	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62482G	51.87	83.54	-31.67	48.09	1	Vertical	45	2.22	-	37.85	15.78	49.85
AV	20.6274G	38.46	63.54	-25.08	34.68	1	Vertical	45	2.22	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63736G	51.51	83.54	-32.03	47.71	1	Horizontal	246	1.54	-	37.86	15.79	49.85
AV	20.61666G	38.32	63.54	-25.22	34.55	1	Horizontal	246	1.54	-	37.84	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8936G	105.33	Inf	-Inf	97.04	3	Vertical	71	1.68	-	35.61	8.15	35.47
RMS	6.8964G	94.41	Inf	-Inf	86.12	3	Vertical	71	1.68	-	35.61	8.15	35.47
PK	7.2142G	65.23	88.20	-22.97	56.06	3	Vertical	71	1.68	-	36.49	8.23	35.55
RMS	7.2422G	54.17	68.20	-14.03	44.79	3	Vertical	71	1.68	-	36.65	8.28	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80044G	64.54	88.20	-23.66	45.01	3	Vertical	61	1.73	-	40.80	12.24	33.51
RMS	13.7954G	51.24	68.20	-16.96	31.72	3	Vertical	61	1.73	-	40.79	12.24	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.80422G	65.03	88.20	-23.17	45.49	3	Horizontal	238	1.04	-	40.81	12.24	33.51	
RMS	13.79912G	51.22	68.20	-16.98	31.69	3	Horizontal	238	1.04	-	40.80	12.24	33.51	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68488G	52.51	83.54	-31.03	48.61	1	Vertical	117	1.65	-	37.92	15.81	49.83
AV	20.67936G	38.83	63.54	-24.71	34.93	1	Vertical	117	1.65	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6922G	52.46	83.54	-31.08	48.54	1	Horizontal	161	2.88	-	37.93	15.81	49.82
AV	20.6835G	38.84	63.54	-24.70	34.94	1	Horizontal	161	2.88	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
 Setting 1.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.993G	106.22	Inf	-Inf	97.81	3	Vertical	74	1.67	-	35.70	8.20	35.49	
RMS	6.996G	96.98	Inf	-Inf	88.57	3	Vertical	74	1.67	-	35.70	8.20	35.49	
PK	7.147G	65.20	88.20	-23.00	56.45	3	Vertical	74	1.67	-	36.08	8.20	35.53	
RMS	7.215G	54.17	68.20	-14.03	45.00	3	Vertical	74	1.67	-	36.49	8.23	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00044G	66.19	88.20	-22.01	46.17	3	Vertical	356	1.19	-	41.20	12.40	33.58	
RMS	13.99978G	52.84	68.20	-15.36	32.82	3	Vertical	356	1.19	-	41.20	12.40	33.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9765G	66.62	88.20	-21.58	46.66	3	Horizontal	248	1.55	-	41.15	12.38	33.57	
RMS	13.99978G	52.83	68.20	-15.37	32.81	3	Horizontal	248	1.55	-	41.20	12.40	33.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97972G	52.23	83.54	-31.31	48.37	1	Vertical	93	1.30	-	37.63	15.94	49.71
AV	20.9991G	38.65	63.54	-24.89	34.80	1	Vertical	93	1.30	-	37.60	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99526G	52.42	83.54	-31.12	48.56	1	Horizontal	343	2.19	-	37.61	15.95	49.70
AV	20.99052G	38.64	63.54	-24.90	34.77	1	Horizontal	343	2.19	-	37.62	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0944G	106.02	Inf	-Inf	97.54	3	Vertical	74	1.63	-	35.79	8.20	35.51
RMS	7.0944G	94.22	Inf	-Inf	85.74	3	Vertical	74	1.63	-	35.79	8.20	35.51
PK	7.2174G	65.09	88.20	-23.11	55.91	3	Vertical	74	1.63	-	36.50	8.23	35.55
RMS	7.245G	54.18	68.20	-14.02	44.77	3	Vertical	74	1.63	-	36.67	8.29	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20368G	67.52	88.20	-20.68	47.32	3	Vertical	292	2.07	-	41.60	12.50	33.90
RMS	14.1774G	53.38	68.20	-14.82	33.17	3	Vertical	292	2.07	-	41.58	12.49	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1909G	66.81	88.20	-21.39	46.60	3	Horizontal	41	2.51	-	41.59	12.50	33.88	
RMS	14.18274G	53.39	68.20	-14.81	33.19	3	Horizontal	41	2.51	-	41.58	12.49	33.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28128G	52.49	83.54	-31.05	48.41	1	Vertical	310	2.23	-	37.64	16.08	49.64
AV	21.2784G	39.29	63.54	-24.25	35.22	1	Vertical	310	2.23	-	37.63	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.27654G	52.84	83.54	-30.70	48.78	1	Horizontal	280	2.53	-	37.63	16.07	49.64	
AV	21.27084G	39.27	63.54	-24.27	35.22	1	Horizontal	280	2.53	-	37.63	16.07	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 13
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11003G	104.83	Inf	-Inf	94.09	3	Vertical	87	1.51	-	36.58	7.24	33.08
RMS	7.1175G	90.45	Inf	-Inf	79.65	3	Vertical	87	1.51	-	36.64	7.24	33.08
PK	7.1275G	85.28	88.20	-2.92	74.41	3	Vertical	87	1.51	-	36.72	7.24	33.09
RMS	7.1255G	67.22	68.20	-0.98	56.37	3	Vertical	87	1.51	-	36.70	7.24	33.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Y_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22778G	66.61	88.20	-21.59	45.55	3	Vertical	170	1.80	-	40.74	9.97	29.65
RMS	14.23114G	53.16	68.20	-15.04	32.10	3	Vertical	170	1.80	-	40.74	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2276G	66.65	88.20	-21.55	45.59	3	Horizontal	200	2.83	-	40.74	9.97	29.65
RMS	14.23114G	54.23	68.20	-13.97	33.17	3	Horizontal	200	2.83	-	40.74	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35694G	50.90	83.54	-32.64	46.69	1	Vertical	339	2.61	-	37.73	16.11	49.63
AV	21.35622G	38.53	63.54	-25.01	34.32	1	Vertical	339	2.61	-	37.73	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 13
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.33882G	50.87	83.54	-32.67	46.69	1	Horizontal	318	2.93	-	37.71	16.10	49.63	
AV	21.35694G	38.53	63.54	-25.01	34.32	1	Horizontal	318	2.93	-	37.73	16.11	49.63	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	86.47	88.20	-1.73	77.69	3	Vertical	86	1.55	-	34.99	6.60	32.81	
RMS	5.9234G	67.84	68.20	-0.36	59.06	3	Vertical	86	1.55	-	34.99	6.60	32.81	
PK	5.9678G	118.74	Inf	-Inf	109.80	3	Vertical	86	1.55	-	35.17	6.60	32.83	
RMS	5.9738G	106.38	Inf	-Inf	97.41	3	Vertical	86	1.55	-	35.20	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93516G	61.17	74.00	-12.83	45.26	3	Vertical	231	1.83	-	38.50	8.98	31.57
AV	11.94404G	48.67	54.00	-5.33	32.74	3	Vertical	231	1.83	-	38.50	8.99	31.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9372G	66.19	74.00	-7.81	50.28	3	Horizontal	211	1.70	-	38.50	8.98	31.57
AV	11.9297G	53.62	54.00	-0.38	37.71	3	Horizontal	211	1.70	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
 Setting 20
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	62.03	88.20	-26.17	55.42	3	Vertical	71	1.77	-	34.66	7.51	35.56
RMS	5.925G	51.25	68.20	-16.95	44.58	3	Vertical	71	1.77	-	34.70	7.53	35.56
PK	6.205G	119.73	Inf	-Inf	112.37	3	Vertical	71	1.77	-	35.18	7.70	35.52
RMS	6.203G	109.99	Inf	-Inf	102.62	3	Vertical	71	1.77	-	35.19	7.70	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39824G	60.62	74.00	-13.38	46.01	3	Vertical	224	1.66	-	38.90	11.12	35.41
AV	12.41048G	46.98	54.00	-7.02	32.37	3	Vertical	224	1.66	-	38.89	11.13	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41072G	66.56	74.00	-7.44	51.95	3	Horizontal	207	2.28	-	38.89	11.13	35.41
AV	12.41522G	51.24	54.00	-2.76	36.64	3	Horizontal	207	2.28	-	38.88	11.13	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.60636G	49.90	83.54	-33.64	47.19	1	Vertical	293	1.11	-	37.76	14.94	49.99	
AV	18.62622G	36.01	63.54	-27.53	33.28	1	Vertical	293	1.11	-	37.75	14.95	49.97	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62088G	50.60	83.54	-32.94	47.88	1	Horizontal	162	1.37	-	37.75	14.95	49.98
AV	18.609G	36.04	63.54	-27.50	33.33	1	Horizontal	162	1.37	-	37.76	14.94	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	62.33	88.20	-25.87	55.66	3	Vertical	73	1.80	-	34.70	7.53	35.56	
RMS	5.915G	51.22	68.20	-16.98	44.61	3	Vertical	73	1.80	-	34.66	7.51	35.56	
PK	6.405G	121.37	Inf	-Inf	114.22	3	Vertical	73	1.80	-	34.88	7.71	35.44	
RMS	6.4078G	110.45	Inf	-Inf	103.30	3	Vertical	73	1.80	-	34.87	7.72	35.44	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81042G	60.56	88.20	-27.64	44.48	3	Vertical	252	2.42	-	39.31	11.45	34.68	
RMS	12.81624G	47.10	68.20	-21.10	30.99	3	Vertical	252	2.42	-	39.32	11.45	34.66	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81366G	63.52	88.20	-24.68	47.43	3	Horizontal	210	1.47	-	39.31	11.45	34.67
RMS	12.80598G	50.47	68.20	-17.73	34.41	3	Horizontal	210	1.47	-	39.31	11.44	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21572G	50.30	83.54	-33.24	47.01	1	Vertical	279	1.45	-	37.74	15.19	49.64
AV	19.22976G	36.99	63.54	-26.55	33.73	1	Vertical	279	1.45	-	37.72	15.19	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2237G	51.38	83.54	-32.16	48.10	1	Horizontal	72	2.03	-	37.73	15.19	49.64
AV	19.2285G	36.97	63.54	-26.57	33.70	1	Horizontal	72	2.03	-	37.73	15.19	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.709G	61.85	88.20	-26.35	55.62	3	Vertical	71	1.73	-	34.28	7.40	35.45
RMS	5.925G	51.15	68.20	-17.05	44.49	3	Vertical	71	1.73	-	34.70	7.52	35.56
PK	6.4482G	105.17	Inf	-Inf	98.08	3	Vertical	71	1.73	-	34.71	7.80	35.42
RMS	6.4418G	93.32	Inf	-Inf	86.23	3	Vertical	71	1.73	-	34.73	7.78	35.42
PK	7.2098G	64.70	88.20	-23.50	55.56	3	Vertical	71	1.73	-	36.46	8.22	35.54
RMS	7.2322G	54.19	68.20	-14.01	44.89	3	Vertical	71	1.73	-	36.59	8.26	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8762G	60.28	88.20	-27.92	43.92	3	Vertical	63	1.93	-	39.38	11.50	34.52
RMS	12.88304G	46.47	68.20	-21.73	30.09	3	Vertical	63	1.93	-	39.38	11.51	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88046G	60.60	88.20	-27.60	44.23	3	Horizontal	201	1.25	-	39.38	11.50	34.51	
RMS	12.88988G	46.46	68.20	-21.74	30.05	3	Horizontal	201	1.25	-	39.39	11.51	34.49	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33338G	49.98	83.54	-33.56	46.65	1	Vertical	224	2.49	-	37.77	15.23	49.67
AV	19.32456G	36.85	63.54	-26.69	33.52	1	Vertical	224	2.49	-	37.76	15.23	49.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3374G	50.30	83.54	-33.24	46.97	1	Horizontal	267	2.22	-	37.77	15.23	49.67
AV	19.34928G	36.90	63.54	-26.64	33.55	1	Horizontal	267	2.22	-	37.78	15.24	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.744G	61.14	88.20	-27.06	55.00	3	Vertical	210	1.33	-	34.21	7.40	35.47
RMS	5.897G	51.13	68.20	-17.07	44.60	3	Vertical	210	1.33	-	34.58	7.50	35.55
PK	6.488G	102.07	Inf	-Inf	94.89	3	Vertical	210	1.33	-	34.70	7.88	35.40
RMS	6.488G	92.79	Inf	-Inf	85.61	3	Vertical	210	1.33	-	34.70	7.88	35.40
PK	7.208G	64.81	88.20	-23.39	55.68	3	Vertical	210	1.33	-	36.45	8.22	35.54
RMS	7.226G	54.20	68.20	-14.00	44.94	3	Vertical	210	1.33	-	36.56	8.25	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.98128G	60.29	88.20	-27.91	43.50	3	Vertical	268	2.16	-	39.48	11.59	34.28	
RMS	12.98386G	46.72	68.20	-21.48	29.93	3	Vertical	268	2.16	-	39.48	11.59	34.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9595G	60.71	88.20	-27.49	44.01	3	Horizontal	18	2.06	-	39.46	11.57	34.33	
RMS	12.9826G	46.71	68.20	-21.49	29.92	3	Horizontal	18	2.06	-	39.48	11.59	34.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46274G	50.96	83.54	-32.58	47.49	1	Vertical	67	1.02	-	37.87	15.29	49.69
AV	19.45668G	37.30	63.54	-26.24	33.84	1	Vertical	67	1.02	-	37.87	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4436G	50.46	83.54	-33.08	47.02	1	Horizontal	36	2.14	-	37.85	15.28	49.69
AV	19.452G	37.31	63.54	-26.23	33.86	1	Horizontal	36	2.14	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	62.36	88.20	-25.84	55.76	3	Vertical	88	1.88	-	34.65	7.51	35.56
RMS	5.925G	51.36	68.20	-16.84	44.70	3	Vertical	88	1.88	-	34.70	7.52	35.56
PK	6.525G	103.87	Inf	-Inf	96.52	3	Vertical	88	1.88	-	34.80	7.95	35.40
RMS	6.5222G	92.68	Inf	-Inf	85.35	3	Vertical	88	1.88	-	34.79	7.94	35.40
PK	7.1522G	66.10	88.20	-22.10	57.32	3	Vertical	88	1.88	-	36.11	8.20	35.53
RMS	7.225G	54.20	68.20	-14.00	44.95	3	Vertical	88	1.88	-	36.55	8.25	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04634G	60.88	88.20	-27.32	43.76	3	Vertical	127	1.93	-	39.64	11.64	34.16
RMS	13.05846G	47.45	68.20	-20.75	30.26	3	Vertical	127	1.93	-	39.68	11.65	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03986G	60.89	88.20	-27.31	43.81	3	Horizontal	49	2.38	-	39.62	11.63	34.17
RMS	13.06404G	47.45	68.20	-20.75	30.24	3	Horizontal	49	2.38	-	39.69	11.65	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58922G	51.13	83.54	-32.41	47.63	1	Vertical	156	1.27	-	37.86	15.34	49.70
AV	19.57002G	37.44	63.54	-26.10	33.94	1	Vertical	156	1.27	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5882G	52.00	83.54	-31.54	48.50	1	Horizontal	145	1.78	-	37.86	15.34	49.70
AV	19.56168G	37.48	63.54	-26.06	33.98	1	Horizontal	145	1.78	-	37.88	15.32	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.32	88.20	-26.88	54.66	3	Vertical	73	1.79	-	34.70	7.52	35.56
RMS	5.9176G	51.29	68.20	-16.91	44.66	3	Vertical	73	1.79	-	34.67	7.52	35.56
PK	6.5676G	122.46	Inf	-Inf	114.86	3	Vertical	73	1.79	-	34.97	8.04	35.41
RMS	6.5624G	111.13	Inf	-Inf	103.57	3	Vertical	73	1.79	-	34.95	8.02	35.41
PK	7.1344G	65.30	88.20	-22.90	56.61	3	Vertical	73	1.79	-	36.01	8.20	35.52
RMS	7.2072G	54.18	68.20	-14.02	45.07	3	Vertical	73	1.79	-	36.44	8.21	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13318G	61.67	88.20	-26.53	44.15	3	Vertical	302	2.91	-	39.83	11.71	34.02	
RMS	13.14422G	47.86	68.20	-20.34	30.30	3	Vertical	302	2.91	-	39.84	11.72	34.00	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13972G	62.07	88.20	-26.13	44.53	3	Horizontal	153	2.34	-	39.84	11.71	34.01
RMS	13.13042G	48.58	68.20	-19.62	31.07	3	Horizontal	153	2.34	-	39.83	11.70	34.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6956G	48.80	83.54	-34.74	45.30	1	Vertical	115	2.45	-	37.82	15.38	49.70
AV	19.68498G	35.74	63.54	-27.80	32.24	1	Vertical	115	2.45	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70034G	49.59	83.54	-33.95	46.09	1	Horizontal	-0	1.50	-	37.82	15.38	49.70
AV	19.68498G	35.77	63.54	-27.77	32.27	1	Horizontal	-0	1.50	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	120.93	Inf	-Inf	112.89	3	Vertical	71	1.73	-	35.37	8.10	35.43	
RMS	6.6872G	111.48	Inf	-Inf	103.44	3	Vertical	71	1.73	-	35.37	8.10	35.43	
PK	7.2064G	64.17	88.20	-24.03	55.06	3	Vertical	71	1.73	-	36.44	8.21	35.54	
RMS	7.2306G	53.36	68.20	-14.84	44.07	3	Vertical	71	1.73	-	36.58	8.26	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37648G	61.64	74.00	-12.36	43.11	3	Vertical	152	2.28	-	40.25	11.90	33.62
AV	13.37522G	48.39	54.00	-5.61	29.86	3	Vertical	152	2.28	-	40.25	11.90	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35728G	63.04	74.00	-10.96	44.59	3	Horizontal	203	2.97	-	40.21	11.89	33.65
AV	13.37024G	49.30	54.00	-4.70	30.79	3	Horizontal	203	2.97	-	40.24	11.90	33.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0568G	49.69	83.54	-33.85	46.43	1	Vertical	175.2	1.51	-	37.45	15.53	49.72
AV	20.0628G	35.89	63.54	-27.65	32.64	1	Vertical	175.2	1.51	-	37.45	15.53	49.73

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0422G	49.94	83.54	-33.60	46.71	1	Horizontal	318	1.50	-	37.43	15.52	49.72
AV	20.052G	37.01	63.54	-26.53	33.77	1	Horizontal	318	1.50	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 4.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	106.73	Inf	-Inf	98.43	3	Vertical	75	1.80	-	35.63	8.14	35.47
RMS	6.8822G	94.34	Inf	-Inf	86.03	3	Vertical	75	1.80	-	35.64	8.14	35.47
PK	7.207G	64.92	88.20	-23.28	55.81	3	Vertical	75	1.80	-	36.44	8.21	35.54
RMS	7.2294G	54.26	68.20	-13.94	44.97	3	Vertical	75	1.80	-	36.58	8.26	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7577G	64.40	88.20	-23.80	44.97	3	Vertical	244	2.90	-	40.72	12.21	33.50
RMS	13.75596G	51.31	68.20	-16.89	31.90	3	Vertical	244	2.90	-	40.71	12.20	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77438G	65.21	88.20	-22.99	45.74	3	Horizontal	215	2.13	-	40.75	12.22	33.50
RMS	13.75596G	51.34	68.20	-16.86	31.93	3	Horizontal	215	2.13	-	40.71	12.20	33.50