



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 3 (2TX)


Appendix F.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4838G	73.91	74.00	-0.09	3	Vertical	56	1.62	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.76	74.00	-0.24	41.11	3	Vertical	57	1.64	-	28.26	4.39	-
AV	2.3866G	53.48	54.00	-0.52	20.84	3	Vertical	57	1.64	-	28.25	4.39	-
PK	2.4208G	127.71	Inf	-Inf	95.00	3	Vertical	57	1.64	-	28.30	4.41	-
AV	2.4202G	113.62	Inf	-Inf	80.91	3	Vertical	57	1.64	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81992G	54.18	74.00	-19.82	49.18	3	Vertical	316	2.27	-	33.32	7.10	35.42
AV	4.839G	40.68	54.00	-13.32	35.56	3	Vertical	316	2.27	-	33.43	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81128G	54.04	74.00	-19.96	49.10	3	Horizontal	223	1.57	-	33.27	7.10	35.43
AV	4.8309G	40.67	54.00	-13.33	35.60	3	Horizontal	223	1.57	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.19	74.00	-7.81	33.54	3	Vertical	52	1.80	-	28.26	4.39	-
AV	2.3646G	53.82	54.00	-0.18	21.30	3	Vertical	52	1.80	-	28.16	4.36	-
PK	2.4458G	131.48	Inf	-Inf	98.76	3	Vertical	52	1.80	-	28.30	4.42	-
AV	2.445G	120.85	Inf	-Inf	88.13	3	Vertical	52	1.80	-	28.30	4.42	-
PK	2.485G	69.92	74.00	-4.08	37.04	3	Vertical	52	1.80	-	28.44	4.44	-
AV	2.4858G	53.85	54.00	-0.15	20.97	3	Vertical	52	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	61.43	74.00	-12.57	56.06	3	Vertical	229	1.70	-	33.66	7.10	35.39
AV	4.8904G	45.08	54.00	-8.92	39.71	3	Vertical	229	1.70	-	33.66	7.10	35.39
PK	7.3348G	58.18	74.00	-15.82	48.32	3	Vertical	231	1.80	-	36.97	8.47	35.58
AV	7.3364G	44.85	54.00	-9.15	34.99	3	Vertical	231	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8902G	51.84	74.00	-22.16	46.47	3	Horizontal	257	2.37	-	33.66	7.10	35.39
AV	4.8906G	37.00	54.00	-17.00	31.63	3	Horizontal	257	2.37	-	33.66	7.10	35.39
PK	7.3348G	59.40	74.00	-14.60	49.54	3	Horizontal	313	1.00	-	36.97	8.47	35.58
AV	7.3364G	45.29	54.00	-8.71	35.43	3	Horizontal	313	1.00	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.471G	124.52	Inf	-Inf	91.70	3	Vertical	56	1.62	-	28.38	4.44	-
AV	2.4704G	112.23	Inf	-Inf	79.41	3	Vertical	56	1.62	-	28.38	4.44	-
PK	2.4838G	73.91	74.00	-0.09	41.03	3	Vertical	56	1.62	-	28.44	4.44	-
AV	2.4876G	50.73	54.00	-3.27	17.84	3	Vertical	56	1.62	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93516G	50.74	74.00	-23.26	45.23	3	Vertical	104	1.11	-	33.77	7.10	35.36
AV	4.93696G	37.01	54.00	-16.99	31.50	3	Vertical	104	1.11	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9366G	50.15	74.00	-23.85	44.64	3	Horizontal	50	2.04	-	33.77	7.10	35.36
AV	4.93756G	36.98	54.00	-17.02	31.46	3	Horizontal	50	2.04	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4754G	119.86	Inf	-Inf	87.02	3	Vertical	57	1.71	-	28.40	4.44	-
AV	2.4756G	107.66	Inf	-Inf	74.82	3	Vertical	57	1.71	-	28.40	4.44	-
PK	2.4836G	73.88	74.00	-0.12	41.01	3	Vertical	57	1.71	-	28.43	4.44	-
AV	2.4835G	47.73	54.00	-6.27	14.86	3	Vertical	57	1.71	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9352G	49.69	74.00	-24.31	44.18	3	Vertical	3	2.34	-	33.77	7.10	35.36
AV	4.93598G	36.03	54.00	-17.97	30.52	3	Vertical	3	2.34	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.946G	49.31	74.00	-24.69	43.78	3	Horizontal	203	2.79	-	33.79	7.10	35.36
AV	4.9454G	36.05	54.00	-17.95	30.52	3	Horizontal	203	2.79	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4808G	106.22	Inf	-Inf	73.36	3	Vertical	56	1.60	-	28.42	4.44	-
AV	2.4804G	93.88	Inf	-Inf	61.02	3	Vertical	56	1.60	-	28.42	4.44	-
PK	2.4835G	69.15	74.00	-4.85	36.28	3	Vertical	56	1.60	-	28.43	4.44	-
AV	2.4835G	53.74	54.00	-0.26	20.87	3	Vertical	56	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95288G	46.41	74.00	-27.59	40.87	3	Vertical	348	1.90	-	33.79	7.10	35.35
AV	4.94586G	33.06	54.00	-20.94	27.53	3	Vertical	348	1.90	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94832G	46.51	74.00	-27.49	40.97	3	Horizontal	309	1.20	-	33.80	7.10	35.36
AV	4.95366G	33.05	54.00	-20.95	27.51	3	Horizontal	309	1.20	-	33.79	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 3 (2TX)


Appendix F.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.97	74.00	-0.03	3	Vertical	59	1.65	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	73.20	74.00	-0.80	40.55	3	Vertical	52	1.78	-	28.26	4.39	-
AV	2.39G	51.02	54.00	-2.98	18.37	3	Vertical	52	1.78	-	28.26	4.39	-
PK	2.4062G	125.05	Inf	-Inf	92.35	3	Vertical	52	1.78	-	28.30	4.40	-
AV	2.4058G	108.82	Inf	-Inf	76.12	3	Vertical	52	1.78	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82148G	51.29	74.00	-22.71	46.28	3	Vertical	165	2.02	-	33.33	7.10	35.42
AV	4.83114G	38.94	54.00	-15.06	33.87	3	Vertical	165	2.02	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83084G	51.96	74.00	-22.04	46.89	3	Horizontal	337	1.39	-	33.39	7.10	35.42
AV	4.83168G	38.86	54.00	-15.14	33.79	3	Horizontal	337	1.39	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.93	74.00	-7.07	34.28	3	Vertical	52	1.80	-	28.26	4.39	-
AV	2.3626G	50.94	54.00	-3.06	18.43	3	Vertical	52	1.80	-	28.15	4.36	-
PK	2.4434G	129.36	Inf	-Inf	96.64	3	Vertical	52	1.80	-	28.30	4.42	-
AV	2.443G	114.73	Inf	-Inf	82.01	3	Vertical	52	1.80	-	28.30	4.42	-
PK	2.4838G	72.33	74.00	-1.67	39.45	3	Vertical	52	1.80	-	28.44	4.44	-
AV	2.4858G	51.58	54.00	-2.42	18.70	3	Vertical	52	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8876G	57.16	74.00	-16.84	51.80	3	Vertical	227	1.62	-	33.65	7.10	35.39
AV	4.8878G	42.95	54.00	-11.05	37.59	3	Vertical	227	1.62	-	33.65	7.10	35.39
PK	7.3314G	56.43	74.00	-17.57	46.59	3	Vertical	232	1.80	-	36.96	8.46	35.58
AV	7.332G	42.68	54.00	-11.32	32.84	3	Vertical	232	1.80	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8728G	50.10	74.00	-23.90	44.81	3	Horizontal	259	2.50	-	33.59	7.10	35.40
AV	4.888G	36.60	54.00	-17.40	31.24	3	Horizontal	259	2.50	-	33.65	7.10	35.39
PK	7.3314G	56.62	74.00	-17.38	46.78	3	Horizontal	298	2.39	-	36.96	8.46	35.58
AV	7.3324G	42.18	54.00	-11.82	32.34	3	Horizontal	298	2.39	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	121.41	Inf	-Inf	88.61	3	Vertical	59	1.65	-	28.37	4.43	-
AV	2.468G	107.41	Inf	-Inf	74.61	3	Vertical	59	1.65	-	28.37	4.43	-
PK	2.4835G	73.97	74.00	-0.03	41.10	3	Vertical	59	1.65	-	28.43	4.44	-
AV	2.4835G	50.82	54.00	-3.18	17.95	3	Vertical	59	1.65	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92688G	50.99	74.00	-23.01	45.51	3	Vertical	94	2.86	-	33.75	7.10	35.37
AV	4.93516G	37.01	54.00	-16.99	31.50	3	Vertical	94	2.86	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9333G	50.53	74.00	-23.47	45.02	3	Horizontal	162	1.93	-	33.77	7.10	35.36
AV	4.93378G	37.01	54.00	-16.99	31.50	3	Horizontal	162	1.93	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	116.66	Inf	-Inf	83.83	3	Vertical	59	1.60	-	28.39	4.44	-
AV	2.473G	102.83	Inf	-Inf	70.00	3	Vertical	59	1.60	-	28.39	4.44	-
PK	2.4835G	73.88	74.00	-0.12	41.01	3	Vertical	59	1.60	-	28.43	4.44	-
AV	2.4835G	48.07	54.00	-5.93	15.20	3	Vertical	59	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92602G	48.64	74.00	-25.36	43.16	3	Vertical	348	2.80	-	33.75	7.10	35.37
AV	4.94354G	35.06	54.00	-18.94	29.53	3	Vertical	348	2.80	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9376G	48.62	74.00	-25.38	43.10	3	Horizontal	31	2.95	-	33.78	7.10	35.36
AV	4.93724G	35.08	54.00	-18.92	29.57	3	Horizontal	31	2.95	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4784G	108.04	Inf	-Inf	75.19	3	Vertical	58	1.71	-	28.41	4.44	-	
AV	2.478G	94.32	Inf	-Inf	61.47	3	Vertical	58	1.71	-	28.41	4.44	-	
PK	2.4835G	73.27	74.00	-0.73	40.40	3	Vertical	58	1.71	-	28.43	4.44	-	
AV	2.4835G	53.91	54.00	-0.09	21.04	3	Vertical	58	1.71	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9323G	46.72	74.00	-27.28	41.23	3	Vertical	25	2.99	-	33.76	7.10	35.37
AV	4.9521G	33.13	54.00	-20.87	27.58	3	Vertical	25	2.99	-	33.80	7.10	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94886G	46.74	74.00	-27.26	41.20	3	Horizontal	275	1.68	-	33.80	7.10	35.36	
AV	4.9359G	33.14	54.00	-20.86	27.63	3	Horizontal	275	1.68	-	33.77	7.10	35.36	



RSE TX above 1GHz
<Partial RU> RU 106_Ant. 3 (2TX)


Appendix F.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.98	74.00	-0.02	3	Vertical	57	1.65	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.66	74.00	-0.34	41.01	3	Vertical	53	1.76	-	28.26	4.39	-
AV	2.39G	51.62	54.00	-2.38	18.97	3	Vertical	53	1.76	-	28.26	4.39	-
PK	2.4096G	122.90	Inf	-Inf	90.20	3	Vertical	53	1.76	-	28.30	4.40	-
AV	2.4104G	109.38	Inf	-Inf	76.67	3	Vertical	53	1.76	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82976G	52.07	74.00	-21.93	47.01	3	Vertical	320	2.45	-	33.38	7.10	35.42
AV	4.83336G	39.06	54.00	-14.94	33.98	3	Vertical	320	2.45	-	33.40	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83048G	52.49	74.00	-21.51	47.43	3	Horizontal	83	2.04	-	33.38	7.10	35.42
AV	4.8312G	36.02	54.00	-17.98	30.95	3	Horizontal	83	2.04	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.70	74.00	-7.30	34.05	3	Vertical	54	1.85	-	28.26	4.39	-
AV	2.3606G	49.97	54.00	-4.03	17.47	3	Vertical	54	1.85	-	28.14	4.36	-
PK	2.4398G	127.99	Inf	-Inf	95.27	3	Vertical	54	1.85	-	28.30	4.42	-
AV	2.4406G	113.68	Inf	-Inf	80.96	3	Vertical	54	1.85	-	28.30	4.42	-
PK	2.485G	70.90	74.00	-3.10	38.02	3	Vertical	54	1.85	-	28.44	4.44	-
AV	2.4838G	49.92	54.00	-4.08	17.04	3	Vertical	54	1.85	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8828G	57.07	74.00	-16.93	51.73	3	Vertical	226	1.66	-	33.63	7.10	35.39
AV	4.8802G	43.91	54.00	-10.09	38.58	3	Vertical	226	1.66	-	33.62	7.10	35.39
PK	7.3218G	56.71	74.00	-17.29	46.90	3	Vertical	228	1.92	-	36.94	8.44	35.57
AV	7.3248G	42.30	54.00	-11.70	32.47	3	Vertical	228	1.92	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.883G	50.74	74.00	-23.26	45.40	3	Horizontal	299	2.40	-	33.63	7.10	35.39
AV	4.883G	37.47	54.00	-16.53	32.13	3	Horizontal	299	2.40	-	33.63	7.10	35.39
PK	7.3212G	56.14	74.00	-17.86	46.33	3	Horizontal	314	1.00	-	36.94	8.44	35.57
AV	7.3238G	41.61	54.00	-12.39	31.78	3	Horizontal	314	1.00	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	123.30	Inf	-Inf	90.51	3	Vertical	52	1.80	-	28.36	4.43	-
AV	2.4656G	109.62	Inf	-Inf	76.83	3	Vertical	52	1.80	-	28.36	4.43	-
PK	2.4836G	73.56	74.00	-0.44	40.69	3	Vertical	52	1.80	-	28.43	4.44	-
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Vertical	52	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93318G	52.32	74.00	-21.68	46.81	3	Vertical	37	2.37	-	33.77	7.10	35.36
AV	4.92796G	39.24	54.00	-14.76	33.75	3	Vertical	37	2.37	-	33.76	7.10	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91752G	52.70	74.00	-21.30	47.23	3	Horizontal	137	1.55	-	33.74	7.10	35.37	
AV	4.93684G	39.20	54.00	-14.80	33.69	3	Horizontal	137	1.55	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4696G	118.94	Inf	-Inf	86.13	3	Vertical	57	1.65	-	28.38	4.43	-
AV	2.4704G	105.54	Inf	-Inf	72.72	3	Vertical	57	1.65	-	28.38	4.44	-
PK	2.4835G	73.98	74.00	-0.02	41.11	3	Vertical	57	1.65	-	28.43	4.44	-
AV	2.4835G	51.84	54.00	-2.16	18.97	3	Vertical	57	1.65	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92944G	49.95	74.00	-24.05	44.46	3	Vertical	216	1.77	-	33.76	7.10	35.37
AV	4.93748G	36.23	54.00	-17.77	30.72	3	Vertical	216	1.77	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93412G	49.96	74.00	-24.04	44.45	3	Horizontal	144	1.58	-	33.77	7.10	35.36	
AV	4.93598G	36.31	54.00	-17.69	30.80	3	Horizontal	144	1.58	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4744G	109.83	Inf	-Inf	76.99	3	Vertical	54	1.66	-	28.40	4.44	-
AV	2.4756G	96.18	Inf	-Inf	63.34	3	Vertical	54	1.66	-	28.40	4.44	-
PK	2.4835G	72.26	74.00	-1.74	39.39	3	Vertical	54	1.66	-	28.43	4.44	-
AV	2.4835G	53.86	54.00	-0.14	20.99	3	Vertical	54	1.66	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93218G	46.56	74.00	-27.44	41.07	3	Vertical	96	2.73	-	33.76	7.10	35.37
AV	4.95612G	33.33	54.00	-20.67	27.79	3	Vertical	96	2.73	-	33.79	7.10	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9347G	46.54	74.00	-27.46	41.03	3	Horizontal	166	2.92	-	33.77	7.10	35.36	
AV	4.95834G	33.27	54.00	-20.73	27.74	3	Horizontal	166	2.92	-	33.78	7.10	35.35	

1. Photographs of Conducted Emissions Test Configuration

Test Mode: Mode 2


FRONT VIEW



REAR VIEW




CLOSE VIEW




2. Photographs of Radiated Emissions Test Configuration

Test Configuration: 30MHz~1GHz / Test Mode: Mode 3


FRONT VIEW



REAR VIEW



CLOSE VIEW




Test Configuration: Above 1GHz

Test Mode: Mode 1


For 1TX

For Bandedge

FRONT VIEW




REAR VIEW



For Harmonic

FRONT VIEW




REAR VIEW




For 2TX

For Bandedge

FRONT VIEW




REAR VIEW




For Harmonic


FRONT VIEW



REAR VIEW




CLOSE VIEW



Test Mode: Mode 2

For 1TX

FRONT VIEW




REAR VIEW




For 2TX


FRONT VIEW



REAR VIEW



CLOSE VIEW




Test Mode: Mode 3


For 1TX / 2TX

For Bandedge

FRONT VIEW



REAR VIEW




For Harmonic


FRONT VIEW



REAR VIEW



CLOSE VIEW



————THE END————