


802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB


2437MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2467MHz





802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz

CSENdB

19/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43574G	12.87	-17.13	812.88M	-52.16	2.39918G	-51.98	2.4835G	-50.91	2.48386G	-48.98	15.04572G	-44.23	1
2.43574G	12.87	-17.13	798.32M	-51.68	2.39974G	-51.13	2.4835G	-46.15	2.48364G	-44.66	17.57714G	-44.73	2

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz

CSENdB

19/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41946G	4.81	-25.19	2.10732G	-52.28	2.39824G	-32.75	2.4G	-36.17	2.4835G	-49.00	15.04661G	-44.13	1
2.41946G	4.81	-25.19	835.22M	-52.02	2.4G	-36.57	2.4G	-37.43	2.48878G	-49.55	24.85416G	-44.40	2

802.11ax HEW40_Nss1,(MCS0)_2TX

CSEndB


2437MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSEndB


2452MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB


2457MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB

2462MHz





CSE (Non-restricted Band)
<Full RU> Non-Beamforming Mode_Ant.3 (2TX)

Appendix E.6

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1(1Mbps)_2TX	Pass	2.43499G	12.22	-17.78	2.12991G	-52.27	2.397G	-27.33	2.4G	-36.85	2.49042G	-49.94	7.23233G	-34.18	2
802.11g_Nss1(6Mbps)_2TX	Pass	2.43198G	11.76	-18.24	2.11273G	-50.92	2.3985G	-31.09	2.4G	-33.42	2.51074G	-50.05	7.22952G	-39.90	2
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.43824G	12.82	-17.18	848.12M	-51.25	2.3995G	-34.07	2.4G	-37.81	2.51632G	-50.21	7.23233G	-42.44	2
802.11ax HEW40_Nss1.(MCS0)_2TX	Pass	2.41946G	4.15	-25.85	878.16M	-51.55	2.39824G	-36.98	2.4G	-38.99	2.4863G	-49.29	15.27658G	-44.40	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43499G	12.22	-17.78	2.09817G	-51.98	2.39696G	-27.71	2.4G	-38.39	2.49394G	-49.85	7.23514G	-34.34	1
2412MHz	Pass	2.43499G	12.22	-17.78	2.12991G	-52.27	2.397G	-27.33	2.4G	-36.85	2.49042G	-49.94	7.23233G	-34.18	2
2437MHz	Pass	2.43499G	12.22	-17.78	881.03M	-52.60	2.39904G	-48.92	2.4835G	-51.40	2.48498G	-47.90	17.28494G	-44.33	1
2437MHz	Pass	2.43499G	12.22	-17.78	2.16486G	-51.70	2.39998G	-45.21	2.4G	-46.63	2.4849G	-48.48	15.32387G	-44.24	2
2462MHz	Pass	2.43499G	12.22	-17.78	2.30262G	-48.03	2.3995G	-51.82	2.4835G	-46.51	2.48748G	-43.79	24.83424G	-44.16	1
2462MHz	Pass	2.43499G	12.22	-17.78	2.30466G	-47.97	2.39002G	-50.89	2.4835G	-44.44	2.48794G	-43.32	15.0401G	-43.89	2
2467MHz	Pass	2.43499G	12.22	-17.78	929.38M	-51.42	2.39782G	-52.02	2.4835G	-51.89	2.48496G	-49.50	24.21894G	-44.06	1
2467MHz	Pass	2.43499G	12.22	-17.78	2.30932G	-51.64	2.39858G	-51.53	2.4835G	-51.59	2.48486G	-49.75	24.7949G	-44.27	2
2472MHz	Pass	2.43499G	12.22	-17.78	2.08506G	-51.79	2.397G	-51.74	2.4835G	-51.23	2.48444G	-49.01	17.10794G	-44.75	1
2472MHz	Pass	2.43499G	12.22	-17.78	907.25M	-51.24	2.39782G	-52.31	2.4835G	-52.25	2.48426G	-48.17	24.87076G	-44.08	2
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43198G	11.76	-18.24	2.13894G	-51.67	2.39922G	-32.42	2.4G	-34.12	2.49434G	-50.10	7.23233G	-36.32	1
2412MHz	Pass	2.43198G	11.76	-18.24	2.11273G	-50.92	2.3985G	-31.09	2.4G	-33.42	2.51074G	-50.05	7.22952G	-39.90	2
2437MHz	Pass	2.43198G	11.76	-18.24	820.16M	-52.22	2.39788G	-36.12	2.4G	-40.49	2.48888G	-40.15	23.26931G	-44.29	1
2437MHz	Pass	2.43198G	11.76	-18.24	846.96M	-51.96	2.39788G	-36.78	2.4G	-39.02	2.49004G	-39.90	24.16556G	-44.26	2
2462MHz	Pass	2.43198G	11.76	-18.24	2.30932G	-51.40	2.39072G	-50.79	2.4835G	-44.50	2.48354G	-43.80	15.08786G	-43.97	1
2462MHz	Pass	2.43198G	11.76	-18.24	2.30175G	-50.54	2.39568G	-51.02	2.4835G	-44.90	2.4835G	-44.58	24.55609G	-44.54	2
2467MHz	Pass	2.43198G	11.76	-18.24	2.30787G	-50.60	2.3914G	-50.51	2.4835G	-42.71	2.48354G	-38.59	23.45193G	-44.07	1
2467MHz	Pass	2.43198G	11.76	-18.24	682.69M	-50.66	2.39048G	-51.01	2.4835G	-37.61	2.48358G	-37.02	24.90167G	-44.28	2
2472MHz	Pass	2.43198G	11.76	-18.24	2.08244G	-51.65	2.3905G	-51.36	2.4835G	-49.18	2.48592G	-48.18	15.26206G	-43.92	1
2472MHz	Pass	2.43198G	11.76	-18.24	864.43M	-52.39	2.39658G	-51.29	2.4835G	-46.15	2.48416G	-45.39	15.31544G	-44.00	2
802.11ax HEW20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43824G	12.82	-17.18	692.89M	-52.05	2.39962G	-34.73	2.4G	-41.13	2.5026G	-50.76	7.23233G	-40.51	1
2412MHz	Pass	2.43824G	12.82	-17.18	848.12M	-51.25	2.3995G	-34.07	2.4G	-37.81	2.51632G	-50.21	7.23233G	-42.44	2
2437MHz	Pass	2.43824G	12.82	-17.18	638.42M	-51.88	2.39984G	-41.42	2.4G	-42.94	2.48476G	-44.64	23.45474G	-44.57	1
2437MHz	Pass	2.43824G	12.82	-17.18	1.95895G	-52.38	2.39684G	-42.60	2.4G	-43.34	2.48414G	-45.56	23.48003G	-44.68	2
2462MHz	Pass	2.43824G	12.82	-17.18	2.30816G	-51.11	2.39236G	-50.57	2.4835G	-42.21	2.48358G	-40.94	24.51114G	-44.56	1
2462MHz	Pass	2.43824G	12.82	-17.18	2.30117G	-51.23	2.39092G	-51.17	2.4835G	-44.44	2.48358G	-42.43	24.85952G	-44.58	2
2467MHz	Pass	2.43824G	12.82	-17.18	2.30437G	-50.59	2.3921G	-51.16	2.4835G	-44.24	2.485G	-40.77	15.06258G	-44.06	1
2467MHz	Pass	2.43824G	12.82	-17.18	2.30583G	-51.32	2.39328G	-51.09	2.4835G	-43.64	2.48378G	-40.40	24.54485G	-45.04	2
2472MHz	Pass	2.43824G	12.82	-17.18	879.29M	-52.05	2.39684G	-51.64	2.4835G	-53.09	2.48676G	-50.26	15.25082G	-44.11	1
2472MHz	Pass	2.43824G	12.82	-17.18	795.7M	-51.99	2.39702G	-50.96	2.4835G	-51.50	2.48382G	-46.84	16.28193G	-43.96	2
802.11ax HEW40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.41946G	4.15	-25.85	878.16M	-51.55	2.39824G	-36.98	2.4G	-38.99	2.4863G	-49.29	15.27658G	-44.40	1
2422MHz	Pass	2.41946G	4.15	-25.85	891.04M	-51.67	2.3978G	-37.73	2.4G	-38.74	2.48526G	-49.29	7.24431G	-44.12	2
2437MHz	Pass	2.41946G	4.15	-25.85	2.12735G	-51.64	2.39952G	-40.78	2.4835G	-43.10	2.4835G	-43.96	24.88501G	-44.53	1
2437MHz	Pass	2.41946G	4.15	-25.85	688.95M	-51.00	2.39744G	-43.58	2.4835G	-45.30	2.48666G	-45.22	16.26659G	-44.32	2
2452MHz	Pass	2.41946G	4.15	-25.85	922.81M	-50.89	2.39816G	-50.55	2.4835G	-45.43	2.48822G	-42.31	24.92428G	-44.02	1
2452MHz	Pass	2.41946G	4.15	-25.85	878.73M	-52.02	2.3964G	-50.18	2.4835G	-46.98	2.48446G	-41.89	16.84153G	-43.17	2
2457MHz	Pass	2.41946G	4.15	-25.85	922.53M	-51.38	2.39448G	-51.13	2.4835G	-47.25	2.49318G	-42.16	15.03258G	-44.25	1
2457MHz	Pass	2.41946G	4.15	-25.85	2.30826G	-51.91	2.3998G	-50.17	2.4835G	-47.97	2.48946G	-42.38	14.6119G	-43.57	2
2462MHz	Pass	2.41946G	4.15	-25.85	920.24M	-51.48	2.39772G	-51.45	2.4835G	-49.66	2.48946G	-46.65	21.74951G	-43.84	1
2462MHz	Pass	2.41946G	4.15	-25.85	853.26M	-51.71	2.3984G	-51.31	2.4835G	-49.68	2.48574G	-47.27	23.55845G	-44.25	2

802.11b_Nss1,(1Mbps)_2TX


2412MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43499G	12.22	-17.78	2.09817G	-51.98	2.39696G	-27.71	2.4G	-38.39	2.49394G	-49.85	7.23514G	-34.34	1
2.43499G	12.22	-17.78	2.12991G	-52.27	2.397G	-27.33	2.4G	-36.85	2.49042G	-49.94	7.23233G	-34.18	2

802.11b_Nss1,(1Mbps)_2TX


2437MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43499G	12.22	-17.78	881.03M	-52.60	2.39904G	-48.92	2.4835G	-51.40	2.48498G	-47.90	17.28494G	-44.33	1
2.43499G	12.22	-17.78	2.16486G	-51.70	2.39998G	-45.21	2.4G	-46.63	2.4849G	-48.48	15.32387G	-44.24	2

802.11b_Nss1,(1Mbps)_2TX


2462MHz

CSENdB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43499G	12.22	-17.78	2.30262G	-48.03	2.3995G	-51.82	2.4835G	-46.51	2.48748G	-43.79	2.483424G	-44.16	1
2.43499G	12.22	-17.78	2.30466G	-47.97	2.39002G	-50.89	2.4835G	-44.44	2.48794G	-43.32	15.0401G	-43.89	2

802.11b_Nss1,(1Mbps)_2TX


2467MHz

CSENdB

18/05/2022



Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43499G	12.22	-17.78	929.38M	-51.42	2.39782G	-52.02	2.4835G	-51.89	2.48496G	-49.50	2.421894G	-44.06	1
2.43499G	12.22	-17.78	2.30932G	-51.64	2.39858G	-51.53	2.4835G	-51.59	2.48486G	-49.75	2.47949G	-44.27	2

802.11b_Nss1,(1Mbps)_2TX

CSEndB


2472MHz



802.11g_Nss1,(6Mbps)_2TX

CSEndB

2412MHz




802.11g_Nss1,(6Mbps)_2TX


2437MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	11.76	-18.24	820.16M	-52.22	2.39788G	-36.12	2.4G	-40.49	2.48888G	-40.15	23.26931G	-44.29	1
2.43198G	11.76	-18.24	846.96M	-51.96	2.39788G	-36.78	2.4G	-39.02	2.49004G	-39.90	24.16556G	-44.26	2

802.11g_Nss1,(6Mbps)_2TX


2462MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	11.76	-18.24	2.30932G	-51.40	2.39072G	-50.79	2.4835G	-44.50	2.48354G	-43.80	15.08786G	-43.97	1
2.43198G	11.76	-18.24	2.30175G	-50.54	2.39568G	-51.02	2.4835G	-44.90	2.4835G	-44.58	24.35609G	-44.54	2

802.11g_Nss1,(6Mbps)_2TX

2467MHz

CSEndB

18/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	11.76	-18.24	2.30787G	-50.60	2.3914G	-50.51	2.4835G	-42.71	2.48354G	-38.59	23.45193G	-44.07	1
2.43198G	11.76	-18.24	682.69M	-50.66	2.39048G	-51.01	2.4835G	-37.61	2.48358G	-37.02	24.90167G	-44.28	2

802.11g_Nss1,(6Mbps)_2TX

2472MHz

CSEndB

18/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	11.76	-18.24	2.00244G	-51.65	2.3905G	-51.36	2.4835G	-49.18	2.48592G	-48.18	15.26206G	-43.92	1
2.43198G	11.76	-18.24	864.43M	-52.39	2.39658G	-51.29	2.4835G	-46.15	2.48416G	-45.39	15.31544G	-44.00	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43824G	12.82	-17.18	2.30816G	-51.11	2.39236G	-50.57	2.4835G	-42.21	2.48358G	-40.94	24.51114G	-44.56	1
2.43824G	12.82	-17.18	2.30117G	-51.23	2.39092G	-51.17	2.4835G	-44.44	2.48358G	-42.43	24.85952G	-44.58	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSEndB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43824G	12.82	-17.18	2.30437G	-50.59	2.3921G	-51.16	2.4835G	-44.24	2.485G	-40.77	15.06258G	-44.06	1
2.43824G	12.82	-17.18	2.30583G	-51.32	2.39328G	-51.09	2.4835G	-43.64	2.48378G	-40.40	24.54485G	-45.04	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz

CSENdB

18/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43824G	12.82	-17.18	879.29M	-52.05	2.39684G	-51.64	2.4835G	-53.09	2.48676G	-50.26	15.25082G	-44.11	1
2.43824G	12.82	-17.18	795.7M	-51.99	2.39702G	-50.96	2.4835G	-51.50	2.48382G	-46.84	16.28193G	-43.96	2

802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz

CSENdB

18/05/2022



Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.41946G	4.15	-25.85	878.16M	-51.55	2.39824G	-36.98	2.4G	-38.99	2.4863G	-49.29	15.27658G	-44.40	1
2.41946G	4.15	-25.85	891.04M	-51.67	2.3978G	-37.73	2.4G	-38.74	2.48526G	-49.29	7.24431G	-44.12	2

802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB


2437MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB


2452MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB


2457MHz



802.11ax HEW40_Nss1,(MCS0)_2TX

CSENdB

2462MHz





CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 1 (1TX)

Appendix E.7

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44484G	16.97	-13.03	699M	-50.76	2.39846G	-19.63	2.4G	-29.72	2.48422G	-49.24	7.20985G	-31.29	1



CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 1 (1TX)

Appendix E.7

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44484G	16.97	-13.03	699M	-50.76	2.39846G	-19.63	2.4G	-29.72	2.48422G	-49.24	7.20985G	-31.29	1
2437MHz	Pass	2.44484G	16.97	-13.03	1.83895G	-52.01	2.39966G	-44.85	2.4835G	-49.63	2.48618G	-47.07	15.26768G	-43.89	1
2462MHz	Pass	2.44484G	16.97	-13.03	2.30991G	-49.26	2.39482G	-50.54	2.4835G	-36.57	2.48362G	-33.53	16.34655G	-43.64	1
2467MHz	Pass	2.44484G	16.97	-13.03	2.15088G	-51.57	2.39136G	-50.92	2.4835G	-51.33	2.48472G	-41.53	24.69095G	-43.17	1
2472MHz	Pass	2.44484G	16.97	-13.03	2.097G	-52.17	2.39312G	-51.75	2.4835G	-53.79	2.48362G	-48.27	6.9317G	-43.37	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

24/05/2022

Port 1



RBW (Hz)
 100k
 VBW (Hz)
 300k
 Detector
 Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44484G	16.97	-13.03	699M	-50.76	2.39846G	-19.63	2.4G	-29.72	2.48422G	-49.24	7.20985G	-31.29	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

24/05/2022

Port 1




RBW (Hz)
 100k
 VBW (Hz)
 300k
 Detector
 Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44484G	16.97	-13.03	1.83895G	-52.01	2.39966G	-44.85	2.4835G	-49.63	2.48618G	-47.07	15.26768G	-43.89	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz




802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz

CSEndB

24/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44484G	16.97	-13.03	2.097G	-52.17	2.39312G	-51.75	2.4835G	-53.79	2.48362G	-48.27	6.9317G	-43.37	1



CSE (Non-restricted Band)
<Partial RU> RU 52_Ant. 1 (1TX)

Appendix E.8

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44325G	15.70	-14.30	675.99M	-51.57	2.39874G	-14.95	2.4G	-19.71	2.48466G	-49.28	7.21266G	-32.80	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44325G	15.70	-14.30	675.99M	-51.57	2.39874G	-14.95	2.4G	-19.71	2.48466G	-49.28	7.21266G	-32.80	1
2437MHz	Pass	2.44325G	15.70	-14.30	2.09292G	-51.11	2.39896G	-41.19	2.4G	-48.38	2.48446G	-45.20	24.90167G	-44.15	1
2462MHz	Pass	2.44325G	15.70	-14.30	2.30845G	-46.73	2.39562G	-50.57	2.4835G	-32.98	2.48446G	-30.50	24.87357G	-42.86	1
2467MHz	Pass	2.44325G	15.70	-14.30	2.30845G	-50.04	2.39912G	-50.58	2.4835G	-40.48	2.48352G	-40.63	23.43226G	-43.65	1
2472MHz	Pass	2.44325G	15.70	-14.30	2.12001G	-51.89	2.39644G	-51.87	2.4835G	-45.06	2.4837G	-44.00	24.84266G	-44.04	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

24/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.70	-14.30	675.99M	-51.57	2.39874G	-14.95	2.4G	-19.71	2.48466G	-49.28	7.21266G	-32.80	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

24/05/2022

Port 1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.70	-14.30	2.09292G	-51.11	2.39896G	-41.19	2.4G	-48.38	2.48446G	-45.20	24.90167G	-44.15	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz




802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2472MHz

24/05/2022



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.70	-14.30	2.12001G	-51.89	2.39644G	-51.87	2.4835G	-45.06	2.4837G	-44.00	24.84266G	-44.04	1



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 1 (1TX)

Appendix E.9

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44054G	14.85	-15.15	819.58M	-52.12	2.3998G	-15.69	2.4G	-19.37	2.48886G	-49.71	7.23795G	-32.65	1



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 1 (1TX)

Appendix E.9

Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	14.85	-15.15	819.58M	-52.12	2.3998G	-15.69	2.4G	-19.37	2.48886G	-49.71	7.23795G	-32.65	1
2437MHz	Pass	2.44054G	14.85	-15.15	1.98283G	-51.58	2.399G	-41.84	2.4G	-47.60	2.48446G	-46.31	17.65861G	-43.61	1
2462MHz	Pass	2.44054G	14.85	-15.15	2.3035G	-46.60	2.3919G	-50.82	2.4835G	-30.92	2.4837G	-29.75	24.7949G	-43.58	1
2467MHz	Pass	2.44054G	14.85	-15.15	2.30903G	-50.28	2.3916G	-49.95	2.4835G	-37.88	2.4847G	-37.97	24.81738G	-44.40	1
2472MHz	Pass	2.44054G	14.85	-15.15	948.6M	-52.10	2.39154G	-51.80	2.4835G	-43.27	2.4842G	-42.70	24.80895G	-43.78	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

24/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.85	-15.15	819.58M	-52.12	2.3998G	-15.69	2.4G	-19.37	2.48886G	-49.71	7.23795G	-32.65	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

24/05/2022



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.85	-15.15	1.98283G	-51.58	2.399G	-41.84	2.4G	-47.60	2.48446G	-46.31	17.65861G	-43.61	1


802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz

CSENdB

24/05/2022

Port 1 



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.85	-15.15	2.3035G	-46.60	2.3919G	-50.82	2.4835G	-30.92	2.4837G	-29.75	2.47949G	-43.58	1


802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz

CSENdB

24/05/2022

Port 1 



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.85	-15.15	2.30903G	-50.28	2.3916G	-49.95	2.4835G	-37.88	2.4847G	-37.97	2.481738G	-44.40	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2472MHz

24/05/2022



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.85	-15.15	948.6M	-52.10	2.39154G	-51.80	2.4835G	-43.27	2.4842G	-42.70	24.80895G	-43.78	1



CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 2 (1TX)

Appendix E.10

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44555G	16.35	-13.65	622.4M	-52.29	2.39546G	-21.67	2.4G	-37.48	2.50284G	-50.12	7.20985G	-34.07	1

Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44555G	16.35	-13.65	622.4M	-52.29	2.39546G	-21.67	2.4G	-37.48	2.50284G	-50.12	7.20985G	-34.07	1
2437MHz	Pass	2.44555G	16.35	-13.65	2.15642G	-51.98	2.39974G	-45.63	2.4835G	-48.45	2.4856G	-48.23	14.60181G	-44.69	1
2462MHz	Pass	2.44555G	16.35	-13.65	2.30991G	-47.01	2.39042G	-49.30	2.4835G	-45.23	2.48366G	-31.53	24.84828G	-43.98	1
2467MHz	Pass	2.44555G	16.35	-13.65	2.07312G	-51.75	2.39546G	-49.94	2.4835G	-38.45	2.48468G	-35.23	15.0682G	-43.79	1
2472MHz	Pass	2.44555G	16.35	-13.65	629.1M	-52.53	2.39704G	-52.28	2.4835G	-52.69	2.48478G	-43.36	15.29858G	-44.38	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

26/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	16.35	-13.65	622.4M	-52.29	2.39546G	-21.67	2.4G	-37.48	2.50284G	-50.12	7.20985G	-34.07	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

26/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	16.35	-13.65	2.15642G	-51.98	2.39974G	-45.63	2.4835G	-48.45	2.4856G	-48.23	14.60181G	-44.69	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz




802.11ax HEW20_Nss1,(MCS0)_1TX


CSEndB

2472MHz

26/05/2022



Port 1

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	16.35	-13.65	629.1M	-52.53	2.39704G	-52.28	2.4835G	-52.69	2.48478G	-43.36	15.29858G	-44.38	1



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44329G	15.59	-14.41	787.83M	-51.42	2.39874G	-14.71	2.4G	-19.52	2.49322G	-50.18	7.23795G	-31.58	1



CSE (Non-restricted Band)
<Partial RU> RU 52_Ant. 2 (1TX)

Appendix E.11

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44329G	15.59	-14.41	787.83M	-51.42	2.39874G	-14.71	2.4G	-19.52	2.49322G	-50.18	7.23795G	-31.58	1
2437MHz	Pass	2.44329G	15.59	-14.41	2.1503G	-52.67	2.39898G	-41.57	2.4G	-47.36	2.48448G	-46.78	16.26507G	-44.13	1
2462MHz	Pass	2.44329G	15.59	-14.41	2.30845G	-46.10	2.39506G	-50.39	2.4835G	-35.86	2.48362G	-32.35	17.68109G	-44.60	1
2467MHz	Pass	2.44329G	15.59	-14.41	2.30961G	-50.44	2.39378G	-49.32	2.4835G	-30.74	2.4847G	-31.75	16.32407G	-44.29	1
2472MHz	Pass	2.44329G	15.59	-14.41	2.08506G	-52.27	2.39372G	-51.15	2.4835G	-39.45	2.4835G	-40.39	16.37464G	-44.30	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

26/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.59	-14.41	787.83M	-51.42	2.39874G	-14.71	2.4G	-19.52	2.49322G	-50.18	7.23795G	-31.58	1



802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

26/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.59	-14.41	2.1503G	-52.67	2.39898G	-41.57	2.4G	-47.36	2.48448G	-46.78	16.26507G	-44.13	1


802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz

CSENdB

26/05/2022

Port 1 



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.59	-14.41	2.30845G	-46.10	2.39506G	-50.39	2.4835G	-35.86	2.48362G	-32.35	17.68109G	-44.60	1


802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz

CSENdB

26/05/2022

Port 1 



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.59	-14.41	2.30961G	-50.44	2.39378G	-49.32	2.4835G	-30.74	2.4847G	-31.75	16.32407G	-44.29	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSEndB

2472MHz

26/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.59	-14.41	2.08506G	-92.27	2.39372G	-51.15	2.4835G	-39.45	2.4835G	-40.39	16.37464G	-44.30	1



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 2 (1TX)

Appendix E.12

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44054G	14.13	-15.87	702.5M	-51.29	2.3998G	-16.03	2.4G	-20.07	2.48696G	-50.13	7.23795G	-33.38	1



Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	14.13	-15.87	702.5M	-51.29	2.3998G	-16.03	2.4G	-20.07	2.48696G	-50.13	7.23795G	-33.38	1
2437MHz	Pass	2.44054G	14.13	-15.87	625.61M	-52.31	2.39902G	-42.79	2.4G	-48.88	2.487G	-48.40	23.17659G	-44.81	1
2462MHz	Pass	2.44054G	14.13	-15.87	2.30583G	-46.18	2.3948G	-50.17	2.4835G	-35.58	2.48366G	-31.86	17.67266G	-44.67	1
2467MHz	Pass	2.44054G	14.13	-15.87	2.30874G	-48.25	2.39248G	-50.28	2.4835G	-30.58	2.48398G	-31.74	15.02605G	-44.67	1
2472MHz	Pass	2.44054G	14.13	-15.87	826.57M	-52.52	2.3946G	-52.52	2.4835G	-40.28	2.48356G	-40.18	24.87076G	-44.60	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2412MHz

26/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.13	-15.87	702.5M	-51.29	2.3998G	-16.03	2.4G	-20.07	2.48696G	-50.13	7.23795G	-33.38	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2437MHz

26/05/2022



Port 1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.13	-15.87	625.61M	-52.31	2.39902G	-42.79	2.4G	-48.88	2.487G	-48.40	23.17659G	-44.81	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz





802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2472MHz

26/05/2022



RBW (Hz)
100K
VBW (Hz)
300K
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.13	-15.87	826.57M	-52.52	2.3946G	-52.52	2.4835G	-40.28	2.4835G	-40.18	24.87076G	-44.60	1



CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 3 (1TX)

Appendix E.13

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44551G	16.71	-13.29	2.05477G	-51.93	2.397G	-30.63	2.4G	-40.62	2.48422G	-48.65	7.20985G	-36.57	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44551G	16.71	-13.29	2.05477G	-51.93	2.397G	-30.63	2.4G	-40.62	2.48422G	-48.65	7.20985G	-36.57	1
2437MHz	Pass	2.44551G	16.71	-13.29	1.95458G	-51.35	2.39954G	-43.54	2.4G	-46.34	2.51024G	-42.99	24.87357G	-43.87	1
2462MHz	Pass	2.44551G	16.71	-13.29	2.30991G	-49.38	2.39982G	-49.45	2.4835G	-53.10	2.48608G	-45.92	24.52237G	-44.20	1
2467MHz	Pass	2.44551G	16.71	-13.29	756.96M	-51.47	2.39732G	-51.85	2.4835G	-52.87	2.485G	-45.07	17.6839G	-43.71	1
2472MHz	Pass	2.44551G	16.71	-13.29	622.99M	-51.43	2.39724G	-51.60	2.4835G	-54.39	2.48472G	-48.24	16.89441G	-43.35	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2412MHz

21/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	16.71	-13.29	2.05477G	-51.93	2.397G	-30.63	2.4G	-40.62	2.48422G	-48.65	7.20985G	-36.57	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2437MHz

21/05/2022



Port 1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	16.71	-13.29	1.95458G	-51.35	2.39954G	-43.54	2.4G	-46.34	2.51024G	-42.99	24.87357G	-43.87	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz




802.11ax HEW20_Nss1,(MCS0)_1TX

CSEndB

2472MHz

21/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	16.71	-13.29	622.99M	-51.43	2.39724G	-51.60	2.4835G	-54.39	2.48472G	-48.24	16.89441G	-43.35	1



CSE (Non-restricted Band)
<Partial RU> RU 52_Ant. 3 (1TX)

Appendix E.14

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44325G	15.83	-14.17	2.12438G	-51.76	2.3992G	-26.91	2.4G	-28.01	2.48446G	-49.23	7.21266G	-36.65	1

Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44325G	15.83	-14.17	2.12438G	-51.76	2.3992G	-26.91	2.4G	-28.01	2.48446G	-49.23	7.21266G	-36.65	1
2437MHz	Pass	2.44325G	15.83	-14.17	828.61M	-52.34	2.39922G	-40.88	2.4G	-45.97	2.4847G	-46.04	24.88481G	-44.18	1
2462MHz	Pass	2.44325G	15.83	-14.17	2.30466G	-50.87	2.39748G	-51.63	2.4835G	-43.64	2.4835G	-43.62	15.02605G	-43.33	1
2467MHz	Pass	2.44325G	15.83	-14.17	2.30699G	-51.84	2.39642G	-50.48	2.4835G	-44.84	2.4838G	-44.38	17.09951G	-44.01	1
2472MHz	Pass	2.44325G	15.83	-14.17	909.58M	-52.38	2.39814G	-50.98	2.4835G	-45.55	2.48444G	-45.69	15.33511G	-43.46	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSENdB

21/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.83	-14.17	2.12438G	-51.76	2.3992G	-26.91	2.4G	-28.01	2.48446G	-49.23	7.21266G	-36.65	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSENdB

21/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.83	-14.17	828.61M	-52.34	2.39922G	-40.88	2.4G	-45.97	2.4847G	-46.04	24.88481G	-44.18	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2462MHz

21/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.83	-14.17	2.30466G	-50.87	2.39748G	-51.63	2.4835G	-43.64	2.4835G	-43.62	15.02605G	-43.33	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSENdB

2467MHz

21/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.83	-14.17	2.30699G	-51.84	2.39642G	-50.48	2.4835G	-44.84	2.4838G	-44.38	17.09951G	-44.01	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSEndB

2472MHz

21/05/2022



Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	15.83	-14.17	909.58M	-92.38	2.39814G	-50.98	2.4835G	-45.55	2.48444G	-45.69	15.33511G	-43.46	1



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 3 (1TX)

Appendix E.15

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	2.44054G	14.86	-15.14	2.13312G	-52.31	2.3992G	-21.73	2.4G	-23.65	2.48984G	-49.85	7.2239G	-35.80	1

Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	14.86	-15.14	2.13312G	-52.31	2.3992G	-21.73	2.4G	-23.65	2.48984G	-49.85	7.2239G	-35.80	1
2437MHz	Pass	2.44054G	14.86	-15.14	2.10982G	-52.02	2.39898G	-41.46	2.4G	-48.23	2.48474G	-46.20	24.50271G	-44.62	1
2462MHz	Pass	2.44054G	14.86	-15.14	2.3035G	-50.58	2.39482G	-51.15	2.4835G	-42.61	2.48372G	-42.62	15.00639G	-43.70	1
2467MHz	Pass	2.44054G	14.86	-15.14	2.30845G	-49.31	2.3988G	-50.85	2.4835G	-44.06	2.48412G	-43.61	21.74934G	-43.81	1
2472MHz	Pass	2.44054G	14.86	-15.14	823.95M	-51.68	2.39764G	-51.47	2.4835G	-45.54	2.48356G	-44.46	24.93257G	-43.58	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz

CSEndB

21/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.86	-15.14	2.13312G	-52.31	2.3992G	-21.73	2.4G	-23.65	2.48984G	-49.85	7.2239G	-35.80	1

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz

CSEndB

21/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.86	-15.14	2.10982G	-52.02	2.39898G	-41.46	2.4G	-48.23	2.48474G	-46.20	24.50271G	-44.62	1

802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB


2462MHz



802.11ax HEW20_Nss1,(MCS0)_1TX

CSENdB

2467MHz




802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz

CSEndB

21/05/2022

Port 1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.86	-15.14	823.95M	-51.68	2.39764G	-51.47	2.4835G	-45.54	2.48356G	-44.46	24.93257G	-43.58	1



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44555G	17.04	-12.96	911.61M	-52.00	2.39624G	-29.14	2.4G	-38.73	2.49962G	-50.27	7.20985G	-37.32	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44555G	17.04	-12.96	682.11M	-52.13	2.39548G	-30.64	2.4G	-45.36	2.48398G	-50.29	7.20985G	-35.79	1
2412MHz	Pass	2.44555G	17.04	-12.96	911.61M	-52.00	2.39624G	-29.14	2.4G	-38.73	2.49962G	-50.27	7.20985G	-37.32	2
2437MHz	Pass	2.44555G	17.04	-12.96	363.48M	-52.38	2.39922G	-41.98	2.4G	-50.95	2.48362G	-44.74	24.84266G	-44.04	1
2437MHz	Pass	2.44555G	17.04	-12.96	881.32M	-51.89	2.39648G	-42.95	2.4835G	-51.88	2.48364G	-43.53	23.1485G	-43.96	2
2462MHz	Pass	2.44555G	17.04	-12.96	2.30961G	-50.40	2.39084G	-50.38	2.4835G	-46.90	2.48352G	-42.50	24.54766G	-44.29	1
2462MHz	Pass	2.44555G	17.04	-12.96	2.30961G	-48.63	2.39104G	-50.22	2.4835G	-52.69	2.48366G	-41.40	24.5589G	-44.42	2
2467MHz	Pass	2.44555G	17.04	-12.96	928.22M	-51.96	2.3931G	-51.39	2.4835G	-50.97	2.48428G	-47.71	24.14589G	-43.84	1
2467MHz	Pass	2.44555G	17.04	-12.96	907.83M	-52.00	2.39526G	-51.54	2.4835G	-52.22	2.48374G	-42.75	24.86233G	-44.51	2
2472MHz	Pass	2.44555G	17.04	-12.96	2.1072G	-51.79	2.39894G	-52.30	2.4G	-55.00	2.50254G	-50.55	16.77079G	-44.06	1
2472MHz	Pass	2.44555G	17.04	-12.96	639M	-51.64	2.39968G	-51.75	2.4835G	-54.12	2.4845G	-50.08	17.05175G	-43.79	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


CSEndB

2462MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	17.04	-12.96	2.30961G	-50.40	2.39084G	-50.38	2.4835G	-46.90	2.48352G	-42.50	2.4766G	-44.29	1
2.44555G	17.04	-12.96	2.30961G	-48.63	2.39104G	-50.22	2.4835G	-52.69	2.48366G	-41.40	2.4589G	-44.42	2

802.11ax HEW20_Nss1,(MCS0)_2TX


CSEndB

2467MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	17.04	-12.96	928.22M	-51.96	2.3931G	-51.39	2.4835G	-50.97	2.48428G	-47.71	2.41589G	-43.84	1
2.44555G	17.04	-12.96	907.63M	-52.00	2.39526G	-51.54	2.4835G	-52.22	2.48374G	-42.75	2.48233G	-44.51	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz

CSENdB

19/05/2022



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44555G	17.04	-12.96	2.1072G	-51.79	2.39894G	-52.30	2.4G	-55.00	2.50254G	-50.55	16.77079G	-44.06	1
2.44555G	17.04	-12.96	639M	-51.64	2.39968G	-51.75	2.4835G	-54.12	2.4845G	-50.08	17.05175G	-43.79	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44329G	15.93	-14.07	2.14739G	-52.61	2.39916G	-28.84	2.4G	-28.97	2.4892G	-49.72	7.21266G	-37.71	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44329G	15.93	-14.07	2.14739G	-52.61	2.39916G	-28.84	2.4G	-28.97	2.4892G	-49.72	7.21266G	-37.71	1
2412MHz	Pass	2.44329G	15.93	-14.07	819.87M	-52.13	2.39912G	-29.86	2.4G	-29.97	2.49932G	-50.30	7.23514G	-37.50	2
2437MHz	Pass	2.44329G	15.93	-14.07	891.23M	-51.64	2.39976G	-39.62	2.4835G	-43.74	2.48444G	-41.58	17.69514G	-42.71	1
2437MHz	Pass	2.44329G	15.93	-14.07	951.81M	-51.95	2.39484G	-40.20	2.4835G	-42.26	2.48474G	-42.02	15.06258G	-44.42	2
2462MHz	Pass	2.44329G	15.93	-14.07	2.30874G	-48.86	2.39622G	-50.55	2.4835G	-42.61	2.48374G	-39.04	23.57836G	-44.12	1
2462MHz	Pass	2.44329G	15.93	-14.07	2.30903G	-49.12	2.39058G	-49.88	2.4835G	-41.69	2.48372G	-39.90	17.69233G	-44.17	2
2467MHz	Pass	2.44329G	15.93	-14.07	644.54M	-51.62	2.39304G	-49.43	2.4835G	-44.84	2.4835G	-44.58	15.29858G	-43.95	1
2467MHz	Pass	2.44329G	15.93	-14.07	2.13486G	-51.97	2.39612G	-50.97	2.4835G	-43.93	2.48442G	-42.25	15.01201G	-44.38	2
2472MHz	Pass	2.44329G	15.93	-14.07	782.01M	-51.59	2.39508G	-51.56	2.4835G	-51.43	2.48502G	-48.37	24.84828G	-43.79	1
2472MHz	Pass	2.44329G	15.93	-14.07	655.61M	-51.89	2.3996G	-51.51	2.4835G	-46.17	2.48362G	-45.12	15.27329G	-44.17	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.93	-14.07	2.14739G	-52.61	2.39916G	-28.84	2.4G	-28.97	2.4892G	-49.72	7.21266G	-37.71	1
2.44329G	15.93	-14.07	819.87M	-52.13	2.39912G	-29.86	2.4G	-29.97	2.49932G	-50.30	7.23514G	-37.50	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.93	-14.07	891.23M	-51.64	2.39976G	-39.62	2.4835G	-43.74	2.48444G	-41.58	17.69514G	-42.71	1
2.44329G	15.93	-14.07	951.81M	-51.95	2.39484G	-40.20	2.4835G	-42.26	2.48474G	-42.02	15.06258G	-44.42	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz

CSENdB

19/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.93	-14.07	2.30874G	-48.86	2.39622G	-50.55	2.4835G	-42.61	2.48374G	-39.04	23.57836G	-44.12	1
2.44329G	15.93	-14.07	2.30903G	-49.12	2.39058G	-49.88	2.4835G	-41.69	2.48372G	-39.90	17.69233G	-44.17	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz

CSENdB

19/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.93	-14.07	644.54M	-51.62	2.39304G	-49.43	2.4835G	-44.84	2.4835G	-44.58	15.29858G	-43.95	1
2.44329G	15.93	-14.07	2.13486G	-51.97	2.39612G	-50.97	2.4835G	-43.93	2.48442G	-42.25	15.01201G	-44.38	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2472MHz

19/05/2022

Port 1
Port 2RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	15.93	-14.07	782.01M	-51.59	2.39508G	-51.56	2.4835G	-51.43	2.48502G	-48.37	24.84828G	-43.79	1
2.44329G	15.93	-14.07	655.61M	-51.89	2.3996G	-51.51	2.4835G	-46.17	2.48362G	-45.12	15.27329G	-44.17	2



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 1 (2TX)

Appendix E.18

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	2.44054G	14.14	-15.86	2.17244G	-51.27	2.39976G	-22.14	2.4G	-24.21	2.48888G	-50.06	7.22109G	-38.49	1


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	14.14	-15.86	2.17244G	-51.27	2.39976G	-22.14	2.4G	-24.21	2.48888G	-50.06	7.22109G	-38.49	1
2412MHz	Pass	2.44054G	14.14	-15.86	689.68M	-52.32	2.3998G	-22.17	2.4G	-24.64	2.48412G	-49.37	7.23795G	-35.08	2
2437MHz	Pass	2.44054G	14.14	-15.86	923.85M	-51.76	2.3992G	-41.50	2.4G	-46.01	2.48448G	-44.92	24.84547G	-44.30	1
2437MHz	Pass	2.44054G	14.14	-15.86	908.99M	-52.76	2.39922G	-40.68	2.4G	-47.23	2.48448G	-44.79	24.51676G	-44.98	2
2462MHz	Pass	2.44054G	14.14	-15.86	2.30466G	-46.78	2.39076G	-51.44	2.4835G	-39.01	2.48364G	-36.36	15.02886G	-44.49	1
2462MHz	Pass	2.44054G	14.14	-15.86	2.30466G	-46.20	2.39888G	-50.98	2.4835G	-40.38	2.48364G	-35.80	17.23437G	-43.61	2
2467MHz	Pass	2.44054G	14.14	-15.86	2.30874G	-51.10	2.39092G	-50.39	2.4835G	-38.31	2.48352G	-38.50	15.27049G	-44.04	1
2467MHz	Pass	2.44054G	14.14	-15.86	2.30845G	-50.41	2.3956G	-51.19	2.4835G	-38.40	2.4835G	-39.55	15.07382G	-44.30	2
2472MHz	Pass	2.44054G	14.14	-15.86	836.76M	-51.47	2.39082G	-51.90	2.4835G	-52.45	2.49536G	-50.76	16.59379G	-44.55	1
2472MHz	Pass	2.44054G	14.14	-15.86	1.96798G	-51.93	2.3947G	-52.24	2.4835G	-46.84	2.48408G	-45.13	16.70617G	-43.54	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.14	-15.86	2.30466G	-46.78	2.39076G	-51.44	2.4835G	-39.01	2.48364G	-36.36	15.02886G	-44.49	1
2.44054G	14.14	-15.86	2.30466G	-46.20	2.39886G	-50.98	2.4835G	-40.38	2.48364G	-35.80	17.23437G	-43.61	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.14	-15.86	2.30874G	-51.10	2.39092G	-50.39	2.4835G	-38.31	2.48352G	-38.50	15.27049G	-44.04	1
2.44054G	14.14	-15.86	2.30845G	-50.41	2.3956G	-51.19	2.4835G	-38.40	2.4835G	-39.55	15.07382G	-44.30	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz

CSENdB

19/05/2022



RBW (Hz)
 100k
 VBW (Hz)
 300k
 Detector
 Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	14.14	-15.86	836.76M	-51.47	2.39082G	-51.90	2.4835G	-52.45	2.49536G	-50.76	16.99379G	-44.55	1
2.44054G	14.14	-15.86	1.96798G	-51.93	2.3947G	-52.24	2.4835G	-46.84	2.48408G	-45.13	16.70617G	-43.54	2



CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 2 (2TX)

Appendix E.19

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44551G	17.37	-12.63	914.82M	-51.86	2.39624G	-26.92	2.4G	-31.82	2.48352G	-49.88	7.20704G	-34.66	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44551G	17.37	-12.63	800.07M	-51.78	2.39676G	-28.03	2.4G	-29.02	2.49636G	-50.09	7.20985G	-34.18	1
2412MHz	Pass	2.44551G	17.37	-12.63	914.82M	-51.86	2.39624G	-26.92	2.4G	-31.82	2.48352G	-49.88	7.20704G	-34.66	2
2437MHz	Pass	2.44551G	17.37	-12.63	2.06293G	-52.14	2.39388G	-42.23	2.4835G	-47.59	2.48356G	-43.54	16.5376G	-44.33	1
2437MHz	Pass	2.44551G	17.37	-12.63	821.04M	-51.38	2.3949G	-42.58	2.4G	-51.35	2.48662G	-43.78	15.06258G	-41.78	2
2462MHz	Pass	2.44551G	17.37	-12.63	2.30991G	-48.40	2.39116G	-49.15	2.4835G	-43.88	2.48358G	-39.32	17.68671G	-43.95	1
2462MHz	Pass	2.44551G	17.37	-12.63	2.30991G	-48.68	2.39082G	-50.56	2.4835G	-51.02	2.48356G	-40.84	24.4128G	-43.90	2
2467MHz	Pass	2.44551G	17.37	-12.63	856.86M	-51.22	2.3947G	-50.79	2.4835G	-50.08	2.48444G	-42.14	16.63031G	-44.50	1
2467MHz	Pass	2.44551G	17.37	-12.63	2.12671G	-51.65	2.39628G	-50.44	2.4835G	-52.49	2.48412G	-40.98	16.56007G	-43.73	2
2472MHz	Pass	2.44551G	17.37	-12.63	2.1503G	-52.70	2.39084G	-52.29	2.4835G	-52.59	2.48358G	-50.81	6.94294G	-44.17	1
2472MHz	Pass	2.44551G	17.37	-12.63	2.00438G	-52.27	2.39678G	-50.58	2.4G	-52.49	2.48438G	-46.52	24.57295G	-44.29	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	17.37	-12.63	2.30991G	-48.40	2.39116G	-49.15	2.4835G	-43.88	2.48358G	-39.32	17.68671G	-43.95	1
2.44551G	17.37	-12.63	2.30991G	-48.68	2.39082G	-50.56	2.4835G	-51.02	2.48356G	-40.84	24.4128G	-43.90	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	17.37	-12.63	856.86M	-51.22	2.3947G	-50.79	2.4835G	-50.08	2.48444G	-42.14	16.63031G	-44.50	1
2.44551G	17.37	-12.63	2.12671G	-51.65	2.39628G	-50.44	2.4835G	-52.49	2.48412G	-40.98	16.56007G	-43.73	2

802.11ax HEW20_Nss1,(MCS0)_2TX


CSEndB

2472MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44551G	17.37	-12.63	2.1503G	-52.70	2.39084G	-52.29	2.4835G	-52.59	2.48358G	-50.81	6.94294G	-44.17	1
2.44551G	17.37	-12.63	2.00438G	-52.27	2.39678G	-50.58	2.4G	-52.49	2.48438G	-46.52	24.57295G	-44.29	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44325G	16.03	-13.97	939.57M	-51.35	2.39874G	-24.34	2.4G	-24.07	2.48516G	-49.85	7.21266G	-35.31	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44325G	16.03	-13.97	2.09846G	-51.74	2.39874G	-24.20	2.4G	-25.98	2.51874G	-50.22	7.21547G	-35.05	1
2412MHz	Pass	2.44325G	16.03	-13.97	939.57M	-51.35	2.39874G	-24.34	2.4G	-24.07	2.48516G	-49.85	7.21266G	-35.31	2
2437MHz	Pass	2.44325G	16.03	-13.97	791.04M	-51.99	2.39918G	-39.70	2.4G	-43.01	2.48448G	-41.69	23.17378G	-43.83	1
2437MHz	Pass	2.44325G	16.03	-13.97	2.14215G	-51.48	2.39922G	-39.99	2.4835G	-42.68	2.48446G	-40.78	24.83705G	-44.24	2
2462MHz	Pass	2.44325G	16.03	-13.97	2.3035G	-47.07	2.39108G	-49.69	2.4835G	-39.15	2.48362G	-35.87	16.3044G	-44.27	1
2462MHz	Pass	2.44325G	16.03	-13.97	2.30874G	-47.25	2.39064G	-49.53	2.4835G	-39.60	2.48358G	-35.33	24.85671G	-44.31	2
2467MHz	Pass	2.44325G	16.03	-13.97	2.3035G	-51.70	2.39642G	-50.64	2.4835G	-34.71	2.4835G	-35.61	24.51114G	-43.91	1
2467MHz	Pass	2.44325G	16.03	-13.97	2.30612G	-51.74	2.3932G	-49.66	2.4835G	-35.73	2.4835G	-36.91	23.12321G	-44.31	2
2472MHz	Pass	2.44325G	16.03	-13.97	659.1M	-52.12	2.39928G	-50.69	2.4835G	-48.70	2.4839G	-46.87	14.74229G	-44.41	1
2472MHz	Pass	2.44325G	16.03	-13.97	1.87886G	-52.24	2.39186G	-51.25	2.4835G	-43.04	2.48376G	-42.43	15.03448G	-43.75	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2437MHz





802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz

CSENdB

19/05/2022





Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	16.03	-13.97	2.3035G	-47.07	2.39108G	-49.69	2.4835G	-39.15	2.48362G	-35.87	16.3044G	-44.27	1
2.44325G	16.03	-13.97	2.30874G	-47.25	2.39064G	-49.53	2.4835G	-39.60	2.48358G	-35.33	24.85671G	-44.31	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz

CSENdB

19/05/2022




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	16.03	-13.97	2.3035G	-51.70	2.39642G	-50.64	2.4835G	-34.71	2.4835G	-35.61	24.51114G	-43.91	1
2.44325G	16.03	-13.97	2.30612G	-51.74	2.39322G	-49.66	2.4835G	-35.73	2.4835G	-36.91	23.12321G	-44.31	2

802.11ax HEW20_Nss1,(MCS0)_2TX


CSENdB

2472MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44325G	16.03	-13.97	659.1M	-52.12	2.39928G	-50.69	2.4835G	-48.70	2.4839G	-46.87	14.74229G	-44.41	1
2.44325G	16.03	-13.97	1.87886G	-52.24	2.39186G	-51.25	2.4835G	-43.04	2.48376G	-42.43	15.03448G	-43.75	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44054G	15.01	-14.99	931.42M	-52.10	2.39982G	-17.70	2.4G	-21.24	2.49056G	-49.90	7.23233G	-33.93	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	15.01	-14.99	2.09467G	-50.55	2.3998G	-18.96	2.4G	-22.23	2.49028G	-50.36	7.23233G	-34.69	1
2412MHz	Pass	2.44054G	15.01	-14.99	931.42M	-52.10	2.39982G	-17.70	2.4G	-21.24	2.49056G	-49.90	7.23233G	-33.93	2
2437MHz	Pass	2.44054G	15.01	-14.99	2.17098G	-52.46	2.39916G	-39.73	2.4G	-44.30	2.48446G	-40.41	24.52518G	-42.90	1
2437MHz	Pass	2.44054G	15.01	-14.99	718.22M	-51.94	2.39974G	-40.21	2.4G	-43.75	2.48476G	-41.39	16.77922G	-44.23	2
2462MHz	Pass	2.44054G	15.01	-14.99	2.30466G	-47.51	2.391G	-50.73	2.4835G	-39.07	2.48362G	-35.53	17.28494G	-44.55	1
2462MHz	Pass	2.44054G	15.01	-14.99	2.30699G	-47.48	2.39072G	-50.79	2.4835G	-40.25	2.48364G	-35.36	17.28213G	-44.54	2
2467MHz	Pass	2.44054G	15.01	-14.99	2.30845G	-50.57	2.39574G	-50.79	2.4835G	-36.53	2.4835G	-37.23	15.34915G	-43.93	1
2467MHz	Pass	2.44054G	15.01	-14.99	2.30845G	-49.17	2.39258G	-50.62	2.4835G	-37.77	2.4847G	-38.19	15.30139G	-44.11	2
2472MHz	Pass	2.44054G	15.01	-14.99	791.33M	-50.98	2.3917G	-51.97	2.4835G	-50.72	2.48432G	-48.56	17.41137G	-43.36	1
2472MHz	Pass	2.44054G	15.01	-14.99	525.71M	-51.40	2.3936G	-51.51	2.4835G	-42.53	2.48382G	-42.54	24.89886G	-43.31	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	15.01	-14.99	2.30466G	-47.51	2.3911G	-50.73	2.4835G	-39.07	2.48362G	-35.53	17.28494G	-44.55	1
2.44054G	15.01	-14.99	2.30699G	-47.48	2.39072G	-50.79	2.4835G	-40.25	2.48364G	-35.36	17.28213G	-44.54	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	15.01	-14.99	2.30845G	-50.57	2.39574G	-50.79	2.4835G	-36.53	2.4835G	-37.23	15.34915G	-43.93	1
2.44054G	15.01	-14.99	2.30845G	-49.17	2.39238G	-50.62	2.4835G	-37.77	2.4847G	-38.19	15.30139G	-44.11	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	15.01	-14.99	791.33M	-50.98	2.3917G	-51.97	2.4835G	-50.72	2.48432G	-48.56	17.41137G	-43.36	1
2.44054G	15.01	-14.99	525.71M	-51.40	2.3936G	-51.51	2.4835G	-42.53	2.48382G	-42.54	24.89886G	-43.31	2



CSE (Non-restricted Band)
<Partial RU> RU 26_Ant. 3 (2TX)

Appendix E.22

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44492G	16.06	-13.94	710.65M	-51.83	2.39598G	-30.89	2.4G	-38.52	2.48438G	-49.58	7.20985G	-35.88	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44492G	16.06	-13.94	710.65M	-51.83	2.39598G	-30.89	2.4G	-38.52	2.48438G	-49.58	7.20985G	-35.88	1
2412MHz	Pass	2.44492G	16.06	-13.94	2.11768G	-51.25	2.3955G	-32.05	2.4G	-42.31	2.48378G	-50.67	7.20985G	-35.81	2
2437MHz	Pass	2.44492G	16.06	-13.94	872.3M	-51.77	2.3992G	-45.48	2.4835G	-52.53	2.48488G	-47.91	2.60217G	-43.71	1
2437MHz	Pass	2.44492G	16.06	-13.94	689.39M	-51.11	2.39942G	-44.73	2.4G	-51.93	2.48548G	-47.31	23.49969G	-44.14	2
2462MHz	Pass	2.44492G	16.06	-13.94	2.30961G	-52.11	2.3903G	-50.93	2.4835G	-50.94	2.4838G	-48.39	15.29296G	-44.11	1
2462MHz	Pass	2.44492G	16.06	-13.94	756.38M	-51.47	2.39002G	-50.89	2.4G	-52.75	2.4853G	-45.11	14.71419G	-44.53	2
2467MHz	Pass	2.44492G	16.06	-13.94	710.36M	-52.07	2.39594G	-51.22	2.4835G	-52.01	2.50116G	-50.12	15.04572G	-42.58	1
2467MHz	Pass	2.44492G	16.06	-13.94	1.85439G	-52.31	2.39912G	-51.51	2.4835G	-48.10	2.48416G	-46.01	15.29296G	-44.03	2
2472MHz	Pass	2.44492G	16.06	-13.94	1.92342G	-51.57	2.39942G	-51.77	2.4835G	-54.00	2.48566G	-50.69	24.1487G	-43.29	1
2472MHz	Pass	2.44492G	16.06	-13.94	823.66M	-52.44	2.39416G	-51.91	2.4835G	-54.32	2.48528G	-50.98	23.49688G	-44.51	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44492G	16.06	-13.94	710.65M	-51.83	2.39598G	-30.89	2.4G	-38.52	2.48438G	-49.58	7.20985G	-35.88	1
2.44492G	16.06	-13.94	2.11768G	-51.25	2.3955G	-32.05	2.4G	-42.31	2.48378G	-50.67	7.20985G	-35.81	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44492G	16.06	-13.94	872.3M	-51.77	2.3992G	-45.48	2.4835G	-52.53	2.48488G	-47.91	2.60217G	-43.71	1
2.44492G	16.06	-13.94	689.39M	-51.11	2.39942G	-44.73	2.4G	-51.93	2.48548G	-47.31	23.49969G	-44.14	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44492G	16.06	-13.94	2.30961G	-52.11	2.3903G	-50.93	2.4835G	-50.94	2.4838G	-48.39	15.29296G	-44.11	1
2.44492G	16.06	-13.94	756.38M	-51.47	2.39002G	-50.89	2.4G	-52.75	2.4853G	-45.11	14.71419G	-44.53	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSENdB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44492G	16.06	-13.94	710.36M	-52.07	2.39994G	-51.22	2.4835G	-52.01	2.50116G	-50.12	15.04572G	-42.58	1
2.44492G	16.06	-13.94	1.85439G	-52.31	2.39912G	-51.51	2.4835G	-48.10	2.48416G	-46.01	15.29296G	-44.03	2

802.11ax HEW20_Nss1,(MCS0)_2TX


CSENdB

2472MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44492G	16.06	-13.94	1.92342G	-51.57	2.39942G	-51.77	2.4835G	-54.00	2.48566G	-50.69	24.1487G	-43.29	1
2.44492G	16.06	-13.94	823.66M	-52.44	2.39416G	-51.91	2.4835G	-54.32	2.48528G	-50.98	23.49688G	-44.51	2



CSE (Non-restricted Band)
<Partial RU> RU 52_Ant. 3 (2TX)

Appendix E.23

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44329G	16.15	-13.85	670.75M	-51.91	2.39906G	-35.51	2.4G	-36.65	2.4853G	-49.69	7.21266G	-38.34	2



CSE (Non-restricted Band)
<Partial RU> RU 52_Ant. 3 (2TX)

Appendix E.23


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44329G	16.15	-13.85	890.94M	-51.65	2.39918G	-37.57	2.4G	-39.68	2.48962G	-50.49	7.21266G	-39.08	1
2412MHz	Pass	2.44329G	16.15	-13.85	670.75M	-51.91	2.39906G	-35.51	2.4G	-36.65	2.4853G	-49.69	7.21266G	-38.34	2
2437MHz	Pass	2.44329G	16.15	-13.85	722.88M	-52.16	2.3992G	-39.48	2.4G	-44.20	2.48364G	-42.04	17.26808G	-44.25	1
2437MHz	Pass	2.44329G	16.15	-13.85	1.77546G	-51.53	2.39976G	-38.79	2.4835G	-41.81	2.4848G	-41.23	24.83424G	-43.53	2
2462MHz	Pass	2.44329G	16.15	-13.85	2.30845G	-50.04	2.39102G	-51.12	2.4835G	-48.26	2.48364G	-48.07	23.42384G	-44.02	1
2462MHz	Pass	2.44329G	16.15	-13.85	2.3035G	-50.06	2.39088G	-50.07	2.4835G	-46.27	2.48422G	-44.28	23.49969G	-43.92	2
2467MHz	Pass	2.44329G	16.15	-13.85	710.65M	-51.85	2.39436G	-50.63	2.4835G	-50.04	2.484G	-48.13	23.51093G	-43.86	1
2467MHz	Pass	2.44329G	16.15	-13.85	919.19M	-52.54	2.39478G	-51.40	2.4835G	-45.86	2.48356G	-45.37	15.0401G	-44.35	2
2472MHz	Pass	2.44329G	16.15	-13.85	828.03M	-52.38	2.39574G	-51.27	2.4835G	-54.67	2.48368G	-49.82	24.77243G	-43.85	1
2472MHz	Pass	2.44329G	16.15	-13.85	2.09467G	-51.94	2.39662G	-51.88	2.4835G	-48.66	2.48452G	-47.46	15.32387G	-43.94	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSENdB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


CSENdB

2462MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	16.15	-13.85	2.30845G	-50.04	2.39102G	-51.12	2.4835G	-48.26	2.48364G	-48.07	23.42384G	-44.02	1
2.44329G	16.15	-13.85	2.3035G	-50.06	2.39088G	-50.07	2.4835G	-46.27	2.48422G	-44.28	23.49969G	-43.92	2

802.11ax HEW20_Nss1,(MCS0)_2TX


CSENdB

2467MHz

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	16.15	-13.85	710.65M	-51.85	2.39436G	-50.63	2.4835G	-50.04	2.484G	-48.13	23.51093G	-43.86	1
2.44329G	16.15	-13.85	919.19M	-52.54	2.39478G	-51.40	2.4835G	-45.86	2.48356G	-45.37	15.0401G	-44.35	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44329G	16.15	-13.85	828.03M	-52.38	2.39574G	-51.27	2.4835G	-54.67	2.48368G	-49.82	24.77249G	-43.85	1
2.44329G	16.15	-13.85	2.09467G	-51.94	2.39662G	-51.88	2.4835G	-48.66	2.48452G	-47.46	15.32387G	-43.94	2



CSE (Non-restricted Band)
<Partial RU> RU 106_Ant. 3 (2TX)

Appendix E.24

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	2.44054G	13.94	-16.06	2.14215G	-51.94	2.3998G	-27.82	2.4G	-29.47	2.49058G	-50.32	7.2239G	-36.74	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44054G	13.94	-16.06	195.14M	-52.28	2.39994G	-28.30	2.4G	-29.29	2.48848G	-49.43	7.22109G	-39.18	1
2412MHz	Pass	2.44054G	13.94	-16.06	2.14215G	-51.94	2.3998G	-27.82	2.4G	-29.47	2.49058G	-50.32	7.2239G	-36.74	2
2437MHz	Pass	2.44054G	13.94	-16.06	1.91788G	-51.99	2.39918G	-41.63	2.4835G	-46.99	2.48446G	-44.83	23.43507G	-43.64	1
2437MHz	Pass	2.44054G	13.94	-16.06	2.13341G	-51.65	2.39902G	-40.07	2.4G	-48.64	2.48448G	-43.50	24.81176G	-44.20	2
2462MHz	Pass	2.44054G	13.94	-16.06	2.30379G	-49.14	2.3934G	-50.60	2.4835G	-44.58	2.48374G	-41.82	16.97308G	-44.31	1
2462MHz	Pass	2.44054G	13.94	-16.06	2.30466G	-49.38	2.39986G	-50.64	2.4835G	-42.38	2.48374G	-42.63	24.81738G	-44.18	2
2467MHz	Pass	2.44054G	13.94	-16.06	2.10428G	-51.90	2.39786G	-50.73	2.4835G	-47.07	2.48474G	-46.57	24.83143G	-43.71	1
2467MHz	Pass	2.44054G	13.94	-16.06	2.11331G	-51.86	2.39324G	-51.26	2.4835G	-45.22	2.4848G	-43.70	24.93819G	-44.34	2
2472MHz	Pass	2.44054G	13.94	-16.06	815.79M	-51.79	2.39518G	-51.98	2.4835G	-52.53	2.49992G	-50.58	15.07663G	-44.14	1
2472MHz	Pass	2.44054G	13.94	-16.06	956.47M	-52.05	2.39462G	-52.10	2.4835G	-47.58	2.484G	-46.45	24.22175G	-44.86	2

802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB


2412MHz



802.11ax HEW20_Nss1,(MCS0)_2TX

CSEndB

2437MHz




802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	13.94	-16.06	2.30379G	-49.14	2.3934G	-50.60	2.4835G	-44.58	2.48374G	-41.82	16.97308G	-44.31	1
2.44054G	13.94	-16.06	2.30466G	-49.38	2.39986G	-50.64	2.4835G	-42.38	2.48374G	-42.63	24.81738G	-44.18	2

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz

CSEndB

19/05/2022



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	13.94	-16.06	2.10428G	-51.90	2.39786G	-50.73	2.4835G	-47.07	2.48474G	-46.57	24.83143G	-43.71	1
2.44054G	13.94	-16.06	2.11331G	-51.86	2.39324G	-51.26	2.4835G	-45.22	2.4848G	-43.70	24.93819G	-44.34	2

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz

CSEndB

19/05/2022



RBW (Hz)

 VBW (Hz)

 Detector

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44054G	13.94	-16.06	815.79M	-51.79	2.39518G	-51.98	2.4835G	-52.53	2.49992G	-50.58	15.07663G	-44.14	1
2.44054G	13.94	-16.06	956.47M	-52.05	2.39462G	-52.10	2.4835G	-47.58	2.484G	-46.45	24.22175G	-44.86	2



Radiated Emissions below 1GHz


Appendix F.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	60.01M	35.92	40.00	-4.08	Vertical

Mode 3


18/05/2022



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30.85M	35.61	40.00	-4.39	-13.16	3	Vertical	55	1.00	-	48.77	14.00	0.73	27.89
PK	60.01M	35.92	40.00	-4.08	-16.67	3	Vertical	193	1.00	"Worst"	52.59	9.80	1.30	27.77
PK	99.62M	33.36	43.50	-10.14	-16.35	3	Vertical	79	1.00	-	49.71	9.56	1.90	27.81
PK	115.6M	31.39	43.50	-12.11	-15.05	3	Vertical	190	2.00	-	46.44	10.50	2.13	27.68
PK	366.4M	35.26	46.00	-10.74	-7.69	3	Vertical	4	2.00	-	42.95	15.38	3.97	27.04
PK	399.6M	33.01	46.00	-12.99	-7.02	3	Vertical	38	2.00	-	40.03	16.22	4.10	27.34

Mode 3

18/05/2022



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	100.04M	31.53	43.50	-11.97	-16.31	3	Horizontal	133	1.00	"Worst"	47.84	9.60	1.90	27.81
PK	199.92M	27.68	43.50	-15.82	-9.56	3	Horizontal	229	3.00	-	37.24	14.51	3.20	27.27
PK	299.6M	28.37	46.00	-17.63	-9.67	3	Horizontal	286	1.00	-	38.04	13.20	3.50	26.37
PK	366.4M	32.51	46.00	-13.49	-7.69	3	Horizontal	214	2.00	-	40.20	15.38	3.97	27.04
PK	399.6M	31.24	46.00	-14.76	-7.02	3	Horizontal	11	1.00	-	38.26	16.22	4.10	27.34
PK	499.6M	31.66	46.00	-14.34	-5.79	3	Horizontal	15	1.00	-	37.45	17.51	4.60	27.90



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.1 (1TX)


Appendix F.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	2.4856G	53.95	54.00	-0.05	3	Horizontal	109	1.62	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.07	74.00	-10.93	30.36	3	Vertical	129	1.00	-	28.32	4.39	-
AV	2.39G	53.28	54.00	-0.72	20.57	3	Vertical	129	1.00	-	28.32	4.39	-
PK	2.411G	114.21	Inf	-Inf	81.48	3	Vertical	129	1.00	-	28.32	4.41	-
AV	2.4102G	110.42	Inf	-Inf	77.69	3	Vertical	129	1.00	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	61.71	74.00	-12.29	29.00	3	Horizontal	25	1.92	-	28.32	4.39	-
AV	2.39G	51.58	54.00	-2.42	18.87	3	Horizontal	25	1.92	-	28.32	4.39	-
PK	2.413G	110.96	Inf	-Inf	78.22	3	Horizontal	25	1.92	-	28.33	4.41	-
AV	2.4102G	107.22	Inf	-Inf	74.49	3	Horizontal	25	1.92	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
Setting 21.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82412G	47.51	74.00	-26.49	42.44	3	Vertical	100	2.13	-	33.40	7.09	35.42
AV	4.82406G	35.57	54.00	-18.43	30.50	3	Vertical	100	2.13	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT V_1TX
Setting 21.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82392G	47.41	74.00	-26.59	42.34	3	Horizontal	214	1.80	-	33.40	7.09	35.42
AV	4.82398G	36.04	54.00	-17.96	30.97	3	Horizontal	214	1.80	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.40	74.00	-14.60	26.69	3	Vertical	130	1.00	-	28.32	4.39	-
AV	2.389G	49.69	54.00	-4.31	16.98	3	Vertical	130	1.00	-	28.32	4.39	-
PK	2.4378G	116.32	Inf	-Inf	83.52	3	Vertical	130	1.00	-	28.38	4.42	-
AV	2.4386G	112.51	Inf	-Inf	79.71	3	Vertical	130	1.00	-	28.38	4.42	-
PK	2.485G	60.48	74.00	-13.52	27.43	3	Vertical	130	1.00	-	28.61	4.44	-
AV	2.485G	51.03	54.00	-2.97	17.98	3	Vertical	130	1.00	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.389G	58.96	74.00	-15.04	26.25	3	Horizontal	25	2.15	-	28.32	4.39	-	
AV	2.389G	48.68	54.00	-5.32	15.97	3	Horizontal	25	2.15	-	28.32	4.39	-	
PK	2.4362G	112.91	Inf	-Inf	80.12	3	Horizontal	25	2.15	-	28.37	4.42	-	
AV	2.4354G	109.30	Inf	-Inf	76.51	3	Horizontal	25	2.15	-	28.37	4.42	-	
PK	2.485G	58.40	74.00	-15.60	25.35	3	Horizontal	25	2.15	-	28.61	4.44	-	
AV	2.4846G	47.62	54.00	-6.38	14.57	3	Horizontal	25	2.15	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8741G	51.65	74.00	-22.35	46.49	3	Vertical	104	2.15	-	33.50	7.06	35.40
AV	4.87402G	45.89	54.00	-8.11	40.73	3	Vertical	104	2.15	-	33.50	7.06	35.40
PK	7.30776G	54.35	74.00	-19.65	44.40	3	Vertical	206	1.97	-	37.00	8.52	35.57
AV	7.30932G	43.36	54.00	-10.64	33.40	3	Vertical	206	1.97	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT V_1TX
 Setting 24
 03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	52.67	74.00	-21.33	47.51	3	Horizontal	163	1.45	-	33.50	7.06	35.40
AV	4.874G	47.58	54.00	-6.42	42.42	3	Horizontal	163	1.45	-	33.50	7.06	35.40
PK	7.31G	54.76	74.00	-19.24	44.80	3	Horizontal	36	1.81	-	37.00	8.53	35.57
AV	7.30928G	45.20	54.00	-8.80	35.24	3	Horizontal	36	1.81	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.456G	113.84	Inf	-Inf	80.97	3	Vertical	130	1.01	-	28.44	4.43	-
AV	2.4552G	110.02	Inf	-Inf	77.16	3	Vertical	130	1.01	-	28.43	4.43	-
PK	2.484G	61.45	74.00	-12.55	28.41	3	Vertical	130	1.01	-	28.60	4.44	-
AV	2.4835G	53.16	54.00	-0.84	20.12	3	Vertical	130	1.01	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	110.95	Inf	-Inf	78.07	3	Horizontal	25	2.11	-	28.45	4.43	-
AV	2.4588G	107.18	Inf	-Inf	74.30	3	Horizontal	25	2.11	-	28.45	4.43	-
PK	2.4835G	59.99	74.00	-14.01	26.95	3	Horizontal	25	2.11	-	28.60	4.44	-
AV	2.4835G	50.04	54.00	-3.96	17.00	3	Horizontal	25	2.11	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	113.51	Inf	-Inf	80.61	3	Vertical	124	1.28	-	28.47	4.43	-
AV	2.4602G	109.67	Inf	-Inf	76.78	3	Vertical	124	1.28	-	28.46	4.43	-
PK	2.488G	63.47	74.00	-10.53	30.40	3	Vertical	124	1.28	-	28.63	4.44	-
AV	2.4882G	53.46	54.00	-0.54	20.39	3	Vertical	124	1.28	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.461G	110.33	Inf	-Inf	77.43	3	Horizontal	45	2.37	-	28.47	4.43	-	
AV	2.4602G	106.54	Inf	-Inf	73.65	3	Horizontal	45	2.37	-	28.46	4.43	-	
PK	2.4868G	60.34	74.00	-13.66	27.28	3	Horizontal	45	2.37	-	28.62	4.44	-	
AV	2.4878G	50.08	54.00	-3.92	17.01	3	Horizontal	45	2.37	-	28.63	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 21
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92386G	47.29	74.00	-26.71	41.97	3	Vertical	224	1.88	-	33.65	7.04	35.37
AV	4.924G	35.08	54.00	-18.92	29.76	3	Vertical	224	1.88	-	33.65	7.04	35.37
PK	7.38988G	53.93	74.00	-20.07	43.67	3	Vertical	207	2.01	-	37.08	8.77	35.59
AV	7.38528G	40.71	54.00	-13.29	30.47	3	Vertical	207	2.01	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_V_1TX
Setting 21
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92398G	47.88	74.00	-26.12	42.56	3	Horizontal	158	1.95	-	33.65	7.04	35.37
AV	4.92404G	37.73	54.00	-16.27	32.41	3	Horizontal	158	1.95	-	33.65	7.04	35.37
PK	7.38708G	54.49	74.00	-19.51	44.25	3	Horizontal	35	1.59	-	37.07	8.76	35.59
AV	7.38532G	41.48	54.00	-12.52	31.24	3	Horizontal	35	1.59	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	109.19	Inf	-Inf	76.26	3	Vertical	126	1.31	-	28.50	4.43	-
AV	2.4652G	105.41	Inf	-Inf	72.49	3	Vertical	126	1.31	-	28.49	4.43	-
PK	2.4835G	63.66	74.00	-10.34	30.62	3	Vertical	126	1.31	-	28.60	4.44	-
AV	2.4835G	52.49	54.00	-1.51	19.45	3	Vertical	126	1.31	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	105.65	Inf	-Inf	72.71	3	Horizontal	27	1.66	-	28.51	4.43	-
AV	2.4688G	101.81	Inf	-Inf	68.87	3	Horizontal	27	1.66	-	28.51	4.43	-
PK	2.4835G	60.97	74.00	-13.03	27.93	3	Horizontal	27	1.66	-	28.60	4.44	-
AV	2.4835G	49.91	54.00	-4.09	16.87	3	Horizontal	27	1.66	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT V_1TX
Setting 17
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93384G	47.07	74.00	-26.93	41.73	3	Vertical	223	2.35	-	33.67	7.03	35.36
AV	4.93404G	34.91	54.00	-19.09	29.57	3	Vertical	223	2.35	-	33.67	7.03	35.36
PK	7.39788G	52.59	74.00	-21.41	42.29	3	Vertical	246	1.79	-	37.10	8.79	35.59
AV	7.40196G	38.81	54.00	-15.19	28.50	3	Vertical	246	1.79	-	37.10	8.80	35.59

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT_V_1TX
Setting 17
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93366G	48.41	74.00	-25.59	43.07	3	Horizontal	162	2.07	-	33.67	7.03	35.36
AV	4.93404G	38.22	54.00	-15.78	32.88	3	Horizontal	162	2.07	-	33.67	7.03	35.36
PK	7.39804G	53.18	74.00	-20.82	42.88	3	Horizontal	32	1.78	-	37.10	8.79	35.59
AV	7.40192G	39.00	54.00	-15.00	28.69	3	Horizontal	32	1.78	-	37.10	8.80	35.59

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT_X_1TX
Setting 14.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.471G	105.53	Inf	-Inf	72.56	3	Vertical	179	1.50	-	28.53	4.44	-
AV	2.4702G	101.65	Inf	-Inf	68.69	3	Vertical	179	1.50	-	28.52	4.44	-
PK	2.485G	62.09	74.00	-11.91	29.04	3	Vertical	179	1.50	-	28.61	4.44	-
AV	2.4858G	53.46	54.00	-0.54	20.41	3	Vertical	179	1.50	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 14.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.473G	103.79	Inf	-Inf	70.81	3	Horizontal	25	2.06	-	28.54	4.44	-	
AV	2.4738G	99.91	Inf	-Inf	66.93	3	Horizontal	25	2.06	-	28.54	4.44	-	
PK	2.487G	61.78	74.00	-12.22	28.72	3	Horizontal	25	2.06	-	28.62	4.44	-	
AV	2.4858G	52.44	54.00	-1.56	19.39	3	Horizontal	25	2.06	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT V_1TX
Setting 14.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94458G	46.94	74.00	-27.06	41.58	3	Vertical	196	1.77	-	33.69	7.03	35.36
AV	4.94396G	33.88	54.00	-20.12	28.52	3	Vertical	196	1.77	-	33.69	7.03	35.36
PK	7.40592G	52.86	74.00	-21.14	42.58	3	Vertical	26	1.01	-	37.09	8.79	35.60
AV	7.4025G	38.60	54.00	-15.40	28.30	3	Vertical	26	1.01	-	37.09	8.80	35.59

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT V_1TX
Setting 14.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94412G	48.11	74.00	-25.89	42.75	3	Horizontal	164	1.99	-	33.69	7.03	35.36
AV	4.94402G	36.67	54.00	-17.33	31.31	3	Horizontal	164	1.99	-	33.69	7.03	35.36
PK	7.40928G	53.44	74.00	-20.56	43.17	3	Horizontal	276	1.44	-	37.08	8.79	35.60
AV	7.40232G	38.59	54.00	-15.41	28.28	3	Horizontal	276	1.44	-	37.10	8.80	35.59

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT V_1TX
Setting 9.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92688G	46.69	74.00	-27.31	41.37	3	Vertical	21	2.27	-	33.65	7.04	35.37	
AV	4.92644G	32.71	54.00	-21.29	27.39	3	Vertical	21	2.27	-	33.65	7.04	35.37	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
Setting 9.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92708G	46.19	74.00	-27.81	40.87	3	Horizontal	204	2.76	-	33.65	7.04	35.37
AV	4.92634G	32.72	54.00	-21.28	27.40	3	Horizontal	204	2.76	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.39	74.00	-0.61	40.68	3	Vertical	126	1.09	-	28.32	4.39	-
AV	2.39G	52.82	54.00	-1.18	20.11	3	Vertical	126	1.09	-	28.32	4.39	-
PK	2.4168G	112.95	Inf	-Inf	80.21	3	Vertical	126	1.09	-	28.33	4.41	-
AV	2.4146G	103.06	Inf	-Inf	70.32	3	Vertical	126	1.09	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	71.75	74.00	-2.25	39.04	3	Horizontal	28	1.92	-	28.32	4.39	-
AV	2.39G	51.24	54.00	-2.76	18.53	3	Horizontal	28	1.92	-	28.32	4.39	-
PK	2.4158G	110.50	Inf	-Inf	77.76	3	Horizontal	28	1.92	-	28.33	4.41	-
AV	2.4144G	100.60	Inf	-Inf	67.86	3	Horizontal	28	1.92	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
Setting 18.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82166G	47.17	74.00	-26.83	42.10	3	Vertical	100	1.80	-	33.40	7.09	35.42
AV	4.82368G	33.08	54.00	-20.92	28.01	3	Vertical	100	1.80	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
 Setting 18.5
 03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82018G	46.56	74.00	-27.44	41.49	3	Horizontal	11	2.34	-	33.40	7.09	35.42
AV	4.82202G	32.73	54.00	-21.27	27.66	3	Horizontal	11	2.34	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT X_1TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	73.11	74.00	-0.89	40.40	3	Vertical	130	1.04	-	28.32	4.39	-	
AV	2.39G	50.27	54.00	-3.73	17.56	3	Vertical	130	1.04	-	28.32	4.39	-	
PK	2.4176G	114.24	Inf	-Inf	81.49	3	Vertical	130	1.04	-	28.34	4.41	-	
AV	2.416G	104.35	Inf	-Inf	71.61	3	Vertical	130	1.04	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT X_1TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	70.61	74.00	-3.39	37.90	3	Horizontal	22	1.70	-	28.32	4.39	-
AV	2.39G	48.59	54.00	-5.41	15.88	3	Horizontal	22	1.70	-	28.32	4.39	-
PK	2.4176G	111.12	Inf	-Inf	78.37	3	Horizontal	22	1.70	-	28.34	4.41	-
AV	2.4178G	101.38	Inf	-Inf	68.63	3	Horizontal	22	1.70	-	28.34	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	68.33	74.00	-5.67	35.62	3	Vertical	130	1.00	-	28.32	4.39	-
AV	2.3898G	50.21	54.00	-3.79	17.50	3	Vertical	130	1.00	-	28.32	4.39	-
PK	2.4382G	118.74	Inf	-Inf	85.94	3	Vertical	130	1.00	-	28.38	4.42	-
AV	2.4382G	108.99	Inf	-Inf	76.19	3	Vertical	130	1.00	-	28.38	4.42	-
PK	2.4854G	71.41	74.00	-2.59	38.36	3	Vertical	130	1.00	-	28.61	4.44	-
AV	2.4835G	52.17	54.00	-1.83	19.13	3	Vertical	130	1.00	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	65.30	74.00	-8.70	32.59	3	Horizontal	23	1.44	-	28.32	4.39	-
AV	2.3898G	48.41	54.00	-5.59	15.70	3	Horizontal	23	1.44	-	28.32	4.39	-
PK	2.4382G	115.21	Inf	-Inf	82.41	3	Horizontal	23	1.44	-	28.38	4.42	-
AV	2.4378G	105.43	Inf	-Inf	72.63	3	Horizontal	23	1.44	-	28.38	4.42	-
PK	2.4874G	68.07	74.00	-5.93	35.01	3	Horizontal	23	1.44	-	28.62	4.44	-
AV	2.4835G	49.79	54.00	-4.21	16.75	3	Horizontal	23	1.44	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8722G	48.73	74.00	-25.27	43.58	3	Vertical	92	1.80	-	33.49	7.06	35.40
AV	4.87408G	34.48	54.00	-19.52	29.32	3	Vertical	92	1.80	-	33.50	7.06	35.40

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8774G	47.10	74.00	-26.90	41.92	3	Horizontal	247	1.85	-	33.51	7.06	35.39	
AV	4.87408G	33.51	54.00	-20.49	28.35	3	Horizontal	247	1.85	-	33.50	7.06	35.40	

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4556G	116.57	Inf	-Inf	83.71	3	Vertical	128	1.04	-	28.43	4.43	-
AV	2.456G	106.67	Inf	-Inf	73.80	3	Vertical	128	1.04	-	28.44	4.43	-
PK	2.4872G	71.10	74.00	-2.90	38.04	3	Vertical	128	1.04	-	28.62	4.44	-
AV	2.4835G	53.14	54.00	-0.86	20.10	3	Vertical	128	1.04	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4556G	113.43	Inf	-Inf	80.57	3	Horizontal	25	2.11	-	28.43	4.43	-
AV	2.4578G	103.67	Inf	-Inf	70.79	3	Horizontal	25	2.11	-	28.45	4.43	-
PK	2.4866G	66.79	74.00	-7.21	33.73	3	Horizontal	25	2.11	-	28.62	4.44	-
AV	2.4835G	50.03	54.00	-3.97	16.99	3	Horizontal	25	2.11	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4606G	114.42	Inf	-Inf	81.53	3	Vertical	124	1.28	-	28.46	4.43	-
AV	2.461G	104.67	Inf	-Inf	71.77	3	Vertical	124	1.28	-	28.47	4.43	-
PK	2.4835G	72.76	74.00	-1.24	39.72	3	Vertical	124	1.28	-	28.60	4.44	-
AV	2.4835G	53.26	54.00	-0.74	20.22	3	Vertical	124	1.28	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4606G	111.19	Inf	-Inf	78.30	3	Horizontal	45	2.38	-	28.46	4.43	-	
AV	2.461G	101.51	Inf	-Inf	68.61	3	Horizontal	45	2.38	-	28.47	4.43	-	
PK	2.4835G	67.73	74.00	-6.27	34.69	3	Horizontal	45	2.38	-	28.60	4.44	-	
AV	2.4835G	49.68	54.00	-4.32	16.64	3	Horizontal	45	2.38	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX



EUT Y_1TX
Setting 19
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91628G	47.22	74.00	-26.78	41.92	3	Vertical	211	2.56	-	33.63	7.04	35.37	
AV	4.92388G	32.94	54.00	-21.06	27.62	3	Vertical	211	2.56	-	33.65	7.04	35.37	