


802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	58.22	74.00	-15.78	25.51	3	Vertical	15	1.76	-	28.32	4.39	-
AV	2.389G	47.33	54.00	-6.67	14.62	3	Vertical	15	1.76	-	28.32	4.39	-
PK	2.4358G	113.98	Inf	-Inf	81.19	3	Vertical	15	1.76	-	28.37	4.42	-
AV	2.4358G	110.00	Inf	-Inf	77.21	3	Vertical	15	1.76	-	28.37	4.42	-
PK	2.4846G	59.02	74.00	-14.98	25.97	3	Vertical	15	1.76	-	28.61	4.44	-
AV	2.485G	48.45	54.00	-5.55	15.40	3	Vertical	15	1.76	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	57.34	74.00	-16.66	24.62	3	Horizontal	343	1.88	-	28.33	4.39	-
AV	2.3894G	46.43	54.00	-7.57	13.72	3	Horizontal	343	1.88	-	28.32	4.39	-
PK	2.4358G	112.62	Inf	-Inf	79.83	3	Horizontal	343	1.88	-	28.37	4.42	-
AV	2.4386G	108.72	Inf	-Inf	75.92	3	Horizontal	343	1.88	-	28.38	4.42	-
PK	2.4858G	58.97	74.00	-15.03	25.92	3	Horizontal	343	1.88	-	28.61	4.44	-
AV	2.485G	47.34	54.00	-6.66	14.29	3	Horizontal	343	1.88	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	56.57	74.00	-17.43	51.41	3	Vertical	172	1.65	-	33.50	7.06	35.40
AV	4.87406G	53.91	54.00	-0.09	48.75	3	Vertical	172	1.65	-	33.50	7.06	35.40
PK	7.31432G	54.43	74.00	-19.57	44.46	3	Vertical	182	1.18	-	37.00	8.54	35.57
AV	7.31396G	44.36	54.00	-9.64	34.39	3	Vertical	182	1.18	-	37.00	8.54	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87406G	56.63	74.00	-17.37	51.47	3	Horizontal	171	1.72	-	33.50	7.06	35.40
AV	4.8741G	53.68	54.00	-0.32	48.52	3	Horizontal	171	1.72	-	33.50	7.06	35.40
PK	7.30956G	52.54	74.00	-21.46	42.58	3	Horizontal	239	1.80	-	37.00	8.53	35.57
AV	7.3104G	41.03	54.00	-12.97	31.07	3	Horizontal	239	1.80	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.5
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	2.463G	113.04	Inf	-Inf	80.13	3	Vertical	7	1.80	-	28.48	4.43	-	
AV	2.4638G	109.15	Inf	-Inf	76.24	3	Vertical	7	1.80	-	28.48	4.43	-	
PK	2.488G	61.88	74.00	-12.12	28.81	3	Vertical	7	1.80	-	28.63	4.44	-	
AV	2.4882G	52.89	54.00	-1.11	19.82	3	Vertical	7	1.80	-	28.63	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	112.79	Inf	-Inf	79.88	3	Horizontal	201	2.07	-	28.48	4.43	-	
AV	2.4638G	108.92	Inf	-Inf	76.01	3	Horizontal	201	2.07	-	28.48	4.43	-	
PK	2.4882G	61.45	74.00	-12.55	28.38	3	Horizontal	201	2.07	-	28.63	4.44	-	
AV	2.4882G	52.06	54.00	-1.94	18.99	3	Horizontal	201	2.07	-	28.63	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92393G	52.01	74.00	-21.99	46.69	3	Vertical	120	1.96	-	33.65	7.04	35.37	
AV	4.92404G	45.98	54.00	-8.02	40.66	3	Vertical	120	1.96	-	33.65	7.04	35.37	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92409G	51.34	74.00	-22.66	46.02	3	Horizontal	175	2.00	-	33.65	7.04	35.37
AV	4.92398G	44.62	54.00	-9.38	39.30	3	Horizontal	175	2.00	-	33.65	7.04	35.37

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
 Setting 15.5
 03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.468G	108.91	Inf	-Inf	75.97	3	Vertical	12	1.86	-	28.51	4.43	-	
AV	2.4688G	105.13	Inf	-Inf	72.19	3	Vertical	12	1.86	-	28.51	4.43	-	
PK	2.4836G	62.11	74.00	-11.89	29.07	3	Vertical	12	1.86	-	28.60	4.44	-	
AV	2.4842G	52.96	54.00	-1.04	19.91	3	Vertical	12	1.86	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	107.98	Inf	-Inf	75.04	3	Horizontal	200	2.08	-	28.51	4.43	-
AV	2.4662G	104.05	Inf	-Inf	71.12	3	Horizontal	200	2.08	-	28.50	4.43	-
PK	2.4838G	61.84	74.00	-12.16	28.80	3	Horizontal	200	2.08	-	28.60	4.44	-
AV	2.4842G	51.98	54.00	-2.02	18.93	3	Horizontal	200	2.08	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93422G	50.41	74.00	-23.59	45.07	3	Vertical	212	1.69	-	33.67	7.03	35.36	
AV	4.93404G	41.05	54.00	-12.95	35.71	3	Vertical	212	1.69	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93398G	50.29	74.00	-23.71	44.95	3	Horizontal	171	1.83	-	33.67	7.03	35.36	
AV	4.93407G	41.18	54.00	-12.82	35.84	3	Horizontal	171	1.83	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.471G	105.47	Inf	-Inf	72.50	3	Vertical	11	1.89	-	28.53	4.44	-
AV	2.4736G	101.40	Inf	-Inf	68.42	3	Vertical	11	1.89	-	28.54	4.44	-
PK	2.4835G	62.50	74.00	-11.50	29.46	3	Vertical	11	1.89	-	28.60	4.44	-
AV	2.4846G	53.19	54.00	-0.81	20.14	3	Vertical	11	1.89	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	104.92	Inf	-Inf	71.94	3	Horizontal	199	2.06	-	28.54	4.44	-
AV	2.4738G	100.55	Inf	-Inf	67.57	3	Horizontal	199	2.06	-	28.54	4.44	-
PK	2.485G	61.86	74.00	-12.14	28.81	3	Horizontal	199	2.06	-	28.61	4.44	-
AV	2.4844G	52.38	54.00	-1.62	19.33	3	Horizontal	199	2.06	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94414G	48.84	74.00	-25.16	43.48	3	Vertical	155	1.03	-	33.69	7.03	35.36	
AV	4.94407G	36.81	54.00	-17.19	31.45	3	Vertical	155	1.03	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94391G	49.57	74.00	-24.43	44.21	3	Horizontal	172	1.84	-	33.69	7.03	35.36
AV	4.944G	37.47	54.00	-16.53	32.11	3	Horizontal	172	1.84	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3852G	73.89	74.00	-0.11	41.17	3	Vertical	2	1.80	-	28.33	4.39	-	
AV	2.39G	50.77	54.00	-3.23	18.06	3	Vertical	2	1.80	-	28.32	4.39	-	
PK	2.4134G	112.66	Inf	-Inf	79.92	3	Vertical	2	1.80	-	28.33	4.41	-	
AV	2.4158G	102.43	Inf	-Inf	69.69	3	Vertical	2	1.80	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	71.91	74.00	-2.09	39.20	3	Horizontal	130	1.93	-	28.32	4.39	-
AV	2.39G	50.10	54.00	-3.90	17.39	3	Horizontal	130	1.93	-	28.32	4.39	-
PK	2.4098G	111.26	Inf	-Inf	78.54	3	Horizontal	130	1.93	-	28.32	4.40	-
AV	2.4152G	101.12	Inf	-Inf	68.38	3	Horizontal	130	1.93	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82524G	47.76	74.00	-26.24	42.69	3	Vertical	360	1.07	-	33.40	7.09	35.42
AV	4.82397G	33.61	54.00	-20.39	28.54	3	Vertical	360	1.07	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82345G	46.72	74.00	-27.28	41.65	3	Horizontal	325	1.49	-	33.40	7.09	35.42
AV	4.8233G	33.38	54.00	-20.62	28.31	3	Horizontal	325	1.49	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	71.61	74.00	-2.39	38.90	3	Vertical	3	1.80	-	28.32	4.39	-
AV	2.39G	53.98	54.00	-0.02	21.27	3	Vertical	3	1.80	-	28.32	4.39	-
PK	2.4184G	115.98	Inf	-Inf	83.23	3	Vertical	3	1.80	-	28.34	4.41	-
AV	2.4158G	105.62	Inf	-Inf	72.88	3	Vertical	3	1.80	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	71.18	74.00	-2.82	38.46	3	Horizontal	132	1.93	-	28.33	4.39	-
AV	2.39G	52.52	54.00	-1.48	19.81	3	Horizontal	132	1.93	-	28.32	4.39	-
PK	2.4178G	115.04	Inf	-Inf	82.29	3	Horizontal	132	1.93	-	28.34	4.41	-
AV	2.4178G	104.65	Inf	-Inf	71.90	3	Horizontal	132	1.93	-	28.34	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.87	74.00	-6.13	35.16	3	Vertical	245	2.00	-	28.32	4.39	-
AV	2.389G	49.82	54.00	-4.18	17.11	3	Vertical	245	2.00	-	28.32	4.39	-
PK	2.4354G	119.01	Inf	-Inf	86.22	3	Vertical	245	2.00	-	28.37	4.42	-
AV	2.4378G	108.38	Inf	-Inf	75.58	3	Vertical	245	2.00	-	28.38	4.42	-
PK	2.487G	70.86	74.00	-3.14	37.80	3	Vertical	245	2.00	-	28.62	4.44	-
AV	2.4842G	51.26	54.00	-2.74	18.21	3	Vertical	245	2.00	-	28.61	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	65.67	74.00	-8.33	32.96	3	Horizontal	124	1.70	-	28.32	4.39	-
AV	2.389G	48.25	54.00	-5.75	15.54	3	Horizontal	124	1.70	-	28.32	4.39	-
PK	2.4378G	118.12	Inf	-Inf	85.32	3	Horizontal	124	1.70	-	28.38	4.42	-
AV	2.4382G	107.54	Inf	-Inf	74.74	3	Horizontal	124	1.70	-	28.38	4.42	-
PK	2.4862G	67.77	74.00	-6.23	34.71	3	Horizontal	124	1.70	-	28.62	4.44	-
AV	2.4838G	49.00	54.00	-5.00	15.96	3	Horizontal	124	1.70	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8716G	58.28	74.00	-15.72	53.13	3	Vertical	116	1.62	-	33.49	7.06	35.40
AV	4.8761G	43.77	54.00	-10.23	38.60	3	Vertical	116	1.62	-	33.50	7.06	35.39
PK	7.3088G	55.50	74.00	-18.50	45.54	3	Vertical	350	1.80	-	37.00	8.53	35.57
AV	7.3136G	40.90	54.00	-13.10	30.93	3	Vertical	350	1.80	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.871G	54.60	74.00	-19.40	49.46	3	Horizontal	168	2.67	-	33.48	7.06	35.40
AV	4.8757G	40.48	54.00	-13.52	35.31	3	Horizontal	168	2.67	-	33.50	7.06	35.39
PK	7.3161G	53.40	74.00	-20.60	43.42	3	Horizontal	345	1.64	-	37.00	8.55	35.57
AV	7.3122G	39.85	54.00	-14.15	29.88	3	Horizontal	345	1.64	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4578G	115.34	Inf	-Inf	82.46	3	Vertical	235	1.80	-	28.45	4.43	-	
AV	2.4574G	104.96	Inf	-Inf	72.09	3	Vertical	235	1.80	-	28.44	4.43	-	
PK	2.4878G	70.33	74.00	-3.67	37.26	3	Vertical	235	1.80	-	28.63	4.44	-	
AV	2.4835G	53.15	54.00	-0.85	20.11	3	Vertical	235	1.80	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4584G	115.25	Inf	-Inf	82.37	3	Horizontal	121	1.62	-	28.45	4.43	-
AV	2.4582G	105.10	Inf	-Inf	72.22	3	Horizontal	121	1.62	-	28.45	4.43	-
PK	2.4872G	70.12	74.00	-3.88	37.06	3	Horizontal	121	1.62	-	28.62	4.44	-
AV	2.4835G	52.01	54.00	-1.99	18.97	3	Horizontal	121	1.62	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	113.55	Inf	-Inf	80.64	3	Vertical	234	1.92	-	28.48	4.43	-
AV	2.463G	103.74	Inf	-Inf	70.83	3	Vertical	234	1.92	-	28.48	4.43	-
PK	2.4836G	73.80	74.00	-0.20	40.76	3	Vertical	234	1.92	-	28.60	4.44	-
AV	2.4836G	51.91	54.00	-2.09	18.87	3	Vertical	234	1.92	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	112.82	Inf	-Inf	79.91	3	Horizontal	121	1.65	-	28.48	4.43	-
AV	2.463G	103.07	Inf	-Inf	70.16	3	Horizontal	121	1.65	-	28.48	4.43	-
PK	2.4835G	73.03	74.00	-0.97	39.99	3	Horizontal	121	1.65	-	28.60	4.44	-
AV	2.4835G	50.97	54.00	-3.03	17.93	3	Horizontal	121	1.65	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9216G	49.64	74.00	-24.36	44.33	3	Vertical	118	1.65	-	33.64	7.04	35.37
AV	4.9261G	35.90	54.00	-18.10	30.58	3	Vertical	118	1.65	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9196G	47.61	74.00	-26.39	42.30	3	Horizontal	202	1.85	-	33.64	7.04	35.37
AV	4.9252G	34.51	54.00	-19.49	29.19	3	Horizontal	202	1.85	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4684G	113.20	Inf	-Inf	80.26	3	Vertical	233	1.98	-	28.51	4.43	-	
AV	2.4658G	102.99	Inf	-Inf	70.07	3	Vertical	233	1.98	-	28.49	4.43	-	
PK	2.4856G	71.24	74.00	-2.76	38.19	3	Vertical	233	1.98	-	28.61	4.44	-	
AV	2.4835G	53.93	54.00	-0.07	20.89	3	Vertical	233	1.98	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	112.32	Inf	-Inf	79.38	3	Horizontal	120	1.65	-	28.51	4.43	-
AV	2.4652G	102.08	Inf	-Inf	69.16	3	Horizontal	120	1.65	-	28.49	4.43	-
PK	2.4856G	69.44	74.00	-4.56	36.39	3	Horizontal	120	1.65	-	28.61	4.44	-
AV	2.4835G	52.89	54.00	-1.11	19.85	3	Horizontal	120	1.65	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9372G	48.43	74.00	-25.57	43.09	3	Vertical	166	1.73	-	33.67	7.03	35.36	
AV	4.9333G	35.00	54.00	-19.00	29.66	3	Vertical	166	1.73	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9352G	48.10	74.00	-25.90	42.76	3	Horizontal	170	1.80	-	33.67	7.03	35.36
AV	4.9342G	34.69	54.00	-19.31	29.35	3	Horizontal	170	1.80	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT V_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	108.69	Inf	-Inf	75.71	3	Vertical	230	1.98	-	28.54	4.44	-
AV	2.4732G	97.45	Inf	-Inf	64.47	3	Vertical	230	1.98	-	28.54	4.44	-
PK	2.4838G	67.25	74.00	-6.75	34.21	3	Vertical	230	1.98	-	28.60	4.44	-
AV	2.4836G	53.84	54.00	-0.16	20.80	3	Vertical	230	1.98	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4734G	105.68	Inf	-Inf	72.70	3	Horizontal	48	1.80	-	28.54	4.44	-
AV	2.473G	94.82	Inf	-Inf	61.84	3	Horizontal	48	1.80	-	28.54	4.44	-
PK	2.4835G	65.42	74.00	-8.58	32.38	3	Horizontal	48	1.80	-	28.60	4.44	-
AV	2.4835G	52.51	54.00	-1.49	19.47	3	Horizontal	48	1.80	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9683G	47.08	74.00	-26.92	41.67	3	Vertical	168	1.80	-	33.74	7.02	35.35	
AV	4.9437G	33.80	54.00	-20.20	28.44	3	Vertical	168	1.80	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9594G	47.49	74.00	-26.51	42.10	3	Horizontal	166	1.79	-	33.72	7.02	35.35
AV	4.944G	33.99	54.00	-20.01	28.63	3	Horizontal	166	1.79	-	33.69	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	73.96	74.00	-0.04	41.25	3	Vertical	0	1.80	-	28.32	4.39	-	
AV	2.3898G	52.47	54.00	-1.53	19.76	3	Vertical	0	1.80	-	28.32	4.39	-	
PK	2.4116G	116.40	Inf	-Inf	83.67	3	Vertical	0	1.80	-	28.32	4.41	-	
AV	2.4126G	103.42	Inf	-Inf	70.68	3	Vertical	0	1.80	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.31	74.00	-1.69	39.60	3	Horizontal	35	2.05	-	28.32	4.39	-
AV	2.39G	51.46	54.00	-2.54	18.75	3	Horizontal	35	2.05	-	28.32	4.39	-
PK	2.4114G	115.25	Inf	-Inf	82.52	3	Horizontal	35	2.05	-	28.32	4.41	-
AV	2.4126G	102.29	Inf	-Inf	69.55	3	Horizontal	35	2.05	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8296G	47.63	74.00	-26.37	42.56	3	Vertical	121	1.80	-	33.40	7.09	35.42
AV	4.8252G	33.89	54.00	-20.11	28.82	3	Vertical	121	1.80	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8214G	47.08	74.00	-26.92	42.01	3	Horizontal	161	1.49	-	33.40	7.09	35.42
AV	4.8239G	33.68	54.00	-20.32	28.61	3	Horizontal	161	1.49	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 19.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	73.95	74.00	-0.05	41.23	3	Vertical	1	1.82	-	28.33	4.39	-
AV	2.3898G	53.58	54.00	-0.42	20.87	3	Vertical	1	1.82	-	28.32	4.39	-
PK	2.4166G	117.83	Inf	-Inf	85.09	3	Vertical	1	1.82	-	28.33	4.41	-
AV	2.416G	104.30	Inf	-Inf	71.56	3	Vertical	1	1.82	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 19.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.18	74.00	-0.82	40.47	3	Horizontal	132	1.93	-	28.32	4.39	-
AV	2.39G	52.33	54.00	-1.67	19.62	3	Horizontal	132	1.93	-	28.32	4.39	-
PK	2.4186G	116.58	Inf	-Inf	83.83	3	Horizontal	132	1.93	-	28.34	4.41	-
AV	2.4156G	103.33	Inf	-Inf	70.59	3	Horizontal	132	1.93	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.56	74.00	-7.44	33.85	3	Vertical	247	2.01	-	28.32	4.39	-
AV	2.3894G	49.35	54.00	-4.65	16.64	3	Vertical	247	2.01	-	28.32	4.39	-
PK	2.4386G	119.78	Inf	-Inf	86.98	3	Vertical	247	2.01	-	28.38	4.42	-
AV	2.4386G	106.96	Inf	-Inf	74.16	3	Vertical	247	2.01	-	28.38	4.42	-
PK	2.4835G	68.38	74.00	-5.62	35.34	3	Vertical	247	2.01	-	28.60	4.44	-
AV	2.4842G	50.29	54.00	-3.71	17.24	3	Vertical	247	2.01	-	28.61	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	65.23	74.00	-8.77	32.52	3	Horizontal	120	1.71	-	28.32	4.39	-
AV	2.3898G	48.54	54.00	-5.46	15.83	3	Horizontal	120	1.71	-	28.32	4.39	-
PK	2.4366G	118.74	Inf	-Inf	85.95	3	Horizontal	120	1.71	-	28.37	4.42	-
AV	2.4366G	106.01	Inf	-Inf	73.22	3	Horizontal	120	1.71	-	28.37	4.42	-
PK	2.4835G	68.84	74.00	-5.16	35.80	3	Horizontal	120	1.71	-	28.60	4.44	-
AV	2.4835G	49.91	54.00	-4.09	16.87	3	Horizontal	120	1.71	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8778G	57.92	74.00	-16.08	52.74	3	Vertical	116	1.65	-	33.51	7.06	35.39
AV	4.8753G	42.64	54.00	-11.36	37.47	3	Vertical	116	1.65	-	33.50	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8776G	54.34	74.00	-19.66	49.16	3	Horizontal	168	2.68	-	33.51	7.06	35.39
AV	4.8772G	39.47	54.00	-14.53	34.29	3	Horizontal	168	2.68	-	33.51	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	117.40	Inf	-Inf	84.53	3	Vertical	224	1.80	-	28.44	4.43	-
AV	2.4574G	104.01	Inf	-Inf	71.14	3	Vertical	224	1.80	-	28.44	4.43	-
PK	2.488G	73.83	74.00	-0.17	40.76	3	Vertical	224	1.80	-	28.63	4.44	-
AV	2.4838G	53.44	54.00	-0.56	20.40	3	Vertical	224	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	116.84	Inf	-Inf	83.96	3	Horizontal	122	1.62	-	28.45	4.43	-
AV	2.4562G	103.92	Inf	-Inf	71.05	3	Horizontal	122	1.62	-	28.44	4.43	-
PK	2.4876G	73.07	74.00	-0.93	40.00	3	Horizontal	122	1.62	-	28.63	4.44	-
AV	2.4838G	52.60	54.00	-1.40	19.56	3	Horizontal	122	1.62	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	115.38	Inf	-Inf	82.48	3	Vertical	223	1.74	-	28.47	4.43	-
AV	2.4614G	102.30	Inf	-Inf	69.40	3	Vertical	223	1.74	-	28.47	4.43	-
PK	2.4838G	73.81	74.00	-0.19	40.77	3	Vertical	223	1.74	-	28.60	4.44	-
AV	2.4835G	52.01	54.00	-1.99	18.97	3	Vertical	223	1.74	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	114.53	Inf	-Inf	81.63	3	Horizontal	121	1.65	-	28.47	4.43	-
AV	2.4626G	102.14	Inf	-Inf	69.23	3	Horizontal	121	1.65	-	28.48	4.43	-
PK	2.4835G	72.77	74.00	-1.23	39.73	3	Horizontal	121	1.65	-	28.60	4.44	-
AV	2.4835G	51.02	54.00	-2.98	17.98	3	Horizontal	121	1.65	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9228G	49.17	74.00	-24.83	43.85	3	Vertical	168	1.70	-	33.65	7.04	35.37
AV	4.9245G	34.99	54.00	-19.01	29.67	3	Vertical	168	1.70	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9274G	47.93	74.00	-26.07	42.61	3	Horizontal	168	1.80	-	33.65	7.04	35.37	
AV	4.9242G	34.61	54.00	-19.39	29.29	3	Horizontal	168	1.80	-	33.65	7.04	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	114.55	Inf	-Inf	81.62	3	Vertical	226	1.72	-	28.50	4.43	-
AV	2.4678G	101.21	Inf	-Inf	68.27	3	Vertical	226	1.72	-	28.51	4.43	-
PK	2.4835G	69.38	74.00	-4.62	36.34	3	Vertical	226	1.72	-	28.60	4.44	-
AV	2.4835G	53.78	54.00	-0.22	20.74	3	Vertical	226	1.72	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	113.91	Inf	-Inf	80.98	3	Horizontal	119	1.66	-	28.50	4.43	-
AV	2.4662G	100.69	Inf	-Inf	67.76	3	Horizontal	119	1.66	-	28.50	4.43	-
PK	2.484G	68.33	74.00	-5.67	35.29	3	Horizontal	119	1.66	-	28.60	4.44	-
AV	2.4838G	53.31	54.00	-0.69	20.27	3	Horizontal	119	1.66	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.923G	49.23	74.00	-24.77	43.91	3	Vertical	120	1.62	-	33.65	7.04	35.37
AV	4.9353G	34.97	54.00	-19.03	29.63	3	Vertical	120	1.62	-	33.67	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9347G	48.33	74.00	-25.67	42.99	3	Horizontal	168	1.84	-	33.67	7.03	35.36	
AV	4.9343G	34.56	54.00	-19.44	29.22	3	Horizontal	168	1.84	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	109.54	Inf	-Inf	76.57	3	Vertical	224	1.75	-	28.53	4.44	-
AV	2.4724G	95.79	Inf	-Inf	62.82	3	Vertical	224	1.75	-	28.53	4.44	-
PK	2.4835G	67.98	74.00	-6.02	34.94	3	Vertical	224	1.75	-	28.60	4.44	-
AV	2.4835G	53.86	54.00	-0.14	20.82	3	Vertical	224	1.75	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	108.87	Inf	-Inf	75.90	3	Horizontal	118	1.80	-	28.53	4.44	-
AV	2.4726G	94.33	Inf	-Inf	61.35	3	Horizontal	118	1.80	-	28.54	4.44	-
PK	2.4836G	67.99	74.00	-6.01	34.95	3	Horizontal	118	1.80	-	28.60	4.44	-
AV	2.4835G	53.37	54.00	-0.63	20.33	3	Horizontal	118	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94568G	46.59	74.00	-27.41	41.23	3	Vertical	321	1.89	-	33.69	7.03	35.36	
AV	4.93374G	33.53	54.00	-20.47	28.19	3	Vertical	321	1.89	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93524G	47.16	74.00	-26.84	41.82	3	Horizontal	103	1.93	-	33.67	7.03	35.36
AV	4.959G	33.48	54.00	-20.52	28.09	3	Horizontal	103	1.93	-	33.72	7.02	35.35

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	73.24	74.00	-0.76	40.53	3	Vertical	170	1.83	-	28.32	4.39	-
AV	2.384G	53.00	54.00	-1.00	20.29	3	Vertical	170	1.83	-	28.33	4.38	-
PK	2.4112G	110.80	Inf	-Inf	78.07	3	Vertical	170	1.83	-	28.32	4.41	-
AV	2.4116G	98.54	Inf	-Inf	65.81	3	Vertical	170	1.83	-	28.32	4.41	-
PK	2.484G	63.05	74.00	-10.95	30.01	3	Vertical	170	1.83	-	28.60	4.44	-
AV	2.484G	48.06	54.00	-5.94	15.02	3	Vertical	170	1.83	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	70.88	74.00	-3.12	38.17	3	Horizontal	140	1.73	-	28.32	4.39	-
AV	2.384G	51.73	54.00	-2.27	19.02	3	Horizontal	140	1.73	-	28.33	4.38	-
PK	2.4204G	109.62	Inf	-Inf	76.87	3	Horizontal	140	1.73	-	28.34	4.41	-
AV	2.418G	96.67	Inf	-Inf	63.92	3	Horizontal	140	1.73	-	28.34	4.41	-
PK	2.484G	63.31	74.00	-10.69	30.27	3	Horizontal	140	1.73	-	28.60	4.44	-
AV	2.4856G	47.83	54.00	-6.17	14.78	3	Horizontal	140	1.73	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8387G	46.38	74.00	-27.62	41.31	3	Vertical	99	2.17	-	33.40	7.08	35.41
AV	4.8677G	33.64	54.00	-20.36	28.50	3	Vertical	99	2.17	-	33.47	7.07	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8486G	47.08	74.00	-26.92	42.01	3	Horizontal	315	2.86	-	33.40	7.08	35.41
AV	4.8662G	33.56	54.00	-20.44	28.43	3	Horizontal	315	2.86	-	33.46	7.07	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	68.30	74.00	-5.70	35.59	3	Vertical	223	1.80	-	28.33	4.38	-
AV	2.3898G	51.46	54.00	-2.54	18.75	3	Vertical	223	1.80	-	28.32	4.39	-
PK	2.4502G	109.59	Inf	-Inf	76.76	3	Vertical	223	1.80	-	28.40	4.43	-
AV	2.4474G	95.98	Inf	-Inf	63.17	3	Vertical	223	1.80	-	28.39	4.42	-
PK	2.4835G	72.91	74.00	-1.09	39.87	3	Vertical	223	1.80	-	28.60	4.44	-
AV	2.4838G	53.84	54.00	-0.16	20.80	3	Vertical	223	1.80	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	67.15	74.00	-6.85	34.44	3	Horizontal	126	1.70	-	28.33	4.38	-
AV	2.3898G	51.07	54.00	-2.93	18.36	3	Horizontal	126	1.70	-	28.32	4.39	-
PK	2.4402G	109.07	Inf	-Inf	76.27	3	Horizontal	126	1.70	-	28.38	4.42	-
AV	2.4434G	95.68	Inf	-Inf	62.87	3	Horizontal	126	1.70	-	28.39	4.42	-
PK	2.4835G	71.04	74.00	-2.96	38.00	3	Horizontal	126	1.70	-	28.60	4.44	-
AV	2.4835G	53.03	54.00	-0.97	19.99	3	Horizontal	126	1.70	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8733G	47.80	74.00	-26.20	42.65	3	Vertical	0	1.80	-	33.49	7.06	35.40
AV	4.8755G	34.15	54.00	-19.85	28.98	3	Vertical	0	1.80	-	33.50	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8708G	47.49	74.00	-26.51	42.35	3	Horizontal	311	1.75	-	33.48	7.06	35.40
AV	4.8731G	33.83	54.00	-20.17	28.68	3	Horizontal	311	1.75	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	57.83	74.00	-16.17	25.11	3	Vertical	222	1.83	-	28.33	4.39	-
AV	2.3896G	45.66	54.00	-8.34	12.95	3	Vertical	222	1.83	-	28.32	4.39	-
PK	2.4504G	110.56	Inf	-Inf	77.73	3	Vertical	222	1.83	-	28.40	4.43	-
AV	2.45G	97.15	Inf	-Inf	64.32	3	Vertical	222	1.83	-	28.40	4.43	-
PK	2.4884G	70.78	74.00	-3.22	37.71	3	Vertical	222	1.83	-	28.63	4.44	-
AV	2.486G	53.87	54.00	-0.13	20.81	3	Vertical	222	1.83	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	58.72	74.00	-15.28	26.01	3	Horizontal	130	1.92	-	28.32	4.39	-
AV	2.3896G	45.70	54.00	-8.30	12.99	3	Horizontal	130	1.92	-	28.32	4.39	-
PK	2.4548G	110.25	Inf	-Inf	77.39	3	Horizontal	130	1.92	-	28.43	4.43	-
AV	2.456G	96.64	Inf	-Inf	63.77	3	Horizontal	130	1.92	-	28.44	4.43	-
PK	2.4896G	68.26	74.00	-5.74	35.18	3	Horizontal	130	1.92	-	28.64	4.44	-
AV	2.4872G	52.97	54.00	-1.03	19.91	3	Horizontal	130	1.92	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8874G	47.31	74.00	-26.69	42.09	3	Vertical	153	1.24	-	33.55	7.06	35.39
AV	4.8806G	34.05	54.00	-19.95	28.86	3	Vertical	153	1.24	-	33.52	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8905G	46.88	74.00	-27.12	41.66	3	Horizontal	223	2.38	-	33.56	7.05	35.39
AV	4.8823G	33.81	54.00	-20.19	28.61	3	Horizontal	223	2.38	-	33.53	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	58.08	74.00	-15.92	25.37	3	Vertical	240	2.22	-	28.33	4.38	-
AV	2.3894G	45.62	54.00	-8.38	12.91	3	Vertical	240	2.22	-	28.32	4.39	-
PK	2.4598G	111.90	Inf	-Inf	79.01	3	Vertical	240	2.22	-	28.46	4.43	-
AV	2.459G	98.22	Inf	-Inf	65.34	3	Vertical	240	2.22	-	28.45	4.43	-
PK	2.4934G	70.04	74.00	-3.96	36.93	3	Vertical	240	2.22	-	28.66	4.45	-
AV	2.4874G	53.86	54.00	-0.14	20.80	3	Vertical	240	2.22	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	58.07	74.00	-15.93	25.36	3	Horizontal	128	1.94	-	28.33	4.38	-
AV	2.3822G	45.61	54.00	-8.39	12.89	3	Horizontal	128	1.94	-	28.34	4.38	-
PK	2.4598G	110.21	Inf	-Inf	77.32	3	Horizontal	128	1.94	-	28.46	4.43	-
AV	2.4582G	97.30	Inf	-Inf	64.42	3	Horizontal	128	1.94	-	28.45	4.43	-
PK	2.4934G	68.57	74.00	-5.43	35.46	3	Horizontal	128	1.94	-	28.66	4.45	-
AV	2.4894G	52.50	54.00	-1.50	19.42	3	Horizontal	128	1.94	-	28.64	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.908G	47.36	74.00	-26.64	42.07	3	Vertical	34	2.97	-	33.62	7.05	35.38
AV	4.90968G	33.63	54.00	-20.37	28.34	3	Vertical	34	2.97	-	33.62	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91136G	47.49	74.00	-26.51	42.21	3	Horizontal	5	2.96	-	33.62	7.04	35.38	
AV	4.89984G	33.44	54.00	-20.56	28.17	3	Horizontal	5	2.96	-	33.60	7.05	35.38	

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	58.09	74.00	-15.91	25.38	3	Vertical	223	1.78	-	28.32	4.39	-
AV	2.39G	45.56	54.00	-8.44	12.85	3	Vertical	223	1.78	-	28.32	4.39	-
PK	2.4624G	110.17	Inf	-Inf	77.27	3	Vertical	223	1.78	-	28.47	4.43	-
AV	2.464G	96.63	Inf	-Inf	63.72	3	Vertical	223	1.78	-	28.48	4.43	-
PK	2.4984G	68.93	74.00	-5.07	35.79	3	Vertical	223	1.78	-	28.69	4.45	-
AV	2.4936G	53.81	54.00	-0.19	20.70	3	Vertical	223	1.78	-	28.66	4.45	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3656G	57.74	74.00	-16.26	25.00	3	Horizontal	191	2.07	-	28.37	4.37	-
AV	2.3808G	45.25	54.00	-8.75	12.53	3	Horizontal	191	2.07	-	28.34	4.38	-
PK	2.4648G	109.36	Inf	-Inf	76.44	3	Horizontal	191	2.07	-	28.49	4.43	-
AV	2.4668G	95.88	Inf	-Inf	62.95	3	Horizontal	191	2.07	-	28.50	4.43	-
PK	2.4996G	68.43	74.00	-5.57	35.28	3	Horizontal	191	2.07	-	28.70	4.45	-
AV	2.4972G	53.10	54.00	-0.90	19.97	3	Horizontal	191	2.07	-	28.68	4.45	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93516G	47.17	74.00	-26.83	41.83	3	Vertical	114	1.00	-	33.67	7.03	35.36
AV	4.9243G	33.59	54.00	-20.41	28.27	3	Vertical	114	1.00	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92496G	48.16	74.00	-25.84	42.84	3	Horizontal	119	1.38	-	33.65	7.04	35.37
AV	4.93474G	33.41	54.00	-20.59	28.07	3	Horizontal	119	1.38	-	33.67	7.03	35.36



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.3 (2TX)


Appendix F.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.92	54.00	-0.08	3	Vertical	0	1.47	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.98	74.00	-12.02	29.27	3	Vertical	194	1.82	-	28.32	4.39	-
AV	2.3892G	52.52	54.00	-1.48	19.81	3	Vertical	194	1.82	-	28.32	4.39	-
PK	2.413G	117.55	Inf	-Inf	84.81	3	Vertical	194	1.82	-	28.33	4.41	-
AV	2.4102G	113.70	Inf	-Inf	80.97	3	Vertical	194	1.82	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82402G	51.69	74.00	-22.31	46.62	3	Vertical	171	1.78	-	33.40	7.09	35.42	
AV	4.82407G	45.93	54.00	-8.07	40.86	3	Vertical	171	1.78	-	33.40	7.09	35.42	

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82406G	48.47	74.00	-25.53	43.40	3	Horizontal	284	2.59	-	33.40	7.09	35.42
AV	4.82408G	39.54	54.00	-14.46	34.47	3	Horizontal	284	2.59	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	66.40	74.00	-7.60	33.69	3	Vertical	186	1.70	-	28.33	4.38	-
AV	2.389G	52.30	54.00	-1.70	19.59	3	Vertical	186	1.70	-	28.32	4.39	-
PK	2.437G	120.91	Inf	-Inf	88.12	3	Vertical	186	1.70	-	28.37	4.42	-
AV	2.435G	117.18	Inf	-Inf	84.39	3	Vertical	186	1.70	-	28.37	4.42	-
PK	2.4835G	66.84	74.00	-7.16	33.80	3	Vertical	186	1.70	-	28.60	4.44	-
AV	2.485G	49.30	54.00	-4.70	16.25	3	Vertical	186	1.70	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	56.54	74.00	-17.46	51.38	3	Vertical	166	1.65	-	33.50	7.06	35.40
AV	4.87408G	53.28	54.00	-0.72	48.12	3	Vertical	166	1.65	-	33.50	7.06	35.40
PK	7.30968G	56.34	74.00	-17.66	46.38	3	Vertical	186	1.84	-	37.00	8.53	35.57
AV	7.3094G	48.24	54.00	-5.76	38.28	3	Vertical	186	1.84	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87407G	49.02	74.00	-24.98	43.86	3	Horizontal	96	2.10	-	33.50	7.06	35.40
AV	4.87411G	39.00	54.00	-15.00	33.84	3	Horizontal	96	2.10	-	33.50	7.06	35.40
PK	7.3127G	56.25	74.00	-17.75	46.28	3	Horizontal	230	2.64	-	37.00	8.54	35.57
AV	7.30948G	47.60	54.00	-6.40	37.64	3	Horizontal	230	2.64	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	116.48	Inf	-Inf	83.60	3	Vertical	341	1.80	-	28.45	4.43	-	
AV	2.4588G	112.55	Inf	-Inf	79.67	3	Vertical	341	1.80	-	28.45	4.43	-	
PK	2.4835G	62.03	74.00	-11.97	28.99	3	Vertical	341	1.80	-	28.60	4.44	-	
AV	2.4835G	51.05	54.00	-2.95	18.01	3	Vertical	341	1.80	-	28.60	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 19.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	117.17	Inf	-Inf	84.26	3	Vertical	340	1.80	-	28.48	4.43	-	
AV	2.4638G	113.24	Inf	-Inf	80.33	3	Vertical	340	1.80	-	28.48	4.43	-	
PK	2.488G	63.20	74.00	-10.80	30.13	3	Vertical	340	1.80	-	28.63	4.44	-	
AV	2.4878G	53.11	54.00	-0.89	20.04	3	Vertical	340	1.80	-	28.63	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92407G	49.50	74.00	-24.50	44.18	3	Vertical	168	1.70	-	33.65	7.04	35.37
AV	4.92405G	39.83	54.00	-14.17	34.51	3	Vertical	168	1.70	-	33.65	7.04	35.37
PK	7.38684G	54.71	74.00	-19.29	44.47	3	Vertical	189	1.80	-	37.07	8.76	35.59
AV	7.38684G	43.51	54.00	-10.49	33.27	3	Vertical	189	1.80	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92424G	47.64	74.00	-26.36	42.32	3	Horizontal	242	2.23	-	33.65	7.04	35.37
AV	4.92404G	34.64	54.00	-19.36	29.32	3	Horizontal	242	2.23	-	33.65	7.04	35.37
PK	7.38978G	53.49	74.00	-20.51	43.23	3	Horizontal	232	2.69	-	37.08	8.77	35.59
AV	7.38536G	40.09	54.00	-13.91	29.85	3	Horizontal	232	2.69	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 13.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	111.22	Inf	-Inf	78.29	3	Vertical	339	1.80	-	28.50	4.43	-
AV	2.4652G	107.36	Inf	-Inf	74.44	3	Vertical	339	1.80	-	28.49	4.43	-
PK	2.4835G	62.49	74.00	-11.51	29.45	3	Vertical	339	1.80	-	28.60	4.44	-
AV	2.4835G	53.43	54.00	-0.57	20.39	3	Vertical	339	1.80	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93409G	48.78	74.00	-25.22	43.44	3	Vertical	194	1.84	-	33.67	7.03	35.36
AV	4.93405G	37.96	54.00	-16.04	32.62	3	Vertical	194	1.84	-	33.67	7.03	35.36

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93527G	47.38	74.00	-26.62	42.04	3	Horizontal	275	2.02	-	33.67	7.03	35.36
AV	4.93419G	34.05	54.00	-19.95	28.71	3	Horizontal	275	2.02	-	33.67	7.03	35.36

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	105.99	Inf	-Inf	73.01	3	Vertical	340	1.77	-	28.54	4.44	-
AV	2.4702G	101.96	Inf	-Inf	69.00	3	Vertical	340	1.77	-	28.52	4.44	-
PK	2.4844G	62.30	74.00	-11.70	29.25	3	Vertical	340	1.77	-	28.61	4.44	-
AV	2.4842G	53.42	54.00	-0.58	20.37	3	Vertical	340	1.77	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94016G	47.37	74.00	-26.63	42.02	3	Vertical	183	1.29	-	33.68	7.03	35.36	
AV	4.94406G	33.17	54.00	-20.83	27.81	3	Vertical	183	1.29	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93902G	47.31	74.00	-26.69	41.96	3	Horizontal	169	2.10	-	33.68	7.03	35.36
AV	4.94458G	33.14	54.00	-20.86	27.78	3	Horizontal	169	2.10	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.82	74.00	-0.18	41.11	3	Vertical	360	1.52	-	28.32	4.39	-
AV	2.39G	52.54	54.00	-1.46	19.83	3	Vertical	360	1.52	-	28.32	4.39	-
PK	2.4182G	117.65	Inf	-Inf	84.90	3	Vertical	360	1.52	-	28.34	4.41	-
AV	2.4174G	105.59	Inf	-Inf	72.85	3	Vertical	360	1.52	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83348G	47.96	74.00	-26.04	42.90	3	Vertical	170	1.15	-	33.40	7.08	35.42
AV	4.82328G	34.21	54.00	-19.79	29.14	3	Vertical	170	1.15	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83136G	47.93	74.00	-26.07	42.87	3	Horizontal	55	1.91	-	33.40	7.08	35.42
AV	4.82308G	33.53	54.00	-20.47	28.46	3	Horizontal	55	1.91	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 18.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.53	74.00	-0.47	40.82	3	Vertical	0	1.51	-	28.32	4.39	-
AV	2.39G	51.92	54.00	-2.08	19.21	3	Vertical	0	1.51	-	28.32	4.39	-
PK	2.4182G	120.25	Inf	-Inf	87.50	3	Vertical	0	1.51	-	28.34	4.41	-
AV	2.4178G	107.86	Inf	-Inf	75.11	3	Vertical	0	1.51	-	28.34	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.04	74.00	-5.96	35.33	3	Vertical	357	1.28	-	28.32	4.39	-
AV	2.3898G	51.32	54.00	-2.68	18.61	3	Vertical	357	1.28	-	28.32	4.39	-
PK	2.4378G	124.50	Inf	-Inf	91.70	3	Vertical	357	1.28	-	28.38	4.42	-
AV	2.4382G	114.06	Inf	-Inf	81.26	3	Vertical	357	1.28	-	28.38	4.42	-
PK	2.4862G	72.84	74.00	-1.16	39.78	3	Vertical	357	1.28	-	28.62	4.44	-
AV	2.4838G	53.82	54.00	-0.18	20.78	3	Vertical	357	1.28	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87152G	55.44	74.00	-18.56	50.29	3	Vertical	172	1.80	-	33.49	7.06	35.40
AV	4.87652G	40.34	54.00	-13.66	35.16	3	Vertical	172	1.80	-	33.51	7.06	35.39
PK	7.31216G	62.18	74.00	-11.82	52.21	3	Vertical	191	2.16	-	37.00	8.54	35.57
AV	7.31004G	47.55	54.00	-6.45	37.59	3	Vertical	191	2.16	-	37.00	8.53	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87748G	50.48	74.00	-23.52	45.30	3	Horizontal	259	2.29	-	33.51	7.06	35.39
AV	4.87724G	35.71	54.00	-18.29	30.53	3	Horizontal	259	2.29	-	33.51	7.06	35.39
PK	7.31232G	58.92	74.00	-15.08	48.95	3	Horizontal	249	2.21	-	37.00	8.54	35.57
AV	7.3122G	44.76	54.00	-9.24	34.79	3	Horizontal	249	2.21	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4584G	120.48	Inf	-Inf	87.60	3	Vertical	360	1.51	-	28.45	4.43	-
AV	2.458G	109.01	Inf	-Inf	76.13	3	Vertical	360	1.51	-	28.45	4.43	-
PK	2.4835G	72.99	74.00	-1.01	39.95	3	Vertical	360	1.51	-	28.60	4.44	-
AV	2.4835G	53.79	54.00	-0.21	20.75	3	Vertical	360	1.51	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	118.96	Inf	-Inf	86.05	3	Vertical	360	1.47	-	28.48	4.43	-
AV	2.463G	108.80	Inf	-Inf	75.89	3	Vertical	360	1.47	-	28.48	4.43	-
PK	2.4835G	73.43	74.00	-0.57	40.39	3	Vertical	360	1.47	-	28.60	4.44	-
AV	2.4835G	53.18	54.00	-0.82	20.14	3	Vertical	360	1.47	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92652G	48.22	74.00	-25.78	42.90	3	Vertical	76	1.65	-	33.65	7.04	35.37
AV	4.92772G	33.68	54.00	-20.32	28.35	3	Vertical	76	1.65	-	33.66	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT X_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9261G	48.08	74.00	-25.92	42.76	3	Horizontal	138	2.04	-	33.65	7.04	35.37
AV	4.92676G	33.70	54.00	-20.30	28.38	3	Horizontal	138	2.04	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.13	Inf	-Inf	85.19	3	Vertical	1	1.43	-	28.51	4.43	-
AV	2.4674G	105.99	Inf	-Inf	73.06	3	Vertical	1	1.43	-	28.50	4.43	-
PK	2.4842G	73.43	74.00	-0.57	40.38	3	Vertical	1	1.43	-	28.61	4.44	-
AV	2.4835G	53.76	54.00	-0.24	20.72	3	Vertical	1	1.43	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93112G	48.05	74.00	-25.95	42.73	3	Vertical	178	1.51	-	33.66	7.03	35.37	
AV	4.93384G	33.48	54.00	-20.52	28.14	3	Vertical	178	1.51	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93546G	48.24	74.00	-25.76	42.90	3	Horizontal	353	1.30	-	33.67	7.03	35.36	
AV	4.93402G	33.50	54.00	-20.50	28.16	3	Horizontal	353	1.30	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	114.93	Inf	-Inf	81.95	3	Vertical	2	1.37	-	28.54	4.44	-
AV	2.4702G	102.94	Inf	-Inf	69.98	3	Vertical	2	1.37	-	28.52	4.44	-
PK	2.4836G	70.26	74.00	-3.74	37.22	3	Vertical	2	1.37	-	28.60	4.44	-
AV	2.4835G	53.35	54.00	-0.65	20.31	3	Vertical	2	1.37	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93906G	47.40	74.00	-26.60	42.05	3	Vertical	326	2.66	-	33.68	7.03	35.36
AV	4.94378G	33.47	54.00	-20.53	28.11	3	Vertical	326	2.66	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94744G	47.78	74.00	-26.22	42.42	3	Horizontal	70	1.72	-	33.69	7.03	35.36
AV	4.94366G	33.47	54.00	-20.53	28.11	3	Horizontal	70	1.72	-	33.69	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.85	74.00	-1.15	40.14	3	Vertical	169	1.73	-	28.32	4.39	-
AV	2.39G	50.66	54.00	-3.34	17.95	3	Vertical	169	1.73	-	28.32	4.39	-
PK	2.4116G	120.37	Inf	-Inf	87.64	3	Vertical	169	1.73	-	28.32	4.41	-
AV	2.4112G	105.14	Inf	-Inf	72.41	3	Vertical	169	1.73	-	28.32	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	47.00	74.00	-27.00	41.93	3	Vertical	316	2.33	-	33.40	7.09	35.42
AV	4.82358G	33.33	54.00	-20.67	28.26	3	Vertical	316	2.33	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82048G	47.33	74.00	-26.67	42.26	3	Horizontal	205	1.12	-	33.40	7.09	35.42
AV	4.82336G	33.33	54.00	-20.67	28.26	3	Horizontal	205	1.12	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	72.17	74.00	-1.83	39.45	3	Vertical	2	1.55	-	28.33	4.39	-
AV	2.39G	53.76	54.00	-0.24	21.05	3	Vertical	2	1.55	-	28.32	4.39	-
PK	2.4166G	122.87	Inf	-Inf	90.13	3	Vertical	2	1.55	-	28.33	4.41	-
AV	2.416G	107.71	Inf	-Inf	74.97	3	Vertical	2	1.55	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.21	74.00	-6.79	34.50	3	Vertical	360	1.29	-	28.32	4.39	-
AV	2.3898G	51.00	54.00	-3.00	18.29	3	Vertical	360	1.29	-	28.32	4.39	-
PK	2.4366G	125.67	Inf	-Inf	92.88	3	Vertical	360	1.29	-	28.37	4.42	-
AV	2.4378G	112.86	Inf	-Inf	80.06	3	Vertical	360	1.29	-	28.38	4.42	-
PK	2.4838G	70.77	74.00	-3.23	37.73	3	Vertical	360	1.29	-	28.60	4.44	-
AV	2.4835G	53.80	54.00	-0.20	20.76	3	Vertical	360	1.29	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87752G	53.19	74.00	-20.81	48.01	3	Vertical	175	1.58	-	33.51	7.06	35.39
AV	4.87732G	38.95	54.00	-15.05	33.77	3	Vertical	175	1.58	-	33.51	7.06	35.39
PK	7.30772G	58.79	74.00	-15.21	48.84	3	Vertical	192	2.23	-	37.00	8.52	35.57
AV	7.3104G	45.07	54.00	-8.93	35.11	3	Vertical	192	2.23	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8696G	48.50	74.00	-25.50	43.35	3	Horizontal	264	1.80	-	33.48	7.07	35.40
AV	4.87536G	34.69	54.00	-19.31	29.52	3	Horizontal	264	1.80	-	33.50	7.06	35.39
PK	7.31004G	58.92	74.00	-15.08	48.96	3	Horizontal	238	2.66	-	37.00	8.53	35.57
AV	7.31136G	45.23	54.00	-8.77	35.27	3	Horizontal	238	2.66	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4564G	121.85	Inf	-Inf	88.98	3	Vertical	0	1.46	-	28.44	4.43	-	
AV	2.4558G	106.60	Inf	-Inf	73.74	3	Vertical	0	1.46	-	28.43	4.43	-	
PK	2.4838G	73.05	74.00	-0.95	40.01	3	Vertical	0	1.46	-	28.60	4.44	-	
AV	2.4835G	53.20	54.00	-0.80	20.16	3	Vertical	0	1.46	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	120.41	Inf	-Inf	87.51	3	Vertical	1	1.47	-	28.47	4.43	-
AV	2.461G	105.24	Inf	-Inf	72.34	3	Vertical	1	1.47	-	28.47	4.43	-
PK	2.4835G	73.69	74.00	-0.31	40.65	3	Vertical	1	1.47	-	28.60	4.44	-
AV	2.4838G	51.19	54.00	-2.81	18.15	3	Vertical	1	1.47	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92422G	47.21	74.00	-26.79	41.89	3	Vertical	230	2.39	-	33.65	7.04	35.37
AV	4.92596G	33.34	54.00	-20.66	28.02	3	Vertical	230	2.39	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92704G	48.06	74.00	-25.94	42.74	3	Horizontal	23	2.81	-	33.65	7.04	35.37
AV	4.92652G	33.34	54.00	-20.66	28.02	3	Horizontal	23	2.81	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	120.00	Inf	-Inf	87.07	3	Vertical	3	1.34	-	28.50	4.43	-
AV	2.4658G	104.75	Inf	-Inf	71.83	3	Vertical	3	1.34	-	28.49	4.43	-
PK	2.4856G	72.47	74.00	-1.53	39.42	3	Vertical	3	1.34	-	28.61	4.44	-
AV	2.4835G	53.77	54.00	-0.23	20.73	3	Vertical	3	1.34	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93278G	47.96	74.00	-26.04	42.62	3	Vertical	102	1.34	-	33.67	7.03	35.36
AV	4.93474G	33.35	54.00	-20.65	28.01	3	Vertical	102	1.34	-	33.67	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93424G	48.25	74.00	-25.75	42.91	3	Horizontal	285	2.55	-	33.67	7.03	35.36	
AV	4.9346G	33.36	54.00	-20.64	28.02	3	Horizontal	285	2.55	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	112.14	Inf	-Inf	79.17	3	Vertical	2	1.34	-	28.53	4.44	-
AV	2.4708G	97.30	Inf	-Inf	64.34	3	Vertical	2	1.34	-	28.52	4.44	-
PK	2.4835G	70.71	74.00	-3.29	37.67	3	Vertical	2	1.34	-	28.60	4.44	-
AV	2.4835G	53.49	54.00	-0.51	20.45	3	Vertical	2	1.34	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94264G	47.82	74.00	-26.18	42.46	3	Vertical	130	2.58	-	33.69	7.03	35.36	
AV	4.9437G	33.33	54.00	-20.67	27.97	3	Vertical	130	2.58	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94714G	47.76	74.00	-26.24	42.40	3	Horizontal	44	2.55	-	33.69	7.03	35.36
AV	4.94314G	33.35	54.00	-20.65	27.99	3	Horizontal	44	2.55	-	33.69	7.03	35.36

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.42	74.00	-0.58	40.71	3	Vertical	356	1.55	-	28.32	4.39	-
AV	2.3796G	53.42	54.00	-0.58	20.70	3	Vertical	356	1.55	-	28.34	4.38	-
PK	2.4252G	115.45	Inf	-Inf	82.69	3	Vertical	356	1.55	-	28.35	4.41	-
AV	2.4176G	102.33	Inf	-Inf	69.58	3	Vertical	356	1.55	-	28.34	4.41	-
PK	2.486G	66.99	74.00	-7.01	33.93	3	Vertical	356	1.55	-	28.62	4.44	-
AV	2.4835G	51.33	54.00	-2.67	18.29	3	Vertical	356	1.55	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84014G	46.92	74.00	-27.08	41.85	3	Vertical	179	1.26	-	33.40	7.08	35.41
AV	4.83948G	33.22	54.00	-20.78	28.15	3	Vertical	179	1.26	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84172G	47.67	74.00	-26.33	42.60	3	Horizontal	3	2.42	-	33.40	7.08	35.41
AV	4.84016G	33.24	54.00	-20.76	28.17	3	Horizontal	3	2.42	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	65.37	74.00	-8.63	32.65	3	Vertical	354	1.54	-	28.33	4.39	-
AV	2.389G	51.72	54.00	-2.28	19.01	3	Vertical	354	1.54	-	28.32	4.39	-
PK	2.4398G	116.36	Inf	-Inf	83.56	3	Vertical	354	1.54	-	28.38	4.42	-
AV	2.4346G	103.36	Inf	-Inf	70.57	3	Vertical	354	1.54	-	28.37	4.42	-
PK	2.4835G	73.87	74.00	-0.13	40.83	3	Vertical	354	1.54	-	28.60	4.44	-
AV	2.4838G	53.78	54.00	-0.22	20.74	3	Vertical	354	1.54	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8772G	48.11	74.00	-25.89	42.93	3	Vertical	347	2.45	-	33.51	7.06	35.39	
AV	4.87354G	33.80	54.00	-20.20	28.65	3	Vertical	347	2.45	-	33.49	7.06	35.40	

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86994G	48.28	74.00	-25.72	43.13	3	Horizontal	2	1.88	-	33.48	7.07	35.40
AV	4.87282G	33.80	54.00	-20.20	28.65	3	Horizontal	2	1.88	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT V_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	59.23	74.00	-14.77	26.52	3	Vertical	6	1.24	-	28.32	4.39	-
AV	2.3876G	46.92	54.00	-7.08	14.21	3	Vertical	6	1.24	-	28.32	4.39	-
PK	2.4504G	113.75	Inf	-Inf	80.92	3	Vertical	6	1.24	-	28.40	4.43	-
AV	2.45G	100.49	Inf	-Inf	67.66	3	Vertical	6	1.24	-	28.40	4.43	-
PK	2.4896G	67.53	74.00	-6.47	34.45	3	Vertical	6	1.24	-	28.64	4.44	-
AV	2.4888G	53.49	54.00	-0.51	20.42	3	Vertical	6	1.24	-	28.63	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90296G	47.54	74.00	-26.46	42.26	3	Vertical	167	1.94	-	33.61	7.05	35.38
AV	4.89788G	34.17	54.00	-19.83	28.91	3	Vertical	167	1.94	-	33.59	7.05	35.38
PK	7.35356G	53.13	74.00	-20.87	43.04	3	Vertical	348	1.70	-	37.01	8.66	35.58
AV	7.34644G	38.56	54.00	-15.44	28.50	3	Vertical	348	1.70	-	37.00	8.64	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89788G	47.69	74.00	-26.31	42.43	3	Horizontal	296	2.96	-	33.59	7.05	35.38
AV	4.89444G	33.57	54.00	-20.43	28.32	3	Horizontal	296	2.96	-	33.58	7.05	35.38
PK	7.34872G	52.38	74.00	-21.62	42.31	3	Horizontal	334	1.80	-	37.00	8.65	35.58
AV	7.34616G	38.35	54.00	-15.65	28.29	3	Horizontal	334	1.80	-	37.00	8.64	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	59.93	74.00	-14.07	27.22	3	Vertical	0	1.47	-	28.33	4.38	-
AV	2.3838G	47.30	54.00	-6.70	14.59	3	Vertical	0	1.47	-	28.33	4.38	-
PK	2.4602G	115.44	Inf	-Inf	82.55	3	Vertical	0	1.47	-	28.46	4.43	-
AV	2.4546G	101.96	Inf	-Inf	69.10	3	Vertical	0	1.47	-	28.43	4.43	-
PK	2.485G	70.07	74.00	-3.93	37.02	3	Vertical	0	1.47	-	28.61	4.44	-
AV	2.4835G	53.92	54.00	-0.08	20.88	3	Vertical	0	1.47	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91036G	47.68	74.00	-26.32	42.40	3	Vertical	148	2.85	-	33.62	7.04	35.38
AV	4.91036G	33.56	54.00	-20.44	28.28	3	Vertical	148	2.85	-	33.62	7.04	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91748G	47.65	74.00	-26.35	42.35	3	Horizontal	355	1.21	-	33.63	7.04	35.37
AV	4.91052G	33.54	54.00	-20.46	28.26	3	Horizontal	355	1.21	-	33.62	7.04	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3712G	59.65	74.00	-14.35	26.92	3	Vertical	360	1.47	-	28.36	4.37	-
AV	2.3816G	46.84	54.00	-7.16	14.12	3	Vertical	360	1.47	-	28.34	4.38	-
PK	2.4624G	113.84	Inf	-Inf	80.94	3	Vertical	360	1.47	-	28.47	4.43	-
AV	2.464G	100.45	Inf	-Inf	67.54	3	Vertical	360	1.47	-	28.48	4.43	-
PK	2.4835G	67.30	74.00	-6.70	34.26	3	Vertical	360	1.47	-	28.60	4.44	-
AV	2.4835G	53.88	54.00	-0.12	20.84	3	Vertical	360	1.47	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92286G	47.27	74.00	-26.73	41.95	3	Vertical	337	1.09	-	33.65	7.04	35.37
AV	4.92696G	33.53	54.00	-20.47	28.21	3	Vertical	337	1.09	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92192G	47.35	74.00	-26.65	42.04	3	Horizontal	93	1.28	-	33.64	7.04	35.37
AV	4.92818G	33.52	54.00	-20.48	28.19	3	Horizontal	93	1.28	-	33.66	7.04	35.37