



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 1 (1TX)


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.93	54.00	-0.07	3	Horizontal	108	1.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	72.66	74.00	-1.34	40.02	3	Vertical	170	2.95	-	28.25	4.39	-
AV	2.3872G	47.46	54.00	-6.54	14.82	3	Vertical	170	2.95	-	28.25	4.39	-
PK	2.4038G	121.58	Inf	-Inf	88.88	3	Vertical	170	2.95	-	28.30	4.40	-
AV	2.4036G	109.39	Inf	-Inf	76.69	3	Vertical	170	2.95	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.388G	73.33	74.00	-0.67	40.69	3	Horizontal	108	1.66	-	28.25	4.39	-	
AV	2.3872G	47.86	54.00	-6.14	15.22	3	Horizontal	108	1.66	-	28.25	4.39	-	
PK	2.4038G	122.33	Inf	-Inf	89.63	3	Horizontal	108	1.66	-	28.30	4.40	-	
AV	2.4036G	110.16	Inf	-Inf	77.46	3	Horizontal	108	1.66	-	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8072G	55.85	74.00	-18.15	50.94	3	Vertical	217	1.31	-	33.24	7.10	35.43
AV	4.8074G	38.62	54.00	-15.38	33.71	3	Vertical	217	1.31	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8078G	55.53	74.00	-18.47	50.61	3	Horizontal	52	2.41	-	33.25	7.10	35.43	
AV	4.8072G	39.23	54.00	-14.77	34.32	3	Horizontal	52	2.41	-	33.24	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	58.53	74.00	-15.47	25.88	3	Vertical	166	2.51	-	28.26	4.39	-
AV	2.365G	46.62	54.00	-7.38	14.09	3	Vertical	166	2.51	-	28.16	4.37	-
PK	2.4454G	121.88	Inf	-Inf	89.16	3	Vertical	166	2.51	-	28.30	4.42	-
AV	2.445G	110.40	Inf	-Inf	77.68	3	Vertical	166	2.51	-	28.30	4.42	-
PK	2.4906G	61.44	74.00	-12.56	28.53	3	Vertical	166	2.51	-	28.46	4.45	-
AV	2.4858G	47.30	54.00	-6.70	14.42	3	Vertical	166	2.51	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.54	74.00	-13.46	27.89	3	Horizontal	109	1.42	-	28.26	4.39	-
AV	2.365G	46.73	54.00	-7.27	14.20	3	Horizontal	109	1.42	-	28.16	4.37	-
PK	2.4454G	122.70	Inf	-Inf	89.98	3	Horizontal	109	1.42	-	28.30	4.42	-
AV	2.445G	111.39	Inf	-Inf	78.67	3	Horizontal	109	1.42	-	28.30	4.42	-
PK	2.4858G	61.98	74.00	-12.02	29.10	3	Horizontal	109	1.42	-	28.44	4.44	-
AV	2.4858G	47.88	54.00	-6.12	15.00	3	Horizontal	109	1.42	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8908G	56.81	74.00	-17.19	51.44	3	Vertical	152	1.20	-	33.66	7.10	35.39
AV	4.8908G	40.43	54.00	-13.57	35.06	3	Vertical	152	1.20	-	33.66	7.10	35.39
PK	7.3348G	62.24	74.00	-11.76	52.38	3	Vertical	5	2.55	-	36.97	8.47	35.58
AV	7.3364G	42.10	54.00	-11.90	32.24	3	Vertical	5	2.55	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8908G	55.54	74.00	-18.46	50.17	3	Horizontal	214	2.62	-	33.66	7.10	35.39
AV	4.891G	39.78	54.00	-14.22	34.41	3	Horizontal	214	2.62	-	33.66	7.10	35.39
PK	7.338G	61.00	74.00	-13.00	51.12	3	Horizontal	319	2.38	-	36.98	8.48	35.58
AV	7.3364G	41.36	54.00	-12.64	31.50	3	Horizontal	319	2.38	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	121.19	Inf	-Inf	88.37	3	Vertical	174	2.80	-	28.38	4.44	-
AV	2.47G	109.77	Inf	-Inf	76.95	3	Vertical	174	2.80	-	28.38	4.44	-
PK	2.4835G	73.57	74.00	-0.43	40.70	3	Vertical	174	2.80	-	28.43	4.44	-
AV	2.4872G	49.53	54.00	-4.47	16.64	3	Vertical	174	2.80	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	121.45	Inf	-Inf	88.63	3	Horizontal	108	1.60	-	28.38	4.44	-
AV	2.4702G	110.00	Inf	-Inf	77.18	3	Horizontal	108	1.60	-	28.38	4.44	-
PK	2.4836G	73.64	74.00	-0.36	40.77	3	Horizontal	108	1.60	-	28.43	4.44	-
AV	2.4872G	50.13	54.00	-3.87	17.24	3	Horizontal	108	1.60	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9404G	57.70	74.00	-16.30	52.18	3	Vertical	269	1.28	-	33.78	7.10	35.36
AV	4.9406G	40.56	54.00	-13.44	35.04	3	Vertical	269	1.28	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9398G	55.14	74.00	-18.86	49.62	3	Horizontal	25	2.88	-	33.78	7.10	35.36	
AV	4.9406G	39.72	54.00	-14.28	34.20	3	Horizontal	25	2.88	-	33.78	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	117.36	Inf	-Inf	84.52	3	Vertical	165	2.81	-	28.40	4.44	-
AV	2.475G	105.21	Inf	-Inf	72.37	3	Vertical	165	2.81	-	28.40	4.44	-
PK	2.4835G	73.11	74.00	-0.89	40.24	3	Vertical	165	2.81	-	28.43	4.44	-
AV	2.4838G	47.67	54.00	-6.33	14.79	3	Vertical	165	2.81	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	117.55	Inf	-Inf	84.71	3	Horizontal	108	1.00	-	28.40	4.44	-
AV	2.475G	105.30	Inf	-Inf	72.46	3	Horizontal	108	1.00	-	28.40	4.44	-
PK	2.4835G	73.61	74.00	-0.39	40.74	3	Horizontal	108	1.00	-	28.43	4.44	-
AV	2.4838G	47.77	54.00	-6.23	14.89	3	Horizontal	108	1.00	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.951G	48.07	74.00	-25.93	42.53	3	Vertical	153	1.67	-	33.80	7.10	35.36	
AV	4.951G	34.95	54.00	-19.05	29.41	3	Vertical	153	1.67	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8946G	47.36	74.00	-26.64	41.96	3	Horizontal	18	1.61	-	33.68	7.10	35.38
AV	4.9008G	35.00	54.00	-19.00	29.58	3	Horizontal	18	1.61	-	33.70	7.10	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.48G	104.19	Inf	-Inf	71.33	3	Vertical	164	2.48	-	28.42	4.44	-	
AV	2.48G	92.13	Inf	-Inf	59.27	3	Vertical	164	2.48	-	28.42	4.44	-	
PK	2.4835G	68.97	74.00	-5.03	36.10	3	Vertical	164	2.48	-	28.43	4.44	-	
AV	2.4835G	53.35	54.00	-0.65	20.48	3	Vertical	164	2.48	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	104.95	Inf	-Inf	72.09	3	Horizontal	108	1.45	-	28.42	4.44	-
AV	2.48G	92.90	Inf	-Inf	60.04	3	Horizontal	108	1.45	-	28.42	4.44	-
PK	2.4835G	69.86	74.00	-4.14	36.99	3	Horizontal	108	1.45	-	28.43	4.44	-
AV	2.4835G	53.93	54.00	-0.07	21.06	3	Horizontal	108	1.45	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9458G	47.07	74.00	-26.93	41.54	3	Vertical	317	2.80	-	33.79	7.10	35.36
AV	4.93458G	33.41	54.00	-20.59	27.90	3	Vertical	317	2.80	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT Y_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.95288G	48.05	74.00	-25.95	42.51	3	Horizontal	36	1.20	-	33.79	7.10	35.35	
AV	4.95156G	33.39	54.00	-20.61	27.85	3	Horizontal	36	1.20	-	33.80	7.10	35.36	



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 1 (1TX)


Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4844G	73.98	74.00	-0.02	3	Horizontal	108	1.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	72.50	74.00	-1.50	39.86	3	Vertical	166	2.94	-	28.25	4.39	-
AV	2.39G	49.45	54.00	-4.55	16.80	3	Vertical	166	2.94	-	28.26	4.39	-
PK	2.4062G	119.89	Inf	-Inf	87.19	3	Vertical	166	2.94	-	28.30	4.40	-
AV	2.4056G	105.98	Inf	-Inf	73.28	3	Vertical	166	2.94	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3882G	73.36	74.00	-0.64	40.72	3	Horizontal	109	1.67	-	28.25	4.39	-	
AV	2.3896G	49.87	54.00	-4.13	17.22	3	Horizontal	109	1.67	-	28.26	4.39	-	
PK	2.4062G	120.40	Inf	-Inf	87.70	3	Horizontal	109	1.67	-	28.30	4.40	-	
AV	2.4056G	106.55	Inf	-Inf	73.85	3	Horizontal	109	1.67	-	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8098G	57.39	74.00	-16.61	52.46	3	Vertical	82	1.48	-	33.26	7.10	35.43
AV	4.8092G	39.33	54.00	-14.67	34.40	3	Vertical	82	1.48	-	33.26	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8098G	53.39	74.00	-20.61	48.46	3	Horizontal	43	1.87	-	33.26	7.10	35.43
AV	4.8336G	38.10	54.00	-15.90	33.02	3	Horizontal	43	1.87	-	33.40	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.79	74.00	-14.21	27.14	3	Vertical	168	2.52	-	28.26	4.39	-
AV	2.363G	46.27	54.00	-7.73	13.76	3	Vertical	168	2.52	-	28.15	4.36	-
PK	2.4434G	118.20	Inf	-Inf	85.48	3	Vertical	168	2.52	-	28.30	4.42	-
AV	2.443G	106.30	Inf	-Inf	73.58	3	Vertical	168	2.52	-	28.30	4.42	-
PK	2.485G	61.18	74.00	-12.82	28.30	3	Vertical	168	2.52	-	28.44	4.44	-
AV	2.4862G	46.57	54.00	-7.43	13.69	3	Vertical	168	2.52	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.37	74.00	-14.63	26.72	3	Horizontal	110	1.41	-	28.26	4.39	-
AV	2.363G	46.25	54.00	-7.75	13.74	3	Horizontal	110	1.41	-	28.15	4.36	-
PK	2.4434G	119.15	Inf	-Inf	86.43	3	Horizontal	110	1.41	-	28.30	4.42	-
AV	2.443G	107.24	Inf	-Inf	74.52	3	Horizontal	110	1.41	-	28.30	4.42	-
PK	2.4846G	61.52	74.00	-12.48	28.64	3	Horizontal	110	1.41	-	28.44	4.44	-
AV	2.4862G	46.86	54.00	-7.14	13.98	3	Horizontal	110	1.41	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.887G	55.45	74.00	-18.55	50.09	3	Vertical	319	1.86	-	33.65	7.10	35.39
AV	4.8892G	39.94	54.00	-14.06	34.57	3	Vertical	319	1.86	-	33.66	7.10	35.39
PK	7.3322G	60.87	74.00	-13.13	51.03	3	Vertical	0	2.94	-	36.96	8.46	35.58
AV	7.3322G	46.35	54.00	-7.65	36.51	3	Vertical	0	2.94	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.887G	54.22	74.00	-19.78	48.86	3	Horizontal	234	1.97	-	33.65	7.10	35.39
AV	4.8896G	39.31	54.00	-14.69	33.94	3	Horizontal	234	1.97	-	33.66	7.10	35.39
PK	7.332G	60.91	74.00	-13.09	51.07	3	Horizontal	322	2.85	-	36.96	8.46	35.58
AV	7.3322G	46.79	54.00	-7.21	36.95	3	Horizontal	322	2.85	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.28	Inf	-Inf	85.48	3	Vertical	175	2.79	-	28.37	4.43	-
AV	2.468G	106.40	Inf	-Inf	73.60	3	Vertical	175	2.79	-	28.37	4.43	-
PK	2.4844G	73.18	74.00	-0.82	40.30	3	Vertical	175	2.79	-	28.44	4.44	-
AV	2.4835G	51.35	54.00	-2.65	18.48	3	Vertical	175	2.79	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.78	Inf	-Inf	85.98	3	Horizontal	108	1.60	-	28.37	4.43	-
AV	2.468G	106.93	Inf	-Inf	74.13	3	Horizontal	108	1.60	-	28.37	4.43	-
PK	2.4844G	73.98	74.00	-0.02	41.10	3	Horizontal	108	1.60	-	28.44	4.44	-
AV	2.4835G	51.68	54.00	-2.32	18.81	3	Horizontal	108	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9384G	52.59	74.00	-21.41	47.07	3	Vertical	157	1.10	-	33.78	7.10	35.36
AV	4.9382G	35.73	54.00	-18.27	30.21	3	Vertical	157	1.10	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9378G	47.77	74.00	-26.23	42.25	3	Horizontal	140	1.44	-	33.78	7.10	35.36
AV	4.9378G	34.12	54.00	-19.88	28.60	3	Horizontal	140	1.44	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4732G	114.55	Inf	-Inf	81.72	3	Vertical	164	2.80	-	28.39	4.44	-	
AV	2.473G	102.66	Inf	-Inf	69.83	3	Vertical	164	2.80	-	28.39	4.44	-	
PK	2.4835G	73.56	74.00	-0.44	40.69	3	Vertical	164	2.80	-	28.43	4.44	-	
AV	2.4835G	49.39	54.00	-4.61	16.52	3	Vertical	164	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	114.88	Inf	-Inf	82.05	3	Horizontal	107	1.61	-	28.39	4.44	-
AV	2.473G	102.97	Inf	-Inf	70.14	3	Horizontal	107	1.61	-	28.39	4.44	-
PK	2.4835G	73.66	74.00	-0.34	40.79	3	Horizontal	107	1.61	-	28.43	4.44	-
AV	2.4835G	49.42	54.00	-4.58	16.55	3	Horizontal	107	1.61	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9462G	54.45	74.00	-19.55	48.92	3	Vertical	157	1.06	-	33.79	7.10	35.36	
AV	4.9496G	39.34	54.00	-14.66	33.80	3	Vertical	157	1.06	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8898G	47.00	74.00	-27.00	41.63	3	Horizontal	336	1.78	-	33.66	7.10	35.39	
AV	4.9086G	33.35	54.00	-20.65	27.91	3	Horizontal	336	1.78	-	33.72	7.10	35.38	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	105.80	Inf	-Inf	72.94	3	Vertical	162	2.80	-	28.42	4.44	-
AV	2.478G	93.90	Inf	-Inf	61.05	3	Vertical	162	2.80	-	28.41	4.44	-
PK	2.4835G	72.88	74.00	-1.12	40.01	3	Vertical	162	2.80	-	28.43	4.44	-
AV	2.4835G	53.90	54.00	-0.10	21.03	3	Vertical	162	2.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	105.83	Inf	-Inf	72.97	3	Horizontal	109	1.00	-	28.42	4.44	-
AV	2.4778G	93.87	Inf	-Inf	61.02	3	Horizontal	109	1.00	-	28.41	4.44	-
PK	2.4835G	72.93	74.00	-1.07	40.06	3	Horizontal	109	1.00	-	28.43	4.44	-
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Horizontal	109	1.00	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9526G	46.43	74.00	-27.57	40.89	3	Vertical	114	2.66	-	33.79	7.10	35.35	
AV	4.9794G	33.35	54.00	-20.65	27.85	3	Vertical	114	2.66	-	33.74	7.10	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9398G	46.54	74.00	-27.46	41.02	3	Horizontal	330	1.85	-	33.78	7.10	35.36
AV	4.9602G	33.40	54.00	-20.60	27.87	3	Horizontal	330	1.85	-	33.78	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 106_Ant. 1 (1TX)


Appendix F.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.83	54.00	-0.17	3	Vertical	166	2.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	72.77	74.00	-1.23	40.13	3	Vertical	166	2.96	-	28.25	4.39	-
AV	2.39G	50.11	54.00	-3.89	17.46	3	Vertical	166	2.96	-	28.26	4.39	-
PK	2.409G	117.45	Inf	-Inf	84.75	3	Vertical	166	2.96	-	28.30	4.40	-
AV	2.4096G	105.89	Inf	-Inf	73.19	3	Vertical	166	2.96	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.38	74.00	-0.62	40.74	3	Horizontal	110	1.67	-	28.25	4.39	-
AV	2.39G	50.63	54.00	-3.37	17.98	3	Horizontal	110	1.67	-	28.26	4.39	-
PK	2.409G	117.99	Inf	-Inf	85.29	3	Horizontal	110	1.67	-	28.30	4.40	-
AV	2.4096G	106.46	Inf	-Inf	73.76	3	Horizontal	110	1.67	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8152G	56.70	74.00	-17.30	51.74	3	Vertical	81	1.27	-	33.29	7.10	35.43	
AV	4.8178G	40.31	54.00	-13.69	35.32	3	Vertical	81	1.27	-	33.31	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81644G	52.74	74.00	-21.26	47.77	3	Horizontal	220	2.31	-	33.30	7.10	35.43
AV	4.81764G	37.21	54.00	-16.79	32.22	3	Horizontal	220	2.31	-	33.31	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	59.62	74.00	-14.38	26.98	3	Vertical	168	2.52	-	28.25	4.39	-
AV	2.3594G	46.07	54.00	-7.93	13.57	3	Vertical	168	2.52	-	28.14	4.36	-
PK	2.4398G	117.75	Inf	-Inf	85.03	3	Vertical	168	2.52	-	28.30	4.42	-
AV	2.439G	106.16	Inf	-Inf	73.44	3	Vertical	168	2.52	-	28.30	4.42	-
PK	2.485G	60.60	74.00	-13.40	27.72	3	Vertical	168	2.52	-	28.44	4.44	-
AV	2.4858G	46.25	54.00	-7.75	13.37	3	Vertical	168	2.52	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	59.67	74.00	-14.33	27.02	3	Horizontal	111	1.64	-	28.26	4.39	-
AV	2.3594G	46.32	54.00	-7.68	13.82	3	Horizontal	111	1.64	-	28.14	4.36	-
PK	2.4398G	118.53	Inf	-Inf	85.81	3	Horizontal	111	1.64	-	28.30	4.42	-
AV	2.439G	106.94	Inf	-Inf	74.22	3	Horizontal	111	1.64	-	28.30	4.42	-
PK	2.4842G	60.71	74.00	-13.29	27.83	3	Horizontal	111	1.64	-	28.44	4.44	-
AV	2.4835G	46.20	54.00	-7.80	13.33	3	Horizontal	111	1.64	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.883G	56.46	74.00	-17.54	51.12	3	Vertical	165	1.01	-	33.63	7.10	35.39
AV	4.8834G	40.82	54.00	-13.18	35.48	3	Vertical	165	1.01	-	33.63	7.10	35.39
PK	7.3216G	60.54	74.00	-13.46	50.73	3	Vertical	204	2.23	-	36.94	8.44	35.57
AV	7.3216G	46.14	54.00	-7.86	36.33	3	Vertical	204	2.23	-	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88192G	54.09	74.00	-19.91	48.75	3	Horizontal	220	2.31	-	33.63	7.10	35.39
AV	4.88024G	39.29	54.00	-14.71	33.96	3	Horizontal	220	2.31	-	33.62	7.10	35.39
PK	7.31814G	57.24	74.00	-16.76	47.43	3	Horizontal	41	2.22	-	36.94	8.44	35.57
AV	7.3245G	43.27	54.00	-10.73	33.44	3	Horizontal	41	2.22	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3852G	57.74	74.00	-16.26	25.11	3	Vertical	172	2.79	-	28.24	4.39	-
AV	2.3856G	45.99	54.00	-8.01	13.36	3	Vertical	172	2.79	-	28.24	4.39	-
PK	2.4648G	118.36	Inf	-Inf	85.57	3	Vertical	172	2.79	-	28.36	4.43	-
AV	2.464G	106.74	Inf	-Inf	73.95	3	Vertical	172	2.79	-	28.36	4.43	-
PK	2.4835G	73.68	74.00	-0.32	40.81	3	Vertical	172	2.79	-	28.43	4.44	-
AV	2.4835G	53.53	54.00	-0.47	20.66	3	Vertical	172	2.79	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.368G	57.48	74.00	-16.52	24.94	3	Horizontal	26	2.41	-	28.17	4.37	-
AV	2.3856G	45.94	54.00	-8.06	13.31	3	Horizontal	26	2.41	-	28.24	4.39	-
PK	2.4648G	118.32	Inf	-Inf	85.53	3	Horizontal	26	2.41	-	28.36	4.43	-
AV	2.464G	106.75	Inf	-Inf	73.96	3	Horizontal	26	2.41	-	28.36	4.43	-
PK	2.4835G	72.92	74.00	-1.08	40.05	3	Horizontal	26	2.41	-	28.43	4.44	-
AV	2.4835G	52.90	54.00	-1.10	20.03	3	Horizontal	26	2.41	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9322G	57.19	74.00	-16.81	51.70	3	Vertical	157	1.08	-	33.76	7.10	35.37
AV	4.9336G	41.83	54.00	-12.17	36.32	3	Vertical	157	1.08	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93198G	52.42	74.00	-21.58	46.93	3	Horizontal	203	1.11	-	33.76	7.10	35.37
AV	4.9327G	37.25	54.00	-16.75	31.74	3	Horizontal	203	1.11	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4698G	114.91	Inf	-Inf	82.10	3	Vertical	175	2.80	-	28.38	4.43	-	
AV	2.469G	103.25	Inf	-Inf	70.44	3	Vertical	175	2.80	-	28.38	4.43	-	
PK	2.4842G	73.01	74.00	-0.99	40.13	3	Vertical	175	2.80	-	28.44	4.44	-	
AV	2.4835G	53.23	54.00	-0.77	20.36	3	Vertical	175	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	115.46	Inf	-Inf	82.65	3	Horizontal	110	1.60	-	28.38	4.43	-
AV	2.469G	103.80	Inf	-Inf	70.99	3	Horizontal	110	1.60	-	28.38	4.43	-
PK	2.4842G	73.62	74.00	-0.38	40.74	3	Horizontal	110	1.60	-	28.44	4.44	-
AV	2.4835G	53.63	54.00	-0.37	20.76	3	Horizontal	110	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.943G	54.78	74.00	-19.22	49.25	3	Vertical	164	1.10	-	33.79	7.10	35.36	
AV	4.9426G	39.50	54.00	-14.50	33.97	3	Vertical	164	1.10	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94288G	52.65	74.00	-21.35	47.12	3	Horizontal	82	2.77	-	33.79	7.10	35.36
AV	4.94246G	37.75	54.00	-16.25	32.23	3	Horizontal	82	2.77	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	107.97	Inf	-Inf	75.13	3	Vertical	166	2.80	-	28.40	4.44	-	
AV	2.474G	96.02	Inf	-Inf	63.18	3	Vertical	166	2.80	-	28.40	4.44	-	
PK	2.4835G	72.97	74.00	-1.03	40.10	3	Vertical	166	2.80	-	28.43	4.44	-	
AV	2.4835G	53.83	54.00	-0.17	20.96	3	Vertical	166	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	108.25	Inf	-Inf	75.41	3	Horizontal	109	1.60	-	28.40	4.44	-	
AV	2.474G	96.29	Inf	-Inf	63.45	3	Horizontal	109	1.60	-	28.40	4.44	-	
PK	2.4835G	73.54	74.00	-0.46	40.67	3	Horizontal	109	1.60	-	28.43	4.44	-	
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Horizontal	109	1.60	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9206G	51.74	74.00	-22.26	46.27	3	Vertical	233	1.68	-	33.74	7.10	35.37
AV	4.9392G	38.33	54.00	-15.67	32.81	3	Vertical	233	1.68	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT V_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8964G	46.67	74.00	-27.33	41.26	3	Horizontal	302	2.66	-	33.69	7.10	35.38	
AV	4.887G	33.43	54.00	-20.57	28.07	3	Horizontal	302	2.66	-	33.65	7.10	35.39	



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 2 (1TX)


Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	230	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.60	74.00	-0.40	40.96	3	Vertical	176	1.27	-	28.25	4.39	-
AV	2.3872G	47.24	54.00	-6.76	14.60	3	Vertical	176	1.27	-	28.25	4.39	-
PK	2.4038G	120.46	Inf	-Inf	87.76	3	Vertical	176	1.27	-	28.30	4.40	-
AV	2.4036G	108.82	Inf	-Inf	76.12	3	Vertical	176	1.27	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	71.40	74.00	-2.60	38.76	3	Horizontal	174	1.69	-	28.25	4.39	-
AV	2.3888G	46.49	54.00	-7.51	13.84	3	Horizontal	174	1.69	-	28.26	4.39	-
PK	2.4038G	118.37	Inf	-Inf	85.67	3	Horizontal	174	1.69	-	28.30	4.40	-
AV	2.4038G	106.63	Inf	-Inf	73.93	3	Horizontal	174	1.69	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8076G	55.53	74.00	-18.47	50.61	3	Vertical	297	2.95	-	33.25	7.10	35.43
AV	4.807G	37.42	54.00	-16.58	32.51	3	Vertical	297	2.95	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8074G	54.82	74.00	-19.18	49.91	3	Horizontal	96	2.57	-	33.24	7.10	35.43	
AV	4.8074G	36.83	54.00	-17.17	31.92	3	Horizontal	96	2.57	-	33.24	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	61.36	74.00	-12.64	28.72	3	Vertical	180	1.44	-	28.25	4.39	-
AV	2.365G	47.97	54.00	-6.03	15.44	3	Vertical	180	1.44	-	28.16	4.37	-
PK	2.4458G	121.10	Inf	-Inf	88.38	3	Vertical	180	1.44	-	28.30	4.42	-
AV	2.445G	110.50	Inf	-Inf	77.78	3	Vertical	180	1.44	-	28.30	4.42	-
PK	2.4835G	59.77	74.00	-14.23	26.90	3	Vertical	180	1.44	-	28.43	4.44	-
AV	2.4858G	46.98	54.00	-7.02	14.10	3	Vertical	180	1.44	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	59.48	74.00	-14.52	26.87	3	Horizontal	172	1.65	-	28.23	4.38	-
AV	2.365G	46.79	54.00	-7.21	14.26	3	Horizontal	172	1.65	-	28.16	4.37	-
PK	2.4458G	119.93	Inf	-Inf	87.21	3	Horizontal	172	1.65	-	28.30	4.42	-
AV	2.445G	109.36	Inf	-Inf	76.64	3	Horizontal	172	1.65	-	28.30	4.42	-
PK	2.4835G	60.24	74.00	-13.76	27.37	3	Horizontal	172	1.65	-	28.43	4.44	-
AV	2.4858G	46.91	54.00	-7.09	14.03	3	Horizontal	172	1.65	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8916G	57.33	74.00	-16.67	51.95	3	Vertical	51	1.98	-	33.67	7.10	35.39
AV	4.891G	39.17	54.00	-14.83	33.80	3	Vertical	51	1.98	-	33.66	7.10	35.39
PK	7.3368G	55.70	74.00	-18.30	45.84	3	Vertical	346	1.80	-	36.97	8.47	35.58
AV	7.336G	43.05	54.00	-10.95	33.19	3	Vertical	346	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	57.38	74.00	-16.62	52.01	3	Horizontal	185	2.42	-	33.66	7.10	35.39
AV	4.8908G	38.92	54.00	-15.08	33.55	3	Horizontal	185	2.42	-	33.66	7.10	35.39
PK	7.3378G	55.99	74.00	-18.01	46.11	3	Horizontal	268	1.80	-	36.98	8.48	35.58
AV	7.3362G	43.49	54.00	-10.51	33.63	3	Horizontal	268	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	119.60	Inf	-Inf	86.78	3	Vertical	228	1.84	-	28.38	4.44	-
AV	2.47G	108.12	Inf	-Inf	75.30	3	Vertical	228	1.84	-	28.38	4.44	-
PK	2.4838G	73.69	74.00	-0.31	40.81	3	Vertical	228	1.84	-	28.44	4.44	-
AV	2.4872G	48.48	54.00	-5.52	15.59	3	Vertical	228	1.84	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	119.04	Inf	-Inf	86.22	3	Horizontal	171	1.30	-	28.38	4.44	-
AV	2.47G	107.65	Inf	-Inf	74.83	3	Horizontal	171	1.30	-	28.38	4.44	-
PK	2.4835G	72.49	74.00	-1.51	39.62	3	Horizontal	171	1.30	-	28.43	4.44	-
AV	2.4872G	47.94	54.00	-6.06	15.05	3	Horizontal	171	1.30	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94G	50.14	74.00	-23.86	44.62	3	Vertical	86	1.15	-	33.78	7.10	35.36
AV	4.9408G	34.32	54.00	-19.68	28.80	3	Vertical	86	1.15	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9406G	49.99	74.00	-24.01	44.47	3	Horizontal	274	2.26	-	33.78	7.10	35.36
AV	4.941G	34.57	54.00	-19.43	29.05	3	Horizontal	274	2.26	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.475G	116.09	Inf	-Inf	83.25	3	Vertical	231	1.80	-	28.40	4.44	-	
AV	2.475G	103.79	Inf	-Inf	70.95	3	Vertical	231	1.80	-	28.40	4.44	-	
PK	2.4852G	73.42	74.00	-0.58	40.54	3	Vertical	231	1.80	-	28.44	4.44	-	
AV	2.4842G	47.58	54.00	-6.42	14.70	3	Vertical	231	1.80	-	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	115.82	Inf	-Inf	82.98	3	Horizontal	170	1.28	-	28.40	4.44	-
AV	2.475G	103.57	Inf	-Inf	70.73	3	Horizontal	170	1.28	-	28.40	4.44	-
PK	2.4852G	73.06	74.00	-0.94	40.18	3	Horizontal	170	1.28	-	28.44	4.44	-
AV	2.484G	47.23	54.00	-6.77	14.35	3	Horizontal	170	1.28	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9628G	46.88	74.00	-27.12	41.36	3	Vertical	162	2.16	-	33.77	7.10	35.35	
AV	4.9514G	33.73	54.00	-20.27	28.19	3	Vertical	162	2.16	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.951G	50.84	74.00	-23.16	45.30	3	Horizontal	332	1.71	-	33.80	7.10	35.36	
AV	4.9508G	34.73	54.00	-19.27	29.19	3	Horizontal	332	1.71	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	104.61	Inf	-Inf	71.75	3	Vertical	230	1.80	-	28.42	4.44	-
AV	2.48G	92.77	Inf	-Inf	59.91	3	Vertical	230	1.80	-	28.42	4.44	-
PK	2.4835G	69.35	74.00	-4.65	36.48	3	Vertical	230	1.80	-	28.43	4.44	-
AV	2.4835G	53.97	54.00	-0.03	21.10	3	Vertical	230	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	103.80	Inf	-Inf	70.94	3	Horizontal	170	1.68	-	28.42	4.44	-
AV	2.48G	91.91	Inf	-Inf	59.05	3	Horizontal	170	1.68	-	28.42	4.44	-
PK	2.4835G	68.87	74.00	-5.13	36.00	3	Horizontal	170	1.68	-	28.43	4.44	-
AV	2.4835G	53.28	54.00	-0.72	20.41	3	Horizontal	170	1.68	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9728G	46.93	74.00	-27.07	41.42	3	Vertical	355	1.38	-	33.75	7.10	35.34	
AV	4.9694G	33.69	54.00	-20.31	28.18	3	Vertical	355	1.38	-	33.76	7.10	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9518G	46.68	74.00	-27.32	41.14	3	Horizontal	353	1.68	-	33.80	7.10	35.36	
AV	4.962G	33.70	54.00	-20.30	28.17	3	Horizontal	353	1.68	-	33.78	7.10	35.35	



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 2 (1TX)


Appendix F.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.3888G	73.74	74.00	-0.26	3	Vertical	183	1.59	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	73.74	74.00	-0.26	41.09	3	Vertical	183	1.59	-	28.26	4.39	-
AV	2.39G	50.55	54.00	-3.45	17.90	3	Vertical	183	1.59	-	28.26	4.39	-
PK	2.4062G	119.54	Inf	-Inf	86.84	3	Vertical	183	1.59	-	28.30	4.40	-
AV	2.4056G	106.32	Inf	-Inf	73.62	3	Vertical	183	1.59	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	70.11	74.00	-3.89	37.46	3	Horizontal	172	1.36	-	28.26	4.39	-
AV	2.39G	48.85	54.00	-5.15	16.20	3	Horizontal	172	1.36	-	28.26	4.39	-
PK	2.4062G	117.63	Inf	-Inf	84.93	3	Horizontal	172	1.36	-	28.30	4.40	-
AV	2.4056G	104.50	Inf	-Inf	71.80	3	Horizontal	172	1.36	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8086G	55.26	74.00	-18.74	50.34	3	Vertical	303	1.17	-	33.25	7.10	35.43
AV	4.8094G	38.85	54.00	-15.15	33.92	3	Vertical	303	1.17	-	33.26	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8088G	53.53	74.00	-20.47	48.61	3	Horizontal	51	1.29	-	33.25	7.10	35.43	
AV	4.8104G	37.85	54.00	-16.15	32.92	3	Horizontal	51	1.29	-	33.26	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	61.45	74.00	-12.55	28.81	3	Vertical	181	1.43	-	28.25	4.39	-
AV	2.363G	47.03	54.00	-6.97	14.52	3	Vertical	181	1.43	-	28.15	4.36	-
PK	2.4434G	117.85	Inf	-Inf	85.13	3	Vertical	181	1.43	-	28.30	4.42	-
AV	2.443G	106.02	Inf	-Inf	73.30	3	Vertical	181	1.43	-	28.30	4.42	-
PK	2.4842G	59.40	74.00	-14.60	26.52	3	Vertical	181	1.43	-	28.44	4.44	-
AV	2.4854G	46.32	54.00	-7.68	13.44	3	Vertical	181	1.43	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	59.09	74.00	-14.91	26.45	3	Horizontal	171	1.36	-	28.25	4.39	-
AV	2.3626G	46.13	54.00	-7.87	13.62	3	Horizontal	171	1.36	-	28.15	4.36	-
PK	2.4434G	116.83	Inf	-Inf	84.11	3	Horizontal	171	1.36	-	28.30	4.42	-
AV	2.443G	105.06	Inf	-Inf	72.34	3	Horizontal	171	1.36	-	28.30	4.42	-
PK	2.4838G	59.75	74.00	-14.25	26.87	3	Horizontal	171	1.36	-	28.44	4.44	-
AV	2.485G	46.18	54.00	-7.82	13.30	3	Horizontal	171	1.36	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8884G	56.31	74.00	-17.69	50.95	3	Vertical	142	1.00	-	33.65	7.10	35.39
AV	4.8878G	40.31	54.00	-13.69	34.95	3	Vertical	142	1.00	-	33.65	7.10	35.39
PK	7.3318G	54.46	74.00	-19.54	44.62	3	Vertical	346	1.79	-	36.96	8.46	35.58
AV	7.3322G	41.50	54.00	-12.50	31.66	3	Vertical	346	1.79	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8884G	52.24	74.00	-21.76	46.88	3	Horizontal	234	1.00	-	33.65	7.10	35.39
AV	4.8878G	37.76	54.00	-16.24	32.40	3	Horizontal	234	1.00	-	33.65	7.10	35.39
PK	7.3314G	55.15	74.00	-18.85	45.31	3	Horizontal	271	1.80	-	36.96	8.46	35.58
AV	7.3322G	41.76	54.00	-12.24	31.92	3	Horizontal	271	1.80	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	116.16	Inf	-Inf	83.36	3	Vertical	226	1.41	-	28.37	4.43	-
AV	2.468G	104.30	Inf	-Inf	71.50	3	Vertical	226	1.41	-	28.37	4.43	-
PK	2.4836G	73.72	74.00	-0.28	40.85	3	Vertical	226	1.41	-	28.43	4.44	-
AV	2.4835G	51.27	54.00	-2.73	18.40	3	Vertical	226	1.41	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	115.21	Inf	-Inf	82.41	3	Horizontal	171	1.29	-	28.37	4.43	-
AV	2.468G	103.37	Inf	-Inf	70.57	3	Horizontal	171	1.29	-	28.37	4.43	-
PK	2.4836G	72.16	74.00	-1.84	39.29	3	Horizontal	171	1.29	-	28.43	4.44	-
AV	2.4835G	50.32	54.00	-3.68	17.45	3	Horizontal	171	1.29	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9386G	52.70	74.00	-21.30	47.18	3	Vertical	123	1.93	-	33.78	7.10	35.36
AV	4.9376G	35.07	54.00	-18.93	29.55	3	Vertical	123	1.93	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9372G	48.29	74.00	-25.71	42.78	3	Horizontal	275	1.53	-	33.77	7.10	35.36
AV	4.9374G	34.17	54.00	-19.83	28.66	3	Horizontal	275	1.53	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	113.25	Inf	-Inf	80.41	3	Vertical	229	1.84	-	28.40	4.44	-	
AV	2.473G	101.30	Inf	-Inf	68.47	3	Vertical	229	1.84	-	28.39	4.44	-	
PK	2.4836G	73.47	74.00	-0.53	40.60	3	Vertical	229	1.84	-	28.43	4.44	-	
AV	2.4835G	50.06	54.00	-3.94	17.19	3	Vertical	229	1.84	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4732G	112.46	Inf	-Inf	79.63	3	Horizontal	171	1.63	-	28.39	4.44	-	
AV	2.473G	100.69	Inf	-Inf	67.86	3	Horizontal	171	1.63	-	28.39	4.44	-	
PK	2.4836G	72.35	74.00	-1.65	39.48	3	Horizontal	171	1.63	-	28.43	4.44	-	
AV	2.4835G	49.34	54.00	-4.66	16.47	3	Horizontal	171	1.63	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9484G	50.10	74.00	-23.90	44.56	3	Vertical	51	2.81	-	33.80	7.10	35.36	
AV	4.9478G	34.42	54.00	-19.58	28.88	3	Vertical	51	2.81	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8812G	46.78	74.00	-27.22	41.45	3	Horizontal	337	2.44	-	33.62	7.10	35.39	
AV	4.9084G	33.83	54.00	-20.17	28.39	3	Horizontal	337	2.44	-	33.72	7.10	35.38	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	104.83	Inf	-Inf	71.97	3	Vertical	230	1.80	-	28.42	4.44	-
AV	2.4778G	92.93	Inf	-Inf	60.08	3	Vertical	230	1.80	-	28.41	4.44	-
PK	2.4835G	71.83	74.00	-2.17	38.96	3	Vertical	230	1.80	-	28.43	4.44	-
AV	2.4835G	53.64	54.00	-0.36	20.77	3	Vertical	230	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	103.89	Inf	-Inf	71.03	3	Horizontal	171	1.64	-	28.42	4.44	-
AV	2.478G	92.09	Inf	-Inf	59.24	3	Horizontal	171	1.64	-	28.41	4.44	-
PK	2.4835G	70.37	74.00	-3.63	37.50	3	Horizontal	171	1.64	-	28.43	4.44	-
AV	2.4835G	52.83	54.00	-1.17	19.96	3	Horizontal	171	1.64	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.897G	46.58	74.00	-27.42	41.17	3	Vertical	224	2.34	-	33.69	7.10	35.38
AV	4.9704G	33.62	54.00	-20.38	28.11	3	Vertical	224	2.34	-	33.76	7.10	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.939G	46.45	74.00	-27.55	40.93	3	Horizontal	251	2.50	-	33.78	7.10	35.36
AV	4.9888G	33.62	54.00	-20.38	28.14	3	Horizontal	251	2.50	-	33.72	7.10	35.34



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 2 (1TX)


Appendix F.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4836G	73.88	74.00	-0.12	3	Vertical	225	1.43	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.74	74.00	-0.26	41.10	3	Vertical	180	1.00	-	28.25	4.39	-
AV	2.39G	50.58	54.00	-3.42	17.93	3	Vertical	180	1.00	-	28.26	4.39	-
PK	2.409G	116.43	Inf	-Inf	83.73	3	Vertical	180	1.00	-	28.30	4.40	-
AV	2.4096G	104.87	Inf	-Inf	72.17	3	Vertical	180	1.00	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	71.05	74.00	-2.95	38.41	3	Horizontal	173	1.69	-	28.25	4.39	-
AV	2.39G	48.86	54.00	-5.14	16.21	3	Horizontal	173	1.69	-	28.26	4.39	-
PK	2.409G	113.68	Inf	-Inf	80.98	3	Horizontal	173	1.69	-	28.30	4.40	-
AV	2.4096G	102.29	Inf	-Inf	69.59	3	Horizontal	173	1.69	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8154G	55.28	74.00	-18.72	50.32	3	Vertical	183	2.36	-	33.29	7.10	35.43	
AV	4.8178G	38.67	54.00	-15.33	33.68	3	Vertical	183	2.36	-	33.31	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8168G	52.50	74.00	-21.50	47.53	3	Horizontal	182	1.00	-	33.30	7.10	35.43
AV	4.8162G	36.58	54.00	-17.42	31.61	3	Horizontal	182	1.00	-	33.30	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	61.95	74.00	-12.05	29.31	3	Vertical	177	1.25	-	28.25	4.39	-
AV	2.3606G	46.86	54.00	-7.14	14.36	3	Vertical	177	1.25	-	28.14	4.36	-
PK	2.4398G	117.48	Inf	-Inf	84.76	3	Vertical	177	1.25	-	28.30	4.42	-
AV	2.439G	105.88	Inf	-Inf	73.16	3	Vertical	177	1.25	-	28.30	4.42	-
PK	2.4838G	60.75	74.00	-13.25	27.87	3	Vertical	177	1.25	-	28.44	4.44	-
AV	2.4846G	46.32	54.00	-7.68	13.44	3	Vertical	177	1.25	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	60.31	74.00	-13.69	27.67	3	Horizontal	173	2.08	-	28.25	4.39	-
AV	2.3606G	46.06	54.00	-7.94	13.56	3	Horizontal	173	2.08	-	28.14	4.36	-
PK	2.4398G	116.56	Inf	-Inf	83.84	3	Horizontal	173	2.08	-	28.30	4.42	-
AV	2.439G	105.00	Inf	-Inf	72.28	3	Horizontal	173	2.08	-	28.30	4.42	-
PK	2.4842G	61.08	74.00	-12.92	28.20	3	Horizontal	173	2.08	-	28.44	4.44	-
AV	2.4846G	46.32	54.00	-7.68	13.44	3	Horizontal	173	2.08	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.882G	53.72	74.00	-20.28	48.38	3	Vertical	52	1.99	-	33.63	7.10	35.39
AV	4.8802G	39.48	54.00	-14.52	34.15	3	Vertical	52	1.99	-	33.62	7.10	35.39
PK	7.3226G	53.94	74.00	-20.06	44.11	3	Vertical	135	1.96	-	36.95	8.45	35.57
AV	7.3244G	40.85	54.00	-13.15	31.02	3	Vertical	135	1.96	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.882G	54.29	74.00	-19.71	48.95	3	Horizontal	189	2.36	-	33.63	7.10	35.39
AV	4.8802G	39.62	54.00	-14.38	34.29	3	Horizontal	189	2.36	-	33.62	7.10	35.39
PK	7.3206G	53.58	74.00	-20.42	43.77	3	Horizontal	267	1.85	-	36.94	8.44	35.57
AV	7.3246G	40.77	54.00	-13.23	30.94	3	Horizontal	267	1.85	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4648G	115.95	Inf	-Inf	83.16	3	Vertical	225	1.43	-	28.36	4.43	-
AV	2.464G	104.25	Inf	-Inf	71.46	3	Vertical	225	1.43	-	28.36	4.43	-
PK	2.4836G	73.88	74.00	-0.12	41.01	3	Vertical	225	1.43	-	28.43	4.44	-
AV	2.4835G	53.21	54.00	-0.79	20.34	3	Vertical	225	1.43	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4648G	115.04	Inf	-Inf	82.25	3	Horizontal	171	1.28	-	28.36	4.43	-	
AV	2.464G	103.48	Inf	-Inf	70.69	3	Horizontal	171	1.28	-	28.36	4.43	-	
PK	2.4836G	72.04	74.00	-1.96	39.17	3	Horizontal	171	1.28	-	28.43	4.44	-	
AV	2.4835G	51.87	54.00	-2.13	19.00	3	Horizontal	171	1.28	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9328G	52.26	74.00	-21.74	46.75	3	Vertical	169	1.26	-	33.77	7.10	35.36
AV	4.933G	36.46	54.00	-17.54	30.95	3	Vertical	169	1.26	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9344G	50.15	74.00	-23.85	44.64	3	Horizontal	188	2.47	-	33.77	7.10	35.36	
AV	4.9328G	35.17	54.00	-18.83	29.66	3	Horizontal	188	2.47	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	113.37	Inf	-Inf	80.56	3	Vertical	226	1.41	-	28.38	4.43	-
AV	2.469G	101.75	Inf	-Inf	68.94	3	Vertical	226	1.41	-	28.38	4.43	-
PK	2.4838G	73.87	74.00	-0.13	40.99	3	Vertical	226	1.41	-	28.44	4.44	-
AV	2.4835G	53.76	54.00	-0.24	20.89	3	Vertical	226	1.41	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	112.47	Inf	-Inf	79.66	3	Horizontal	170	1.63	-	28.38	4.43	-
AV	2.4692G	100.89	Inf	-Inf	68.08	3	Horizontal	170	1.63	-	28.38	4.43	-
PK	2.4836G	72.02	74.00	-1.98	39.15	3	Horizontal	170	1.63	-	28.43	4.44	-
AV	2.4835G	52.44	54.00	-1.56	19.57	3	Horizontal	170	1.63	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9538G	47.45	74.00	-26.55	41.91	3	Vertical	93	1.80	-	33.79	7.10	35.35	
AV	4.984G	33.43	54.00	-20.57	27.94	3	Vertical	93	1.80	-	33.73	7.10	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9788G	47.11	74.00	-26.89	41.61	3	Horizontal	58	1.20	-	33.74	7.10	35.34
AV	4.9842G	33.45	54.00	-20.55	27.96	3	Horizontal	58	1.20	-	33.73	7.10	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	106.31	Inf	-Inf	73.47	3	Vertical	229	1.80	-	28.40	4.44	-
AV	2.4742G	94.09	Inf	-Inf	61.25	3	Vertical	229	1.80	-	28.40	4.44	-
PK	2.4835G	72.05	74.00	-1.95	39.18	3	Vertical	229	1.80	-	28.43	4.44	-
AV	2.4835G	53.70	54.00	-0.30	20.83	3	Vertical	229	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4746G	105.52	Inf	-Inf	72.68	3	Horizontal	170	1.64	-	28.40	4.44	-	
AV	2.474G	93.54	Inf	-Inf	60.70	3	Horizontal	170	1.64	-	28.40	4.44	-	
PK	2.4835G	70.98	74.00	-3.02	38.11	3	Horizontal	170	1.64	-	28.43	4.44	-	
AV	2.4835G	52.86	54.00	-1.14	19.99	3	Horizontal	170	1.64	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9506G	46.74	74.00	-27.26	41.20	3	Vertical	336	1.07	-	33.80	7.10	35.36
AV	4.9436G	33.28	54.00	-20.72	27.75	3	Vertical	336	1.07	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9796G	46.69	74.00	-27.31	41.19	3	Horizontal	47	1.30	-	33.74	7.10	35.34
AV	4.994G	33.32	54.00	-20.68	27.84	3	Horizontal	47	1.30	-	33.71	7.10	35.33



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 3 (1TX)


Appendix F.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	2.39G	73.84	74.00	-0.16	3	Vertical	53	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.84	74.00	-0.16	41.19	3	Vertical	53	1.80	-	28.26	4.39	-
AV	2.3866G	49.57	54.00	-4.43	16.93	3	Vertical	53	1.80	-	28.25	4.39	-
PK	2.4038G	124.83	Inf	-Inf	92.13	3	Vertical	53	1.80	-	28.30	4.40	-
AV	2.4038G	112.36	Inf	-Inf	79.66	3	Vertical	53	1.80	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8387G	51.10	74.00	-22.90	45.98	3	Vertical	121	2.91	-	33.43	7.10	35.41
AV	4.83048G	36.75	54.00	-17.25	31.69	3	Vertical	121	2.91	-	33.38	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.833G	51.78	74.00	-22.22	46.70	3	Horizontal	198	2.49	-	33.40	7.10	35.42
AV	4.83096G	36.76	54.00	-17.24	31.69	3	Horizontal	198	2.49	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	64.80	74.00	-9.20	32.16	3	Vertical	53	1.78	-	28.25	4.39	-
AV	2.365G	50.65	54.00	-3.35	18.12	3	Vertical	53	1.78	-	28.16	4.37	-
PK	2.4458G	128.46	Inf	-Inf	95.74	3	Vertical	53	1.78	-	28.30	4.42	-
AV	2.445G	118.16	Inf	-Inf	85.44	3	Vertical	53	1.78	-	28.30	4.42	-
PK	2.4838G	68.61	74.00	-5.39	35.73	3	Vertical	53	1.78	-	28.44	4.44	-
AV	2.4858G	51.90	54.00	-2.10	19.02	3	Vertical	53	1.78	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	58.73	74.00	-15.27	53.36	3	Vertical	66	1.00	-	33.66	7.10	35.39
AV	4.8908G	39.90	54.00	-14.10	34.53	3	Vertical	66	1.00	-	33.66	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8906G	52.79	74.00	-21.21	47.42	3	Horizontal	250	2.50	-	33.66	7.10	35.39
AV	4.8906G	36.23	54.00	-17.77	30.86	3	Horizontal	250	2.50	-	33.66	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.47G	121.25	Inf	-Inf	88.43	3	Vertical	52	1.64	-	28.38	4.44	-	
AV	2.47G	109.21	Inf	-Inf	76.39	3	Vertical	52	1.64	-	28.38	4.44	-	
PK	2.4835G	73.68	74.00	-0.32	40.81	3	Vertical	52	1.64	-	28.43	4.44	-	
AV	2.487G	48.94	54.00	-5.06	16.05	3	Vertical	52	1.64	-	28.45	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92664G	48.28	74.00	-25.72	42.80	3	Vertical	303	2.75	-	33.75	7.10	35.37
AV	4.93726G	35.02	54.00	-18.98	29.51	3	Vertical	303	2.75	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92988G	48.21	74.00	-25.79	42.72	3	Horizontal	64	2.67	-	33.76	7.10	35.37
AV	4.93456G	35.02	54.00	-18.98	29.51	3	Horizontal	64	2.67	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT_V_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	116.72	Inf	-Inf	83.88	3	Vertical	50	1.69	-	28.40	4.44	-
AV	2.4752G	104.45	Inf	-Inf	71.61	3	Vertical	50	1.69	-	28.40	4.44	-
PK	2.4835G	73.49	74.00	-0.51	40.62	3	Vertical	50	1.69	-	28.43	4.44	-
AV	2.4835G	47.52	54.00	-6.48	14.65	3	Vertical	50	1.69	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9262G	46.73	74.00	-27.27	41.25	3	Vertical	228	2.17	-	33.75	7.10	35.37	
AV	4.94432G	32.84	54.00	-21.16	27.31	3	Vertical	228	2.17	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9196G	46.23	74.00	-27.77	40.76	3	Horizontal	147	1.49	-	33.74	7.10	35.37	
AV	4.9448G	32.87	54.00	-21.13	27.34	3	Horizontal	147	1.49	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_V_1TX
Setting 2
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	2.48G	104.31	Inf	-Inf	71.45	3	Vertical	54	1.79	-	28.42	4.44	-
AV	2.48G	92.28	Inf	-Inf	59.42	3	Vertical	54	1.79	-	28.42	4.44	-
PK	2.4835G	68.77	74.00	-5.23	35.90	3	Vertical	54	1.79	-	28.43	4.44	-
AV	2.4835G	53.50	54.00	-0.50	20.63	3	Vertical	54	1.79	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94718G	47.20	74.00	-26.80	41.67	3	Vertical	109	1.42	-	33.79	7.10	35.36
AV	4.95108G	33.06	54.00	-20.94	27.52	3	Vertical	109	1.42	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93116G	46.36	74.00	-27.64	40.87	3	Horizontal	236	1.07	-	33.76	7.10	35.37
AV	4.95438G	33.01	54.00	-20.99	27.47	3	Horizontal	236	1.07	-	33.79	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 3 (1TX)


Appendix F.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	54	1.79	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.60	74.00	-0.40	40.95	3	Vertical	52	1.79	-	28.26	4.39	-
AV	2.3896G	50.85	54.00	-3.15	18.20	3	Vertical	52	1.79	-	28.26	4.39	-
PK	2.4062G	123.19	Inf	-Inf	90.49	3	Vertical	52	1.79	-	28.30	4.40	-
AV	2.4056G	108.85	Inf	-Inf	76.15	3	Vertical	52	1.79	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8702G	49.77	74.00	-24.23	44.49	3	Vertical	144	1.72	-	33.58	7.10	35.40
AV	4.8726G	35.87	54.00	-18.13	30.58	3	Vertical	144	1.72	-	33.59	7.10	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.873G	50.07	74.00	-23.93	44.78	3	Horizontal	112	1.01	-	33.59	7.10	35.40
AV	4.8728G	35.76	54.00	-18.24	30.47	3	Horizontal	112	1.01	-	33.59	7.10	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	64.61	74.00	-9.39	31.97	3	Vertical	52	1.79	-	28.25	4.39	-
AV	2.363G	49.04	54.00	-4.96	16.53	3	Vertical	52	1.79	-	28.15	4.36	-
PK	2.4434G	125.69	Inf	-Inf	92.97	3	Vertical	52	1.79	-	28.30	4.42	-
AV	2.443G	113.70	Inf	-Inf	80.98	3	Vertical	52	1.79	-	28.30	4.42	-
PK	2.4838G	67.77	74.00	-6.23	34.89	3	Vertical	52	1.79	-	28.44	4.44	-
AV	2.4862G	50.41	54.00	-3.59	17.53	3	Vertical	52	1.79	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8886G	53.26	74.00	-20.74	47.90	3	Vertical	289	1.80	-	33.65	7.10	35.39
AV	4.8878G	37.49	54.00	-16.51	32.13	3	Vertical	289	1.80	-	33.65	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8878G	50.74	74.00	-23.26	45.38	3	Horizontal	295	2.41	-	33.65	7.10	35.39
AV	4.888G	36.43	54.00	-17.57	31.07	3	Horizontal	295	2.41	-	33.65	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUT_V_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	118.58	Inf	-Inf	85.77	3	Vertical	48	1.74	-	28.38	4.43	-
AV	2.468G	106.51	Inf	-Inf	73.71	3	Vertical	48	1.74	-	28.37	4.43	-
PK	2.4835G	73.72	74.00	-0.28	40.85	3	Vertical	48	1.74	-	28.43	4.44	-
AV	2.4835G	50.68	54.00	-3.32	17.81	3	Vertical	48	1.74	-	28.43	4.44	-