


802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 15.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3331G	54.58	74.00	-19.42	40.56	3	Horizontal	179	1.36	-	38.73	10.70	35.41
AV	11.35326G	40.67	54.00	-13.33	26.66	3	Horizontal	179	1.36	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.01	74.00	-15.99	51.60	3	Vertical	177	1.66	-	34.51	7.25	35.35
AV	5.41G	45.35	54.00	-8.65	38.91	3	Vertical	177	1.66	-	34.58	7.21	35.35
PK	5.4664G	57.58	68.20	-10.62	51.13	3	Vertical	177	1.66	-	34.53	7.27	35.35
PK	5.7124G	115.91	Inf	-Inf	109.69	3	Vertical	177	1.66	-	34.28	7.40	35.46
AV	5.7076G	102.95	Inf	-Inf	96.72	3	Vertical	177	1.66	-	34.28	7.40	35.45
PK	5.8564G	60.14	68.20	-8.06	53.87	3	Vertical	177	1.66	-	34.34	7.46	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4124G	58.10	74.00	-15.90	51.66	3	Horizontal	184	3.00	-	34.58	7.21	35.35
PK	5.4676G	57.74	68.20	-10.46	51.28	3	Horizontal	184	3.00	-	34.54	7.27	35.35
AV	5.4424G	45.33	54.00	-8.67	38.92	3	Horizontal	184	3.00	-	34.52	7.24	35.35
PK	5.7088G	112.69	Inf	-Inf	106.46	3	Horizontal	184	3.00	-	34.28	7.40	35.45
AV	5.7088G	100.27	Inf	-Inf	94.04	3	Horizontal	184	3.00	-	34.28	7.40	35.45
PK	5.884G	58.77	68.20	-9.43	52.33	3	Horizontal	184	3.00	-	34.50	7.48	35.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42258G	56.71	74.00	-17.29	42.66	3	Vertical	208	1.38	-	38.85	10.71	35.51
AV	11.42474G	43.79	54.00	-10.21	29.75	3	Vertical	208	1.38	-	38.85	10.71	35.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41502G	59.30	74.00	-14.70	45.26	3	Horizontal	138	2.07	-	38.83	10.71	35.50
AV	11.41532G	45.27	54.00	-8.73	31.24	3	Horizontal	138	2.07	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.652G	64.82	69.68	-4.86	58.36	3	Vertical	175	1.63	-	34.49	7.40	35.43	
PK	5.758G	115.95	Inf	-Inf	109.83	3	Vertical	175	1.63	-	34.20	7.40	35.48	
AV	5.758G	103.09	Inf	-Inf	96.97	3	Vertical	175	1.63	-	34.20	7.40	35.48	
PK	5.929G	59.17	68.20	-9.03	52.48	3	Vertical	175	1.63	-	34.72	7.53	35.56	

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	61.11	68.20	-7.09	54.58	3	Horizontal	184	2.93	-	34.54	7.40	35.41
PK	5.75G	112.93	Inf	-Inf	106.81	3	Horizontal	184	2.93	-	34.20	7.40	35.48
AV	5.754G	100.13	Inf	-Inf	94.01	3	Horizontal	184	2.93	-	34.20	7.40	35.48
PK	5.989G	58.49	68.20	-9.71	51.69	3	Horizontal	184	2.93	-	34.80	7.59	35.59

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50892G	57.86	74.00	-16.14	43.69	3	Vertical	203	3.00	-	39.04	10.73	35.60
AV	11.50742G	44.38	54.00	-9.62	30.22	3	Vertical	203	3.00	-	39.03	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5175G	59.26	74.00	-14.74	45.06	3	Horizontal	8	1.37	-	39.07	10.73	35.60	
AV	11.50766G	45.41	54.00	-8.59	31.25	3	Horizontal	8	1.37	-	39.03	10.73	35.60	

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	60.34	68.20	-7.86	53.74	3	Vertical	174	1.79	-	34.60	7.40	35.40
PK	5.794G	114.49	Inf	-Inf	108.39	3	Vertical	174	1.79	-	34.20	7.40	35.50
AV	5.794G	102.53	Inf	-Inf	96.43	3	Vertical	174	1.79	-	34.20	7.40	35.50
PK	5.921G	63.69	71.16	-7.47	57.05	3	Vertical	174	1.79	-	34.68	7.52	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.56	68.20	-9.64	52.05	3	Horizontal	190	2.93	-	34.53	7.40	35.42
PK	5.798G	111.80	Inf	-Inf	105.70	3	Horizontal	190	2.93	-	34.20	7.40	35.50
AV	5.798G	99.20	Inf	-Inf	93.10	3	Horizontal	190	2.93	-	34.20	7.40	35.50
PK	5.93G	59.79	68.20	-8.41	53.10	3	Horizontal	190	2.93	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.595G	57.08	74.00	-16.92	42.54	3	Vertical	219	2.60	-	39.38	10.74	35.58
AV	11.595G	44.20	54.00	-9.80	29.66	3	Vertical	219	2.60	-	39.38	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59114G	60.62	74.00	-13.38	46.10	3	Horizontal	199	2.11	-	39.36	10.74	35.58
AV	11.59048G	46.53	54.00	-7.47	32.01	3	Horizontal	199	2.11	-	39.36	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.27	74.00	-6.73	61.45	3	Vertical	176	2.14	-	33.99	7.17	35.34
AV	5.146G	53.58	54.00	-0.42	47.76	3	Vertical	176	2.14	-	33.99	7.17	35.34
PK	5.213G	107.54	Inf	-Inf	101.43	3	Vertical	176	2.14	-	34.25	7.20	35.34
AV	5.212G	96.88	Inf	-Inf	90.77	3	Vertical	176	2.14	-	34.25	7.20	35.34
PK	5.372G	59.15	74.00	-14.85	52.75	3	Vertical	176	2.14	-	34.54	7.20	35.34
AV	5.373G	48.71	54.00	-5.29	42.30	3	Vertical	176	2.14	-	34.55	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.78	74.00	-7.22	60.96	3	Horizontal	184	2.21	-	33.99	7.17	35.34
AV	5.145G	51.88	54.00	-2.12	46.06	3	Horizontal	184	2.21	-	33.99	7.17	35.34
PK	5.212G	103.12	Inf	-Inf	97.01	3	Horizontal	184	2.21	-	34.25	7.20	35.34
AV	5.212G	94.12	Inf	-Inf	88.01	3	Horizontal	184	2.21	-	34.25	7.20	35.34
PK	5.46G	58.86	74.00	-15.14	52.43	3	Horizontal	184	2.21	-	34.52	7.26	35.35
AV	5.358G	48.09	54.00	-5.91	41.71	3	Horizontal	184	2.21	-	34.52	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61626G	57.26	74.00	-16.74	41.60	3	Vertical	13	1.60	-	37.92	13.21	35.47
AV	15.62118G	47.12	54.00	-6.88	31.49	3	Vertical	13	1.60	-	37.89	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63612G	57.81	74.00	-16.19	42.25	3	Horizontal	351	2.79	-	37.82	13.22	35.48
AV	15.62112G	46.59	54.00	-7.41	30.96	3	Horizontal	351	2.79	-	37.89	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	58.10	74.00	-15.90	52.38	3	Vertical	180	2.05	-	33.90	7.15	35.33
AV	5.103G	47.97	54.00	-6.03	42.24	3	Vertical	180	2.05	-	33.91	7.15	35.33
PK	5.293G	104.66	Inf	-Inf	98.31	3	Vertical	180	2.05	-	34.49	7.20	35.34
AV	5.292G	95.58	Inf	-Inf	89.24	3	Vertical	180	2.05	-	34.48	7.20	35.34
PK	5.357G	67.01	74.00	-6.99	60.64	3	Vertical	180	2.05	-	34.51	7.20	35.34
AV	5.364G	53.94	54.00	-0.06	47.55	3	Vertical	180	2.05	-	34.53	7.20	35.34
PK	5.509G	58.62	68.20	-9.58	52.06	3	Vertical	180	2.05	-	34.60	7.31	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	58.13	74.00	-15.87	52.41	3	Horizontal	201	1.92	-	33.90	7.15	35.33
AV	5.098G	47.78	54.00	-6.22	42.06	3	Horizontal	201	1.92	-	33.90	7.15	35.33
PK	5.293G	102.01	Inf	-Inf	95.66	3	Horizontal	201	1.92	-	34.49	7.20	35.34
AV	5.285G	91.51	Inf	-Inf	85.18	3	Horizontal	201	1.92	-	34.47	7.20	35.34
PK	5.376G	61.46	74.00	-12.54	55.06	3	Horizontal	201	1.92	-	34.55	7.20	35.35
AV	5.353G	51.18	54.00	-2.82	44.81	3	Horizontal	201	1.92	-	34.51	7.20	35.34
PK	5.497G	58.84	68.20	-9.36	52.30	3	Horizontal	201	1.92	-	34.59	7.30	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.86904G	58.85	74.00	-15.15	43.51	3	Vertical	101	1.18	-	37.69	13.33	35.68	
AV	15.88092G	47.46	54.00	-6.54	32.15	3	Vertical	101	1.18	-	37.66	13.34	35.69	

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85896G	58.38	74.00	-15.62	43.00	3	Horizontal	210	1.27	-	37.72	13.33	35.67
AV	15.8787G	47.12	54.00	-6.88	31.81	3	Horizontal	210	1.27	-	37.66	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	58.31	68.20	-9.89	51.95	3	Vertical	177	1.74	-	34.50	7.20	35.34
PK	5.459G	63.95	74.00	-10.05	57.52	3	Vertical	177	1.74	-	34.52	7.26	35.35
AV	5.452G	53.31	54.00	-0.69	46.91	3	Vertical	177	1.74	-	34.50	7.25	35.35
PK	5.467G	67.12	68.20	-1.08	60.67	3	Vertical	177	1.74	-	34.53	7.27	35.35
PK	5.534G	106.43	Inf	-Inf	99.87	3	Vertical	177	1.74	-	34.60	7.33	35.37
AV	5.532G	97.74	Inf	-Inf	91.18	3	Vertical	177	1.74	-	34.60	7.33	35.37
PK	5.73G	58.19	68.20	-10.01	52.02	3	Vertical	177	1.74	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.283G	58.98	68.20	-9.22	52.65	3	Horizontal	185	3.00	-	34.47	7.20	35.34
PK	5.459G	63.59	74.00	-10.41	57.16	3	Horizontal	185	3.00	-	34.52	7.26	35.35
AV	5.452G	51.53	54.00	-2.47	45.13	3	Horizontal	185	3.00	-	34.50	7.25	35.35
PK	5.466G	65.49	68.20	-2.71	59.04	3	Horizontal	185	3.00	-	34.53	7.27	35.35
PK	5.534G	106.20	Inf	-Inf	99.64	3	Horizontal	185	3.00	-	34.60	7.33	35.37
AV	5.529G	95.46	Inf	-Inf	88.89	3	Horizontal	185	3.00	-	34.60	7.33	35.36
PK	5.758G	58.16	68.20	-10.04	52.04	3	Horizontal	185	3.00	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06144G	54.62	74.00	-19.38	40.61	3	Vertical	226	2.94	-	38.46	10.66	35.11
AV	11.07296G	43.98	54.00	-10.02	29.97	3	Vertical	226	2.94	-	38.47	10.66	35.12

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07158G	54.64	74.00	-19.36	40.63	3	Horizontal	146	1.67	-	38.47	10.66	35.12
AV	11.06486G	43.95	54.00	-10.05	29.94	3	Horizontal	146	1.67	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.375G	58.63	74.00	-15.37	52.22	3	Vertical	175	1.80	-	34.55	7.20	35.34
PK	5.465G	58.86	68.20	-9.34	52.42	3	Vertical	175	1.80	-	34.53	7.26	35.35
AV	5.444G	48.58	54.00	-5.42	42.18	3	Vertical	175	1.80	-	34.51	7.24	35.35
PK	5.605G	108.15	Inf	-Inf	101.56	3	Vertical	175	1.80	-	34.59	7.40	35.40
AV	5.607G	98.45	Inf	-Inf	91.86	3	Vertical	175	1.80	-	34.59	7.40	35.40
PK	5.727G	67.15	68.20	-1.05	60.96	3	Vertical	175	1.80	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	58.46	74.00	-15.54	52.03	3	Horizontal	189	2.94	-	34.55	7.23	35.35
AV	5.389G	48.35	54.00	-5.65	41.92	3	Horizontal	189	2.94	-	34.58	7.20	35.35
PK	5.465G	58.08	68.20	-10.12	51.64	3	Horizontal	189	2.94	-	34.53	7.26	35.35
PK	5.614G	107.99	Inf	-Inf	101.43	3	Horizontal	189	2.94	-	34.57	7.40	35.41
AV	5.609G	97.33	Inf	-Inf	90.75	3	Horizontal	189	2.94	-	34.58	7.40	35.40
PK	5.726G	65.56	68.20	-2.64	59.37	3	Horizontal	189	2.94	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20806G	54.87	74.00	-19.13	40.85	3	Vertical	24	2.90	-	38.61	10.68	35.27
AV	11.21994G	43.44	54.00	-10.56	29.43	3	Vertical	24	2.90	-	38.62	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20746G	54.28	74.00	-19.72	40.26	3	Horizontal	67	1.30	-	38.61	10.68	35.27
AV	11.22816G	43.59	54.00	-10.41	29.58	3	Horizontal	67	1.30	-	38.63	10.68	35.30

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	60.10	74.00	-13.90	53.69	3	Vertical	177	1.76	-	34.52	7.24	35.35
AV	5.4296G	48.61	54.00	-5.39	42.19	3	Vertical	177	1.76	-	34.54	7.23	35.35
PK	5.468G	58.69	68.20	-9.51	52.23	3	Vertical	177	1.76	-	34.54	7.27	35.35
PK	5.6924G	112.26	Inf	-Inf	105.98	3	Vertical	177	1.76	-	34.33	7.40	35.45
AV	5.6924G	103.34	Inf	-Inf	97.06	3	Vertical	177	1.76	-	34.33	7.40	35.45
PK	5.85G	68.03	68.20	-0.17	61.81	3	Vertical	177	1.76	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	58.91	74.00	-15.09	52.50	3	Horizontal	185	3.00	-	34.51	7.25	35.35
AV	5.4584G	48.25	54.00	-5.75	41.82	3	Horizontal	185	3.00	-	34.52	7.26	35.35
PK	5.4644G	57.18	68.20	-11.02	50.74	3	Horizontal	185	3.00	-	34.53	7.26	35.35
PK	5.6936G	111.09	Inf	-Inf	104.81	3	Horizontal	185	3.00	-	34.33	7.40	35.45
AV	5.6888G	101.51	Inf	-Inf	95.21	3	Horizontal	185	3.00	-	34.34	7.40	35.44
PK	5.8508G	65.12	68.20	-3.08	58.90	3	Horizontal	185	3.00	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37982G	55.99	74.00	-18.01	41.97	3	Vertical	213	3.00	-	38.78	10.71	35.47
AV	11.38306G	44.93	54.00	-9.07	30.91	3	Vertical	213	3.00	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39026G	55.85	74.00	-18.15	41.83	3	Horizontal	312	2.41	-	38.79	10.71	35.48
AV	11.38528G	45.16	54.00	-8.84	31.13	3	Horizontal	312	2.41	-	38.79	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	67.99	69.68	-1.69	61.53	3	Vertical	176	1.80	-	34.49	7.40	35.43
PK	5.778G	110.63	Inf	-Inf	104.52	3	Vertical	176	1.80	-	34.20	7.40	35.49
AV	5.774G	99.46	Inf	-Inf	93.35	3	Vertical	176	1.80	-	34.20	7.40	35.49
PK	5.934G	67.70	68.20	-0.50	61.00	3	Vertical	176	1.80	-	34.74	7.53	35.57

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	67.07	68.20	-1.13	60.60	3	Horizontal	186	2.83	-	34.50	7.40	35.43	
PK	5.777G	107.01	Inf	-Inf	100.90	3	Horizontal	186	2.83	-	34.20	7.40	35.49	
AV	5.774G	97.51	Inf	-Inf	91.40	3	Horizontal	186	2.83	-	34.20	7.40	35.49	
PK	5.925G	65.78	68.20	-2.42	59.11	3	Horizontal	186	2.83	-	34.70	7.53	35.56	

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55174G	55.33	74.00	-18.67	40.98	3	Vertical	120	1.78	-	39.21	10.73	35.59
AV	11.54688G	44.64	54.00	-9.36	30.31	3	Vertical	120	1.78	-	39.19	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5431G	55.33	74.00	-18.67	41.02	3	Horizontal	43	1.49	-	39.17	10.73	35.59	
AV	11.56008G	44.42	54.00	-9.58	30.04	3	Horizontal	43	1.49	-	39.24	10.73	35.59	

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	64.35	74.00	-9.65	58.58	3	Vertical	173	2.10	-	33.95	7.16	35.34
AV	5.115G	52.70	54.00	-1.30	46.94	3	Vertical	173	2.10	-	33.93	7.16	35.33
PK	5.252G	99.62	Inf	-Inf	93.36	3	Vertical	173	2.10	-	34.40	7.20	35.34
AV	5.255G	90.16	Inf	-Inf	83.89	3	Vertical	173	2.10	-	34.41	7.20	35.34
PK	5.393G	64.08	74.00	-9.92	57.64	3	Vertical	173	2.10	-	34.59	7.20	35.35
AV	5.394G	53.76	54.00	-0.24	47.32	3	Vertical	173	2.10	-	34.59	7.20	35.35
PK	5.488G	58.37	68.20	-9.83	51.85	3	Vertical	173	2.10	-	34.58	7.29	35.35

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	62.78	74.00	-11.22	57.01	3	Horizontal	185	2.23	-	33.95	7.16	35.34
AV	5.143G	51.80	54.00	-2.20	45.98	3	Horizontal	185	2.23	-	33.99	7.17	35.34
PK	5.252G	97.80	Inf	-Inf	91.54	3	Horizontal	185	2.23	-	34.40	7.20	35.34
AV	5.244G	87.40	Inf	-Inf	81.16	3	Horizontal	185	2.23	-	34.38	7.20	35.34
PK	5.392G	62.89	74.00	-11.11	56.46	3	Horizontal	185	2.23	-	34.58	7.20	35.35
AV	5.394G	51.87	54.00	-2.13	45.43	3	Horizontal	185	2.23	-	34.59	7.20	35.35
PK	5.5G	59.10	68.20	-9.10	52.55	3	Horizontal	185	2.23	-	34.60	7.30	35.35

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74004G	58.10	74.00	-15.90	42.74	3	Vertical	308	2.21	-	37.66	13.27	35.57
AV	15.75708G	46.99	54.00	-7.01	31.57	3	Vertical	308	2.21	-	37.73	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75954G	59.34	74.00	-14.66	43.91	3	Horizontal	54	1.83	-	37.74	13.28	35.59
AV	15.76302G	47.09	54.00	-6.91	31.65	3	Horizontal	54	1.83	-	37.75	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.98	68.20	-10.22	51.62	3	Vertical	171	1.80	-	34.50	7.20	35.34
PK	5.445G	65.95	74.00	-8.05	59.54	3	Vertical	171	1.80	-	34.51	7.25	35.35
AV	5.435G	52.88	54.00	-1.12	46.46	3	Vertical	171	1.80	-	34.53	7.24	35.35
PK	5.462G	62.76	68.20	-5.44	56.33	3	Vertical	171	1.80	-	34.52	7.26	35.35
PK	5.567G	100.32	Inf	-Inf	93.73	3	Vertical	171	1.80	-	34.60	7.37	35.38
AV	5.575G	91.13	Inf	-Inf	84.55	3	Vertical	171	1.80	-	34.60	7.37	35.39
PK	5.726G	68.18	68.20	-0.02	61.99	3	Vertical	171	1.80	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	58.65	68.20	-9.55	52.29	3	Horizontal	187	2.98	-	34.50	7.20	35.34
PK	5.452G	64.72	74.00	-9.28	58.32	3	Horizontal	187	2.98	-	34.50	7.25	35.35
AV	5.446G	51.89	54.00	-2.11	45.48	3	Horizontal	187	2.98	-	34.51	7.25	35.35
PK	5.462G	63.77	68.20	-4.43	57.34	3	Horizontal	187	2.98	-	34.52	7.26	35.35
PK	5.566G	99.37	Inf	-Inf	92.78	3	Horizontal	187	2.98	-	34.60	7.37	35.38
AV	5.575G	89.05	Inf	-Inf	82.47	3	Horizontal	187	2.98	-	34.60	7.37	35.39
PK	5.728G	65.59	68.20	-2.61	59.41	3	Horizontal	187	2.98	-	34.24	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14342G	54.74	74.00	-19.26	40.73	3	Vertical	287	1.89	-	38.54	10.67	35.20
AV	11.14576G	43.63	54.00	-10.37	29.61	3	Vertical	287	1.89	-	38.55	10.67	35.20

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1445G	54.19	74.00	-19.81	40.18	3	Horizontal	126	1.12	-	38.54	10.67	35.20
AV	11.14588G	43.85	54.00	-10.15	29.83	3	Horizontal	126	1.12	-	38.55	10.67	35.20



RSE TX above 1GHz
<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.3 (2TX)


Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	5.1496G	73.92	74.00	-0.08	3	Vertical	52	1.98	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 19
 03-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.92	74.00	-0.08	68.09	3	Vertical	52	1.98	-	34.00	7.17	35.34
AV	5.15G	50.54	54.00	-3.46	44.71	3	Vertical	52	1.98	-	34.00	7.17	35.34
PK	5.1814G	118.91	Inf	-Inf	112.93	3	Vertical	52	1.98	-	34.13	7.19	35.34
AV	5.1816G	108.59	Inf	-Inf	102.61	3	Vertical	52	1.98	-	34.13	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 19.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1498G	61.69	74.00	-12.31	55.86	3	Horizontal	162	1.72	-	34.00	7.17	35.34	
AV	5.15G	46.24	54.00	-7.76	40.41	3	Horizontal	162	1.72	-	34.00	7.17	35.34	
PK	5.179G	103.59	Inf	-Inf	97.62	3	Horizontal	162	1.72	-	34.12	7.19	35.34	
AV	5.179G	93.79	Inf	-Inf	87.82	3	Horizontal	162	1.72	-	34.12	7.19	35.34	

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 19
 03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35988G	56.42	68.20	-11.78	43.29	3	Vertical	205	1.80	-	38.16	10.55	35.58
PK	15.53552G	61.85	74.00	-12.15	45.63	3	Vertical	238	1.91	-	38.45	13.17	35.40
AV	15.53916G	48.89	54.00	-5.11	32.69	3	Vertical	238	1.91	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 19
 03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36252G	55.18	68.20	-13.02	42.05	3	Horizontal	88	2.64	-	38.16	10.55	35.58
PK	15.54756G	61.26	74.00	-12.74	45.13	3	Horizontal	141	1.80	-	38.37	13.17	35.41
AV	15.53864G	47.75	54.00	-6.25	31.55	3	Horizontal	141	1.80	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.12	74.00	-11.88	56.29	3	Vertical	357	1.80	-	34.00	7.17	35.34
AV	5.1496G	46.88	54.00	-7.12	41.05	3	Vertical	357	1.80	-	34.00	7.17	35.34
PK	5.1988G	119.66	Inf	-Inf	113.60	3	Vertical	357	1.80	-	34.20	7.20	35.34
AV	5.1988G	109.58	Inf	-Inf	103.52	3	Vertical	357	1.80	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.39524G	54.27	68.20	-13.93	41.06	3	Vertical	166	2.11	-	38.20	10.56	35.55	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.3952G	54.46	68.20	-13.74	41.25	3	Horizontal	146	1.89	-	38.20	10.56	35.55	

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	57.97	74.00	-16.03	52.16	3	Vertical	357	1.80	-	33.98	7.17	35.34
AV	5.1432G	45.62	54.00	-8.38	39.80	3	Vertical	357	1.80	-	33.99	7.17	35.34
PK	5.2388G	119.13	Inf	-Inf	112.91	3	Vertical	357	1.80	-	34.36	7.20	35.34
AV	5.2408G	109.12	Inf	-Inf	102.90	3	Vertical	357	1.80	-	34.36	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47696G	57.82	68.20	-10.38	44.54	3	Vertical	248	1.57	-	38.20	10.57	35.49
PK	15.71792G	61.02	74.00	-12.98	45.74	3	Vertical	176	1.80	-	37.57	13.26	35.55
AV	15.71992G	46.98	54.00	-7.02	31.69	3	Vertical	176	1.80	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47952G	54.93	68.20	-13.27	41.65	3	Horizontal	349	1.38	-	38.20	10.57	35.49
PK	15.71344G	60.89	74.00	-13.11	45.63	3	Horizontal	144	1.80	-	37.55	13.26	35.55
AV	15.71956G	46.65	54.00	-7.35	31.36	3	Horizontal	144	1.80	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2616G	119.04	Inf	-Inf	112.76	3	Vertical	357	1.80	-	34.42	7.20	35.34
AV	5.2604G	108.01	Inf	-Inf	101.73	3	Vertical	357	1.80	-	34.42	7.20	35.34
PK	5.36G	60.12	74.00	-13.88	53.74	3	Vertical	357	1.80	-	34.52	7.20	35.34
AV	5.3584G	46.49	54.00	-7.51	40.11	3	Vertical	357	1.80	-	34.52	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.5134G	55.18	68.20	-13.02	41.86	3	Vertical	264	1.24	-	38.20	10.58	35.46	

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.524G	55.01	68.20	-13.19	41.68	3	Horizontal	313	1.92	-	38.20	10.58	35.45	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	119.12	Inf	-Inf	112.76	3	Vertical	356	1.80	-	34.50	7.20	35.34
AV	5.2988G	109.07	Inf	-Inf	102.71	3	Vertical	356	1.80	-	34.50	7.20	35.34
PK	5.3532G	64.82	74.00	-9.18	58.45	3	Vertical	356	1.80	-	34.51	7.20	35.34
AV	5.35G	47.76	54.00	-6.24	41.40	3	Vertical	356	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.59816G	56.41	68.20	-11.79	43.01	3	Horizontal	137	1.80	-	38.20	10.59	35.39	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
 Setting 17.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	116.46	Inf	-Inf	110.10	3	Vertical	348	1.80	-	34.50	7.20	35.34
AV	5.3188G	106.79	Inf	-Inf	100.43	3	Vertical	348	1.80	-	34.50	7.20	35.34
PK	5.3504G	73.59	74.00	-0.41	67.23	3	Vertical	348	1.80	-	34.50	7.20	35.34
AV	5.35G	51.10	54.00	-2.90	44.74	3	Vertical	348	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
 Setting 17.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63968G	54.53	74.00	-19.47	41.00	3	Vertical	185	1.36	-	38.28	10.60	35.35
AV	10.64456G	40.54	54.00	-13.46	27.00	3	Vertical	185	1.36	-	38.29	10.60	35.35

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64624G	53.94	74.00	-20.06	40.39	3	Horizontal	113	2.32	-	38.29	10.60	35.34
AV	10.64984G	40.54	54.00	-13.46	26.98	3	Horizontal	113	2.32	-	38.30	10.60	35.34

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	64.96	74.00	-9.04	58.53	3	Vertical	358	1.89	-	34.52	7.26	35.35	
AV	5.458G	47.18	54.00	-6.82	40.75	3	Vertical	358	1.89	-	34.52	7.26	35.35	
PK	5.4688G	67.99	68.20	-0.21	61.53	3	Vertical	358	1.89	-	34.54	7.27	35.35	
PK	5.5012G	117.34	Inf	-Inf	110.79	3	Vertical	358	1.89	-	34.60	7.30	35.35	
AV	5.5008G	107.37	Inf	-Inf	100.82	3	Vertical	358	1.89	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99988G	56.36	74.00	-17.64	42.35	3	Vertical	119	1.50	-	38.40	10.65	35.04
AV	11.00316G	41.67	54.00	-12.33	27.66	3	Vertical	119	1.50	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99678G	55.57	74.00	-18.43	41.56	3	Horizontal	278	2.26	-	38.40	10.65	35.04
AV	11.0024G	41.64	54.00	-12.36	27.63	3	Horizontal	278	2.26	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	58.94	74.00	-15.06	52.54	3	Vertical	-0	1.80	-	34.51	7.24	35.35
AV	5.4462G	46.62	54.00	-7.38	40.21	3	Vertical	-0	1.80	-	34.51	7.25	35.35
PK	5.4684G	59.86	68.20	-8.34	53.40	3	Vertical	-0	1.80	-	34.54	7.27	35.35
PK	5.5812G	120.39	Inf	-Inf	113.80	3	Vertical	-0	1.80	-	34.60	7.38	35.39
AV	5.5812G	110.43	Inf	-Inf	103.84	3	Vertical	-0	1.80	-	34.60	7.38	35.39
PK	5.7252G	58.12	68.20	-10.08	51.93	3	Vertical	-0	1.80	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1618G	60.78	74.00	-13.22	46.77	3	Vertical	189	2.05	-	38.56	10.67	35.22
AV	11.1616G	47.10	54.00	-6.90	33.09	3	Vertical	189	2.05	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	63.61	74.00	-10.39	49.60	3	Horizontal	138	1.80	-	38.56	10.67	35.22
AV	11.15948G	50.07	54.00	-3.93	36.06	3	Horizontal	138	1.80	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_V_2TX
 Setting 14.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	115.45	Inf	-Inf	109.20	3	Vertical	358	1.80	-	34.30	7.40	35.45
AV	5.7006G	105.53	Inf	-Inf	99.28	3	Vertical	358	1.80	-	34.30	7.40	35.45
PK	5.726G	67.96	68.20	-0.24	61.77	3	Vertical	358	1.80	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_V_2TX
 Setting 14.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39536G	55.98	74.00	-18.02	41.95	3	Vertical	69	2.94	-	38.80	10.71	35.48
AV	11.39588G	42.20	54.00	-11.80	28.17	3	Vertical	69	2.94	-	38.80	10.71	35.48

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
 Setting 14.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39564G	56.17	74.00	-17.83	42.14	3	Horizontal	120	2.96	-	38.80	10.71	35.48
AV	11.39508G	42.23	54.00	-11.77	28.20	3	Horizontal	120	2.96	-	38.80	10.71	35.48

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	120.78	Inf	-Inf	114.58	3	Vertical	360	1.80	-	34.26	7.40	35.46
AV	5.7208G	110.35	Inf	-Inf	104.15	3	Vertical	360	1.80	-	34.26	7.40	35.46
PK	5.8856G	61.36	68.20	-6.84	54.90	3	Vertical	358	1.80	-	34.51	7.49	35.54

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.437G	58.07	74.00	-15.93	44.01	3	Vertical	246	2.95	-	38.87	10.72	35.53
AV	11.44148G	45.32	54.00	-8.68	31.25	3	Vertical	246	2.95	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4398G	65.04	74.00	-8.96	50.97	3	Horizontal	140	1.80	-	38.88	10.72	35.53
AV	11.43988G	50.77	54.00	-3.23	36.70	3	Horizontal	140	1.80	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	59.90	68.20	-8.30	53.31	3	Vertical	358	1.80	-	34.60	7.38	35.39
PK	5.746G	119.55	Inf	-Inf	113.41	3	Vertical	358	1.80	-	34.21	7.40	35.47
AV	5.746G	110.40	Inf	-Inf	104.26	3	Vertical	358	1.80	-	34.21	7.40	35.47
PK	5.961G	60.30	68.20	-7.90	53.52	3	Vertical	358	1.80	-	34.80	7.56	35.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.487G	59.65	74.00	-14.35	45.55	3	Vertical	196	1.80	-	38.97	10.72	35.59
AV	11.49164G	46.52	54.00	-7.48	32.41	3	Vertical	196	1.80	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48972G	66.07	74.00	-7.93	51.96	3	Horizontal	134	1.79	-	38.98	10.72	35.59
AV	11.48992G	52.70	54.00	-1.30	38.59	3	Horizontal	134	1.79	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	59.93	68.20	-8.27	53.38	3	Vertical	360	1.80	-	34.56	7.40	35.41
PK	5.783G	120.64	Inf	-Inf	114.53	3	Vertical	360	1.80	-	34.20	7.40	35.49
AV	5.786G	110.93	Inf	-Inf	104.82	3	Vertical	360	1.80	-	34.20	7.40	35.49
PK	5.944G	61.58	68.20	-6.62	54.83	3	Vertical	360	1.80	-	34.78	7.54	35.57

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57108G	62.70	74.00	-11.30	48.26	3	Vertical	175	2.48	-	39.28	10.74	35.58
AV	11.57124G	49.49	54.00	-4.51	35.05	3	Vertical	175	2.48	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5698G	66.99	74.00	-7.01	52.55	3	Horizontal	136	1.78	-	39.28	10.74	35.58
AV	11.57016G	53.43	54.00	-0.57	38.99	3	Horizontal	136	1.78	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	61.01	68.20	-7.19	54.42	3	Vertical	360	1.80	-	34.60	7.38	35.39
PK	5.826G	120.27	Inf	-Inf	114.10	3	Vertical	360	1.80	-	34.25	7.43	35.51
AV	5.826G	111.21	Inf	-Inf	105.04	3	Vertical	360	1.80	-	34.25	7.43	35.51
PK	5.985G	60.85	68.20	-7.35	54.06	3	Vertical	360	1.80	-	34.80	7.58	35.59

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65104G	62.33	74.00	-11.67	47.75	3	Vertical	176	2.48	-	39.40	10.75	35.57
AV	11.65128G	48.55	54.00	-5.45	33.97	3	Vertical	176	2.48	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64984G	67.09	74.00	-6.91	52.51	3	Horizontal	138	1.77	-	39.40	10.75	35.57
AV	11.65004G	52.89	54.00	-1.11	38.31	3	Horizontal	138	1.77	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.56	74.00	-3.44	64.73	3	Vertical	352	1.80	-	34.00	7.17	35.34
AV	5.1492G	53.84	54.00	-0.16	48.01	3	Vertical	352	1.80	-	34.00	7.17	35.34
PK	5.1796G	119.85	Inf	-Inf	113.88	3	Vertical	352	1.80	-	34.12	7.19	35.34
AV	5.1792G	107.38	Inf	-Inf	101.41	3	Vertical	352	1.80	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 20.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.36136G	54.43	68.20	-13.77	41.30	3	Vertical	257	1.64	-	38.16	10.55	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 20.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.3575G	55.03	68.20	-13.17	41.90	3	Horizontal	61	1.26	-	38.16	10.55	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.48	74.00	-14.52	53.65	3	Vertical	357	1.80	-	34.00	7.17	35.34
AV	5.15G	46.52	54.00	-7.48	40.69	3	Vertical	357	1.80	-	34.00	7.17	35.34
PK	5.1996G	120.35	Inf	-Inf	114.29	3	Vertical	357	1.80	-	34.20	7.20	35.34
AV	5.2008G	108.39	Inf	-Inf	102.33	3	Vertical	357	1.80	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.39874G	54.72	68.20	-13.48	41.51	3	Vertical	218	2.04	-	38.20	10.56	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39826G	54.58	68.20	-13.62	41.37	3	Horizontal	281	1.09	-	38.20	10.56	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1038G	58.27	74.00	-15.73	52.54	3	Vertical	357	1.80	-	33.91	7.15	35.33
AV	5.108G	45.69	54.00	-8.31	39.95	3	Vertical	357	1.80	-	33.92	7.15	35.33
PK	5.2406G	118.14	Inf	-Inf	111.92	3	Vertical	357	1.80	-	34.36	7.20	35.34
AV	5.2406G	107.27	Inf	-Inf	101.05	3	Vertical	357	1.80	-	34.36	7.20	35.34
PK	5.3744G	59.31	74.00	-14.69	52.90	3	Vertical	357	1.80	-	34.55	7.20	35.34
AV	5.381G	46.65	54.00	-7.35	40.24	3	Vertical	357	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48008G	56.33	68.20	-11.87	43.05	3	Vertical	252	1.77	-	38.20	10.57	35.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.47988G	56.05	68.20	-12.15	42.77	3	Horizontal	118	2.06	-	38.20	10.57	35.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	58.60	74.00	-15.40	52.84	3	Vertical	358	1.87	-	33.93	7.16	35.33
AV	5.1178G	45.64	54.00	-8.36	39.87	3	Vertical	358	1.87	-	33.94	7.16	35.33
PK	5.26G	119.33	Inf	-Inf	113.05	3	Vertical	358	1.87	-	34.42	7.20	35.34
AV	5.2594G	107.39	Inf	-Inf	101.11	3	Vertical	358	1.87	-	34.42	7.20	35.34
PK	5.3806G	59.77	74.00	-14.23	53.36	3	Vertical	358	1.87	-	34.56	7.20	35.35
AV	5.3896G	46.64	54.00	-7.36	40.21	3	Vertical	358	1.87	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.52368G	57.41	68.20	-10.79	44.08	3	Vertical	248	1.43	-	38.20	10.58	35.45	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.51388G	55.50	68.20	-12.70	42.18	3	Horizontal	123	1.80	-	38.20	10.58	35.46	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3018G	120.11	Inf	-Inf	113.75	3	Vertical	355	1.80	-	34.50	7.20	35.34
AV	5.2994G	107.66	Inf	-Inf	101.30	3	Vertical	355	1.80	-	34.50	7.20	35.34
PK	5.3516G	66.41	74.00	-7.59	60.05	3	Vertical	355	1.80	-	34.50	7.20	35.34
AV	5.35G	48.20	54.00	-5.80	41.84	3	Vertical	355	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6036G	58.53	74.00	-15.47	45.11	3	Vertical	250	1.48	-	38.21	10.59	35.38	
AV	10.6012G	44.03	54.00	-9.97	30.62	3	Vertical	250	1.48	-	38.20	10.59	35.38	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60808G	55.72	74.00	-18.28	42.29	3	Horizontal	295	1.18	-	38.22	10.59	35.38
AV	10.60428G	41.78	54.00	-12.22	28.36	3	Horizontal	295	1.18	-	38.21	10.59	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
 Setting 17
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	118.68	Inf	-Inf	112.32	3	Vertical	360	1.90	-	34.50	7.20	35.34
AV	5.3204G	104.99	Inf	-Inf	98.63	3	Vertical	360	1.90	-	34.50	7.20	35.34
PK	5.3502G	73.82	74.00	-0.18	67.46	3	Vertical	360	1.90	-	34.50	7.20	35.34
AV	5.3502G	50.84	54.00	-3.16	44.48	3	Vertical	360	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63742G	54.03	74.00	-19.97	40.51	3	Vertical	207	2.69	-	38.27	10.60	35.35
AV	10.64274G	40.43	54.00	-13.57	26.89	3	Vertical	207	2.69	-	38.29	10.60	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6437G	54.40	74.00	-19.60	40.86	3	Horizontal	360	1.66	-	38.29	10.60	35.35
AV	10.64266G	40.44	54.00	-13.56	26.90	3	Horizontal	360	1.66	-	38.29	10.60	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	60.54	74.00	-13.46	54.11	3	Vertical	4	1.88	-	34.52	7.26	35.35
AV	5.458G	46.94	54.00	-7.06	40.51	3	Vertical	4	1.88	-	34.52	7.26	35.35
PK	5.4694G	67.97	68.20	-0.23	61.51	3	Vertical	4	1.88	-	34.54	7.27	35.35
PK	5.4994G	118.57	Inf	-Inf	112.02	3	Vertical	4	1.88	-	34.60	7.30	35.35
AV	5.5008G	105.21	Inf	-Inf	98.66	3	Vertical	4	1.88	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0035G	55.67	74.00	-18.33	41.66	3	Vertical	63	1.90	-	38.40	10.65	35.04
AV	11.00252G	41.63	54.00	-12.37	27.62	3	Vertical	63	1.90	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.005G	55.79	74.00	-18.21	41.78	3	Horizontal	205	1.39	-	38.41	10.65	35.05
AV	11.0025G	41.68	54.00	-12.32	27.67	3	Horizontal	205	1.39	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	59.76	74.00	-14.24	53.35	3	Vertical	1	1.80	-	34.51	7.25	35.35
AV	5.4348G	46.54	54.00	-7.46	40.13	3	Vertical	1	1.80	-	34.53	7.23	35.35
PK	5.4606G	59.07	68.20	-9.13	52.64	3	Vertical	1	1.80	-	34.52	7.26	35.35
PK	5.5794G	120.63	Inf	-Inf	114.04	3	Vertical	1	1.80	-	34.60	7.38	35.39
AV	5.5806G	109.81	Inf	-Inf	103.22	3	Vertical	1	1.80	-	34.60	7.38	35.39
PK	5.73G	58.20	68.20	-10.00	52.03	3	Vertical	1	1.80	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16324G	60.24	74.00	-13.76	46.23	3	Vertical	176	1.91	-	38.56	10.67	35.22
AV	11.15804G	46.45	54.00	-7.55	32.44	3	Vertical	176	1.91	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15976G	62.89	74.00	-11.11	48.88	3	Horizontal	64	1.07	-	38.56	10.67	35.22
AV	11.15744G	49.47	54.00	-4.53	35.46	3	Horizontal	64	1.07	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	117.18	Inf	-Inf	110.93	3	Vertical	3	1.80	-	34.30	7.40	35.45
AV	5.7006G	104.16	Inf	-Inf	97.91	3	Vertical	3	1.80	-	34.30	7.40	35.45
PK	5.7252G	67.97	68.20	-0.23	61.78	3	Vertical	3	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40352G	56.30	74.00	-17.70	42.27	3	Vertical	298	1.45	-	38.81	10.71	35.49
AV	11.39596G	42.24	54.00	-11.76	28.21	3	Vertical	298	1.45	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4028G	56.00	74.00	-18.00	41.97	3	Horizontal	48	1.51	-	38.81	10.71	35.49
AV	11.39838G	42.22	54.00	-11.78	28.20	3	Horizontal	48	1.51	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	119.92	Inf	-Inf	113.72	3	Vertical	0	1.80	-	34.26	7.40	35.46
AV	5.7208G	108.97	Inf	-Inf	102.77	3	Vertical	0	1.80	-	34.26	7.40	35.46
PK	5.8816G	60.51	68.20	-7.69	54.08	3	Vertical	0	1.80	-	34.49	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.443G	59.28	74.00	-14.72	45.21	3	Vertical	170	1.80	-	38.89	10.72	35.54
AV	11.4404G	45.25	54.00	-8.75	31.18	3	Vertical	170	1.80	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4426G	64.28	74.00	-9.72	50.21	3	Horizontal	143	1.76	-	38.89	10.72	35.54
AV	11.43756G	51.28	54.00	-2.72	37.21	3	Horizontal	143	1.76	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	61.02	68.20	-7.18	54.43	3	Vertical	2	1.80	-	34.60	7.38	35.39
PK	5.747G	121.26	Inf	-Inf	115.12	3	Vertical	2	1.80	-	34.21	7.40	35.47
AV	5.744G	109.84	Inf	-Inf	103.70	3	Vertical	2	1.80	-	34.21	7.40	35.47
PK	5.993G	60.05	68.20	-8.15	53.26	3	Vertical	2	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4906G	61.30	74.00	-12.70	47.19	3	Vertical	184	2.44	-	38.98	10.72	35.59
AV	11.4906G	47.91	54.00	-6.09	33.80	3	Vertical	184	2.44	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49024G	64.92	74.00	-9.08	50.81	3	Horizontal	137	1.80	-	38.98	10.72	35.59
AV	11.48768G	52.07	54.00	-1.93	37.96	3	Horizontal	137	1.80	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	60.29	68.20	-7.91	53.72	3	Vertical	0	1.80	-	34.60	7.35	35.38
PK	5.787G	121.59	Inf	-Inf	115.48	3	Vertical	0	1.80	-	34.20	7.40	35.49
AV	5.784G	110.19	Inf	-Inf	104.08	3	Vertical	0	1.80	-	34.20	7.40	35.49
PK	5.939G	61.26	68.20	-6.94	54.53	3	Vertical	0	1.80	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57272G	60.44	74.00	-13.56	45.99	3	Vertical	183	1.00	-	39.29	10.74	35.58
AV	11.57068G	47.74	54.00	-6.26	33.30	3	Vertical	183	1.00	-	39.28	10.74	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57024G	65.86	74.00	-8.14	51.42	3	Horizontal	137	1.80	-	39.28	10.74	35.58
AV	11.56776G	52.82	54.00	-1.18	38.40	3	Horizontal	137	1.80	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	59.75	68.20	-8.45	53.25	3	Vertical	3	1.80	-	34.52	7.40	35.42
PK	5.827G	121.02	Inf	-Inf	114.85	3	Vertical	3	1.80	-	34.25	7.43	35.51
AV	5.826G	110.01	Inf	-Inf	103.84	3	Vertical	3	1.80	-	34.25	7.43	35.51
PK	5.944G	60.71	68.20	-7.49	53.96	3	Vertical	3	1.80	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65008G	65.09	74.00	-8.91	50.51	3	Vertical	137	1.78	-	39.40	10.75	35.57
AV	11.6476G	52.38	54.00	-1.62	37.80	3	Vertical	137	1.78	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65004G	65.33	74.00	-8.67	50.75	3	Horizontal	137	1.78	-	39.40	10.75	35.57
AV	11.6476G	52.34	54.00	-1.66	37.76	3	Horizontal	137	1.78	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	72.48	74.00	-1.52	66.66	3	Vertical	354	1.75	-	33.99	7.17	35.34
AV	5.1498G	53.87	54.00	-0.13	48.04	3	Vertical	354	1.75	-	34.00	7.17	35.34
PK	5.193G	113.44	Inf	-Inf	107.41	3	Vertical	354	1.75	-	34.17	7.20	35.34
AV	5.1942G	99.86	Inf	-Inf	93.82	3	Vertical	354	1.75	-	34.18	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.38202G	54.37	68.20	-13.83	41.19	3	Vertical	132	1.67	-	38.18	10.56	35.56	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.37624G	54.68	68.20	-13.52	41.51	3	Horizontal	149	1.02	-	38.18	10.56	35.57	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.09	74.00	-7.91	60.27	3	Vertical	356	1.79	-	33.99	7.17	35.34
AV	5.1466G	49.17	54.00	-4.83	43.35	3	Vertical	356	1.79	-	33.99	7.17	35.34
PK	5.2294G	116.46	Inf	-Inf	110.28	3	Vertical	356	1.79	-	34.32	7.20	35.34
AV	5.227G	103.91	Inf	-Inf	97.74	3	Vertical	356	1.79	-	34.31	7.20	35.34
PK	5.365G	64.87	74.00	-9.13	58.48	3	Vertical	356	1.79	-	34.53	7.20	35.34
AV	5.3794G	47.37	54.00	-6.63	40.96	3	Vertical	356	1.79	-	34.56	7.20	35.35

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.45744G	54.59	68.20	-13.61	41.32	3	Vertical	3	2.90	-	38.20	10.57	35.50	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.45566G	54.41	68.20	-13.79	41.15	3	Horizontal	146	1.44	-	38.20	10.57	35.51	

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
 Setting 20.25
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.47	74.00	-13.53	54.64	3	Vertical	0	1.94	-	34.00	7.17	35.34
AV	5.1206G	45.93	54.00	-8.07	40.16	3	Vertical	0	1.94	-	33.94	7.16	35.33
PK	5.2682G	116.93	Inf	-Inf	110.63	3	Vertical	0	1.94	-	34.44	7.20	35.34
AV	5.2682G	103.62	Inf	-Inf	97.32	3	Vertical	0	1.94	-	34.44	7.20	35.34
PK	5.3564G	73.38	74.00	-0.62	67.01	3	Vertical	0	1.94	-	34.51	7.20	35.34
AV	5.351G	51.22	54.00	-2.78	44.86	3	Vertical	0	1.94	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.54008G	55.08	68.20	-13.12	41.74	3	Vertical	99	2.04	-	38.20	10.58	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.54056G	54.73	68.20	-13.47	41.39	3	Horizontal	77	1.87	-	38.20	10.58	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	113.72	Inf	-Inf	107.36	3	Vertical	0	1.90	-	34.50	7.20	35.34
AV	5.307G	100.20	Inf	-Inf	93.84	3	Vertical	0	1.90	-	34.50	7.20	35.34
PK	5.3562G	73.84	74.00	-0.16	67.47	3	Vertical	0	1.90	-	34.51	7.20	35.34
AV	5.35G	51.83	54.00	-2.17	45.47	3	Vertical	0	1.90	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62152G	54.71	74.00	-19.29	41.25	3	Vertical	27	2.98	-	38.24	10.59	35.37
AV	10.61718G	40.43	54.00	-13.57	26.98	3	Vertical	27	2.98	-	38.23	10.59	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61856G	54.81	74.00	-19.19	41.35	3	Horizontal	35	2.41	-	38.24	10.59	35.37
AV	10.6173G	40.40	54.00	-13.60	26.95	3	Horizontal	35	2.41	-	38.23	10.59	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.68	74.00	-10.32	57.25	3	Vertical	2	1.89	-	34.52	7.26	35.35
AV	5.4596G	48.47	54.00	-5.53	42.04	3	Vertical	2	1.89	-	34.52	7.26	35.35
PK	5.465G	67.60	68.20	-0.60	61.16	3	Vertical	2	1.89	-	34.53	7.26	35.35
PK	5.5094G	112.94	Inf	-Inf	106.38	3	Vertical	2	1.89	-	34.60	7.31	35.35
AV	5.5118G	100.68	Inf	-Inf	94.13	3	Vertical	2	1.89	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02356G	56.42	74.00	-17.58	42.42	3	Vertical	162	2.94	-	38.42	10.65	35.07
AV	11.02114G	41.69	54.00	-12.31	27.68	3	Vertical	162	2.94	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01514G	55.66	74.00	-18.34	41.65	3	Horizontal	250	2.06	-	38.42	10.65	35.06
AV	11.02186G	41.72	54.00	-12.28	27.71	3	Horizontal	250	2.06	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	66.92	74.00	-7.08	60.50	3	Vertical	0	1.88	-	34.51	7.26	35.35
AV	5.4582G	48.55	54.00	-5.45	42.12	3	Vertical	0	1.88	-	34.52	7.26	35.35
PK	5.4642G	67.37	68.20	-0.83	60.93	3	Vertical	0	1.88	-	34.53	7.26	35.35
PK	5.5482G	117.40	Inf	-Inf	110.82	3	Vertical	0	1.88	-	34.60	7.35	35.37
AV	5.547G	104.54	Inf	-Inf	97.96	3	Vertical	0	1.88	-	34.60	7.35	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09848G	55.21	74.00	-18.79	41.20	3	Vertical	91	1.96	-	38.50	10.66	35.15
AV	11.09536G	41.39	54.00	-12.61	27.38	3	Vertical	91	1.96	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09512G	55.49	74.00	-18.51	41.48	3	Horizontal	314	2.13	-	38.50	10.66	35.15
AV	11.0951G	41.34	54.00	-12.66	27.33	3	Horizontal	314	2.13	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6706G	114.03	Inf	-Inf	107.65	3	Vertical	0	1.88	-	34.42	7.40	35.44
AV	5.6688G	100.46	Inf	-Inf	94.07	3	Vertical	0	1.88	-	34.42	7.40	35.43
PK	5.7258G	67.94	68.20	-0.26	61.75	3	Vertical	0	1.88	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.335G	55.78	74.00	-18.22	41.77	3	Vertical	110	1.61	-	38.73	10.70	35.42
AV	11.33708G	41.86	54.00	-12.14	27.84	3	Vertical	110	1.61	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT Y_2TX
 Setting 14.75
 03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.33532G	55.92	74.00	-18.08	41.90	3	Horizontal	36	1.85	-	38.74	10.70	35.42
AV	11.33516G	41.89	54.00	-12.11	27.87	3	Horizontal	36	1.85	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	117.55	Inf	-Inf	111.34	3	Vertical	0	1.86	-	34.27	7.40	35.46
AV	5.7116G	105.90	Inf	-Inf	99.68	3	Vertical	0	1.86	-	34.28	7.40	35.46
PK	5.8532G	62.42	68.20	-5.78	56.18	3	Vertical	0	1.86	-	34.32	7.45	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42304G	56.21	74.00	-17.79	42.16	3	Vertical	13	2.77	-	38.85	10.71	35.51
AV	11.41524G	42.80	54.00	-11.20	28.77	3	Vertical	13	2.77	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41526G	56.31	74.00	-17.69	42.28	3	Horizontal	146	2.75	-	38.83	10.71	35.51
AV	11.42148G	42.79	54.00	-11.21	28.75	3	Horizontal	146	2.75	-	38.84	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.39	68.20	-0.81	60.92	3	Vertical	0	1.86	-	34.50	7.40	35.43
PK	5.758G	118.29	Inf	-Inf	112.17	3	Vertical	0	1.86	-	34.20	7.40	35.48
AV	5.753G	105.65	Inf	-Inf	99.53	3	Vertical	0	1.86	-	34.20	7.40	35.48
PK	5.927G	61.43	68.20	-6.77	54.75	3	Vertical	0	1.86	-	34.71	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom



EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.511G	56.38	74.00	-17.62	42.21	3	Vertical	193	1.80	-	39.04	10.73	35.60
AV	11.50694G	41.92	54.00	-12.08	27.76	3	Vertical	193	1.80	-	39.03	10.73	35.60