


802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51202G	55.81	74.00	-18.19	41.63	3	Horizontal	343	2.48	-	39.05	10.73	35.60
AV	11.5126G	41.86	54.00	-12.14	27.68	3	Horizontal	343	2.48	-	39.05	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	60.27	68.20	-7.93	53.68	3	Vertical	1	1.80	-	34.60	7.37	35.38
PK	5.798G	117.83	Inf	-Inf	111.73	3	Vertical	1	1.80	-	34.20	7.40	35.50
AV	5.794G	106.96	Inf	-Inf	100.86	3	Vertical	1	1.80	-	34.20	7.40	35.50
PK	5.93G	62.56	68.20	-5.64	55.87	3	Vertical	1	1.80	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58518G	56.65	74.00	-17.35	42.15	3	Vertical	254	1.49	-	39.34	10.74	35.58
AV	11.58522G	42.89	54.00	-11.11	28.39	3	Vertical	254	1.49	-	39.34	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.589G	56.05	74.00	-17.95	41.53	3	Horizontal	317	2.10	-	39.36	10.74	35.58
AV	11.59072G	42.92	54.00	-11.08	28.40	3	Horizontal	317	2.10	-	39.36	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 13.25
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.15	74.00	-6.85	61.33	3	Vertical	357	1.80	-	33.99	7.17	35.34
AV	5.131G	53.87	54.00	-0.13	48.08	3	Vertical	357	1.80	-	33.96	7.17	35.34
PK	5.214G	107.20	Inf	-Inf	101.08	3	Vertical	357	1.80	-	34.26	7.20	35.34
AV	5.213G	97.31	Inf	-Inf	91.20	3	Vertical	357	1.80	-	34.25	7.20	35.34
PK	5.366G	60.86	74.00	-13.14	54.47	3	Vertical	357	1.80	-	34.53	7.20	35.34
AV	5.368G	49.47	54.00	-4.53	43.07	3	Vertical	357	1.80	-	34.54	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 13.25
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.41718G	54.10	68.20	-14.10	40.88	3	Vertical	97	2.24	-	38.20	10.56	35.54	

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 13.25
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.4232G	54.37	68.20	-13.83	41.14	3	Horizontal	238	2.24	-	38.20	10.56	35.53	

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
 Setting 11
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	59.07	74.00	-14.93	53.29	3	Vertical	357	1.80	-	33.95	7.16	35.33
AV	5.054G	48.50	54.00	-5.50	42.89	3	Vertical	357	1.80	-	33.81	7.13	35.33
PK	5.306G	105.58	Inf	-Inf	99.22	3	Vertical	357	1.80	-	34.50	7.20	35.34
AV	5.292G	95.68	Inf	-Inf	89.34	3	Vertical	357	1.80	-	34.48	7.20	35.34
PK	5.35G	63.75	74.00	-10.25	57.39	3	Vertical	357	1.80	-	34.50	7.20	35.34
AV	5.355G	53.85	54.00	-0.15	47.48	3	Vertical	357	1.80	-	34.51	7.20	35.34
PK	5.485G	60.64	68.20	-7.56	54.13	3	Vertical	357	1.80	-	34.57	7.29	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 11
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.5803G	54.97	68.20	-13.23	41.58	3	Vertical	224	1.90	-	38.20	10.59	35.40	

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 11
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.5785G	54.85	68.20	-13.35	41.46	3	Horizontal	212	2.68	-	38.20	10.59	35.40	

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.288G	59.54	68.20	-8.66	53.20	3	Vertical	1	1.87	-	34.48	7.20	35.34
PK	5.456G	65.41	74.00	-8.59	58.99	3	Vertical	1	1.87	-	34.51	7.26	35.35
AV	5.451G	53.85	54.00	-0.15	47.45	3	Vertical	1	1.87	-	34.50	7.25	35.35
PK	5.47G	66.79	68.20	-1.41	60.33	3	Vertical	1	1.87	-	34.54	7.27	35.35
PK	5.533G	109.33	Inf	-Inf	102.77	3	Vertical	1	1.87	-	34.60	7.33	35.37
AV	5.532G	99.62	Inf	-Inf	93.06	3	Vertical	1	1.87	-	34.60	7.33	35.37
PK	5.762G	59.62	68.20	-8.58	53.50	3	Vertical	1	1.87	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05784G	55.92	74.00	-18.08	41.90	3	Vertical	228	2.89	-	38.46	10.66	35.10
AV	11.05692G	44.84	54.00	-9.16	30.82	3	Vertical	228	2.89	-	38.46	10.66	35.10

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
Setting 13.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05968G	55.57	74.00	-18.43	41.56	3	Horizontal	285	2.19	-	38.46	10.66	35.11
AV	11.06476G	44.51	54.00	-9.49	30.50	3	Horizontal	285	2.19	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
 Setting 15
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.00	74.00	-14.00	53.60	3	Vertical	5	1.80	-	34.50	7.25	35.35
PK	5.462G	60.17	68.20	-8.03	53.74	3	Vertical	5	1.80	-	34.52	7.26	35.35
AV	5.458G	49.48	54.00	-4.52	43.05	3	Vertical	5	1.80	-	34.52	7.26	35.35
PK	5.612G	109.78	Inf	-Inf	103.21	3	Vertical	5	1.80	-	34.58	7.40	35.41
AV	5.612G	100.46	Inf	-Inf	93.89	3	Vertical	5	1.80	-	34.58	7.40	35.41
PK	5.732G	67.92	68.20	-0.28	61.75	3	Vertical	5	1.80	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT V_2TX
 Setting 15
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2179G	55.04	74.00	-18.96	41.02	3	Vertical	67	2.50	-	38.62	10.68	35.28
AV	11.21578G	44.62	54.00	-9.38	30.60	3	Vertical	67	2.50	-	38.62	10.68	35.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 15
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21568G	55.07	74.00	-18.93	41.05	3	Horizontal	99	1.10	-	38.62	10.68	35.28
AV	11.22306G	44.75	54.00	-9.25	30.74	3	Horizontal	99	1.10	-	38.62	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 17
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.82	74.00	-13.18	54.42	3	Vertical	360	1.92	-	34.51	7.24	35.35
PK	5.469G	59.11	68.20	-9.09	52.65	3	Vertical	360	1.92	-	34.54	7.27	35.35
AV	5.46G	49.15	54.00	-4.85	42.72	3	Vertical	360	1.92	-	34.52	7.26	35.35
PK	5.692G	112.85	Inf	-Inf	106.57	3	Vertical	360	1.92	-	34.33	7.40	35.45
AV	5.692G	102.66	Inf	-Inf	96.38	3	Vertical	360	1.92	-	34.33	7.40	35.45
PK	5.853G	67.98	68.20	-0.22	61.74	3	Vertical	360	1.92	-	34.32	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38034G	56.59	74.00	-17.41	42.57	3	Vertical	117	1.53	-	38.78	10.71	35.47
AV	11.38112G	45.50	54.00	-8.50	31.48	3	Vertical	117	1.53	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37928G	56.17	74.00	-17.83	42.14	3	Horizontal	325	1.80	-	38.78	10.71	35.46
AV	11.38036G	45.55	54.00	-8.45	31.53	3	Horizontal	325	1.80	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 15.75
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.18	68.20	-4.02	57.69	3	Vertical	0	1.80	-	34.51	7.40	35.42
PK	5.76G	111.17	Inf	-Inf	105.05	3	Vertical	0	1.80	-	34.20	7.40	35.48
AV	5.778G	101.48	Inf	-Inf	95.37	3	Vertical	0	1.80	-	34.20	7.40	35.49
PK	5.927G	67.99	68.20	-0.21	61.31	3	Vertical	0	1.80	-	34.71	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54606G	55.91	74.00	-18.09	41.59	3	Vertical	125	1.12	-	39.18	10.73	35.59
AV	11.54784G	45.33	54.00	-8.67	31.00	3	Vertical	125	1.12	-	39.19	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
 Setting 15.75
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55288G	56.07	74.00	-17.93	41.72	3	Horizontal	24	2.80	-	39.21	10.73	35.59
AV	11.54578G	44.96	54.00	-9.04	30.64	3	Horizontal	24	2.80	-	39.18	10.73	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_2TX
 Setting 8.75
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	64.55	74.00	-9.45	57.97	3	Vertical	78	1.80	-	33.50	5.23	32.15
AV	5.1444G	51.60	54.00	-2.40	45.01	3	Vertical	78	1.80	-	33.50	5.24	32.15
PK	5.2468G	100.55	Inf	-Inf	93.79	3	Vertical	78	1.80	-	33.59	5.32	32.15
AV	5.2548G	90.60	Inf	-Inf	83.80	3	Vertical	78	1.80	-	33.61	5.33	32.14
PK	5.3924G	66.55	74.00	-7.45	59.51	3	Vertical	78	1.80	-	33.78	5.40	32.14
AV	5.3924G	53.51	54.00	-0.49	46.47	3	Vertical	78	1.80	-	33.78	5.40	32.14
PK	5.6132G	57.51	68.20	-10.69	50.18	3	Vertical	78	1.80	-	33.87	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_2TX
 Setting 8.75
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5104G	50.89	68.20	-17.31	38.03	3	Vertical	30	1.34	-	38.41	7.50	33.05
PK	15.73336G	53.66	74.00	-20.34	39.81	3	Vertical	303	2.93	-	37.40	9.88	33.43
AV	15.73032G	42.75	54.00	-11.25	28.89	3	Vertical	303	2.93	-	37.40	9.88	33.42

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_2TX
Setting 8.75
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48424G	51.92	68.20	-16.28	39.07	3	Horizontal	152	2.58	-	38.40	7.49	33.04
PK	15.74776G	53.89	74.00	-20.11	40.04	3	Horizontal	219	2.31	-	37.40	9.89	33.44
AV	15.75848G	42.64	54.00	-11.36	28.81	3	Horizontal	219	2.31	-	37.40	9.89	33.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT V_2TX
 Setting 9.5
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2228G	56.97	68.20	-11.23	50.26	3	Vertical	82	1.73	-	33.55	5.31	32.15
PK	5.4452G	67.03	74.00	-6.97	59.82	3	Vertical	82	1.73	-	33.89	5.45	32.13
AV	5.4436G	53.82	54.00	-0.18	46.62	3	Vertical	82	1.73	-	33.89	5.44	32.13
PK	5.4612G	65.74	68.20	-2.46	58.51	3	Vertical	82	1.73	-	33.90	5.46	32.13
PK	5.5716G	103.22	Inf	-Inf	95.88	3	Vertical	82	1.73	-	33.90	5.57	32.13
AV	5.5716G	93.22	Inf	-Inf	85.88	3	Vertical	82	1.73	-	33.90	5.57	32.13
PK	5.7268G	66.09	68.20	-2.11	58.88	3	Vertical	82	1.73	-	33.75	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT V_2TX
Setting 9.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13256G	52.37	74.00	-21.63	39.25	3	Vertical	315	2.53	-	38.63	7.75	33.26
AV	11.12152G	40.95	54.00	-13.05	27.84	3	Vertical	315	2.53	-	38.62	7.75	33.26
PK	16.69336G	57.19	68.20	-11.01	40.40	3	Vertical	36	1.14	-	39.69	10.35	33.25

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT_V_2TX
Setting 9.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12408G	52.80	74.00	-21.20	39.69	3	Horizontal	153	2.04	-	38.62	7.75	33.26
AV	11.1588G	42.10	54.00	-11.90	28.93	3	Horizontal	153	2.04	-	38.66	7.76	33.25
PK	16.71136G	57.30	68.20	-10.90	40.44	3	Horizontal	64	1.35	-	39.77	10.36	33.27



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 26_Ant. 1 (1TX)


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7274G	68.03	68.20	-0.17	3	Vertical	320	1.90	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	73.37	74.00	-0.63	67.56	3	Vertical	65	1.88	-	33.98	7.17	35.34
AV	5.138G	52.76	54.00	-1.24	46.95	3	Vertical	65	1.88	-	33.98	7.17	35.34
PK	5.1718G	120.19	Inf	-Inf	114.25	3	Vertical	65	1.88	-	34.09	7.19	35.34
AV	5.1716G	108.71	Inf	-Inf	102.77	3	Vertical	65	1.88	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	70.40	74.00	-3.60	64.59	3	Horizontal	162	1.94	-	33.98	7.17	35.34
AV	5.138G	50.81	54.00	-3.19	45.00	3	Horizontal	162	1.94	-	33.98	7.17	35.34
PK	5.1718G	117.56	Inf	-Inf	111.62	3	Horizontal	162	1.94	-	34.09	7.19	35.34
AV	5.1716G	106.00	Inf	-Inf	100.06	3	Horizontal	162	1.94	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.515G	65.26	74.00	-8.74	48.89	3	Vertical	287	1.80	-	38.59	13.16	35.38
AV	15.5142G	50.70	54.00	-3.30	34.32	3	Vertical	287	1.80	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5138G	65.80	74.00	-8.20	49.42	3	Horizontal	305	2.76	-	38.60	13.16	35.38
AV	15.5148G	51.34	54.00	-2.66	34.96	3	Horizontal	305	2.76	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1356G	59.38	74.00	-14.62	53.58	3	Vertical	66	1.85	-	33.97	7.17	35.34	
AV	5.15G	46.15	54.00	-7.85	40.32	3	Vertical	66	1.85	-	34.00	7.17	35.34	
PK	5.1916G	121.71	Inf	-Inf	115.68	3	Vertical	66	1.85	-	34.17	7.20	35.34	
AV	5.1916G	110.89	Inf	-Inf	104.86	3	Vertical	66	1.85	-	34.17	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.94	74.00	-14.06	54.11	3	Horizontal	162	1.92	-	34.00	7.17	35.34
AV	5.15G	45.74	54.00	-8.26	39.91	3	Horizontal	162	1.92	-	34.00	7.17	35.34
PK	5.192G	117.80	Inf	-Inf	111.77	3	Horizontal	162	1.92	-	34.17	7.20	35.34
AV	5.1916G	107.11	Inf	-Inf	101.08	3	Horizontal	162	1.92	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5748G	63.66	74.00	-10.34	47.72	3	Vertical	223	2.97	-	38.18	13.19	35.43
AV	15.5746G	49.52	54.00	-4.48	33.58	3	Vertical	223	2.97	-	38.18	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.574G	65.18	74.00	-8.82	49.24	3	Horizontal	229	1.79	-	38.18	13.19	35.43
AV	15.5746G	52.10	54.00	-1.90	36.16	3	Horizontal	229	1.79	-	38.18	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	59.49	74.00	-14.51	53.71	3	Vertical	67	1.79	-	33.96	7.16	35.34
AV	5.15G	45.86	54.00	-8.14	40.03	3	Vertical	67	1.79	-	34.00	7.17	35.34
PK	5.2322G	120.23	Inf	-Inf	114.04	3	Vertical	67	1.79	-	34.33	7.20	35.34
AV	5.2316G	110.08	Inf	-Inf	103.89	3	Vertical	67	1.79	-	34.33	7.20	35.34
PK	5.3816G	59.12	74.00	-14.88	52.71	3	Vertical	67	1.79	-	34.56	7.20	35.35
AV	5.3834G	46.12	54.00	-7.88	39.70	3	Vertical	67	1.79	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	59.55	74.00	-14.45	53.78	3	Horizontal	161	1.92	-	33.95	7.16	35.34
AV	5.1422G	45.49	54.00	-8.51	39.68	3	Horizontal	161	1.92	-	33.98	7.17	35.34
PK	5.2316G	118.67	Inf	-Inf	112.48	3	Horizontal	161	1.92	-	34.33	7.20	35.34
AV	5.2316G	107.79	Inf	-Inf	101.60	3	Horizontal	161	1.92	-	34.33	7.20	35.34
PK	5.3888G	59.83	74.00	-14.17	53.40	3	Horizontal	161	1.92	-	34.58	7.20	35.35
AV	5.3882G	46.15	54.00	-7.85	39.72	3	Horizontal	161	1.92	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.695G	62.92	74.00	-11.08	47.67	3	Vertical	140	1.80	-	37.53	13.25	35.53
AV	15.6948G	49.82	54.00	-4.18	34.57	3	Vertical	140	1.80	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6946G	60.55	74.00	-13.45	45.30	3	Horizontal	235	2.31	-	37.53	13.25	35.53
AV	15.6946G	47.59	54.00	-6.41	32.34	3	Horizontal	235	2.31	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1286G	58.48	74.00	-15.52	52.70	3	Vertical	68	1.74	-	33.96	7.16	35.34
AV	5.1376G	45.46	54.00	-8.54	39.65	3	Vertical	68	1.74	-	33.98	7.17	35.34
PK	5.2684G	119.74	Inf	-Inf	113.44	3	Vertical	68	1.74	-	34.44	7.20	35.34
AV	5.2678G	108.45	Inf	-Inf	102.15	3	Vertical	68	1.74	-	34.44	7.20	35.34
PK	5.3872G	60.95	74.00	-13.05	54.53	3	Vertical	68	1.74	-	34.57	7.20	35.35
AV	5.398G	46.17	54.00	-7.83	39.72	3	Vertical	68	1.74	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	58.84	74.00	-15.16	53.04	3	Horizontal	160	1.90	-	33.97	7.17	35.34
AV	5.1436G	45.45	54.00	-8.55	39.63	3	Horizontal	160	1.90	-	33.99	7.17	35.34
PK	5.2684G	116.87	Inf	-Inf	110.57	3	Horizontal	160	1.90	-	34.44	7.20	35.34
AV	5.2678G	105.71	Inf	-Inf	99.41	3	Horizontal	160	1.90	-	34.44	7.20	35.34
PK	5.392G	59.81	74.00	-14.19	53.38	3	Horizontal	160	1.90	-	34.58	7.20	35.35
AV	5.4022G	46.18	54.00	-7.82	39.73	3	Horizontal	160	1.90	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8034G	62.78	74.00	-11.22	47.21	3	Vertical	137	1.80	-	37.89	13.30	35.62
AV	15.8048G	49.29	54.00	-4.71	33.73	3	Vertical	137	1.80	-	37.89	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8056G	62.10	74.00	-11.90	46.55	3	Horizontal	152	1.80	-	37.88	13.30	35.63
AV	15.805G	48.30	54.00	-5.70	32.75	3	Horizontal	152	1.80	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	120.48	Inf	-Inf	114.12	3	Vertical	66	1.83	-	34.50	7.20	35.34
AV	5.308G	109.54	Inf	-Inf	103.18	3	Vertical	66	1.83	-	34.50	7.20	35.34
PK	5.358G	60.05	74.00	-13.95	53.67	3	Vertical	66	1.83	-	34.52	7.20	35.34
AV	5.3892G	46.20	54.00	-7.80	39.77	3	Vertical	66	1.83	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	117.85	Inf	-Inf	111.49	3	Horizontal	161	1.89	-	34.50	7.20	35.34
AV	5.308G	107.09	Inf	-Inf	100.73	3	Horizontal	161	1.89	-	34.50	7.20	35.34
PK	5.3532G	59.97	74.00	-14.03	53.60	3	Horizontal	161	1.89	-	34.51	7.20	35.34
AV	5.3976G	46.15	54.00	-7.85	39.70	3	Horizontal	161	1.89	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.616G	58.96	74.00	-15.04	45.51	3	Vertical	223	1.80	-	38.23	10.59	35.37
AV	10.6168G	46.27	54.00	-7.73	32.82	3	Vertical	223	1.80	-	38.23	10.59	35.37
PK	15.9418G	60.23	74.00	-13.77	45.08	3	Vertical	190	2.41	-	37.52	13.37	35.74
AV	15.9256G	46.85	54.00	-7.15	31.67	3	Vertical	190	2.41	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6174G	58.77	74.00	-15.23	45.32	3	Horizontal	209	1.78	-	38.23	10.59	35.37
AV	10.6166G	45.02	54.00	-8.98	31.57	3	Horizontal	209	1.78	-	38.23	10.59	35.37
PK	15.8764G	59.36	74.00	-14.64	44.04	3	Horizontal	302	1.66	-	37.67	13.34	35.69
AV	15.8522G	46.50	54.00	-7.50	31.10	3	Horizontal	302	1.66	-	37.74	13.33	35.67

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	118.57	Inf	-Inf	112.21	3	Vertical	259	1.77	-	34.50	7.20	35.34
AV	5.328G	107.11	Inf	-Inf	100.75	3	Vertical	259	1.77	-	34.50	7.20	35.34
PK	5.3608G	73.46	74.00	-0.54	67.08	3	Vertical	259	1.77	-	34.52	7.20	35.34
AV	5.3622G	49.29	54.00	-4.71	42.91	3	Vertical	259	1.77	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	116.80	Inf	-Inf	110.44	3	Horizontal	187	1.86	-	34.50	7.20	35.34
AV	5.328G	105.19	Inf	-Inf	98.83	3	Horizontal	187	1.86	-	34.50	7.20	35.34
PK	5.3612G	71.93	74.00	-2.07	65.55	3	Horizontal	187	1.86	-	34.52	7.20	35.34
AV	5.3618G	48.47	54.00	-5.53	42.09	3	Horizontal	187	1.86	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6218G	55.00	74.00	-19.00	41.54	3	Vertical	309	1.92	-	38.24	10.59	35.37
AV	10.6568G	43.08	54.00	-10.92	29.51	3	Vertical	309	1.92	-	38.31	10.60	35.34
PK	15.9516G	59.42	74.00	-14.58	44.29	3	Vertical	236	2.12	-	37.50	13.38	35.75
AV	15.9854G	46.56	54.00	-7.44	31.52	3	Vertical	236	2.12	-	37.43	13.39	35.78

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6664G	55.38	74.00	-18.62	41.78	3	Horizontal	25	1.38	-	38.33	10.60	35.33
AV	10.657G	42.02	54.00	-11.98	28.44	3	Horizontal	25	1.38	-	38.31	10.60	35.33
PK	15.9696G	59.56	74.00	-14.44	44.48	3	Horizontal	145	2.26	-	37.46	13.38	35.76
AV	15.9108G	46.36	54.00	-7.64	31.14	3	Horizontal	145	2.26	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	71.00	74.00	-3.00	64.57	3	Vertical	254	1.88	-	34.52	7.26	35.35
AV	5.458G	47.74	54.00	-6.26	41.31	3	Vertical	254	1.88	-	34.52	7.26	35.35
PK	5.47G	67.53	68.20	-0.67	61.07	3	Vertical	254	1.88	-	34.54	7.27	35.35
PK	5.4916G	118.68	Inf	-Inf	112.16	3	Vertical	254	1.88	-	34.58	7.29	35.35
AV	5.4916G	106.36	Inf	-Inf	99.84	3	Vertical	254	1.88	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	70.85	74.00	-3.15	64.42	3	Horizontal	184	2.06	-	34.52	7.26	35.35	
AV	5.4584G	47.38	54.00	-6.62	40.95	3	Horizontal	184	2.06	-	34.52	7.26	35.35	
PK	5.4696G	67.38	68.20	-0.82	60.92	3	Horizontal	184	2.06	-	34.54	7.27	35.35	
PK	5.4916G	117.69	Inf	-Inf	111.17	3	Horizontal	184	2.06	-	34.58	7.29	35.35	
AV	5.4916G	105.41	Inf	-Inf	98.89	3	Horizontal	184	2.06	-	34.58	7.29	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9824G	58.07	74.00	-15.93	44.10	3	Vertical	190	1.65	-	38.38	10.65	35.06
AV	10.983G	46.09	54.00	-7.91	32.11	3	Vertical	190	1.65	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9834G	60.85	74.00	-13.15	46.87	3	Horizontal	153	2.60	-	38.38	10.65	35.05
AV	10.9828G	46.26	54.00	-7.74	32.28	3	Horizontal	153	2.60	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	60.07	74.00	-13.93	53.63	3	Vertical	318	1.97	-	34.58	7.21	35.35
AV	5.412G	47.04	54.00	-6.96	40.60	3	Vertical	318	1.97	-	34.58	7.21	35.35
PK	5.4672G	59.08	68.20	-9.12	52.63	3	Vertical	318	1.97	-	34.53	7.27	35.35
PK	5.572G	120.35	Inf	-Inf	113.77	3	Vertical	318	1.97	-	34.60	7.37	35.39
AV	5.572G	109.76	Inf	-Inf	103.18	3	Vertical	318	1.97	-	34.60	7.37	35.39
PK	5.732G	60.57	68.20	-7.63	54.40	3	Vertical	318	1.97	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	59.58	74.00	-14.42	53.14	3	Horizontal	185	2.10	-	34.58	7.21	35.35
AV	5.4112G	47.00	54.00	-7.00	40.56	3	Horizontal	185	2.10	-	34.58	7.21	35.35
PK	5.4648G	60.38	68.20	-7.82	53.94	3	Horizontal	185	2.10	-	34.53	7.26	35.35
PK	5.572G	119.09	Inf	-Inf	112.51	3	Horizontal	185	2.10	-	34.60	7.37	35.39
AV	5.572G	108.54	Inf	-Inf	101.96	3	Horizontal	185	2.10	-	34.60	7.37	35.39
PK	5.7328G	59.93	68.20	-8.27	53.77	3	Horizontal	185	2.10	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1428G	63.34	74.00	-10.66	49.33	3	Vertical	174	2.38	-	38.54	10.67	35.20
AV	11.143G	52.36	54.00	-1.64	38.35	3	Vertical	174	2.38	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1444G	63.89	74.00	-10.11	49.88	3	Horizontal	223	2.07	-	38.54	10.67	35.20
AV	11.143G	53.28	54.00	-0.72	39.27	3	Horizontal	223	2.07	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	117.12	Inf	-Inf	110.89	3	Vertical	320	1.90	-	34.28	7.40	35.45
AV	5.708G	105.16	Inf	-Inf	98.93	3	Vertical	320	1.90	-	34.28	7.40	35.45
PK	5.7274G	68.03	68.20	-0.17	61.84	3	Vertical	320	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	115.96	Inf	-Inf	109.73	3	Horizontal	181	2.04	-	34.28	7.40	35.45
AV	5.708G	103.89	Inf	-Inf	97.66	3	Horizontal	181	2.04	-	34.28	7.40	35.45
PK	5.727G	67.24	68.20	-0.96	61.05	3	Horizontal	181	2.04	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4158G	66.72	74.00	-7.28	52.69	3	Vertical	268	2.33	-	38.83	10.71	35.51
AV	11.4168G	51.43	54.00	-2.57	37.40	3	Vertical	268	2.33	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4156G	62.42	74.00	-11.58	48.39	3	Horizontal	154	1.23	-	38.83	10.71	35.51
AV	11.4166G	48.40	54.00	-5.60	34.37	3	Horizontal	154	1.23	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	59.49	74.00	-14.51	53.07	3	Vertical	320	1.99	-	34.54	7.23	35.35
AV	5.3854G	46.03	54.00	-7.97	39.61	3	Vertical	320	1.99	-	34.57	7.20	35.35
PK	5.4624G	59.05	68.20	-9.15	52.62	3	Vertical	320	1.99	-	34.52	7.26	35.35
PK	5.7284G	117.70	Inf	-Inf	111.52	3	Vertical	320	1.99	-	34.24	7.40	35.46
AV	5.7284G	106.01	Inf	-Inf	99.83	3	Vertical	320	1.99	-	34.24	7.40	35.46
PK	5.9804G	60.03	68.20	-8.17	53.24	3	Vertical	320	1.99	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	59.74	74.00	-14.26	53.31	3	Horizontal	342	2.09	-	34.57	7.21	35.35
AV	5.391G	46.03	54.00	-7.97	39.60	3	Horizontal	342	2.09	-	34.58	7.20	35.35
PK	5.4652G	58.96	68.20	-9.24	52.51	3	Horizontal	342	2.09	-	34.53	7.27	35.35
PK	5.7284G	116.77	Inf	-Inf	110.59	3	Horizontal	342	2.09	-	34.24	7.40	35.46
AV	5.7284G	104.98	Inf	-Inf	98.80	3	Horizontal	342	2.09	-	34.24	7.40	35.46
PK	5.9524G	59.38	68.20	-8.82	52.61	3	Horizontal	342	2.09	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4566G	67.35	74.00	-6.65	53.27	3	Vertical	188	2.47	-	38.91	10.72	35.55
AV	11.4568G	53.67	54.00	-0.33	39.59	3	Vertical	188	2.47	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4558G	63.19	74.00	-10.81	49.11	3	Horizontal	181	2.07	-	38.91	10.72	35.55
AV	11.4568G	49.79	54.00	-4.21	35.71	3	Horizontal	181	2.07	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.496G	59.74	68.20	-8.46	53.20	3	Vertical	322	1.90	-	34.59	7.30	35.35
PK	5.737G	118.00	Inf	-Inf	111.84	3	Vertical	322	1.90	-	34.23	7.40	35.47
AV	5.737G	106.39	Inf	-Inf	100.23	3	Vertical	322	1.90	-	34.23	7.40	35.47
PK	5.95G	59.62	68.20	-8.58	52.85	3	Vertical	322	1.90	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.576G	59.85	68.20	-8.35	53.26	3	Horizontal	184	2.04	-	34.60	7.38	35.39	
PK	5.737G	117.64	Inf	-Inf	111.48	3	Horizontal	184	2.04	-	34.23	7.40	35.47	
AV	5.737G	105.95	Inf	-Inf	99.79	3	Horizontal	184	2.04	-	34.23	7.40	35.47	
PK	5.928G	59.79	68.20	-8.41	53.11	3	Horizontal	184	2.04	-	34.71	7.53	35.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.474G	66.35	74.00	-7.65	52.25	3	Vertical	184	2.58	-	38.95	10.72	35.57	
AV	11.473G	53.77	54.00	-0.23	39.67	3	Vertical	184	2.58	-	38.95	10.72	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.472G	65.40	74.00	-8.60	51.31	3	Horizontal	188	2.15	-	38.94	10.72	35.57
AV	11.473G	52.45	54.00	-1.55	38.35	3	Horizontal	188	2.15	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.637G	60.29	68.20	-7.91	53.78	3	Vertical	323	1.88	-	34.53	7.40	35.42	
PK	5.777G	117.00	Inf	-Inf	110.89	3	Vertical	323	1.88	-	34.20	7.40	35.49	
AV	5.777G	105.09	Inf	-Inf	98.98	3	Vertical	323	1.88	-	34.20	7.40	35.49	
PK	5.947G	59.97	68.20	-8.23	53.20	3	Vertical	323	1.88	-	34.79	7.55	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.82	68.20	-8.38	53.28	3	Horizontal	201	2.09	-	34.55	7.40	35.41
PK	5.777G	116.70	Inf	-Inf	110.59	3	Horizontal	201	2.09	-	34.20	7.40	35.49
AV	5.777G	104.83	Inf	-Inf	98.72	3	Horizontal	201	2.09	-	34.20	7.40	35.49
PK	5.936G	59.71	68.20	-8.49	53.00	3	Horizontal	201	2.09	-	34.74	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5536G	67.98	74.00	-6.02	53.63	3	Vertical	183	3.00	-	39.21	10.73	35.59
AV	11.553G	53.56	54.00	-0.44	39.21	3	Vertical	183	3.00	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5536G	65.29	74.00	-8.71	50.94	3	Horizontal	190	2.14	-	39.21	10.73	35.59
AV	11.553G	50.98	54.00	-3.02	36.63	3	Horizontal	190	2.14	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.63	68.20	-8.57	53.04	3	Vertical	322	1.93	-	34.60	7.38	35.39
PK	5.833G	116.54	Inf	-Inf	110.36	3	Vertical	322	1.93	-	34.27	7.43	35.52
AV	5.833G	104.91	Inf	-Inf	98.73	3	Vertical	322	1.93	-	34.27	7.43	35.52
PK	6.033G	59.95	68.20	-8.25	53.05	3	Vertical	322	1.93	-	34.87	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.00	68.20	-8.20	53.41	3	Horizontal	184	1.80	-	34.60	7.39	35.40
PK	5.834G	115.21	Inf	-Inf	109.03	3	Horizontal	184	1.80	-	34.27	7.43	35.52
AV	5.833G	103.59	Inf	-Inf	97.41	3	Horizontal	184	1.80	-	34.27	7.43	35.52
PK	6.026G	59.70	68.20	-8.50	52.83	3	Horizontal	184	1.80	-	34.85	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6668G	67.79	74.00	-6.21	53.20	3	Vertical	176	3.00	-	39.40	10.75	35.56
AV	11.6668G	53.52	54.00	-0.48	38.93	3	Vertical	176	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6676G	66.40	74.00	-7.60	51.81	3	Horizontal	192	2.07	-	39.40	10.75	35.56
AV	11.667G	51.33	54.00	-2.67	36.74	3	Horizontal	192	2.07	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 1 (1TX)


Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.7252G	68.15	68.20	-0.05	3	Vertical	321	2.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	73.89	74.00	-0.11	68.08	3	Vertical	280	1.80	-	33.98	7.17	35.34
AV	5.1438G	51.98	54.00	-2.02	46.16	3	Vertical	280	1.80	-	33.99	7.17	35.34
PK	5.1742G	117.36	Inf	-Inf	111.41	3	Vertical	280	1.80	-	34.10	7.19	35.34
AV	5.1736G	103.87	Inf	-Inf	97.93	3	Vertical	280	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	71.95	74.00	-2.05	66.14	3	Horizontal	195	1.92	-	33.98	7.17	35.34
AV	5.1432G	50.28	54.00	-3.72	44.46	3	Horizontal	195	1.92	-	33.99	7.17	35.34
PK	5.1742G	115.10	Inf	-Inf	109.15	3	Horizontal	195	1.92	-	34.10	7.19	35.34
AV	5.1736G	101.55	Inf	-Inf	95.61	3	Horizontal	195	1.92	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5026G	60.37	74.00	-13.63	43.91	3	Vertical	244	1.12	-	38.68	13.15	35.37
AV	15.5028G	46.74	54.00	-7.26	30.28	3	Vertical	244	1.12	-	38.68	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5526G	60.55	74.00	-13.45	44.45	3	Horizontal	184	2.16	-	38.33	13.18	35.41
AV	15.495G	46.74	54.00	-7.26	30.25	3	Horizontal	184	2.16	-	38.71	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	59.44	74.00	-14.56	53.64	3	Vertical	277	1.80	-	33.97	7.17	35.34
AV	5.15G	45.97	54.00	-8.03	40.14	3	Vertical	277	1.80	-	34.00	7.17	35.34
PK	5.194G	118.73	Inf	-Inf	112.69	3	Vertical	277	1.80	-	34.18	7.20	35.34
AV	5.1936G	105.54	Inf	-Inf	99.51	3	Vertical	277	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	58.73	74.00	-15.27	52.96	3	Horizontal	198	2.13	-	33.94	7.16	35.33
AV	5.15G	45.67	54.00	-8.33	39.84	3	Horizontal	198	2.13	-	34.00	7.17	35.34
PK	5.194G	116.17	Inf	-Inf	110.13	3	Horizontal	198	2.13	-	34.18	7.20	35.34
AV	5.1936G	103.04	Inf	-Inf	97.01	3	Horizontal	198	2.13	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5562G	59.79	74.00	-14.21	43.72	3	Vertical	317	1.12	-	38.31	13.18	35.42
AV	15.5638G	46.53	54.00	-7.47	30.52	3	Vertical	317	1.12	-	38.25	13.18	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5734G	59.57	74.00	-14.43	43.62	3	Horizontal	212	2.82	-	38.19	13.19	35.43
AV	15.571G	46.52	54.00	-7.48	30.56	3	Horizontal	212	2.82	-	38.20	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	58.25	74.00	-15.75	52.52	3	Vertical	273	1.98	-	33.91	7.15	35.33
AV	5.15G	45.50	54.00	-8.50	39.67	3	Vertical	273	1.98	-	34.00	7.17	35.34
PK	5.234G	119.28	Inf	-Inf	113.08	3	Vertical	273	1.98	-	34.34	7.20	35.34
AV	5.2334G	106.10	Inf	-Inf	99.91	3	Vertical	273	1.98	-	34.33	7.20	35.34
PK	5.36G	58.67	74.00	-15.33	52.29	3	Vertical	273	1.98	-	34.52	7.20	35.34
AV	5.3882G	46.12	54.00	-7.88	39.69	3	Vertical	273	1.98	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.09G	58.05	74.00	-15.95	52.36	3	Horizontal	338	2.23	-	33.88	7.14	35.33
AV	5.15G	45.41	54.00	-8.59	39.58	3	Horizontal	338	2.23	-	34.00	7.17	35.34
PK	5.234G	117.32	Inf	-Inf	111.12	3	Horizontal	338	2.23	-	34.34	7.20	35.34
AV	5.2334G	104.26	Inf	-Inf	98.07	3	Horizontal	338	2.23	-	34.33	7.20	35.34
PK	5.375G	59.11	74.00	-14.89	52.70	3	Horizontal	338	2.23	-	34.55	7.20	35.34
AV	5.384G	46.02	54.00	-7.98	39.60	3	Horizontal	338	2.23	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6982G	59.33	74.00	-14.67	44.11	3	Vertical	264	2.60	-	37.51	13.25	35.54
AV	15.7156G	46.38	54.00	-7.62	31.11	3	Vertical	264	2.60	-	37.56	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7214G	59.98	74.00	-14.02	44.69	3	Horizontal	55	2.11	-	37.59	13.26	35.56
AV	15.7184G	46.26	54.00	-7.74	30.98	3	Horizontal	55	2.11	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	57.86	74.00	-16.14	52.05	3	Vertical	287	1.08	-	33.98	7.17	35.34
AV	5.1484G	45.39	54.00	-8.61	39.56	3	Vertical	287	1.08	-	34.00	7.17	35.34
PK	5.2666G	115.86	Inf	-Inf	109.57	3	Vertical	287	1.08	-	34.43	7.20	35.34
AV	5.266G	104.02	Inf	-Inf	97.73	3	Vertical	287	1.08	-	34.43	7.20	35.34
PK	5.3794G	58.89	74.00	-15.11	52.48	3	Vertical	287	1.08	-	34.56	7.20	35.35
AV	5.3854G	46.16	54.00	-7.84	39.74	3	Vertical	287	1.08	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.63	74.00	-16.37	51.82	3	Horizontal	337	2.21	-	33.98	7.17	35.34
AV	5.1382G	45.36	54.00	-8.64	39.55	3	Horizontal	337	2.21	-	33.98	7.17	35.34
PK	5.266G	115.15	Inf	-Inf	108.86	3	Horizontal	337	2.21	-	34.43	7.20	35.34
AV	5.266G	103.15	Inf	-Inf	96.86	3	Horizontal	337	2.21	-	34.43	7.20	35.34
PK	5.4022G	59.50	74.00	-14.50	53.05	3	Horizontal	337	2.21	-	34.60	7.20	35.35
AV	5.3968G	46.09	54.00	-7.91	39.65	3	Horizontal	337	2.21	-	34.59	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7158G	59.66	74.00	-14.34	44.39	3	Vertical	288	1.42	-	37.56	13.26	35.55
AV	15.7004G	46.45	54.00	-7.55	31.24	3	Vertical	288	1.42	-	37.50	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7744G	60.14	74.00	-13.86	44.65	3	Horizontal	176	1.80	-	37.80	13.29	35.60
AV	15.791G	46.46	54.00	-7.54	30.91	3	Horizontal	176	1.80	-	37.86	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	116.84	Inf	-Inf	110.48	3	Vertical	275	1.00	-	34.50	7.20	35.34
AV	5.306G	104.96	Inf	-Inf	98.60	3	Vertical	275	1.00	-	34.50	7.20	35.34
PK	5.364G	62.38	74.00	-11.62	55.99	3	Vertical	275	1.00	-	34.53	7.20	35.34
AV	5.35G	46.52	54.00	-7.48	40.16	3	Vertical	275	1.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	115.72	Inf	-Inf	109.36	3	Horizontal	343	1.97	-	34.50	7.20	35.34
AV	5.306G	103.88	Inf	-Inf	97.52	3	Horizontal	343	1.97	-	34.50	7.20	35.34
PK	5.35G	60.03	74.00	-13.97	53.67	3	Horizontal	343	1.97	-	34.50	7.20	35.34
AV	5.35G	46.43	54.00	-7.57	40.07	3	Horizontal	343	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6126G	58.31	74.00	-15.69	44.86	3	Vertical	287	1.80	-	38.23	10.59	35.37
AV	10.6138G	45.00	54.00	-9.00	31.55	3	Vertical	287	1.80	-	38.23	10.59	35.37
PK	15.8394G	59.87	74.00	-14.13	44.43	3	Vertical	168	1.80	-	37.78	13.32	35.66
AV	15.821G	47.25	54.00	-6.75	31.74	3	Vertical	168	1.80	-	37.84	13.31	35.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6138G	56.46	74.00	-17.54	43.01	3	Horizontal	235	1.80	-	38.23	10.59	35.37
AV	10.6138G	43.57	54.00	-10.43	30.12	3	Horizontal	235	1.80	-	38.23	10.59	35.37
PK	15.921G	60.86	74.00	-13.14	45.66	3	Horizontal	176	1.80	-	37.56	13.36	35.72
AV	15.9213G	48.36	54.00	-5.64	33.16	3	Horizontal	176	1.80	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	115.52	Inf	-Inf	109.16	3	Vertical	276	1.94	-	34.50	7.20	35.34
AV	5.326G	103.52	Inf	-Inf	97.16	3	Vertical	276	1.94	-	34.50	7.20	35.34
PK	5.356G	72.47	74.00	-1.53	66.10	3	Vertical	276	1.94	-	34.51	7.20	35.34
AV	5.356G	51.03	54.00	-2.97	44.66	3	Vertical	276	1.94	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	114.19	Inf	-Inf	107.83	3	Horizontal	352	1.94	-	34.50	7.20	35.34
AV	5.326G	102.19	Inf	-Inf	95.83	3	Horizontal	352	1.94	-	34.50	7.20	35.34
PK	5.356G	71.38	74.00	-2.62	65.01	3	Horizontal	352	1.94	-	34.51	7.20	35.34
AV	5.356G	49.98	54.00	-4.02	43.61	3	Horizontal	352	1.94	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6514G	55.29	74.00	-18.71	41.73	3	Vertical	343	1.14	-	38.30	10.60	35.34
AV	10.6541G	42.44	54.00	-11.56	28.87	3	Vertical	343	1.14	-	38.31	10.60	35.34
PK	15.9555G	59.14	74.00	-14.86	44.02	3	Vertical	87	1.30	-	37.49	13.38	35.75
AV	15.8874G	46.31	54.00	-7.69	31.03	3	Vertical	87	1.30	-	37.64	13.34	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5674G	54.27	68.20	-13.93	40.89	3	Horizontal	225	2.39	-	38.20	10.59	35.41
AV	10.5538G	41.58	Inf	-Inf	28.22	3	Horizontal	225	2.39	-	38.20	10.58	35.42
PK	15.9033G	59.31	74.00	-14.69	44.08	3	Horizontal	99	2.88	-	37.59	13.35	35.71
AV	15.8916G	46.35	54.00	-7.65	31.07	3	Horizontal	99	2.88	-	37.63	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.30	74.00	-8.70	58.87	3	Vertical	280	1.96	-	34.52	7.26	35.35
AV	5.46G	46.93	54.00	-7.07	40.50	3	Vertical	280	1.96	-	34.52	7.26	35.35
PK	5.4612G	65.93	68.20	-2.27	59.50	3	Vertical	280	1.96	-	34.52	7.26	35.35
PK	5.494G	116.88	Inf	-Inf	110.35	3	Vertical	280	1.96	-	34.59	7.29	35.35
AV	5.4936G	103.27	Inf	-Inf	96.74	3	Vertical	280	1.96	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.57	74.00	-8.43	59.14	3	Horizontal	360	2.08	-	34.52	7.26	35.35
AV	5.46G	46.90	54.00	-7.10	40.47	3	Horizontal	360	2.08	-	34.52	7.26	35.35
PK	5.462G	66.20	68.20	-2.00	59.77	3	Horizontal	360	2.08	-	34.52	7.26	35.35
PK	5.494G	116.48	Inf	-Inf	109.95	3	Horizontal	360	2.08	-	34.59	7.29	35.35
AV	5.4936G	102.61	Inf	-Inf	96.08	3	Horizontal	360	2.08	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9865G	57.39	74.00	-16.61	43.40	3	Vertical	176	1.12	-	38.39	10.65	35.05
AV	10.9862G	45.72	54.00	-8.28	31.73	3	Vertical	176	1.12	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9862G	57.89	74.00	-16.11	43.90	3	Horizontal	155	1.01	-	38.39	10.65	35.05
AV	10.9862G	45.30	54.00	-8.70	31.31	3	Horizontal	155	1.01	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.396G	59.88	74.00	-14.12	53.44	3	Vertical	270	1.00	-	34.59	7.20	35.35
AV	5.4136G	46.66	54.00	-7.34	40.23	3	Vertical	270	1.00	-	34.57	7.21	35.35
PK	5.4672G	58.46	68.20	-9.74	52.01	3	Vertical	270	1.00	-	34.53	7.27	35.35
PK	5.5744G	118.49	Inf	-Inf	111.91	3	Vertical	270	1.00	-	34.60	7.37	35.39
AV	5.5736G	105.42	Inf	-Inf	98.84	3	Vertical	270	1.00	-	34.60	7.37	35.39
PK	5.7272G	58.67	68.20	-9.53	52.48	3	Vertical	270	1.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	58.52	74.00	-15.48	52.09	3	Horizontal	341	1.83	-	34.55	7.23	35.35
AV	5.4128G	46.57	54.00	-7.43	40.14	3	Horizontal	341	1.83	-	34.57	7.21	35.35
PK	5.4648G	58.33	68.20	-9.87	51.89	3	Horizontal	341	1.83	-	34.53	7.26	35.35
PK	5.5744G	118.19	Inf	-Inf	111.61	3	Horizontal	341	1.83	-	34.60	7.37	35.39
AV	5.5736G	105.01	Inf	-Inf	98.43	3	Horizontal	341	1.83	-	34.60	7.37	35.39
PK	5.7704G	59.25	68.20	-8.95	53.14	3	Horizontal	341	1.83	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1459G	59.60	74.00	-14.40	45.58	3	Vertical	278	1.78	-	38.55	10.67	35.20
AV	11.1462G	46.22	54.00	-7.78	32.20	3	Vertical	278	1.78	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	60.89	74.00	-13.11	46.87	3	Horizontal	254	1.80	-	38.55	10.67	35.20
AV	11.1462G	48.28	54.00	-5.72	34.26	3	Horizontal	254	1.80	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.71	Inf	-Inf	107.47	3	Vertical	321	2.00	-	34.29	7.40	35.45
AV	5.706G	101.55	Inf	-Inf	95.31	3	Vertical	321	2.00	-	34.29	7.40	35.45
PK	5.7252G	68.15	68.20	-0.05	61.96	3	Vertical	321	2.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	114.53	Inf	-Inf	108.29	3	Horizontal	2	1.96	-	34.29	7.40	35.45
AV	5.7058G	102.59	Inf	-Inf	96.35	3	Horizontal	2	1.96	-	34.29	7.40	35.45
PK	5.725G	67.44	68.20	-0.76	61.25	3	Horizontal	2	1.96	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4135G	62.08	74.00	-11.92	48.04	3	Vertical	212	1.91	-	38.83	10.71	35.50
AV	11.4144G	49.41	54.00	-4.59	35.37	3	Vertical	212	1.91	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4135G	60.48	74.00	-13.52	46.44	3	Horizontal	81	1.51	-	38.83	10.71	35.50
AV	11.4141G	47.86	54.00	-6.14	33.82	3	Horizontal	81	1.51	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.419G	58.86	74.00	-15.14	52.43	3	Vertical	321	1.99	-	34.56	7.22	35.35
AV	5.3994G	46.13	54.00	-7.87	39.68	3	Vertical	321	1.99	-	34.60	7.20	35.35
PK	5.4694G	58.29	68.20	-9.91	51.83	3	Vertical	321	1.99	-	34.54	7.27	35.35
PK	5.727G	117.39	Inf	-Inf	111.20	3	Vertical	321	1.99	-	34.25	7.40	35.46
AV	5.7256G	105.61	Inf	-Inf	99.42	3	Vertical	321	1.99	-	34.25	7.40	35.46
PK	5.972G	58.58	68.20	-9.62	51.80	3	Vertical	321	1.99	-	34.80	7.57	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3896G	58.77	74.00	-15.23	52.34	3	Horizontal	2	2.02	-	34.58	7.20	35.35
AV	5.3924G	46.05	54.00	-7.95	39.62	3	Horizontal	2	2.02	-	34.58	7.20	35.35
PK	5.4666G	57.41	68.20	-10.79	50.96	3	Horizontal	2	2.02	-	34.53	7.27	35.35
PK	5.727G	117.95	Inf	-Inf	111.76	3	Horizontal	2	2.02	-	34.25	7.40	35.46
AV	5.7256G	106.23	Inf	-Inf	100.04	3	Horizontal	2	2.02	-	34.25	7.40	35.46
PK	5.909G	59.71	68.20	-8.49	53.11	3	Horizontal	2	2.02	-	34.64	7.51	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4538G	61.99	74.00	-12.01	47.91	3	Vertical	158	2.80	-	38.91	10.72	35.55
AV	11.4541G	49.99	54.00	-4.01	35.91	3	Vertical	158	2.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4538G	62.12	74.00	-11.88	48.04	3	Horizontal	129	2.10	-	38.91	10.72	35.55
AV	11.4541G	49.69	54.00	-4.31	35.61	3	Horizontal	129	2.10	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.98	68.20	-9.22	52.40	3	Vertical	270	2.01	-	34.58	7.40	35.40
PK	5.739G	117.82	Inf	-Inf	111.67	3	Vertical	270	2.01	-	34.22	7.40	35.47
AV	5.739G	104.51	Inf	-Inf	98.36	3	Vertical	270	2.01	-	34.22	7.40	35.47
PK	5.995G	58.76	68.20	-9.44	51.97	3	Vertical	270	2.01	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	59.47	68.20	-8.73	52.87	3	Horizontal	4	2.03	-	34.60	7.40	35.40
PK	5.739G	118.80	Inf	-Inf	112.65	3	Horizontal	4	2.03	-	34.22	7.40	35.47
AV	5.739G	105.50	Inf	-Inf	99.35	3	Horizontal	4	2.03	-	34.22	7.40	35.47
PK	5.994G	59.43	68.20	-8.77	52.64	3	Horizontal	4	2.03	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4756G	62.57	74.00	-11.43	48.47	3	Vertical	157	2.79	-	38.95	10.72	35.57
AV	11.4762G	50.13	54.00	-3.87	36.03	3	Vertical	157	2.79	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4762G	62.52	74.00	-11.48	48.42	3	Horizontal	129	2.09	-	38.95	10.72	35.57
AV	11.4762G	50.22	54.00	-3.78	36.12	3	Horizontal	129	2.09	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.70	68.20	-9.50	52.14	3	Vertical	322	2.05	-	34.57	7.40	35.41
PK	5.779G	118.39	Inf	-Inf	112.28	3	Vertical	322	2.05	-	34.20	7.40	35.49
AV	5.779G	105.21	Inf	-Inf	99.10	3	Vertical	322	2.05	-	34.20	7.40	35.49
PK	5.972G	60.33	68.20	-7.87	53.55	3	Vertical	322	2.05	-	34.80	7.57	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	59.02	68.20	-9.18	52.47	3	Horizontal	3	2.00	-	34.56	7.40	35.41
PK	5.779G	118.80	Inf	-Inf	112.69	3	Horizontal	3	2.00	-	34.20	7.40	35.49
AV	5.779G	105.59	Inf	-Inf	99.48	3	Horizontal	3	2.00	-	34.20	7.40	35.49
PK	6.017G	59.58	68.20	-8.62	52.73	3	Horizontal	3	2.00	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5562G	61.60	74.00	-12.40	47.24	3	Vertical	154	1.80	-	39.22	10.73	35.59
AV	11.5562G	48.47	54.00	-5.53	34.11	3	Vertical	154	1.80	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5562G	63.27	74.00	-10.73	48.91	3	Horizontal	184	2.02	-	39.22	10.73	35.59
AV	11.5562G	50.28	54.00	-3.72	35.92	3	Horizontal	184	2.02	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	60.11	68.20	-8.09	53.62	3	Vertical	261	1.91	-	34.51	7.40	35.42	
PK	5.831G	115.81	Inf	-Inf	109.64	3	Vertical	261	1.91	-	34.26	7.43	35.52	
AV	5.831G	104.13	Inf	-Inf	97.96	3	Vertical	261	1.91	-	34.26	7.43	35.52	
PK	5.969G	60.04	68.20	-8.16	53.25	3	Vertical	261	1.91	-	34.80	7.57	35.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.622G	58.95	68.20	-9.25	52.40	3	Horizontal	8	1.99	-	34.56	7.40	35.41	
PK	5.831G	116.41	Inf	-Inf	110.24	3	Horizontal	8	1.99	-	34.26	7.43	35.52	
AV	5.831G	104.54	Inf	-Inf	98.37	3	Horizontal	8	1.99	-	34.26	7.43	35.52	
PK	5.944G	59.78	68.20	-8.42	53.03	3	Horizontal	8	1.99	-	34.78	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6653G	65.12	74.00	-8.88	50.53	3	Vertical	168	3.00	-	39.40	10.75	35.56
AV	11.6641G	52.88	54.00	-1.12	38.29	3	Vertical	168	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6653G	62.06	74.00	-11.94	47.47	3	Horizontal	192	1.98	-	39.40	10.75	35.56
AV	11.6641G	50.09	54.00	-3.91	35.50	3	Horizontal	192	1.98	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 1 (1TX)


Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.725G	67.77	68.20	-0.43	3	Vertical	214	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.62	74.00	-1.38	66.79	3	Vertical	215	1.80	-	34.00	7.17	35.34
AV	5.15G	50.23	54.00	-3.77	44.40	3	Vertical	215	1.80	-	34.00	7.17	35.34
PK	5.1776G	116.44	Inf	-Inf	110.48	3	Vertical	215	1.80	-	34.11	7.19	35.34
AV	5.1776G	104.44	Inf	-Inf	98.48	3	Vertical	215	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.12	74.00	-2.88	65.29	3	Horizontal	221	2.78	-	34.00	7.17	35.34
AV	5.15G	48.40	54.00	-5.60	42.57	3	Horizontal	221	2.78	-	34.00	7.17	35.34
PK	5.1768G	113.49	Inf	-Inf	107.53	3	Horizontal	221	2.78	-	34.11	7.19	35.34
AV	5.1776G	101.53	Inf	-Inf	95.57	3	Horizontal	221	2.78	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53676G	58.22	74.00	-15.78	42.01	3	Vertical	35	1.85	-	38.44	13.17	35.40
AV	15.52704G	44.73	54.00	-9.27	28.45	3	Vertical	35	1.85	-	38.51	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.52728G	58.61	74.00	-15.39	42.33	3	Horizontal	75	1.17	-	38.51	13.16	35.39
AV	15.525G	44.70	54.00	-9.30	28.40	3	Horizontal	75	1.17	-	38.53	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.68	74.00	-12.32	55.85	3	Vertical	217	1.72	-	34.00	7.17	35.34
AV	5.1496G	45.82	54.00	-8.18	39.99	3	Vertical	217	1.72	-	34.00	7.17	35.34
PK	5.1984G	118.38	Inf	-Inf	112.33	3	Vertical	217	1.72	-	34.19	7.20	35.34
AV	5.1976G	106.71	Inf	-Inf	100.66	3	Vertical	217	1.72	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.21	74.00	-14.79	53.38	3	Horizontal	223	2.52	-	34.00	7.17	35.34
AV	5.15G	45.20	54.00	-8.80	39.37	3	Horizontal	223	2.52	-	34.00	7.17	35.34
PK	5.1984G	115.65	Inf	-Inf	109.60	3	Horizontal	223	2.52	-	34.19	7.20	35.34
AV	5.1976G	104.02	Inf	-Inf	97.97	3	Horizontal	223	2.52	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58542G	62.20	74.00	-11.80	46.35	3	Vertical	159	2.42	-	38.10	13.19	35.44
AV	15.58752G	48.63	54.00	-5.37	32.79	3	Vertical	159	2.42	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59004G	60.96	74.00	-13.04	45.14	3	Horizontal	186	1.86	-	38.07	13.20	35.45
AV	15.58746G	47.17	54.00	-6.83	31.33	3	Horizontal	186	1.86	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	57.91	74.00	-16.09	52.21	3	Vertical	217	1.97	-	33.88	7.15	35.33
AV	5.15G	44.96	54.00	-9.04	39.13	3	Vertical	217	1.97	-	34.00	7.17	35.34
PK	5.2382G	118.28	Inf	-Inf	112.07	3	Vertical	217	1.97	-	34.35	7.20	35.34
AV	5.2376G	106.72	Inf	-Inf	100.51	3	Vertical	217	1.97	-	34.35	7.20	35.34
PK	5.3606G	58.36	74.00	-15.64	51.98	3	Vertical	217	1.97	-	34.52	7.20	35.34
AV	5.3792G	45.41	54.00	-8.59	39.00	3	Vertical	217	1.97	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	57.94	74.00	-16.06	52.16	3	Horizontal	224	2.60	-	33.95	7.16	35.33
AV	5.0966G	44.94	54.00	-9.06	39.23	3	Horizontal	224	2.60	-	33.89	7.15	35.33
PK	5.2382G	115.76	Inf	-Inf	109.55	3	Horizontal	224	2.60	-	34.35	7.20	35.34
AV	5.2376G	104.41	Inf	-Inf	98.20	3	Horizontal	224	2.60	-	34.35	7.20	35.34
PK	5.384G	59.49	74.00	-14.51	53.07	3	Horizontal	224	2.60	-	34.57	7.20	35.35
AV	5.3708G	45.39	54.00	-8.61	38.99	3	Horizontal	224	2.60	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72006G	60.69	74.00	-13.31	45.40	3	Vertical	167	2.02	-	37.58	13.26	35.55
AV	15.70764G	47.07	54.00	-6.93	31.83	3	Vertical	167	2.02	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7086G	59.89	74.00	-14.11	44.66	3	Horizontal	290	1.80	-	37.53	13.25	35.55
AV	15.7074G	46.15	54.00	-7.85	30.91	3	Horizontal	290	1.80	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.79	74.00	-16.21	51.97	3	Vertical	215	1.85	-	33.99	7.17	35.34
AV	5.11G	44.89	54.00	-9.11	39.14	3	Vertical	215	1.85	-	33.92	7.16	35.33
PK	5.2624G	117.90	Inf	-Inf	111.62	3	Vertical	215	1.85	-	34.42	7.20	35.34
AV	5.2618G	105.72	Inf	-Inf	99.44	3	Vertical	215	1.85	-	34.42	7.20	35.34
PK	5.3764G	58.04	74.00	-15.96	51.64	3	Vertical	215	1.85	-	34.55	7.20	35.35
AV	5.3692G	45.49	54.00	-8.51	39.09	3	Vertical	215	1.85	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	57.99	74.00	-16.01	52.18	3	Horizontal	219	2.84	-	33.98	7.17	35.34
AV	5.11G	44.87	54.00	-9.13	39.12	3	Horizontal	219	2.84	-	33.92	7.16	35.33
PK	5.2624G	115.60	Inf	-Inf	109.32	3	Horizontal	219	2.84	-	34.42	7.20	35.34
AV	5.2624G	103.49	Inf	-Inf	97.21	3	Horizontal	219	2.84	-	34.42	7.20	35.34
PK	5.4004G	58.71	74.00	-15.29	52.26	3	Horizontal	219	2.84	-	34.60	7.20	35.35
AV	5.3668G	45.40	54.00	-8.60	39.01	3	Horizontal	219	2.84	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.79032G	61.15	74.00	-12.85	45.60	3	Vertical	170	2.07	-	37.86	13.30	35.61	
AV	15.7935G	47.01	54.00	-6.99	31.46	3	Vertical	170	2.07	-	37.87	13.30	35.62	