


802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15256G	56.43	74.00	-17.57	42.42	3	Horizontal	231	2.17	-	38.55	10.67	35.21
AV	11.15118G	42.65	54.00	-11.35	28.64	3	Horizontal	231	2.17	-	38.55	10.67	35.21
PK	16.7328G	61.73	68.20	-6.47	44.02	3	Horizontal	91	1.80	-	38.93	13.91	35.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	115.85	Inf	-Inf	109.61	3	Vertical	80	1.86	-	34.29	7.40	35.45
AV	5.702G	103.55	Inf	-Inf	97.30	3	Vertical	80	1.86	-	34.30	7.40	35.45
PK	5.7264G	67.99	68.20	-0.21	61.80	3	Vertical	80	1.86	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41302G	55.87	74.00	-18.13	41.83	3	Vertical	135	2.86	-	38.83	10.71	35.50
AV	11.3997G	42.29	54.00	-11.71	28.27	3	Vertical	135	2.86	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3979G	55.98	74.00	-18.02	41.96	3	Horizontal	60	2.24	-	38.80	10.71	35.49
AV	11.39388G	42.30	54.00	-11.70	28.28	3	Horizontal	60	2.24	-	38.79	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3826G	59.20	74.00	-14.80	52.78	3	Vertical	64	1.87	-	34.57	7.20	35.35
AV	5.3952G	46.39	54.00	-7.61	39.95	3	Vertical	64	1.87	-	34.59	7.20	35.35
PK	5.4638G	58.19	68.20	-10.01	51.75	3	Vertical	64	1.87	-	34.53	7.26	35.35
PK	5.7228G	105.77	Inf	-Inf	99.58	3	Vertical	64	1.87	-	34.25	7.40	35.46
AV	5.7214G	94.72	Inf	-Inf	88.52	3	Vertical	64	1.87	-	34.26	7.40	35.46
PK	5.9496G	59.72	68.20	-8.48	52.94	3	Vertical	64	1.87	-	34.80	7.55	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.451G	65.41	74.00	-8.59	51.34	3	Vertical	173	2.79	-	38.90	10.72	35.55
AV	11.4484G	51.35	54.00	-2.65	37.27	3	Vertical	173	2.79	-	38.90	10.72	35.54
PK	17.16G	64.92	68.20	-3.28	45.15	3	Vertical	116	1.80	-	40.44	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4444G	61.66	74.00	-12.34	47.59	3	Horizontal	228	2.11	-	38.89	10.72	35.54
AV	11.4484G	48.51	54.00	-5.49	34.43	3	Horizontal	228	2.11	-	38.90	10.72	35.54
PK	17.1848G	64.32	68.20	-3.88	44.43	3	Horizontal	360	1.80	-	40.54	14.23	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5757G	60.08	68.20	-8.12	53.49	3	Vertical	63	1.86	-	34.60	7.38	35.39
PK	5.7421G	106.66	Inf	-Inf	100.51	3	Vertical	63	1.86	-	34.22	7.40	35.47
AV	5.7429G	94.73	Inf	-Inf	88.59	3	Vertical	63	1.86	-	34.21	7.40	35.47
PK	5.9389G	59.35	68.20	-8.85	52.62	3	Vertical	63	1.86	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4792G	64.86	74.00	-9.14	50.76	3	Vertical	178	2.76	-	38.96	10.72	35.58
AV	11.4812G	52.59	54.00	-1.41	38.49	3	Vertical	178	2.76	-	38.96	10.72	35.58
PK	17.2448G	63.82	68.20	-4.38	43.56	3	Vertical	146	1.35	-	40.87	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.481G	62.48	74.00	-11.52	48.38	3	Horizontal	186	2.11	-	38.96	10.72	35.58
AV	11.4814G	49.90	54.00	-4.10	35.80	3	Horizontal	186	2.11	-	38.96	10.72	35.58
PK	17.2754G	63.91	68.20	-4.29	43.46	3	Horizontal	150	1.80	-	41.05	14.29	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	59.00	68.20	-9.20	52.42	3	Vertical	63	1.80	-	34.60	7.36	35.38
PK	5.782G	105.37	Inf	-Inf	99.26	3	Vertical	63	1.80	-	34.20	7.40	35.49
AV	5.783G	93.44	Inf	-Inf	87.33	3	Vertical	63	1.80	-	34.20	7.40	35.49
PK	6.014G	59.12	68.20	-9.08	52.27	3	Vertical	63	1.80	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 19.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5612G	65.87	74.00	-8.13	51.49	3	Vertical	173	3.00	-	39.24	10.73	35.59
AV	11.5612G	53.84	54.00	-0.16	39.46	3	Vertical	173	3.00	-	39.24	10.73	35.59
PK	17.3378G	59.32	68.20	-8.88	38.52	3	Vertical	81	2.98	-	41.35	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5622G	62.08	74.00	-11.92	47.69	3	Horizontal	186	2.16	-	39.25	10.73	35.59
AV	11.5612G	49.80	54.00	-4.20	35.42	3	Horizontal	186	2.16	-	39.24	10.73	35.59
PK	17.3824G	64.46	68.20	-3.74	43.46	3	Horizontal	360	1.69	-	41.53	14.37	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.60028G	59.52	68.20	-8.68	52.92	3	Vertical	64	1.80	-	34.60	7.40	35.40
PK	5.82828G	104.40	Inf	-Inf	98.22	3	Vertical	64	1.80	-	34.26	7.43	35.51
AV	5.82728G	92.55	Inf	-Inf	86.38	3	Vertical	64	1.80	-	34.25	7.43	35.51
PK	6.06228G	61.06	68.20	-7.14	54.09	3	Vertical	64	1.80	-	34.92	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6562G	66.73	74.00	-7.27	52.15	3	Vertical	171	2.70	-	39.40	10.75	35.57
AV	11.6562G	53.77	54.00	-0.23	39.19	3	Vertical	171	2.70	-	39.40	10.75	35.57
PK	17.4818G	66.23	68.20	-1.97	44.36	3	Vertical	0	2.15	-	42.34	14.44	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6564G	60.57	74.00	-13.43	45.99	3	Horizontal	155	2.06	-	39.40	10.75	35.57
AV	11.6562G	46.68	54.00	-7.32	32.10	3	Horizontal	155	2.06	-	39.40	10.75	35.57
PK	17.5062G	65.61	68.20	-2.59	43.51	3	Horizontal	64	1.80	-	42.56	14.45	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 26_Ant. 1 (2TX)


Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.5528G	53.95	54.00	-0.05	3	Vertical	177	2.94	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	72.89	74.00	-1.11	67.08	3	Vertical	210	1.80	-	33.98	7.17	35.34
AV	5.1378G	49.44	54.00	-4.56	43.63	3	Vertical	210	1.80	-	33.98	7.17	35.34
PK	5.1718G	121.09	Inf	-Inf	115.15	3	Vertical	210	1.80	-	34.09	7.19	35.34
AV	5.1716G	109.23	Inf	-Inf	103.29	3	Vertical	210	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1382G	71.58	74.00	-2.42	65.77	3	Horizontal	207	1.81	-	33.98	7.17	35.34	
AV	5.1378G	48.76	54.00	-5.24	42.95	3	Horizontal	207	1.81	-	33.98	7.17	35.34	
PK	5.1718G	119.88	Inf	-Inf	113.94	3	Horizontal	207	1.81	-	34.09	7.19	35.34	
AV	5.1718G	107.89	Inf	-Inf	101.95	3	Horizontal	207	1.81	-	34.09	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.516G	63.17	74.00	-10.83	46.80	3	Vertical	155	2.06	-	38.59	13.16	35.38
AV	15.5146G	48.31	54.00	-5.69	31.93	3	Vertical	155	2.06	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5142G	60.76	74.00	-13.24	44.38	3	Horizontal	71	2.88	-	38.60	13.16	35.38
AV	15.5142G	46.32	54.00	-7.68	29.94	3	Horizontal	71	2.88	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	58.83	74.00	-15.17	53.01	3	Vertical	208	1.69	-	33.99	7.17	35.34
AV	5.15G	45.16	54.00	-8.84	39.33	3	Vertical	208	1.69	-	34.00	7.17	35.34
PK	5.192G	122.31	Inf	-Inf	116.28	3	Vertical	208	1.69	-	34.17	7.20	35.34
AV	5.1916G	110.81	Inf	-Inf	104.78	3	Vertical	208	1.69	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	59.26	74.00	-14.74	53.49	3	Horizontal	207	1.84	-	33.94	7.16	35.33
AV	5.15G	45.06	54.00	-8.94	39.23	3	Horizontal	207	1.84	-	34.00	7.17	35.34
PK	5.192G	121.58	Inf	-Inf	115.55	3	Horizontal	207	1.84	-	34.17	7.20	35.34
AV	5.192G	109.99	Inf	-Inf	103.96	3	Horizontal	207	1.84	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.575G	64.25	74.00	-9.75	48.32	3	Vertical	170	2.76	-	38.17	13.19	35.43
AV	15.575G	49.87	54.00	-4.13	33.94	3	Vertical	170	2.76	-	38.17	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5754G	61.78	74.00	-12.22	45.85	3	Horizontal	225	1.92	-	38.17	13.19	35.43	
AV	15.5754G	48.27	54.00	-5.73	32.34	3	Horizontal	225	1.92	-	38.17	13.19	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	58.60	74.00	-15.40	52.89	3	Vertical	261	1.80	-	33.89	7.15	35.33
AV	5.1032G	44.80	54.00	-9.20	39.07	3	Vertical	261	1.80	-	33.91	7.15	35.33
PK	5.2322G	121.75	Inf	-Inf	115.56	3	Vertical	261	1.80	-	34.33	7.20	35.34
AV	5.2322G	110.70	Inf	-Inf	104.51	3	Vertical	261	1.80	-	34.33	7.20	35.34
PK	5.3576G	58.66	74.00	-15.34	52.28	3	Vertical	261	1.80	-	34.52	7.20	35.34
AV	5.3774G	45.27	54.00	-8.73	38.87	3	Vertical	261	1.80	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1104G	58.30	74.00	-15.70	52.55	3	Horizontal	209	1.70	-	33.92	7.16	35.33
AV	5.0996G	44.80	54.00	-9.20	39.08	3	Horizontal	209	1.70	-	33.90	7.15	35.33
PK	5.2322G	120.57	Inf	-Inf	114.38	3	Horizontal	209	1.70	-	34.33	7.20	35.34
AV	5.2316G	109.86	Inf	-Inf	103.67	3	Horizontal	209	1.70	-	34.33	7.20	35.34
PK	5.3564G	58.79	74.00	-15.21	52.42	3	Horizontal	209	1.70	-	34.51	7.20	35.34
AV	5.3804G	45.21	54.00	-8.79	38.80	3	Horizontal	209	1.70	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6954G	61.99	74.00	-12.01	46.75	3	Vertical	152	2.09	-	37.52	13.25	35.53
AV	15.695G	48.19	54.00	-5.81	32.94	3	Vertical	152	2.09	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6954G	60.32	74.00	-13.68	45.08	3	Horizontal	280	1.80	-	37.52	13.25	35.53
AV	15.6946G	46.55	54.00	-7.45	31.30	3	Horizontal	280	1.80	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1184G	58.62	74.00	-15.38	52.85	3	Vertical	315	1.92	-	33.94	7.16	35.33
AV	5.11G	44.87	54.00	-9.13	39.12	3	Vertical	315	1.92	-	33.92	7.16	35.33
PK	5.2684G	121.17	Inf	-Inf	114.87	3	Vertical	315	1.92	-	34.44	7.20	35.34
AV	5.2678G	110.24	Inf	-Inf	103.94	3	Vertical	315	1.92	-	34.44	7.20	35.34
PK	5.3884G	59.39	74.00	-14.61	52.96	3	Vertical	315	1.92	-	34.58	7.20	35.35
AV	5.3728G	45.35	54.00	-8.65	38.94	3	Vertical	315	1.92	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	58.15	74.00	-15.85	52.39	3	Horizontal	206	1.77	-	33.93	7.16	35.33
AV	5.11G	44.92	54.00	-9.08	39.17	3	Horizontal	206	1.77	-	33.92	7.16	35.33
PK	5.2684G	118.73	Inf	-Inf	112.43	3	Horizontal	206	1.77	-	34.44	7.20	35.34
AV	5.2684G	107.01	Inf	-Inf	100.71	3	Horizontal	206	1.77	-	34.44	7.20	35.34
PK	5.3668G	58.86	74.00	-15.14	52.47	3	Horizontal	206	1.77	-	34.53	7.20	35.34
AV	5.35G	45.37	54.00	-8.63	39.01	3	Horizontal	206	1.77	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8052G	62.71	74.00	-11.29	47.16	3	Vertical	188	2.02	-	37.88	13.30	35.63
AV	15.8052G	47.34	54.00	-6.66	31.79	3	Vertical	188	2.02	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.807G	62.98	74.00	-11.02	47.43	3	Horizontal	250	1.86	-	37.88	13.30	35.63
AV	15.8056G	46.69	54.00	-7.31	31.14	3	Horizontal	250	1.86	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	122.03	Inf	-Inf	115.67	3	Vertical	312	2.01	-	34.50	7.20	35.34
AV	5.308G	111.17	Inf	-Inf	104.81	3	Vertical	312	2.01	-	34.50	7.20	35.34
PK	5.3744G	62.81	74.00	-11.19	56.40	3	Vertical	312	2.01	-	34.55	7.20	35.34
AV	5.3892G	47.62	54.00	-6.38	41.19	3	Vertical	312	2.01	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	119.49	Inf	-Inf	113.13	3	Horizontal	176	1.78	-	34.50	7.20	35.34
AV	5.3084G	108.18	Inf	-Inf	101.82	3	Horizontal	176	1.78	-	34.50	7.20	35.34
PK	5.3552G	59.98	74.00	-14.02	53.61	3	Horizontal	176	1.78	-	34.51	7.20	35.34
AV	5.35G	45.75	54.00	-8.25	39.39	3	Horizontal	176	1.78	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6166G	57.84	74.00	-16.16	44.39	3	Vertical	223	1.64	-	38.23	10.59	35.37
AV	10.6168G	44.76	54.00	-9.24	31.31	3	Vertical	223	1.64	-	38.23	10.59	35.37
PK	15.9268G	60.76	74.00	-13.24	45.58	3	Vertical	208	2.96	-	37.55	13.36	35.73
AV	15.9248G	46.89	54.00	-7.11	31.71	3	Vertical	208	2.96	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.617G	59.34	74.00	-14.66	45.89	3	Horizontal	204	1.80	-	38.23	10.59	35.37
AV	10.6168G	45.75	54.00	-8.25	32.30	3	Horizontal	204	1.80	-	38.23	10.59	35.37
PK	15.9252G	59.54	74.00	-14.46	44.36	3	Horizontal	151	1.80	-	37.55	13.36	35.73
AV	15.925G	46.29	54.00	-7.71	31.11	3	Horizontal	151	1.80	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	120.72	Inf	-Inf	114.36	3	Vertical	313	2.43	-	34.50	7.20	35.34
AV	5.328G	109.46	Inf	-Inf	103.10	3	Vertical	313	2.43	-	34.50	7.20	35.34
PK	5.3614G	72.49	74.00	-1.51	66.11	3	Vertical	313	2.43	-	34.52	7.20	35.34
AV	5.362G	47.83	54.00	-6.17	41.45	3	Vertical	313	2.43	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.328G	118.54	Inf	-Inf	112.18	3	Horizontal	209	1.80	-	34.50	7.20	35.34	
AV	5.328G	107.39	Inf	-Inf	101.03	3	Horizontal	209	1.80	-	34.50	7.20	35.34	
PK	5.3612G	71.73	74.00	-2.27	65.35	3	Horizontal	209	1.80	-	34.52	7.20	35.34	
AV	5.3618G	47.13	54.00	-6.87	40.75	3	Horizontal	209	1.80	-	34.52	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6562G	53.33	74.00	-20.67	39.76	3	Vertical	261	2.91	-	38.31	10.60	35.34	
AV	10.6566G	40.05	54.00	-13.95	26.48	3	Vertical	261	2.91	-	38.31	10.60	35.34	
PK	15.9908G	57.15	74.00	-16.85	42.11	3	Vertical	163	2.12	-	37.42	13.40	35.78	
AV	15.9504G	44.28	54.00	-9.72	29.15	3	Vertical	163	2.12	-	37.50	13.38	35.75	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6718G	53.13	74.00	-20.87	39.51	3	Horizontal	198	1.76	-	38.34	10.60	35.32
AV	10.6572G	40.48	54.00	-13.52	26.90	3	Horizontal	198	1.76	-	38.31	10.60	35.33
PK	15.9814G	56.99	74.00	-17.01	41.93	3	Horizontal	349	1.77	-	37.44	13.39	35.77
AV	15.9122G	44.33	54.00	-9.67	29.11	3	Horizontal	349	1.77	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	73.45	74.00	-0.55	67.02	3	Vertical	227	1.80	-	34.52	7.26	35.35
AV	5.4584G	47.59	54.00	-6.41	41.16	3	Vertical	227	1.80	-	34.52	7.26	35.35
PK	5.4604G	67.78	68.20	-0.42	61.35	3	Vertical	227	1.80	-	34.52	7.26	35.35
PK	5.4924G	120.53	Inf	-Inf	114.01	3	Vertical	227	1.80	-	34.58	7.29	35.35
AV	5.492G	109.34	Inf	-Inf	102.82	3	Vertical	227	1.80	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	71.20	74.00	-2.80	64.77	3	Horizontal	202	1.80	-	34.52	7.26	35.35
AV	5.4572G	46.79	54.00	-7.21	40.37	3	Horizontal	202	1.80	-	34.51	7.26	35.35
PK	5.4604G	66.74	68.20	-1.46	60.31	3	Horizontal	202	1.80	-	34.52	7.26	35.35
PK	5.4924G	120.30	Inf	-Inf	113.78	3	Horizontal	202	1.80	-	34.58	7.29	35.35
AV	5.492G	108.71	Inf	-Inf	102.19	3	Horizontal	202	1.80	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9828G	56.88	74.00	-17.12	42.90	3	Vertical	146	1.38	-	38.38	10.65	35.05
AV	10.983G	43.14	54.00	-10.86	29.16	3	Vertical	146	1.38	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9824G	57.02	74.00	-16.98	43.05	3	Horizontal	264	2.93	-	38.38	10.65	35.06
AV	10.9826G	44.50	54.00	-9.50	30.52	3	Horizontal	264	2.93	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	60.38	74.00	-13.62	53.94	3	Vertical	228	1.80	-	34.58	7.21	35.35
AV	5.4112G	48.19	54.00	-5.81	41.75	3	Vertical	228	1.80	-	34.58	7.21	35.35
PK	5.4664G	57.96	68.20	-10.24	51.51	3	Vertical	228	1.80	-	34.53	7.27	35.35
PK	5.5728G	122.60	Inf	-Inf	116.02	3	Vertical	228	1.80	-	34.60	7.37	35.39
AV	5.5712G	111.02	Inf	-Inf	104.44	3	Vertical	228	1.80	-	34.60	7.37	35.39
PK	5.7688G	65.90	68.20	-2.30	59.78	3	Vertical	228	1.80	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	59.71	74.00	-14.29	53.29	3	Horizontal	199	1.80	-	34.57	7.20	35.35
AV	5.4112G	47.35	54.00	-6.65	40.91	3	Horizontal	199	1.80	-	34.58	7.21	35.35
PK	5.4632G	59.26	68.20	-8.94	52.82	3	Horizontal	199	1.80	-	34.53	7.26	35.35
PK	5.5728G	121.54	Inf	-Inf	114.96	3	Horizontal	199	1.80	-	34.60	7.37	35.39
AV	5.572G	110.87	Inf	-Inf	104.29	3	Horizontal	199	1.80	-	34.60	7.37	35.39
PK	5.7704G	65.25	68.20	-2.95	59.14	3	Horizontal	199	1.80	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1438G	61.16	74.00	-12.84	47.15	3	Vertical	138	1.75	-	38.54	10.67	35.20
AV	11.1434G	48.14	54.00	-5.86	34.13	3	Vertical	138	1.75	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.1428G	64.24	74.00	-9.76	50.23	3	Horizontal	195	1.80	-	38.54	10.67	35.20
AV	11.1432G	52.69	54.00	-1.31	38.68	3	Horizontal	195	1.80	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	120.25	Inf	-Inf	114.02	3	Vertical	230	1.79	-	34.28	7.40	35.45
AV	5.7082G	108.17	Inf	-Inf	101.94	3	Vertical	230	1.79	-	34.28	7.40	35.45
PK	5.7262G	67.56	68.20	-0.64	61.37	3	Vertical	230	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7086G	118.89	Inf	-Inf	112.66	3	Horizontal	187	1.80	-	34.28	7.40	35.45
AV	5.7084G	106.56	Inf	-Inf	100.33	3	Horizontal	187	1.80	-	34.28	7.40	35.45
PK	5.7262G	66.26	68.20	-1.94	60.07	3	Horizontal	187	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4172G	55.72	74.00	-18.28	41.69	3	Vertical	4	2.70	-	38.83	10.71	35.51
AV	11.4172G	42.60	54.00	-11.40	28.57	3	Vertical	4	2.70	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4174G	62.07	74.00	-11.93	48.04	3	Horizontal	140	2.03	-	38.83	10.71	35.51	
AV	11.4174G	46.65	54.00	-7.35	32.62	3	Horizontal	140	2.03	-	38.83	10.71	35.51	

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3714G	58.82	74.00	-15.18	52.42	3	Vertical	230	1.77	-	34.54	7.20	35.34
AV	5.377G	45.23	54.00	-8.77	38.83	3	Vertical	230	1.77	-	34.55	7.20	35.35
PK	5.4624G	58.62	68.20	-9.58	52.19	3	Vertical	230	1.77	-	34.52	7.26	35.35
PK	5.7284G	122.29	Inf	-Inf	116.11	3	Vertical	230	1.77	-	34.24	7.40	35.46
AV	5.7284G	112.18	Inf	-Inf	106.00	3	Vertical	230	1.77	-	34.24	7.40	35.46
PK	5.888G	59.77	68.20	-8.43	53.29	3	Vertical	230	1.77	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3826G	58.91	74.00	-15.09	52.49	3	Horizontal	201	1.80	-	34.57	7.20	35.35
AV	5.3854G	45.24	54.00	-8.76	38.82	3	Horizontal	201	1.80	-	34.57	7.20	35.35
PK	5.4652G	58.43	68.20	-9.77	51.98	3	Horizontal	201	1.80	-	34.53	7.27	35.35
PK	5.7284G	120.37	Inf	-Inf	114.19	3	Horizontal	201	1.80	-	34.24	7.40	35.46
AV	5.7284G	110.91	Inf	-Inf	104.73	3	Horizontal	201	1.80	-	34.24	7.40	35.46
PK	5.8656G	59.09	68.20	-9.11	52.76	3	Horizontal	201	1.80	-	34.39	7.47	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4574G	59.97	74.00	-14.03	45.89	3	Vertical	327	1.80	-	38.91	10.72	35.55
AV	11.4572G	46.98	54.00	-7.02	32.90	3	Vertical	327	1.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4578G	65.44	74.00	-8.56	51.35	3	Horizontal	195	1.99	-	38.92	10.72	35.55	
AV	11.4576G	51.42	54.00	-2.58	37.33	3	Horizontal	195	1.99	-	38.92	10.72	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	59.66	68.20	-8.54	53.16	3	Vertical	227	1.89	-	34.52	7.40	35.42
PK	5.737G	120.72	Inf	-Inf	114.56	3	Vertical	227	1.89	-	34.23	7.40	35.47
AV	5.737G	109.35	Inf	-Inf	103.19	3	Vertical	227	1.89	-	34.23	7.40	35.47
PK	5.938G	59.09	68.20	-9.11	52.37	3	Vertical	227	1.89	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	59.09	68.20	-9.11	52.49	3	Horizontal	201	1.80	-	34.60	7.39	35.39
PK	5.737G	119.69	Inf	-Inf	113.53	3	Horizontal	201	1.80	-	34.23	7.40	35.47
AV	5.737G	108.29	Inf	-Inf	102.13	3	Horizontal	201	1.80	-	34.23	7.40	35.47
PK	5.977G	59.27	68.20	-8.93	52.48	3	Horizontal	201	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4726G	67.12	74.00	-6.88	53.02	3	Vertical	179	2.79	-	38.95	10.72	35.57	
AV	11.4728G	53.36	54.00	-0.64	39.26	3	Vertical	179	2.79	-	38.95	10.72	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4726G	63.03	74.00	-10.97	48.93	3	Horizontal	197	1.80	-	38.95	10.72	35.57
AV	11.4728G	50.22	54.00	-3.78	36.12	3	Horizontal	197	1.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.51	68.20	-8.69	52.95	3	Vertical	228	1.76	-	34.57	7.40	35.41
PK	5.777G	121.42	Inf	-Inf	115.31	3	Vertical	228	1.76	-	34.20	7.40	35.49
AV	5.777G	110.08	Inf	-Inf	103.97	3	Vertical	228	1.76	-	34.20	7.40	35.49
PK	5.938G	60.93	68.20	-7.27	54.21	3	Vertical	228	1.76	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	58.68	68.20	-9.52	52.09	3	Horizontal	187	1.89	-	34.60	7.37	35.38
PK	5.777G	120.16	Inf	-Inf	114.05	3	Horizontal	187	1.89	-	34.20	7.40	35.49
AV	5.777G	108.51	Inf	-Inf	102.40	3	Horizontal	187	1.89	-	34.20	7.40	35.49
PK	5.979G	59.09	68.20	-9.11	52.30	3	Horizontal	187	1.89	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5544G	66.76	74.00	-7.24	52.40	3	Vertical	177	2.94	-	39.22	10.73	35.59
AV	11.5528G	53.95	54.00	-0.05	39.60	3	Vertical	177	2.94	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.553G	64.57	74.00	-9.43	50.22	3	Horizontal	194	1.95	-	39.21	10.73	35.59
AV	11.553G	52.79	54.00	-1.21	38.44	3	Horizontal	194	1.95	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	58.83	68.20	-9.37	52.29	3	Vertical	230	1.80	-	34.55	7.40	35.41
PK	5.833G	118.95	Inf	-Inf	112.77	3	Vertical	230	1.80	-	34.27	7.43	35.52
AV	5.833G	107.82	Inf	-Inf	101.64	3	Vertical	230	1.80	-	34.27	7.43	35.52
PK	5.986G	59.52	68.20	-8.68	52.72	3	Vertical	230	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.6G	59.13	68.20	-9.07	52.53	3	Horizontal	181	1.80	-	34.60	7.40	35.40	
PK	5.833G	118.06	Inf	-Inf	111.88	3	Horizontal	181	1.80	-	34.27	7.43	35.52	
AV	5.833G	106.85	Inf	-Inf	100.67	3	Horizontal	181	1.80	-	34.27	7.43	35.52	
PK	6.042G	59.84	68.20	-8.36	52.92	3	Horizontal	181	1.80	-	34.88	7.62	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6672G	67.05	74.00	-6.95	52.46	3	Vertical	177	2.75	-	39.40	10.75	35.56
AV	11.667G	53.25	54.00	-0.75	38.66	3	Vertical	177	2.75	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6674G	62.89	74.00	-11.11	48.30	3	Horizontal	199	1.80	-	39.40	10.75	35.56
AV	11.6674G	48.83	54.00	-5.17	34.24	3	Horizontal	199	1.80	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 1 (2TX)


Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.7258G	68.14	68.20	-0.06	3	Vertical	230	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	72.88	74.00	-1.12	67.07	3	Vertical	259	1.80	-	33.98	7.17	35.34
AV	5.1448G	49.91	54.00	-4.09	44.09	3	Vertical	259	1.80	-	33.99	7.17	35.34
PK	5.1744G	117.81	Inf	-Inf	111.86	3	Vertical	259	1.80	-	34.10	7.19	35.34
AV	5.1728G	101.81	Inf	-Inf	95.87	3	Vertical	259	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	73.50	74.00	-0.50	67.68	3	Horizontal	208	1.80	-	33.99	7.17	35.34
AV	5.1444G	49.30	54.00	-4.70	43.48	3	Horizontal	208	1.80	-	33.99	7.17	35.34
PK	5.1742G	118.84	Inf	-Inf	112.89	3	Horizontal	208	1.80	-	34.10	7.19	35.34
AV	5.1738G	103.07	Inf	-Inf	97.12	3	Horizontal	208	1.80	-	34.10	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5002G	58.59	74.00	-15.41	42.11	3	Vertical	5	1.98	-	38.70	13.15	35.37	
AV	15.5038G	44.91	54.00	-9.09	28.46	3	Vertical	5	1.98	-	38.67	13.15	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5862G	57.95	74.00	-16.05	42.10	3	Horizontal	4	1.71	-	38.10	13.19	35.44
AV	15.5038G	44.90	54.00	-9.10	28.45	3	Horizontal	4	1.71	-	38.67	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	58.54	74.00	-15.46	52.74	3	Vertical	257	1.80	-	33.97	7.17	35.34
AV	5.15G	44.97	54.00	-9.03	39.14	3	Vertical	257	1.80	-	34.00	7.17	35.34
PK	5.1944G	119.44	Inf	-Inf	113.40	3	Vertical	257	1.80	-	34.18	7.20	35.34
AV	5.1936G	105.42	Inf	-Inf	99.39	3	Vertical	257	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	58.07	74.00	-15.93	52.26	3	Horizontal	210	1.80	-	33.98	7.17	35.34
AV	5.1484G	44.91	54.00	-9.09	39.08	3	Horizontal	210	1.80	-	34.00	7.17	35.34
PK	5.194G	119.85	Inf	-Inf	113.81	3	Horizontal	210	1.80	-	34.18	7.20	35.34
AV	5.1936G	103.18	Inf	-Inf	97.15	3	Horizontal	210	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5862G	58.57	74.00	-15.43	42.72	3	Vertical	11	2.66	-	38.10	13.19	35.44
AV	15.5844G	44.16	54.00	-9.84	28.30	3	Vertical	11	2.66	-	38.11	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6162G	57.39	74.00	-16.61	41.73	3	Horizontal	357	2.28	-	37.92	13.21	35.47
AV	15.588G	44.13	54.00	-9.87	28.30	3	Horizontal	357	2.28	-	38.08	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	57.68	74.00	-16.32	51.87	3	Vertical	262	1.80	-	33.98	7.17	35.34
AV	5.102G	44.84	54.00	-9.16	39.12	3	Vertical	262	1.80	-	33.90	7.15	35.33
PK	5.234G	119.53	Inf	-Inf	113.33	3	Vertical	262	1.80	-	34.34	7.20	35.34
AV	5.2334G	105.11	Inf	-Inf	98.92	3	Vertical	262	1.80	-	34.33	7.20	35.34
PK	5.3858G	58.12	74.00	-15.88	51.70	3	Vertical	262	1.80	-	34.57	7.20	35.35
AV	5.3792G	45.18	54.00	-8.82	38.77	3	Vertical	262	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	57.73	74.00	-16.27	51.93	3	Horizontal	217	1.09	-	33.97	7.17	35.34
AV	5.1056G	44.81	54.00	-9.19	39.08	3	Horizontal	217	1.09	-	33.91	7.15	35.33
PK	5.234G	118.28	Inf	-Inf	112.08	3	Horizontal	217	1.09	-	34.34	7.20	35.34
AV	5.2334G	103.98	Inf	-Inf	97.79	3	Horizontal	217	1.09	-	34.33	7.20	35.34
PK	5.354G	57.80	74.00	-16.20	51.43	3	Horizontal	217	1.09	-	34.51	7.20	35.34
AV	5.3738G	45.20	54.00	-8.80	38.79	3	Horizontal	217	1.09	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7664G	57.55	74.00	-16.45	42.09	3	Vertical	123	2.40	-	37.77	13.28	35.59
AV	15.7694G	44.15	54.00	-9.85	28.69	3	Vertical	123	2.40	-	37.78	13.28	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.745G	57.34	74.00	-16.66	41.97	3	Horizontal	243	2.90	-	37.68	13.27	35.58
AV	15.7688G	43.98	54.00	-10.02	28.52	3	Horizontal	243	2.90	-	37.78	13.28	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	58.19	74.00	-15.81	52.44	3	Vertical	302	1.80	-	33.92	7.16	35.33
AV	5.1142G	44.79	54.00	-9.21	39.03	3	Vertical	302	1.80	-	33.93	7.16	35.33
PK	5.2666G	117.45	Inf	-Inf	111.16	3	Vertical	302	1.80	-	34.43	7.20	35.34
AV	5.266G	104.81	Inf	-Inf	98.52	3	Vertical	302	1.80	-	34.43	7.20	35.34
PK	5.401G	58.13	74.00	-15.87	51.68	3	Vertical	302	1.80	-	34.60	7.20	35.35
AV	5.3548G	45.22	54.00	-8.78	38.85	3	Vertical	302	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.19	74.00	-15.81	52.37	3	Horizontal	201	1.80	-	33.99	7.17	35.34
AV	5.1142G	44.75	54.00	-9.25	38.99	3	Horizontal	201	1.80	-	33.93	7.16	35.33
PK	5.2666G	115.88	Inf	-Inf	109.59	3	Horizontal	201	1.80	-	34.43	7.20	35.34
AV	5.266G	101.59	Inf	-Inf	95.30	3	Horizontal	201	1.80	-	34.43	7.20	35.34
PK	5.362G	58.24	74.00	-15.76	51.86	3	Horizontal	201	1.80	-	34.52	7.20	35.34
AV	5.3764G	45.24	54.00	-8.76	38.84	3	Horizontal	201	1.80	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8046G	57.51	74.00	-16.49	41.95	3	Vertical	46	1.82	-	37.89	13.30	35.63
AV	15.8002G	44.35	54.00	-9.65	28.77	3	Vertical	46	1.82	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8066G	58.39	74.00	-15.61	42.84	3	Horizontal	243	2.91	-	37.88	13.30	35.63
AV	15.8264G	44.34	54.00	-9.66	28.85	3	Horizontal	243	2.91	-	37.82	13.31	35.64

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	118.06	Inf	-Inf	111.70	3	Vertical	300	1.88	-	34.50	7.20	35.34
AV	5.3064G	105.27	Inf	-Inf	98.91	3	Vertical	300	1.88	-	34.50	7.20	35.34
PK	5.364G	62.41	74.00	-11.59	56.02	3	Vertical	300	1.88	-	34.53	7.20	35.34
AV	5.3632G	45.54	54.00	-8.46	39.15	3	Vertical	300	1.88	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	116.44	Inf	-Inf	110.08	3	Horizontal	175	1.80	-	34.50	7.20	35.34
AV	5.3072G	102.18	Inf	-Inf	95.82	3	Horizontal	175	1.80	-	34.50	7.20	35.34
PK	5.3644G	61.88	74.00	-12.12	55.49	3	Horizontal	175	1.80	-	34.53	7.20	35.34
AV	5.35G	45.45	54.00	-8.55	39.09	3	Horizontal	175	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6144G	57.01	74.00	-16.99	43.56	3	Vertical	224	1.72	-	38.23	10.59	35.37
AV	10.6142G	44.01	54.00	-9.99	30.56	3	Vertical	224	1.72	-	38.23	10.59	35.37
PK	15.8726G	58.02	74.00	-15.98	42.68	3	Vertical	251	2.87	-	37.68	13.34	35.68
AV	15.8746G	44.36	54.00	-9.64	29.02	3	Vertical	251	2.87	-	37.68	13.34	35.68

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.614G	56.88	74.00	-17.12	43.43	3	Horizontal	205	1.80	-	38.23	10.59	35.37
AV	10.6142G	44.01	54.00	-9.99	30.56	3	Horizontal	205	1.80	-	38.23	10.59	35.37
PK	15.893G	57.61	74.00	-16.39	42.34	3	Horizontal	261	2.33	-	37.62	13.35	35.70
AV	15.8932G	44.37	54.00	-9.63	29.10	3	Horizontal	261	2.33	-	37.62	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	115.23	Inf	-Inf	108.87	3	Vertical	299	1.69	-	34.50	7.20	35.34
AV	5.326G	103.04	Inf	-Inf	96.68	3	Vertical	299	1.69	-	34.50	7.20	35.34
PK	5.3562G	70.28	74.00	-3.72	63.91	3	Vertical	299	1.69	-	34.51	7.20	35.34
AV	5.3562G	47.06	54.00	-6.94	40.69	3	Vertical	299	1.69	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	115.26	Inf	-Inf	108.90	3	Horizontal	216	1.80	-	34.50	7.20	35.34
AV	5.3262G	101.43	Inf	-Inf	95.07	3	Horizontal	216	1.80	-	34.50	7.20	35.34
PK	5.356G	73.05	74.00	-0.95	66.68	3	Horizontal	216	1.80	-	34.51	7.20	35.34
AV	5.3566G	47.72	54.00	-6.28	41.35	3	Horizontal	216	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6544G	54.16	74.00	-19.84	40.59	3	Vertical	312	2.57	-	38.31	10.60	35.34
AV	10.6538G	41.34	54.00	-12.66	27.77	3	Vertical	312	2.57	-	38.31	10.60	35.34
PK	15.9228G	57.67	74.00	-16.33	42.49	3	Vertical	25	1.71	-	37.55	13.36	35.73
AV	15.91G	44.27	54.00	-9.73	29.05	3	Vertical	25	1.71	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6538G	55.14	74.00	-18.86	41.57	3	Horizontal	205	1.78	-	38.31	10.60	35.34
AV	10.6538G	41.92	54.00	-12.08	28.35	3	Horizontal	205	1.78	-	38.31	10.60	35.34
PK	15.9606G	57.58	74.00	-16.42	42.48	3	Horizontal	287	2.01	-	37.48	13.38	35.76
AV	15.914G	44.26	54.00	-9.74	29.05	3	Horizontal	287	2.01	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.55	74.00	-9.45	58.12	3	Vertical	222	2.01	-	34.52	7.26	35.35
AV	5.4588G	45.98	54.00	-8.02	39.55	3	Vertical	222	2.01	-	34.52	7.26	35.35
PK	5.4612G	67.35	68.20	-0.85	60.92	3	Vertical	222	2.01	-	34.52	7.26	35.35
PK	5.494G	118.67	Inf	-Inf	112.14	3	Vertical	222	2.01	-	34.59	7.29	35.35
AV	5.4936G	104.94	Inf	-Inf	98.41	3	Vertical	222	2.01	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.56	74.00	-10.44	57.13	3	Horizontal	200	1.80	-	34.52	7.26	35.35
AV	5.4596G	45.91	54.00	-8.09	39.48	3	Horizontal	200	1.80	-	34.52	7.26	35.35
PK	5.4612G	65.82	68.20	-2.38	59.39	3	Horizontal	200	1.80	-	34.52	7.26	35.35
PK	5.4944G	117.31	Inf	-Inf	110.78	3	Horizontal	200	1.80	-	34.59	7.29	35.35
AV	5.4932G	101.88	Inf	-Inf	95.35	3	Horizontal	200	1.80	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.999G	59.96	74.00	-14.04	45.95	3	Vertical	205	1.00	-	38.40	10.65	35.04	
AV	10.9864G	46.61	54.00	-7.39	32.62	3	Vertical	205	1.00	-	38.39	10.65	35.05	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.986G	58.50	74.00	-15.50	44.51	3	Horizontal	58	1.56	-	38.39	10.65	35.05
AV	10.9864G	45.16	54.00	-8.84	31.17	3	Horizontal	58	1.56	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	58.48	74.00	-15.52	52.05	3	Vertical	220	1.80	-	34.57	7.21	35.35
AV	5.4136G	47.13	54.00	-6.87	40.70	3	Vertical	220	1.80	-	34.57	7.21	35.35
PK	5.4656G	57.32	68.20	-10.88	50.87	3	Vertical	220	1.80	-	34.53	7.27	35.35
PK	5.5744G	120.90	Inf	-Inf	114.32	3	Vertical	220	1.80	-	34.60	7.37	35.39
AV	5.5736G	107.54	Inf	-Inf	100.96	3	Vertical	220	1.80	-	34.60	7.37	35.39
PK	5.7688G	59.35	68.20	-8.85	53.23	3	Vertical	220	1.80	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	58.16	74.00	-15.84	51.73	3	Horizontal	197	1.80	-	34.57	7.21	35.35
AV	5.412G	46.29	54.00	-7.71	39.85	3	Horizontal	197	1.80	-	34.58	7.21	35.35
PK	5.4648G	57.73	68.20	-10.47	51.29	3	Horizontal	197	1.80	-	34.53	7.26	35.35
PK	5.5728G	118.42	Inf	-Inf	111.84	3	Horizontal	197	1.80	-	34.60	7.37	35.39
AV	5.5728G	103.67	Inf	-Inf	97.09	3	Horizontal	197	1.80	-	34.60	7.37	35.39
PK	5.7744G	57.79	68.20	-10.41	51.68	3	Horizontal	197	1.80	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.159G	58.98	74.00	-15.02	44.97	3	Vertical	328	1.80	-	38.56	10.67	35.22
AV	11.1746G	46.57	54.00	-7.43	32.56	3	Vertical	328	1.80	-	38.57	10.68	35.24

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.174G	62.18	74.00	-11.82	48.16	3	Horizontal	223	1.80	-	38.57	10.68	35.23
AV	11.174G	49.24	54.00	-4.76	35.22	3	Horizontal	223	1.80	-	38.57	10.68	35.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	116.87	Inf	-Inf	110.63	3	Vertical	230	1.80	-	34.29	7.40	35.45
AV	5.707G	102.34	Inf	-Inf	96.10	3	Vertical	230	1.80	-	34.29	7.40	35.45
PK	5.7258G	68.14	68.20	-0.06	61.95	3	Vertical	230	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	115.48	Inf	-Inf	109.24	3	Horizontal	202	1.80	-	34.29	7.40	35.45
AV	5.706G	103.23	Inf	-Inf	96.99	3	Horizontal	202	1.80	-	34.29	7.40	35.45
PK	5.7264G	66.64	68.20	-1.56	60.45	3	Horizontal	202	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4138G	59.31	74.00	-14.69	45.27	3	Vertical	153	2.79	-	38.83	10.71	35.50
AV	11.4142G	46.33	54.00	-7.67	32.29	3	Vertical	153	2.79	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4148G	58.99	74.00	-15.01	44.95	3	Horizontal	319	2.99	-	38.83	10.71	35.50
AV	11.4152G	45.67	54.00	-8.33	31.64	3	Horizontal	319	2.99	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	57.59	74.00	-16.41	51.19	3	Vertical	226	1.86	-	34.55	7.20	35.35
AV	5.3742G	45.25	54.00	-8.75	38.84	3	Vertical	226	1.86	-	34.55	7.20	35.34
PK	5.461G	57.42	68.20	-10.78	50.99	3	Vertical	226	1.86	-	34.52	7.26	35.35
PK	5.727G	119.34	Inf	-Inf	113.15	3	Vertical	226	1.86	-	34.25	7.40	35.46
AV	5.7256G	106.60	Inf	-Inf	100.41	3	Vertical	226	1.86	-	34.25	7.40	35.46
PK	5.8558G	58.64	68.20	-9.56	52.38	3	Vertical	226	1.86	-	34.33	7.46	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	58.45	74.00	-15.55	52.05	3	Horizontal	201	1.80	-	34.50	7.25	35.35
AV	5.3924G	45.25	54.00	-8.75	38.82	3	Horizontal	201	1.80	-	34.58	7.20	35.35
PK	5.4652G	57.32	68.20	-10.88	50.87	3	Horizontal	201	1.80	-	34.53	7.27	35.35
PK	5.727G	118.04	Inf	-Inf	111.85	3	Horizontal	201	1.80	-	34.25	7.40	35.46
AV	5.7256G	103.23	Inf	-Inf	97.04	3	Horizontal	201	1.80	-	34.25	7.40	35.46
PK	5.9846G	58.53	68.20	-9.67	51.74	3	Horizontal	201	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4546G	64.40	74.00	-9.60	50.32	3	Vertical	173	2.78	-	38.91	10.72	35.55
AV	11.4546G	51.84	54.00	-2.16	37.76	3	Vertical	173	2.78	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4556G	62.10	74.00	-11.90	48.02	3	Horizontal	196	1.80	-	38.91	10.72	35.55
AV	11.4554G	49.02	54.00	-4.98	34.94	3	Horizontal	196	1.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.88	68.20	-9.32	52.40	3	Vertical	219	1.67	-	34.50	7.40	35.42
PK	5.739G	119.72	Inf	-Inf	113.57	3	Vertical	219	1.67	-	34.22	7.40	35.47
AV	5.739G	104.88	Inf	-Inf	98.73	3	Vertical	219	1.67	-	34.22	7.40	35.47
PK	5.96G	58.59	68.20	-9.61	51.81	3	Vertical	219	1.67	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.21	68.20	-9.99	51.65	3	Horizontal	198	1.80	-	34.57	7.40	35.41
PK	5.739G	118.56	Inf	-Inf	112.41	3	Horizontal	198	1.80	-	34.22	7.40	35.47
AV	5.739G	104.07	Inf	-Inf	97.92	3	Horizontal	198	1.80	-	34.22	7.40	35.47
PK	5.986G	58.62	68.20	-9.58	51.82	3	Horizontal	198	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4746G	64.91	74.00	-9.09	50.81	3	Vertical	173	2.76	-	38.95	10.72	35.57
AV	11.4748G	51.28	54.00	-2.72	37.18	3	Vertical	173	2.76	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4756G	62.70	74.00	-11.30	48.60	3	Horizontal	196	1.80	-	38.95	10.72	35.57
AV	11.4756G	49.60	54.00	-4.40	35.50	3	Horizontal	196	1.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.62	68.20	-9.58	52.14	3	Vertical	225	1.80	-	34.50	7.40	35.42
PK	5.778G	118.34	Inf	-Inf	112.23	3	Vertical	225	1.80	-	34.20	7.40	35.49
AV	5.779G	103.99	Inf	-Inf	97.88	3	Vertical	225	1.80	-	34.20	7.40	35.49
PK	5.938G	58.58	68.20	-9.62	51.86	3	Vertical	225	1.80	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.551G	58.95	68.20	-9.25	52.38	3	Horizontal	184	1.80	-	34.60	7.35	35.38	
PK	5.779G	116.80	Inf	-Inf	110.69	3	Horizontal	184	1.80	-	34.20	7.40	35.49	
AV	5.778G	102.29	Inf	-Inf	96.18	3	Horizontal	184	1.80	-	34.20	7.40	35.49	
PK	5.939G	59.16	68.20	-9.04	52.43	3	Horizontal	184	1.80	-	34.76	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5546G	65.27	74.00	-8.73	50.91	3	Vertical	176	2.80	-	39.22	10.73	35.59
AV	11.5564G	51.92	54.00	-2.08	37.55	3	Vertical	176	2.80	-	39.23	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5556G	63.67	74.00	-10.33	49.31	3	Horizontal	197	1.80	-	39.22	10.73	35.59
AV	11.5556G	49.97	54.00	-4.03	35.61	3	Horizontal	197	1.80	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	58.84	68.20	-9.36	52.25	3	Vertical	228	1.80	-	34.59	7.40	35.40
PK	5.832G	117.32	Inf	-Inf	111.15	3	Vertical	228	1.80	-	34.26	7.43	35.52
AV	5.832G	102.95	Inf	-Inf	96.78	3	Vertical	228	1.80	-	34.26	7.43	35.52
PK	5.992G	59.57	68.20	-8.63	52.78	3	Vertical	228	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	59.08	68.20	-9.12	52.59	3	Horizontal	178	1.80	-	34.51	7.40	35.42	
PK	5.831G	116.21	Inf	-Inf	110.04	3	Horizontal	178	1.80	-	34.26	7.43	35.52	
AV	5.831G	103.16	Inf	-Inf	96.99	3	Horizontal	178	1.80	-	34.26	7.43	35.52	
PK	5.991G	59.47	68.20	-8.73	52.68	3	Horizontal	178	1.80	-	34.80	7.59	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6646G	65.65	74.00	-8.35	51.06	3	Vertical	176	2.76	-	39.40	10.75	35.56
AV	11.6646G	52.28	54.00	-1.72	37.69	3	Vertical	176	2.76	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6654G	62.28	74.00	-11.72	47.69	3	Horizontal	199	1.80	-	39.40	10.75	35.56
AV	11.6652G	49.02	54.00	-4.98	34.43	3	Horizontal	199	1.80	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 1 (2TX)


Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.3502G	73.50	74.00	-0.50	3	Vertical	215	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	73.12	74.00	-0.88	67.29	3	Vertical	219	1.80	-	34.00	7.17	35.34	
AV	5.149G	48.64	54.00	-5.36	42.81	3	Vertical	219	1.80	-	34.00	7.17	35.34	
PK	5.1774G	117.54	Inf	-Inf	111.58	3	Vertical	219	1.80	-	34.11	7.19	35.34	
AV	5.1764G	104.98	Inf	-Inf	99.02	3	Vertical	219	1.80	-	34.11	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	69.75	74.00	-4.25	63.92	3	Horizontal	223	1.80	-	34.00	7.17	35.34
AV	5.149G	47.06	54.00	-6.94	41.23	3	Horizontal	223	1.80	-	34.00	7.17	35.34
PK	5.1774G	114.91	Inf	-Inf	108.95	3	Horizontal	223	1.80	-	34.11	7.19	35.34
AV	5.1764G	101.70	Inf	-Inf	95.74	3	Horizontal	223	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52824G	60.78	74.00	-13.22	44.51	3	Vertical	187	2.62	-	38.50	13.16	35.39
AV	15.52752G	46.03	54.00	-7.97	29.75	3	Vertical	187	2.62	-	38.51	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52836G	59.36	74.00	-14.64	43.09	3	Horizontal	268	1.80	-	38.50	13.16	35.39
AV	15.52788G	45.19	54.00	-8.81	28.92	3	Horizontal	268	1.80	-	38.50	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.83	74.00	-10.17	58.00	3	Vertical	219	1.77	-	34.00	7.17	35.34
AV	5.1468G	45.57	54.00	-8.43	39.75	3	Vertical	219	1.77	-	33.99	7.17	35.34
PK	5.1976G	118.64	Inf	-Inf	112.59	3	Vertical	219	1.77	-	34.19	7.20	35.34
AV	5.1964G	106.31	Inf	-Inf	100.26	3	Vertical	219	1.77	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.64	74.00	-12.36	55.83	3	Horizontal	219	1.74	-	33.98	7.17	35.34
AV	5.1496G	45.27	54.00	-8.73	39.44	3	Horizontal	219	1.74	-	34.00	7.17	35.34
PK	5.1968G	116.44	Inf	-Inf	110.39	3	Horizontal	219	1.74	-	34.19	7.20	35.34
AV	5.1964G	102.89	Inf	-Inf	96.84	3	Horizontal	219	1.74	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58872G	61.66	74.00	-12.34	45.83	3	Vertical	155	2.07	-	38.08	13.19	35.44
AV	15.5877G	47.05	54.00	-6.95	31.21	3	Vertical	155	2.07	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58872G	60.51	74.00	-13.49	44.68	3	Horizontal	280	1.80	-	38.08	13.19	35.44
AV	15.58704G	45.73	54.00	-8.27	29.89	3	Horizontal	280	1.80	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1314G	58.16	74.00	-15.84	52.37	3	Vertical	217	1.56	-	33.96	7.17	35.34
AV	5.0942G	44.95	54.00	-9.05	39.24	3	Vertical	217	1.56	-	33.89	7.15	35.33
PK	5.2376G	118.30	Inf	-Inf	112.09	3	Vertical	217	1.56	-	34.35	7.20	35.34
AV	5.2376G	105.37	Inf	-Inf	99.16	3	Vertical	217	1.56	-	34.35	7.20	35.34
PK	5.3876G	57.79	74.00	-16.21	51.36	3	Vertical	217	1.56	-	34.58	7.20	35.35
AV	5.3606G	45.39	54.00	-8.61	39.01	3	Vertical	217	1.56	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	58.26	74.00	-15.74	52.44	3	Horizontal	218	1.09	-	33.99	7.17	35.34
AV	5.1014G	44.91	54.00	-9.09	39.19	3	Horizontal	218	1.09	-	33.90	7.15	35.33
PK	5.2364G	116.41	Inf	-Inf	110.20	3	Horizontal	218	1.09	-	34.35	7.20	35.34
AV	5.2376G	103.91	Inf	-Inf	97.70	3	Horizontal	218	1.09	-	34.35	7.20	35.34
PK	5.3618G	58.15	74.00	-15.85	51.77	3	Horizontal	218	1.09	-	34.52	7.20	35.34
AV	5.375G	45.29	54.00	-8.71	38.88	3	Horizontal	218	1.09	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70884G	59.78	74.00	-14.22	44.54	3	Vertical	155	2.06	-	37.54	13.25	35.55
AV	15.7077G	46.01	54.00	-7.99	30.77	3	Vertical	155	2.06	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70824G	59.70	74.00	-14.30	44.46	3	Horizontal	228	1.80	-	37.53	13.25	35.54
AV	15.70944G	45.23	54.00	-8.77	29.99	3	Horizontal	228	1.80	-	37.54	13.25	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	58.37	74.00	-15.63	52.60	3	Vertical	217	1.74	-	33.95	7.16	35.34
AV	5.11G	44.88	54.00	-9.12	39.13	3	Vertical	217	1.74	-	33.92	7.16	35.33
PK	5.2624G	118.92	Inf	-Inf	112.64	3	Vertical	217	1.74	-	34.42	7.20	35.34
AV	5.2636G	105.88	Inf	-Inf	99.59	3	Vertical	217	1.74	-	34.43	7.20	35.34
PK	5.3818G	58.22	74.00	-15.78	51.81	3	Vertical	217	1.74	-	34.56	7.20	35.35
AV	5.3758G	45.33	54.00	-8.67	38.93	3	Vertical	217	1.74	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.47	74.00	-16.53	51.66	3	Horizontal	221	1.89	-	33.98	7.17	35.34
AV	5.11G	44.81	54.00	-9.19	39.06	3	Horizontal	221	1.89	-	33.92	7.16	35.33
PK	5.2624G	116.89	Inf	-Inf	110.61	3	Horizontal	221	1.89	-	34.42	7.20	35.34
AV	5.2636G	103.40	Inf	-Inf	97.11	3	Horizontal	221	1.89	-	34.43	7.20	35.34
PK	5.389G	58.17	74.00	-15.83	51.74	3	Horizontal	221	1.89	-	34.58	7.20	35.35
AV	5.3566G	45.25	54.00	-8.75	38.88	3	Horizontal	221	1.89	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79098G	62.32	74.00	-11.68	46.77	3	Vertical	201	2.47	-	37.86	13.30	35.61
AV	15.79248G	46.91	54.00	-7.09	31.36	3	Vertical	201	2.47	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7911G	60.12	74.00	-13.88	44.57	3	Horizontal	215	1.90	-	37.86	13.30	35.61
AV	15.79218G	45.65	54.00	-8.35	30.10	3	Horizontal	215	1.90	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	118.93	Inf	-Inf	112.57	3	Vertical	218	1.70	-	34.50	7.20	35.34
AV	5.3036G	106.54	Inf	-Inf	100.18	3	Vertical	218	1.70	-	34.50	7.20	35.34
PK	5.35G	65.00	74.00	-9.00	58.64	3	Vertical	218	1.70	-	34.50	7.20	35.34
AV	5.384G	46.79	54.00	-7.21	40.37	3	Vertical	218	1.70	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	117.07	Inf	-Inf	110.71	3	Horizontal	218	1.07	-	34.50	7.20	35.34
AV	5.302G	103.98	Inf	-Inf	97.62	3	Horizontal	218	1.07	-	34.50	7.20	35.34
PK	5.352G	62.30	74.00	-11.70	55.94	3	Horizontal	218	1.07	-	34.50	7.20	35.34
AV	5.382G	45.97	54.00	-8.03	39.56	3	Horizontal	218	1.07	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60648G	57.13	74.00	-16.87	43.71	3	Vertical	208	1.80	-	38.21	10.59	35.38
AV	10.60636G	42.92	54.00	-11.08	29.50	3	Vertical	208	1.80	-	38.21	10.59	35.38
PK	15.91116G	60.30	74.00	-13.70	45.08	3	Vertical	199	2.52	-	37.58	13.36	35.72
AV	15.91272G	46.01	54.00	-7.99	30.80	3	Vertical	199	2.52	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60876G	57.57	74.00	-16.43	44.14	3	Horizontal	204	1.76	-	38.22	10.59	35.38
AV	10.6093G	43.60	54.00	-10.40	30.17	3	Horizontal	204	1.76	-	38.22	10.59	35.38
PK	15.89382G	59.77	74.00	-14.23	44.50	3	Horizontal	250	1.80	-	37.62	13.35	35.70
AV	15.91218G	45.28	54.00	-8.72	30.06	3	Horizontal	250	1.80	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	118.29	Inf	-Inf	111.93	3	Vertical	215	1.80	-	34.50	7.20	35.34
AV	5.324G	105.34	Inf	-Inf	98.98	3	Vertical	215	1.80	-	34.50	7.20	35.34
PK	5.3502G	73.50	74.00	-0.50	67.14	3	Vertical	215	1.80	-	34.50	7.20	35.34
AV	5.3502G	50.76	54.00	-3.24	44.40	3	Vertical	215	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	116.53	Inf	-Inf	110.17	3	Horizontal	221	1.86	-	34.50	7.20	35.34
AV	5.3238G	103.86	Inf	-Inf	97.50	3	Horizontal	221	1.86	-	34.50	7.20	35.34
PK	5.35G	71.66	74.00	-2.34	65.30	3	Horizontal	221	1.86	-	34.50	7.20	35.34
AV	5.35G	49.33	54.00	-4.67	42.97	3	Horizontal	221	1.86	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64888G	56.61	74.00	-17.39	43.05	3	Vertical	222	1.76	-	38.30	10.60	35.34	
AV	10.649G	42.74	54.00	-11.26	29.18	3	Vertical	222	1.76	-	38.30	10.60	35.34	
PK	15.96672G	57.45	74.00	-16.55	42.36	3	Vertical	68	2.45	-	37.47	13.38	35.76	
AV	15.9723G	43.90	54.00	-10.10	28.82	3	Vertical	68	2.45	-	37.46	13.39	35.77	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64732G	57.51	74.00	-16.49	43.96	3	Horizontal	200	2.09	-	38.29	10.60	35.34
AV	10.64942G	43.77	54.00	-10.23	30.21	3	Horizontal	200	2.09	-	38.30	10.60	35.34
PK	15.96156G	57.47	74.00	-16.53	42.37	3	Horizontal	186	2.13	-	37.48	13.38	35.76
AV	15.9684G	44.01	54.00	-9.99	28.93	3	Horizontal	186	2.13	-	37.46	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4472G	58.75	74.00	-15.25	52.34	3	Vertical	214	1.71	-	34.51	7.25	35.35
AV	5.4576G	45.73	54.00	-8.27	39.30	3	Vertical	214	1.71	-	34.52	7.26	35.35
PK	5.4692G	67.33	68.20	-0.87	60.87	3	Vertical	214	1.71	-	34.54	7.27	35.35
PK	5.4968G	117.25	Inf	-Inf	110.71	3	Vertical	214	1.71	-	34.59	7.30	35.35
AV	5.4964G	103.64	Inf	-Inf	97.10	3	Vertical	214	1.71	-	34.59	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4352G	58.64	74.00	-15.36	52.22	3	Horizontal	220	2.68	-	34.53	7.24	35.35
PK	5.4688G	67.82	68.20	-0.38	61.36	3	Horizontal	220	2.68	-	34.54	7.27	35.35
AV	5.4564G	45.56	54.00	-8.44	39.14	3	Horizontal	220	2.68	-	34.51	7.26	35.35
PK	5.4968G	114.53	Inf	-Inf	107.99	3	Horizontal	220	2.68	-	34.59	7.30	35.35
AV	5.4964G	102.98	Inf	-Inf	96.44	3	Horizontal	220	2.68	-	34.59	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom



EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99166G	58.78	74.00	-15.22	44.79	3	Vertical	228	1.66	-	38.39	10.65	35.05
AV	10.99142G	44.22	54.00	-9.78	30.23	3	Vertical	228	1.66	-	38.39	10.65	35.05