


802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6086G	55.18	74.00	-18.82	41.75	3	Vertical	76	1.80	-	38.22	10.59	35.38
AV	10.6084G	41.07	54.00	-12.93	27.64	3	Vertical	76	1.80	-	38.22	10.59	35.38
PK	15.8934G	58.00	74.00	-16.00	42.73	3	Vertical	172	2.29	-	37.62	13.35	35.70
AV	15.9098G	44.28	54.00	-9.72	29.06	3	Vertical	172	2.29	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6098G	54.83	74.00	-19.17	41.40	3	Horizontal	148	1.74	-	38.22	10.59	35.38
AV	10.6094G	41.27	54.00	-12.73	27.84	3	Horizontal	148	1.74	-	38.22	10.59	35.38
PK	15.8536G	57.58	74.00	-16.42	42.18	3	Horizontal	35	2.03	-	37.74	13.33	35.67
AV	15.9094G	44.36	54.00	-9.64	29.14	3	Horizontal	35	2.03	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	116.99	Inf	-Inf	110.63	3	Vertical	156	1.85	-	34.50	7.20	35.34
AV	5.3236G	103.85	Inf	-Inf	97.49	3	Vertical	156	1.85	-	34.50	7.20	35.34
PK	5.35G	73.36	74.00	-0.64	67.00	3	Vertical	156	1.85	-	34.50	7.20	35.34
AV	5.3502G	49.81	54.00	-4.19	43.45	3	Vertical	156	1.85	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	115.35	Inf	-Inf	108.99	3	Horizontal	189	2.08	-	34.50	7.20	35.34
AV	5.3234G	102.45	Inf	-Inf	96.09	3	Horizontal	189	2.08	-	34.50	7.20	35.34
PK	5.3502G	73.93	74.00	-0.07	67.57	3	Horizontal	189	2.08	-	34.50	7.20	35.34
AV	5.3512G	49.61	54.00	-4.39	43.25	3	Horizontal	189	2.08	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6872G	53.37	74.00	-20.63	39.71	3	Vertical	219	1.40	-	38.37	10.60	35.31
AV	10.6566G	39.49	54.00	-14.51	25.92	3	Vertical	219	1.40	-	38.31	10.60	35.34
PK	15.9574G	58.24	74.00	-15.76	43.12	3	Vertical	88	1.42	-	37.49	13.38	35.75
AV	15.9114G	44.25	54.00	-9.75	29.03	3	Vertical	88	1.42	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.639G	52.75	74.00	-21.25	39.22	3	Horizontal	279	1.13	-	38.28	10.60	35.35
AV	10.656G	39.48	54.00	-14.52	25.91	3	Horizontal	279	1.13	-	38.31	10.60	35.34
PK	15.9138G	57.26	74.00	-16.74	42.05	3	Horizontal	267	1.25	-	37.57	13.36	35.72
AV	15.9148G	44.14	54.00	-9.86	28.93	3	Horizontal	267	1.25	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.23	74.00	-14.77	52.82	3	Vertical	82	1.76	-	34.53	7.23	35.35
PK	5.4696G	67.72	68.20	-0.48	61.26	3	Vertical	82	1.76	-	34.54	7.27	35.35
AV	5.4584G	45.81	54.00	-8.19	39.38	3	Vertical	82	1.76	-	34.52	7.26	35.35
PK	5.4984G	115.95	Inf	-Inf	109.40	3	Vertical	82	1.76	-	34.60	7.30	35.35
AV	5.4976G	103.11	Inf	-Inf	96.56	3	Vertical	82	1.76	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	58.90	74.00	-15.10	52.47	3	Horizontal	186	2.77	-	34.57	7.21	35.35
PK	5.4688G	67.34	68.20	-0.86	60.88	3	Horizontal	186	2.77	-	34.54	7.27	35.35
AV	5.4568G	45.46	54.00	-8.54	39.04	3	Horizontal	186	2.77	-	34.51	7.26	35.35
PK	5.4976G	114.24	Inf	-Inf	107.69	3	Horizontal	186	2.77	-	34.60	7.30	35.35
AV	5.4964G	101.46	Inf	-Inf	94.92	3	Horizontal	186	2.77	-	34.59	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9694G	53.62	74.00	-20.38	39.67	3	Vertical	294	1.94	-	38.37	10.65	35.07
AV	10.996G	40.74	54.00	-13.26	26.73	3	Vertical	294	1.94	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9886G	53.70	74.00	-20.30	39.71	3	Horizontal	260	2.38	-	38.39	10.65	35.05
AV	10.989G	40.69	54.00	-13.31	26.70	3	Horizontal	260	2.38	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	58.70	74.00	-15.30	52.27	3	Vertical	174	1.80	-	34.56	7.22	35.35
AV	5.4168G	46.96	54.00	-7.04	40.52	3	Vertical	174	1.80	-	34.57	7.22	35.35
PK	5.468G	58.29	68.20	-9.91	51.83	3	Vertical	174	1.80	-	34.54	7.27	35.35
PK	5.5776G	118.69	Inf	-Inf	112.10	3	Vertical	174	1.80	-	34.60	7.38	35.39
AV	5.5776G	105.60	Inf	-Inf	99.01	3	Vertical	174	1.80	-	34.60	7.38	35.39
PK	5.7376G	59.25	68.20	-8.95	53.10	3	Vertical	174	1.80	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	58.21	74.00	-15.79	51.78	3	Horizontal	188	2.97	-	34.57	7.21	35.35
AV	5.416G	45.91	54.00	-8.09	39.47	3	Horizontal	188	2.97	-	34.57	7.22	35.35
PK	5.4656G	57.22	68.20	-10.98	50.77	3	Horizontal	188	2.97	-	34.53	7.27	35.35
PK	5.5784G	115.98	Inf	-Inf	109.39	3	Horizontal	188	2.97	-	34.60	7.38	35.39
AV	5.576G	104.59	Inf	-Inf	98.00	3	Horizontal	188	2.97	-	34.60	7.38	35.39
PK	5.7488G	57.55	68.20	-10.65	51.42	3	Horizontal	188	2.97	-	34.20	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1496G	63.32	74.00	-10.68	49.31	3	Vertical	178	2.96	-	38.55	10.67	35.21	
AV	11.1542G	50.15	54.00	-3.85	36.14	3	Vertical	178	2.96	-	38.55	10.67	35.21	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1526G	61.36	74.00	-12.64	47.35	3	Horizontal	148	1.80	-	38.55	10.67	35.21
AV	11.1504G	47.88	54.00	-6.12	33.87	3	Horizontal	148	1.80	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	116.85	Inf	-Inf	110.61	3	Vertical	178	2.01	-	34.29	7.40	35.45
AV	5.7036G	103.44	Inf	-Inf	97.20	3	Vertical	178	2.01	-	34.29	7.40	35.45
PK	5.725G	67.09	68.20	-1.11	60.90	3	Vertical	178	2.01	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	111.11	Inf	-Inf	104.87	3	Horizontal	214	1.79	-	34.29	7.40	35.45
AV	5.7036G	97.47	Inf	-Inf	91.23	3	Horizontal	214	1.79	-	34.29	7.40	35.45
PK	5.7266G	62.57	68.20	-5.63	56.38	3	Horizontal	214	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.408G	58.86	74.00	-15.14	44.83	3	Vertical	79	2.93	-	38.82	10.71	35.50
AV	11.4054G	44.90	54.00	-9.10	30.87	3	Vertical	79	2.93	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4128G	58.99	74.00	-15.01	44.95	3	Horizontal	294	2.26	-	38.83	10.71	35.50
AV	11.4054G	44.90	54.00	-9.10	30.87	3	Horizontal	294	2.26	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3896G	58.76	74.00	-15.24	52.33	3	Vertical	178	1.80	-	34.58	7.20	35.35
AV	5.384G	45.32	54.00	-8.68	38.90	3	Vertical	178	1.80	-	34.57	7.20	35.35
PK	5.4652G	56.98	68.20	-11.22	50.53	3	Vertical	178	1.80	-	34.53	7.27	35.35
PK	5.7242G	120.21	Inf	-Inf	114.02	3	Vertical	178	1.80	-	34.25	7.40	35.46
AV	5.7242G	105.84	Inf	-Inf	99.65	3	Vertical	178	1.80	-	34.25	7.40	35.46
PK	5.8852G	58.86	68.20	-9.34	52.40	3	Vertical	178	1.80	-	34.51	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.398G	58.00	74.00	-16.00	51.55	3	Horizontal	184	2.72	-	34.60	7.20	35.35
PK	5.4694G	57.64	68.20	-10.56	51.18	3	Horizontal	184	2.72	-	34.54	7.27	35.35
AV	5.4526G	45.33	54.00	-8.67	38.92	3	Horizontal	184	2.72	-	34.51	7.25	35.35
PK	5.7228G	117.70	Inf	-Inf	111.51	3	Horizontal	184	2.72	-	34.25	7.40	35.46
AV	5.7228G	103.56	Inf	-Inf	97.37	3	Horizontal	184	2.72	-	34.25	7.40	35.46
PK	5.9664G	58.93	68.20	-9.27	52.14	3	Horizontal	184	2.72	-	34.80	7.57	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.439G	63.43	74.00	-10.57	49.36	3	Vertical	178	2.54	-	38.88	10.72	35.53
AV	11.4496G	49.47	54.00	-4.53	35.39	3	Vertical	178	2.54	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.445G	61.39	74.00	-12.61	47.32	3	Horizontal	142	2.09	-	38.89	10.72	35.54
AV	11.4456G	48.64	54.00	-5.36	34.57	3	Horizontal	142	2.09	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.30	68.20	-8.90	52.74	3	Vertical	174	1.80	-	34.57	7.40	35.41
PK	5.743G	118.52	Inf	-Inf	112.38	3	Vertical	174	1.80	-	34.21	7.40	35.47
AV	5.743G	105.37	Inf	-Inf	99.23	3	Vertical	174	1.80	-	34.21	7.40	35.47
PK	5.93G	58.78	68.20	-9.42	52.09	3	Vertical	174	1.80	-	34.72	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.542G	58.55	68.20	-9.65	51.98	3	Horizontal	208	1.26	-	34.60	7.34	35.37
PK	5.743G	114.08	Inf	-Inf	107.94	3	Horizontal	208	1.26	-	34.21	7.40	35.47
AV	5.743G	100.53	Inf	-Inf	94.39	3	Horizontal	208	1.26	-	34.21	7.40	35.47
PK	5.963G	60.25	68.20	-7.95	53.47	3	Horizontal	208	1.26	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4796G	62.33	74.00	-11.67	48.23	3	Vertical	174	2.55	-	38.96	10.72	35.58
AV	11.4844G	48.33	54.00	-5.67	34.22	3	Vertical	174	2.55	-	38.97	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4804G	61.16	74.00	-12.84	47.06	3	Horizontal	138	2.06	-	38.96	10.72	35.58
AV	11.4804G	48.21	54.00	-5.79	34.11	3	Horizontal	138	2.06	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	59.06	68.20	-9.14	52.48	3	Vertical	174	1.80	-	34.60	7.35	35.37
PK	5.783G	118.26	Inf	-Inf	112.15	3	Vertical	174	1.80	-	34.20	7.40	35.49
AV	5.781G	105.91	Inf	-Inf	99.80	3	Vertical	174	1.80	-	34.20	7.40	35.49
PK	5.945G	59.36	68.20	-8.84	52.61	3	Vertical	174	1.80	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	58.94	68.20	-9.26	52.36	3	Horizontal	209	1.24	-	34.60	7.37	35.39
PK	5.782G	112.90	Inf	-Inf	106.79	3	Horizontal	209	1.24	-	34.20	7.40	35.49
AV	5.781G	99.93	Inf	-Inf	93.82	3	Horizontal	209	1.24	-	34.20	7.40	35.49
PK	5.962G	59.01	68.20	-9.19	52.23	3	Horizontal	209	1.24	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5696G	63.58	74.00	-10.42	49.14	3	Vertical	175	2.71	-	39.28	10.74	35.58
AV	11.5646G	49.28	54.00	-4.72	34.88	3	Vertical	175	2.71	-	39.26	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5626G	62.16	74.00	-11.84	47.77	3	Horizontal	144	2.05	-	39.25	10.73	35.59
AV	11.5606G	48.82	54.00	-5.18	34.44	3	Horizontal	144	2.05	-	39.24	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	59.11	68.20	-9.09	52.51	3	Vertical	174	1.95	-	34.60	7.40	35.40
PK	5.829G	118.24	Inf	-Inf	112.06	3	Vertical	174	1.95	-	34.26	7.43	35.51
AV	5.829G	105.08	Inf	-Inf	98.90	3	Vertical	174	1.95	-	34.26	7.43	35.51
PK	6.067G	58.73	68.20	-9.47	51.74	3	Vertical	174	1.95	-	34.93	7.63	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	58.69	68.20	-9.51	52.20	3	Horizontal	209	1.14	-	34.51	7.40	35.42
PK	5.828G	112.81	Inf	-Inf	106.63	3	Horizontal	209	1.14	-	34.26	7.43	35.51
AV	5.827G	99.67	Inf	-Inf	93.50	3	Horizontal	209	1.14	-	34.25	7.43	35.51
PK	6.072G	58.93	68.20	-9.27	51.92	3	Horizontal	209	1.14	-	34.94	7.64	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6552G	63.97	74.00	-10.03	49.39	3	Vertical	172	2.73	-	39.40	10.75	35.57
AV	11.6596G	50.07	54.00	-3.93	35.48	3	Vertical	172	2.73	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.655G	61.67	74.00	-12.33	47.09	3	Horizontal	204	2.04	-	39.40	10.75	35.57
AV	11.6554G	48.90	54.00	-5.10	34.32	3	Horizontal	204	2.04	-	39.40	10.75	35.57



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 26_Ant. 3 (2TX)


Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.47264G	53.99	54.00	-0.01	3	Horizontal	143	1.76	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	73.77	74.00	-0.23	67.96	3	Vertical	74	1.93	-	33.98	7.17	35.34
AV	5.1382G	52.25	54.00	-1.75	46.44	3	Vertical	74	1.93	-	33.98	7.17	35.34
PK	5.1718G	126.84	Inf	-Inf	120.90	3	Vertical	74	1.93	-	34.09	7.19	35.34
AV	5.172G	115.20	Inf	-Inf	109.26	3	Vertical	74	1.93	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53528G	60.13	74.00	-13.87	43.91	3	Vertical	195	2.61	-	38.45	13.17	35.40
AV	15.53546G	46.65	54.00	-7.35	30.43	3	Vertical	195	2.61	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.54026G	60.51	74.00	-13.49	44.32	3	Horizontal	84	1.38	-	38.42	13.17	35.40
AV	15.535G	46.62	54.00	-7.38	30.39	3	Horizontal	84	1.38	-	38.46	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1024G	59.51	74.00	-14.49	53.79	3	Vertical	57	1.92	-	33.90	7.15	35.33
AV	5.15G	46.25	54.00	-7.75	40.42	3	Vertical	57	1.92	-	34.00	7.17	35.34
PK	5.192G	126.21	Inf	-Inf	120.18	3	Vertical	57	1.92	-	34.17	7.20	35.34
AV	5.192G	115.13	Inf	-Inf	109.10	3	Vertical	57	1.92	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60228G	60.48	74.00	-13.52	44.75	3	Vertical	81	2.71	-	37.99	13.20	35.46
AV	15.5983G	46.76	54.00	-7.24	31.00	3	Vertical	81	2.71	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5953G	60.69	74.00	-13.31	44.91	3	Horizontal	289	2.49	-	38.03	13.20	35.45
AV	15.595G	46.75	54.00	-7.25	30.96	3	Horizontal	289	2.49	-	38.04	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0948G	59.21	74.00	-14.79	53.50	3	Vertical	57	1.95	-	33.89	7.15	35.33
AV	5.1008G	45.73	54.00	-8.27	40.01	3	Vertical	57	1.95	-	33.90	7.15	35.33
PK	5.2322G	126.40	Inf	-Inf	120.21	3	Vertical	57	1.95	-	34.33	7.20	35.34
AV	5.2322G	115.25	Inf	-Inf	109.06	3	Vertical	57	1.95	-	34.33	7.20	35.34
PK	5.3618G	60.27	74.00	-13.73	53.89	3	Vertical	57	1.95	-	34.52	7.20	35.34
AV	5.39G	46.96	54.00	-7.04	40.53	3	Vertical	57	1.95	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.71644G	59.93	74.00	-14.07	44.65	3	Vertical	208	1.47	-	37.57	13.26	35.55	
AV	15.724G	45.77	54.00	-8.23	30.47	3	Vertical	208	1.47	-	37.60	13.26	35.56	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7207G	60.13	74.00	-13.87	44.85	3	Horizontal	81	2.91	-	37.58	13.26	35.56
AV	15.72072G	45.79	54.00	-8.21	30.51	3	Horizontal	81	2.91	-	37.58	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.95	74.00	-15.05	53.18	3	Vertical	77	1.94	-	33.95	7.16	35.34
AV	5.11G	46.21	54.00	-7.79	40.46	3	Vertical	77	1.94	-	33.92	7.16	35.33
PK	5.2684G	127.36	Inf	-Inf	121.06	3	Vertical	77	1.94	-	34.44	7.20	35.34
AV	5.2684G	117.07	Inf	-Inf	110.77	3	Vertical	77	1.94	-	34.44	7.20	35.34
PK	5.401G	60.80	74.00	-13.20	54.35	3	Vertical	77	1.94	-	34.60	7.20	35.35
AV	5.35G	47.24	54.00	-6.76	40.88	3	Vertical	77	1.94	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7894G	59.78	74.00	-14.22	44.24	3	Vertical	304	1.80	-	37.86	13.29	35.61	
AV	15.78836G	45.69	54.00	-8.31	30.16	3	Vertical	304	1.80	-	37.85	13.29	35.61	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7756G	59.70	74.00	-14.30	44.21	3	Horizontal	359	1.80	-	37.80	13.29	35.60
AV	15.78528G	45.77	54.00	-8.23	30.25	3	Horizontal	359	1.80	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	128.03	Inf	-Inf	121.67	3	Vertical	76	1.87	-	34.50	7.20	35.34
AV	5.3092G	114.61	Inf	-Inf	108.25	3	Vertical	76	1.87	-	34.50	7.20	35.34
PK	5.356G	64.99	74.00	-9.01	58.62	3	Vertical	76	1.87	-	34.51	7.20	35.34
AV	5.35G	49.03	54.00	-4.97	42.67	3	Vertical	76	1.87	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61568G	57.99	74.00	-16.01	44.54	3	Vertical	212	1.90	-	38.23	10.59	35.37
AV	10.6161G	44.34	54.00	-9.66	30.89	3	Vertical	212	1.90	-	38.23	10.59	35.37
PK	15.90054G	59.27	74.00	-14.73	44.03	3	Vertical	55	2.26	-	37.60	13.35	35.71
AV	15.90478G	45.63	54.00	-8.37	30.40	3	Vertical	55	2.26	-	37.59	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61736G	57.32	74.00	-16.68	43.87	3	Horizontal	118	1.80	-	38.23	10.59	35.37
AV	10.61666G	44.77	54.00	-9.23	31.32	3	Horizontal	118	1.80	-	38.23	10.59	35.37
PK	15.90136G	59.40	74.00	-14.60	44.16	3	Horizontal	28	1.99	-	37.60	13.35	35.71
AV	15.90458G	45.61	54.00	-8.39	30.38	3	Horizontal	28	1.99	-	37.59	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3282G	126.44	Inf	-Inf	120.08	3	Vertical	74	1.93	-	34.50	7.20	35.34
AV	5.3282G	115.16	Inf	-Inf	108.80	3	Vertical	74	1.93	-	34.50	7.20	35.34
PK	5.3604G	73.76	74.00	-0.24	67.38	3	Vertical	74	1.93	-	34.52	7.20	35.34
AV	5.3692G	51.17	54.00	-2.83	44.77	3	Vertical	74	1.93	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96078G	59.52	74.00	-14.48	44.42	3	Vertical	280	1.62	-	37.48	13.38	35.76
AV	15.96336G	45.73	54.00	-8.27	30.64	3	Vertical	280	1.62	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95876G	59.56	74.00	-14.44	44.46	3	Horizontal	261	1.44	-	37.48	13.38	35.76
AV	15.95812G	45.71	54.00	-8.29	30.60	3	Horizontal	261	1.44	-	37.48	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	67.53	74.00	-6.47	61.10	3	Vertical	75	1.90	-	34.52	7.26	35.35
AV	5.4518G	48.75	54.00	-5.25	42.35	3	Vertical	75	1.90	-	34.50	7.25	35.35
PK	5.469G	67.96	68.20	-0.24	61.50	3	Vertical	75	1.90	-	34.54	7.27	35.35
PK	5.4918G	127.47	Inf	-Inf	120.95	3	Vertical	75	1.90	-	34.58	7.29	35.35
AV	5.492G	114.75	Inf	-Inf	108.23	3	Vertical	75	1.90	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99546G	56.12	74.00	-17.88	42.11	3	Vertical	276	2.62	-	38.40	10.65	35.04
AV	11.00382G	41.28	54.00	-12.72	27.27	3	Vertical	276	2.62	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT Y_2TX
Setting 17.5
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.0035G	55.27	74.00	-18.73	41.26	3	Horizontal	309	2.07	-	38.40	10.65	35.04	
AV	11.0034G	41.26	54.00	-12.74	27.25	3	Horizontal	309	2.07	-	38.40	10.65	35.04	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	60.35	74.00	-13.65	53.94	3	Vertical	75	1.83	-	34.53	7.23	35.35
AV	5.4432G	46.63	54.00	-7.37	40.23	3	Vertical	75	1.83	-	34.51	7.24	35.35
PK	5.4672G	59.84	68.20	-8.36	53.39	3	Vertical	75	1.83	-	34.53	7.27	35.35
PK	5.5722G	129.07	Inf	-Inf	122.49	3	Vertical	75	1.83	-	34.60	7.37	35.39
AV	5.5722G	118.52	Inf	-Inf	111.94	3	Vertical	75	1.83	-	34.60	7.37	35.39
PK	5.727G	59.48	68.20	-8.72	53.29	3	Vertical	75	1.83	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14344G	64.50	74.00	-9.50	50.49	3	Vertical	183	1.80	-	38.54	10.67	35.20
AV	11.14312G	52.47	54.00	-1.53	38.46	3	Vertical	183	1.80	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14464G	66.08	74.00	-7.92	52.07	3	Horizontal	147	1.79	-	38.54	10.67	35.20
AV	11.14248G	52.14	54.00	-1.86	38.13	3	Horizontal	147	1.79	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	121.13	Inf	-Inf	114.90	3	Vertical	77	1.90	-	34.28	7.40	35.45
AV	5.708G	109.12	Inf	-Inf	102.89	3	Vertical	77	1.90	-	34.28	7.40	35.45
PK	5.7274G	67.50	68.20	-0.70	61.31	3	Vertical	77	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40064G	55.57	74.00	-18.43	41.55	3	Vertical	25	2.32	-	38.80	10.71	35.49
AV	11.39592G	41.58	54.00	-12.42	27.55	3	Vertical	25	2.32	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39894G	56.17	74.00	-17.83	42.15	3	Horizontal	140	1.96	-	38.80	10.71	35.49
AV	11.39916G	41.54	54.00	-12.46	27.52	3	Horizontal	140	1.96	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 18.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	128.03	Inf	-Inf	121.85	3	Vertical	78	1.80	-	34.24	7.40	35.46
AV	5.728G	116.69	Inf	-Inf	110.51	3	Vertical	78	1.80	-	34.24	7.40	35.46
PK	5.888G	64.41	68.20	-3.79	57.93	3	Vertical	78	1.80	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45576G	62.17	74.00	-11.83	48.09	3	Vertical	189	1.82	-	38.91	10.72	35.55
AV	11.45616G	47.35	54.00	-6.65	33.27	3	Vertical	189	1.82	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4572G	66.72	74.00	-7.28	52.64	3	Horizontal	147	1.61	-	38.91	10.72	35.55
AV	11.45696G	53.78	54.00	-0.22	39.70	3	Horizontal	147	1.61	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	62.38	68.20	-5.82	55.79	3	Vertical	77	1.89	-	34.60	7.38	35.39
PK	5.737G	127.60	Inf	-Inf	121.44	3	Vertical	77	1.89	-	34.23	7.40	35.47
AV	5.737G	116.34	Inf	-Inf	110.18	3	Vertical	77	1.89	-	34.23	7.40	35.47
PK	5.939G	60.36	68.20	-7.84	53.63	3	Vertical	77	1.89	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47328G	63.39	74.00	-10.61	49.29	3	Vertical	203	1.80	-	38.95	10.72	35.57
AV	11.47312G	49.92	54.00	-4.08	35.82	3	Vertical	203	1.80	-	38.95	10.72	35.57
PK	17.23414G	65.77	68.20	-2.43	45.59	3	Vertical	293	1.81	-	40.80	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47192G	68.81	74.00	-5.19	54.72	3	Horizontal	143	1.76	-	38.94	10.72	35.57
AV	11.47264G	53.99	54.00	-0.01	39.89	3	Horizontal	143	1.76	-	38.95	10.72	35.57
PK	17.2348G	64.40	68.20	-3.80	44.21	3	Horizontal	300	1.20	-	40.81	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 18.25
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	61.75	68.20	-6.45	55.19	3	Vertical	77	1.76	-	34.57	7.40	35.41
PK	5.777G	128.07	Inf	-Inf	121.96	3	Vertical	77	1.76	-	34.20	7.40	35.49
AV	5.777G	115.47	Inf	-Inf	109.36	3	Vertical	77	1.76	-	34.20	7.40	35.49
PK	5.937G	63.31	68.20	-4.89	56.59	3	Vertical	77	1.76	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55288G	63.13	74.00	-10.87	48.78	3	Vertical	197	1.80	-	39.21	10.73	35.59
AV	11.55312G	49.02	54.00	-4.98	34.67	3	Vertical	197	1.80	-	39.21	10.73	35.59
PK	17.35042G	64.55	68.20	-3.65	43.70	3	Vertical	281	1.04	-	41.40	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55184G	68.28	74.00	-5.72	53.93	3	Horizontal	148	1.80	-	39.21	10.73	35.59
AV	11.55272G	53.91	54.00	-0.09	39.56	3	Horizontal	148	1.80	-	39.21	10.73	35.59
PK	17.35444G	64.40	68.20	-3.80	43.53	3	Horizontal	109	2.26	-	41.42	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.56	68.20	-7.64	53.97	3	Vertical	80	1.80	-	34.60	7.38	35.39
PK	5.833G	126.81	Inf	-Inf	120.63	3	Vertical	80	1.80	-	34.27	7.43	35.52
AV	5.834G	113.36	Inf	-Inf	107.18	3	Vertical	80	1.80	-	34.27	7.43	35.52
PK	5.994G	64.14	68.20	-4.06	57.35	3	Vertical	80	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66744G	61.45	74.00	-12.55	46.86	3	Vertical	198	1.91	-	39.40	10.75	35.56
AV	11.66736G	46.64	54.00	-7.36	32.05	3	Vertical	198	1.91	-	39.40	10.75	35.56
PK	17.47464G	66.63	68.20	-1.57	44.84	3	Vertical	182	1.81	-	42.27	14.43	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66744G	68.23	74.00	-5.77	53.64	3	Horizontal	146	1.80	-	39.40	10.75	35.56
AV	11.66688G	53.99	54.00	-0.01	39.40	3	Horizontal	146	1.80	-	39.40	10.75	35.56
PK	17.47982G	67.11	68.20	-1.09	45.26	3	Horizontal	213	1.82	-	42.32	14.44	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 3 (2TX)


Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	68.04	68.20	-0.16	3	Vertical	76	1.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 19
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1402G	70.83	74.00	-3.17	65.02	3	Vertical	75	1.92	-	33.98	7.17	35.34
AV	5.1446G	51.22	54.00	-2.78	45.40	3	Vertical	75	1.92	-	33.99	7.17	35.34
PK	5.1742G	123.57	Inf	-Inf	117.62	3	Vertical	75	1.92	-	34.10	7.19	35.34
AV	5.1742G	108.21	Inf	-Inf	102.26	3	Vertical	75	1.92	-	34.10	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.54054G	60.52	74.00	-13.48	44.33	3	Vertical	125	1.08	-	38.42	13.17	35.40	
AV	15.53556G	46.71	54.00	-7.29	30.49	3	Vertical	125	1.08	-	38.45	13.17	35.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.53664G	60.36	74.00	-13.64	44.15	3	Horizontal	92	2.68	-	38.44	13.17	35.40	
AV	15.5352G	46.71	54.00	-7.29	30.49	3	Horizontal	92	2.68	-	38.45	13.17	35.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.75	74.00	-14.25	53.92	3	Vertical	74	1.80	-	34.00	7.17	35.34
AV	5.1496G	46.32	54.00	-7.68	40.49	3	Vertical	74	1.80	-	34.00	7.17	35.34
PK	5.194G	125.35	Inf	-Inf	119.31	3	Vertical	74	1.80	-	34.18	7.20	35.34
AV	5.1944G	110.53	Inf	-Inf	104.49	3	Vertical	74	1.80	-	34.18	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60404G	60.84	74.00	-13.16	45.12	3	Vertical	239	2.24	-	37.98	13.20	35.46
AV	15.59748G	47.07	54.00	-6.93	31.30	3	Vertical	239	2.24	-	38.02	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59784G	60.87	74.00	-13.13	45.10	3	Horizontal	354	2.93	-	38.02	13.20	35.45
AV	15.59776G	47.01	54.00	-6.99	31.24	3	Horizontal	354	2.93	-	38.02	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1206G	59.24	74.00	-14.76	53.47	3	Vertical	74	1.98	-	33.94	7.16	35.33
AV	5.1206G	45.60	54.00	-8.40	39.83	3	Vertical	74	1.98	-	33.94	7.16	35.33
PK	5.234G	126.05	Inf	-Inf	119.85	3	Vertical	74	1.98	-	34.34	7.20	35.34
AV	5.234G	110.96	Inf	-Inf	104.76	3	Vertical	74	1.98	-	34.34	7.20	35.34
PK	5.384G	60.46	74.00	-13.54	54.04	3	Vertical	74	1.98	-	34.57	7.20	35.35
AV	5.3744G	46.60	54.00	-7.40	40.19	3	Vertical	74	1.98	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71738G	60.00	74.00	-14.00	44.72	3	Vertical	270	1.22	-	37.57	13.26	35.55
AV	15.72402G	45.84	54.00	-8.16	30.54	3	Vertical	270	1.22	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7204G	59.88	74.00	-14.12	44.60	3	Horizontal	343	2.96	-	37.58	13.26	35.56
AV	15.72404G	45.84	54.00	-8.16	30.54	3	Horizontal	343	2.96	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	58.75	74.00	-15.25	52.99	3	Vertical	76	1.99	-	33.93	7.16	35.33
AV	5.1196G	45.64	54.00	-8.36	39.87	3	Vertical	76	1.99	-	33.94	7.16	35.33
PK	5.2672G	124.43	Inf	-Inf	118.14	3	Vertical	76	1.99	-	34.43	7.20	35.34
AV	5.2672G	110.25	Inf	-Inf	103.96	3	Vertical	76	1.99	-	34.43	7.20	35.34
PK	5.3842G	60.51	74.00	-13.49	54.09	3	Vertical	76	1.99	-	34.57	7.20	35.35
AV	5.3866G	46.94	54.00	-7.06	40.52	3	Vertical	76	1.99	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7821G	59.68	74.00	-14.32	44.17	3	Vertical	179	2.25	-	37.83	13.29	35.61
AV	15.7815G	45.75	54.00	-8.25	30.24	3	Vertical	179	2.25	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78218G	59.68	74.00	-14.32	44.17	3	Horizontal	107	1.43	-	37.83	13.29	35.61
AV	15.78144G	45.76	54.00	-8.24	30.25	3	Horizontal	107	1.43	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	124.91	Inf	-Inf	118.55	3	Vertical	75	1.80	-	34.50	7.20	35.34
AV	5.3068G	110.68	Inf	-Inf	104.32	3	Vertical	75	1.80	-	34.50	7.20	35.34
PK	5.3644G	66.40	74.00	-7.60	60.01	3	Vertical	75	1.80	-	34.53	7.20	35.34
AV	5.35G	48.01	54.00	-5.99	41.65	3	Vertical	75	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61288G	58.25	74.00	-15.75	44.80	3	Vertical	185	2.04	-	38.23	10.59	35.37
AV	10.6152G	44.17	54.00	-9.83	30.72	3	Vertical	185	2.04	-	38.23	10.59	35.37
PK	15.88864G	59.56	74.00	-14.44	44.29	3	Vertical	167	2.46	-	37.63	13.34	35.70
AV	15.91888G	45.96	54.00	-8.04	30.76	3	Vertical	167	2.46	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61432G	55.74	74.00	-18.26	42.29	3	Horizontal	114	1.77	-	38.23	10.59	35.37
AV	10.61424G	43.28	54.00	-10.72	29.83	3	Horizontal	114	1.77	-	38.23	10.59	35.37
PK	15.89304G	59.29	74.00	-14.71	44.02	3	Horizontal	334	1.29	-	37.62	13.35	35.70
AV	15.88272G	45.95	54.00	-8.05	30.65	3	Horizontal	334	1.29	-	37.65	13.34	35.69

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	122.23	Inf	-Inf	115.87	3	Vertical	74	1.77	-	34.50	7.20	35.34
AV	5.327G	108.32	Inf	-Inf	101.96	3	Vertical	74	1.77	-	34.50	7.20	35.34
PK	5.3548G	71.64	74.00	-2.36	65.27	3	Vertical	74	1.77	-	34.51	7.20	35.34
AV	5.3566G	50.92	54.00	-3.08	44.55	3	Vertical	74	1.77	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96252G	59.22	74.00	-14.78	44.13	3	Vertical	224	2.23	-	37.47	13.38	35.76
AV	15.95714G	45.52	54.00	-8.48	30.40	3	Vertical	224	2.23	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9645G	59.37	74.00	-14.63	44.28	3	Horizontal	13	2.58	-	37.47	13.38	35.76
AV	15.95704G	45.54	54.00	-8.46	30.42	3	Horizontal	13	2.58	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.76	74.00	-7.24	60.33	3	Vertical	75	1.98	-	34.52	7.26	35.35
AV	5.4594G	48.15	54.00	-5.85	41.72	3	Vertical	75	1.98	-	34.52	7.26	35.35
PK	5.4632G	67.96	68.20	-0.24	61.52	3	Vertical	75	1.98	-	34.53	7.26	35.35
PK	5.4942G	125.38	Inf	-Inf	118.85	3	Vertical	75	1.98	-	34.59	7.29	35.35
AV	5.4942G	109.16	Inf	-Inf	102.63	3	Vertical	75	1.98	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99768G	55.12	74.00	-18.88	41.11	3	Vertical	243	1.95	-	38.40	10.65	35.04
AV	11.00338G	41.40	54.00	-12.60	27.39	3	Vertical	243	1.95	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99772G	55.49	74.00	-18.51	41.48	3	Horizontal	317	2.24	-	38.40	10.65	35.04
AV	11.00356G	41.50	54.00	-12.50	27.49	3	Horizontal	317	2.24	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4354G	60.33	74.00	-13.67	53.91	3	Vertical	75	1.80	-	34.53	7.24	35.35
AV	5.4312G	46.76	54.00	-7.24	40.34	3	Vertical	75	1.80	-	34.54	7.23	35.35
PK	5.4618G	59.80	68.20	-8.40	53.37	3	Vertical	75	1.80	-	34.52	7.26	35.35
PK	5.574G	128.54	Inf	-Inf	121.96	3	Vertical	75	1.80	-	34.60	7.37	35.39
AV	5.574G	112.94	Inf	-Inf	106.36	3	Vertical	75	1.80	-	34.60	7.37	35.39
PK	5.7258G	59.90	68.20	-8.30	53.71	3	Vertical	75	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14568G	63.41	74.00	-10.59	49.39	3	Vertical	184	1.92	-	38.55	10.67	35.20
AV	11.1456G	49.86	54.00	-4.14	35.84	3	Vertical	184	1.92	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14456G	64.01	74.00	-9.99	50.00	3	Horizontal	149	1.07	-	38.54	10.67	35.20
AV	11.1464G	50.17	54.00	-3.83	36.15	3	Horizontal	149	1.07	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 12
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7056G	117.33	Inf	-Inf	111.09	3	Vertical	76	1.90	-	34.29	7.40	35.45
AV	5.7058G	105.25	Inf	-Inf	99.01	3	Vertical	76	1.90	-	34.29	7.40	35.45
PK	5.7256G	68.04	68.20	-0.16	61.85	3	Vertical	76	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 12
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39848G	55.79	74.00	-18.21	41.77	3	Vertical	117	2.18	-	38.80	10.71	35.49
AV	11.40486G	41.94	54.00	-12.06	27.91	3	Vertical	117	2.18	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT Y_2TX
Setting 12
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	55.70	74.00	-18.30	41.68	3	Horizontal	114	1.65	-	38.80	10.71	35.49
AV	11.39562G	42.03	54.00	-11.97	28.00	3	Horizontal	114	1.65	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	126.10	Inf	-Inf	119.91	3	Vertical	78	1.80	-	34.25	7.40	35.46
AV	5.7256G	113.77	Inf	-Inf	107.58	3	Vertical	78	1.80	-	34.25	7.40	35.46
PK	5.8888G	63.68	68.20	-4.52	57.20	3	Vertical	78	1.80	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45344G	59.80	74.00	-14.20	45.72	3	Vertical	206	1.80	-	38.91	10.72	35.55
AV	11.45328G	46.71	54.00	-7.29	32.63	3	Vertical	206	1.80	-	38.91	10.72	35.55
PK	17.14912G	63.81	68.20	-4.39	44.08	3	Vertical	0	1.80	-	40.40	14.20	34.87

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45448G	65.45	74.00	-8.55	51.37	3	Horizontal	144	1.80	-	38.91	10.72	35.55
AV	11.4548G	53.12	54.00	-0.88	39.04	3	Horizontal	144	1.80	-	38.91	10.72	35.55
PK	17.15856G	63.83	68.20	-4.37	44.07	3	Horizontal	149	1.67	-	40.43	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	63.87	68.20	-4.33	57.28	3	Vertical	78	1.82	-	34.60	7.38	35.39
PK	5.739G	128.21	Inf	-Inf	122.06	3	Vertical	78	1.82	-	34.22	7.40	35.47
AV	5.738G	111.20	Inf	-Inf	105.05	3	Vertical	78	1.82	-	34.22	7.40	35.47
PK	5.96G	60.41	68.20	-7.79	53.63	3	Vertical	78	1.82	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47848G	62.56	74.00	-11.44	48.46	3	Vertical	203	1.66	-	38.96	10.72	35.58
AV	11.47608G	48.80	54.00	-5.20	34.70	3	Vertical	203	1.66	-	38.95	10.72	35.57
PK	17.229G	64.44	68.20	-3.76	44.29	3	Vertical	110	2.22	-	40.77	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47472G	66.19	74.00	-7.81	52.09	3	Horizontal	142	1.80	-	38.95	10.72	35.57
AV	11.47464G	52.90	54.00	-1.10	38.80	3	Horizontal	142	1.80	-	38.95	10.72	35.57
PK	17.23972G	64.83	68.20	-3.37	44.60	3	Horizontal	33	1.66	-	40.84	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	64.06	68.20	-4.14	57.51	3	Vertical	77	1.83	-	34.56	7.40	35.41
PK	5.779G	128.29	Inf	-Inf	122.18	3	Vertical	77	1.83	-	34.20	7.40	35.49
AV	5.778G	111.40	Inf	-Inf	105.29	3	Vertical	77	1.83	-	34.20	7.40	35.49
PK	5.94G	64.86	68.20	-3.34	58.13	3	Vertical	77	1.83	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55592G	62.19	74.00	-11.81	47.83	3	Vertical	197	1.78	-	39.22	10.73	35.59
AV	11.55552G	49.20	54.00	-4.80	34.84	3	Vertical	197	1.78	-	39.22	10.73	35.59
PK	17.36108G	64.94	68.20	-3.26	44.05	3	Vertical	83	2.82	-	41.44	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55736G	66.84	74.00	-7.16	52.47	3	Horizontal	144	1.70	-	39.23	10.73	35.59
AV	11.55464G	53.63	54.00	-0.37	39.27	3	Horizontal	144	1.70	-	39.22	10.73	35.59
PK	17.33996G	65.29	68.20	-2.91	44.48	3	Horizontal	67	1.42	-	41.36	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.08	68.20	-8.12	53.49	3	Vertical	76	1.89	-	34.60	7.38	35.39
PK	5.832G	125.95	Inf	-Inf	119.78	3	Vertical	76	1.89	-	34.26	7.43	35.52
AV	5.832G	111.52	Inf	-Inf	105.35	3	Vertical	76	1.89	-	34.26	7.43	35.52
PK	5.992G	64.43	68.20	-3.77	57.64	3	Vertical	76	1.89	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66552G	60.08	74.00	-13.92	45.49	3	Vertical	200	2.02	-	39.40	10.75	35.56
AV	11.6652G	47.14	54.00	-6.86	32.55	3	Vertical	200	2.02	-	39.40	10.75	35.56
PK	17.48836G	66.09	68.20	-2.11	44.16	3	Vertical	34	1.79	-	42.40	14.44	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66432G	66.76	74.00	-7.24	52.17	3	Horizontal	145	1.37	-	39.40	10.75	35.56
AV	11.66464G	53.28	54.00	-0.72	38.69	3	Horizontal	145	1.37	-	39.40	10.75	35.56
PK	17.4922G	66.18	68.20	-2.02	44.22	3	Horizontal	72	1.80	-	42.43	14.44	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 106_Ant. 3 (2TX)


Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.725G	68.08	68.20	-0.12	3	Vertical	77	1.79	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	73.77	74.00	-0.23	67.94	3	Vertical	73	1.92	-	34.00	7.17	35.34
AV	5.15G	49.61	54.00	-4.39	43.78	3	Vertical	73	1.92	-	34.00	7.17	35.34
PK	5.177G	120.95	Inf	-Inf	114.99	3	Vertical	73	1.92	-	34.11	7.19	35.34
AV	5.1776G	107.28	Inf	-Inf	101.32	3	Vertical	73	1.92	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53862G	60.77	74.00	-13.23	44.57	3	Vertical	279	1.77	-	38.43	13.17	35.40
AV	15.535G	46.72	54.00	-7.28	30.49	3	Vertical	279	1.77	-	38.46	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53706G	60.96	74.00	-13.04	44.75	3	Horizontal	139	1.29	-	38.44	13.17	35.40
AV	15.53734G	46.73	54.00	-7.27	30.52	3	Horizontal	139	1.29	-	38.44	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.26	74.00	-9.74	58.44	3	Vertical	73	1.96	-	33.99	7.17	35.34
AV	5.15G	46.66	54.00	-7.34	40.83	3	Vertical	73	1.96	-	34.00	7.17	35.34
PK	5.1984G	123.75	Inf	-Inf	117.70	3	Vertical	73	1.96	-	34.19	7.20	35.34
AV	5.198G	110.44	Inf	-Inf	104.39	3	Vertical	73	1.96	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59696G	60.33	74.00	-13.67	44.56	3	Vertical	126	2.20	-	38.02	13.20	35.45
AV	15.59828G	47.05	54.00	-6.95	31.29	3	Vertical	126	2.20	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5984G	60.82	74.00	-13.18	45.06	3	Horizontal	32	1.95	-	38.01	13.20	35.45
AV	15.59814G	47.02	54.00	-6.98	31.26	3	Horizontal	32	1.95	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.04	74.00	-14.96	53.30	3	Vertical	77	1.96	-	33.92	7.15	35.33
AV	5.1104G	45.80	54.00	-8.20	40.05	3	Vertical	77	1.96	-	33.92	7.16	35.33
PK	5.2382G	124.02	Inf	-Inf	117.81	3	Vertical	77	1.96	-	34.35	7.20	35.34
AV	5.2382G	110.71	Inf	-Inf	104.50	3	Vertical	77	1.96	-	34.35	7.20	35.34
PK	5.3768G	59.89	74.00	-14.11	53.49	3	Vertical	77	1.96	-	34.55	7.20	35.35
AV	5.3894G	46.82	54.00	-7.18	40.39	3	Vertical	77	1.96	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7215G	59.47	74.00	-14.53	44.18	3	Vertical	359	2.68	-	37.59	13.26	35.56
AV	15.72034G	46.02	54.00	-7.98	30.74	3	Vertical	359	2.68	-	37.58	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71524G	60.30	74.00	-13.70	45.03	3	Horizontal	9	1.53	-	37.56	13.26	35.55
AV	15.724G	46.11	54.00	-7.89	30.81	3	Horizontal	9	1.53	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	59.35	74.00	-14.65	53.57	3	Vertical	74	1.92	-	33.96	7.16	35.34
AV	5.11G	45.66	54.00	-8.34	39.91	3	Vertical	74	1.92	-	33.92	7.16	35.33
PK	5.2636G	123.35	Inf	-Inf	117.06	3	Vertical	74	1.92	-	34.43	7.20	35.34
AV	5.2648G	110.74	Inf	-Inf	104.45	3	Vertical	74	1.92	-	34.43	7.20	35.34
PK	5.3932G	61.23	74.00	-12.77	54.79	3	Vertical	74	1.92	-	34.59	7.20	35.35
AV	5.3896G	46.91	54.00	-7.09	40.48	3	Vertical	74	1.92	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77524G	59.92	74.00	-14.08	44.43	3	Vertical	43	1.77	-	37.80	13.29	35.60
AV	15.78456G	45.75	54.00	-8.25	30.23	3	Vertical	43	1.77	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78286G	59.54	74.00	-14.46	44.03	3	Horizontal	151	2.17	-	37.83	13.29	35.61
AV	15.78172G	45.78	54.00	-8.22	30.27	3	Horizontal	151	2.17	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	123.74	Inf	-Inf	117.38	3	Vertical	75	1.94	-	34.50	7.20	35.34
AV	5.3044G	111.14	Inf	-Inf	104.78	3	Vertical	75	1.94	-	34.50	7.20	35.34
PK	5.35G	66.12	74.00	-7.88	59.76	3	Vertical	75	1.94	-	34.50	7.20	35.34
AV	5.35G	48.12	54.00	-5.88	41.76	3	Vertical	75	1.94	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61352G	54.88	74.00	-19.12	41.43	3	Vertical	67	1.33	-	38.23	10.59	35.37
AV	10.60848G	42.33	54.00	-11.67	28.90	3	Vertical	67	1.33	-	38.22	10.59	35.38
PK	15.88576G	59.51	74.00	-14.49	44.22	3	Vertical	24	1.94	-	37.64	13.34	35.69
AV	15.91096G	46.02	54.00	-7.98	30.80	3	Vertical	24	1.94	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6088G	56.55	74.00	-17.45	43.12	3	Horizontal	115	1.80	-	38.22	10.59	35.38
AV	10.60904G	42.73	54.00	-11.27	29.30	3	Horizontal	115	1.80	-	38.22	10.59	35.38
PK	15.91464G	60.69	74.00	-13.31	45.48	3	Horizontal	176	1.56	-	37.57	13.36	35.72
AV	15.9108G	46.51	54.00	-7.49	31.29	3	Horizontal	176	1.56	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	121.33	Inf	-Inf	114.97	3	Vertical	75	1.90	-	34.50	7.20	35.34
AV	5.3244G	109.19	Inf	-Inf	102.83	3	Vertical	75	1.90	-	34.50	7.20	35.34
PK	5.3504G	72.67	74.00	-1.33	66.31	3	Vertical	75	1.90	-	34.50	7.20	35.34
AV	5.35G	52.18	54.00	-1.82	45.82	3	Vertical	75	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96118G	59.44	74.00	-14.56	44.34	3	Vertical	222	1.26	-	37.48	13.38	35.76
AV	15.95798G	45.69	54.00	-8.31	30.58	3	Vertical	222	1.26	-	37.48	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96104G	59.61	74.00	-14.39	44.51	3	Horizontal	140	1.86	-	37.48	13.38	35.76
AV	15.95524G	45.70	54.00	-8.30	30.58	3	Horizontal	140	1.86	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 16.75
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	61.71	74.00	-12.29	55.28	3	Vertical	74	1.87	-	34.52	7.26	35.35
AV	5.4576G	48.15	54.00	-5.85	41.72	3	Vertical	74	1.87	-	34.52	7.26	35.35
PK	5.4684G	67.96	68.20	-0.24	61.50	3	Vertical	74	1.87	-	34.54	7.27	35.35
PK	5.4968G	122.32	Inf	-Inf	115.78	3	Vertical	74	1.87	-	34.59	7.30	35.35
AV	5.4978G	108.10	Inf	-Inf	101.55	3	Vertical	74	1.87	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00216G	55.31	74.00	-18.69	41.30	3	Vertical	78	2.16	-	38.40	10.65	35.04
AV	11.00328G	41.46	54.00	-12.54	27.45	3	Vertical	78	2.16	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99878G	55.82	74.00	-18.18	41.81	3	Horizontal	43	2.68	-	38.40	10.65	35.04
AV	11.00366G	41.42	54.00	-12.58	27.41	3	Horizontal	43	2.68	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.94	74.00	-14.06	53.54	3	Vertical	77	1.80	-	34.50	7.25	35.35
AV	5.4462G	46.73	54.00	-7.27	40.32	3	Vertical	77	1.80	-	34.51	7.25	35.35
PK	5.4606G	59.73	68.20	-8.47	53.30	3	Vertical	77	1.80	-	34.52	7.26	35.35
PK	5.5782G	125.15	Inf	-Inf	118.56	3	Vertical	77	1.80	-	34.60	7.38	35.39
AV	5.5776G	111.23	Inf	-Inf	104.64	3	Vertical	77	1.80	-	34.60	7.38	35.39
PK	5.73G	59.50	68.20	-8.70	53.33	3	Vertical	77	1.80	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15056G	61.24	74.00	-12.76	47.23	3	Vertical	185	1.93	-	38.55	10.67	35.21
AV	11.15096G	48.38	54.00	-5.62	34.37	3	Vertical	185	1.93	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14944G	63.79	74.00	-10.21	49.78	3	Horizontal	144	1.60	-	38.55	10.67	35.21
AV	11.15432G	49.55	54.00	-4.45	35.54	3	Horizontal	144	1.60	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.703G	118.76	Inf	-Inf	112.52	3	Vertical	77	1.79	-	34.29	7.40	35.45
AV	5.7028G	104.72	Inf	-Inf	98.48	3	Vertical	77	1.79	-	34.29	7.40	35.45
PK	5.725G	68.08	68.20	-0.12	61.89	3	Vertical	77	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	55.92	74.00	-18.08	41.90	3	Vertical	130	2.89	-	38.80	10.71	35.49
AV	11.39914G	41.84	54.00	-12.16	27.82	3	Vertical	130	2.89	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40002G	55.62	74.00	-18.38	41.60	3	Horizontal	149	1.20	-	38.80	10.71	35.49
AV	11.39574G	41.82	54.00	-12.18	27.79	3	Horizontal	149	1.20	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	125.36	Inf	-Inf	119.17	3	Vertical	77	1.80	-	34.25	7.40	35.46
AV	5.7232G	111.84	Inf	-Inf	105.65	3	Vertical	77	1.80	-	34.25	7.40	35.46
PK	5.8832G	63.46	68.20	-4.74	57.02	3	Vertical	77	1.80	-	34.50	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44136G	61.11	74.00	-12.89	47.04	3	Vertical	181	1.93	-	38.88	10.72	35.53
AV	11.4456G	47.80	54.00	-6.20	33.73	3	Vertical	181	1.93	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44488G	64.88	74.00	-9.12	50.81	3	Horizontal	147	1.80	-	38.89	10.72	35.54
AV	11.4496G	50.62	54.00	-3.38	36.54	3	Horizontal	147	1.80	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	63.40	68.20	-4.80	56.81	3	Vertical	79	1.80	-	34.60	7.38	35.39
PK	5.743G	124.98	Inf	-Inf	118.84	3	Vertical	79	1.80	-	34.21	7.40	35.47
AV	5.743G	111.95	Inf	-Inf	105.81	3	Vertical	79	1.80	-	34.21	7.40	35.47
PK	5.98G	61.11	68.20	-7.09	54.32	3	Vertical	79	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48728G	56.04	74.00	-17.96	41.94	3	Vertical	114	1.23	-	38.97	10.72	35.59
AV	11.4844G	44.14	54.00	-9.86	30.03	3	Vertical	114	1.23	-	38.97	10.72	35.58
PK	17.23244G	64.25	68.20	-3.95	44.08	3	Vertical	123	1.00	-	40.79	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48896G	66.01	74.00	-7.99	51.90	3	Horizontal	142	1.80	-	38.98	10.72	35.59
AV	11.48448G	51.62	54.00	-2.38	37.51	3	Horizontal	142	1.80	-	38.97	10.72	35.58
PK	17.24836G	63.72	68.20	-4.48	43.44	3	Horizontal	176	1.32	-	40.89	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	62.55	68.20	-5.65	56.01	3	Vertical	78	1.80	-	34.55	7.40	35.41
PK	5.783G	125.53	Inf	-Inf	119.42	3	Vertical	78	1.80	-	34.20	7.40	35.49
AV	5.783G	111.60	Inf	-Inf	105.49	3	Vertical	78	1.80	-	34.20	7.40	35.49
PK	5.943G	63.64	68.20	-4.56	56.90	3	Vertical	78	1.80	-	34.77	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom



EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56544G	61.54	74.00	-12.46	47.14	3	Vertical	188	2.84	-	39.26	10.73	35.59
AV	11.56104G	49.05	54.00	-4.95	34.67	3	Vertical	188	2.84	-	39.24	10.73	35.59
PK	17.35684G	65.31	68.20	-2.89	44.43	3	Vertical	54	2.00	-	41.43	14.35	34.90