


802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.66	68.20	-9.54	51.98	3	Vertical	126	1.80	-	34.53	7.57	35.42
PK	5.868G	113.77	Inf	-Inf	107.42	3	Vertical	126	1.80	-	34.41	7.47	35.53
AV	5.867G	101.63	Inf	-Inf	95.29	3	Vertical	126	1.80	-	34.40	7.47	35.53
PK	5.925G	60.06	88.20	-28.14	53.39	3	Vertical	126	1.80	-	34.70	7.53	35.56
AV	6.027G	46.19	68.20	-22.01	39.29	3	Vertical	126	1.80	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.92	68.20	-9.28	52.26	3	Horizontal	120	1.78	-	34.52	7.56	35.42
PK	5.868G	114.10	Inf	-Inf	107.75	3	Horizontal	120	1.78	-	34.41	7.47	35.53
AV	5.867G	101.94	Inf	-Inf	95.60	3	Horizontal	120	1.78	-	34.40	7.47	35.53
PK	5.929G	60.27	88.20	-27.93	53.58	3	Horizontal	120	1.78	-	34.72	7.53	35.56
AV	6.027G	46.25	68.20	-21.95	39.35	3	Horizontal	120	1.78	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.729G	60.92	74.00	-13.08	46.28	3	Vertical	151	2.98	-	39.43	10.76	35.55
AV	11.7362G	46.97	54.00	-7.03	32.32	3	Vertical	151	2.98	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.736G	62.92	74.00	-11.08	48.27	3	Horizontal	205	2.08	-	39.44	10.76	35.55
AV	11.7362G	50.32	54.00	-3.68	35.67	3	Horizontal	205	2.08	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7175G	60.05	110.10	-50.05	53.84	3	Vertical	333	2.02	BP 1MHz	34.27	7.40	35.46
PK	5.88625G	104.44	Inf	-Inf	97.97	3	Vertical	333	2.02	-	34.52	7.49	35.54
AV	5.8875G	97.22	Inf	-Inf	90.75	3	Vertical	333	2.02	-	34.52	7.49	35.54
PK	5.8955G	93.98	109.83	-15.85	87.46	3	Vertical	333	2.02	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	84.94	89.83	-4.89	78.42	3	Vertical	333	2.02	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6745G	60.11	86.33	-26.22	53.75	3	Horizontal	234	1.89	BP 1MHz	34.40	7.40	35.44
PK	5.88625G	101.09	Inf	-Inf	94.62	3	Horizontal	234	1.89	-	34.52	7.49	35.54
AV	5.8875G	94.15	Inf	-Inf	87.68	3	Horizontal	234	1.89	-	34.52	7.49	35.54
PK	5.8955G	91.11	109.83	-18.72	84.59	3	Horizontal	234	1.89	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	81.81	89.83	-8.02	75.29	3	Horizontal	234	1.89	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7762G	59.60	74.00	-14.40	44.89	3	Vertical	148	2.85	-	39.48	10.77	35.54
AV	11.7762G	46.05	54.00	-7.95	31.34	3	Vertical	148	2.85	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7764G	64.04	74.00	-9.96	49.33	3	Horizontal	205	2.06	-	39.48	10.77	35.54
AV	11.7762G	50.73	54.00	-3.27	36.02	3	Horizontal	205	2.06	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 3 (1TX)


Appendix E.38

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7068G	53.82	54.00	-0.18	3	Vertical	165	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.58	68.20	-8.62	52.95	3	Vertical	77	1.70	-	34.50	7.55	35.42
PK	5.853G	123.11	Inf	-Inf	116.87	3	Vertical	77	1.70	-	34.32	7.45	35.53
AV	5.853G	111.42	Inf	-Inf	105.18	3	Vertical	77	1.70	-	34.32	7.45	35.53
AV	6.013G	48.50	68.20	-19.70	41.64	3	Vertical	77	1.70	-	34.83	7.62	35.59
PK	6.092G	60.85	88.20	-27.35	53.69	3	Vertical	77	1.70	-	34.98	7.74	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.706G	68.34	74.00	-5.66	53.72	3	Vertical	165	3.00	-	39.41	10.76	35.55
AV	11.7068G	53.82	54.00	-0.18	39.20	3	Vertical	165	3.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7054G	64.61	74.00	-9.39	49.99	3	Horizontal	191	2.14	-	39.41	10.76	35.55
AV	11.7068G	50.93	54.00	-3.07	36.31	3	Horizontal	191	2.14	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.29	68.20	-8.91	52.62	3	Vertical	76	1.67	-	34.53	7.56	35.42
PK	5.873G	123.61	Inf	-Inf	117.24	3	Vertical	76	1.67	-	34.44	7.47	35.54
AV	5.873G	112.23	Inf	-Inf	105.86	3	Vertical	76	1.67	-	34.44	7.47	35.54
PK	6.034G	61.09	88.20	-27.11	54.16	3	Vertical	76	1.67	-	34.87	7.65	35.59
AV	6.033G	48.65	68.20	-19.55	41.72	3	Vertical	76	1.67	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7456G	67.82	74.00	-6.18	53.16	3	Vertical	165	2.70	-	39.45	10.76	35.55
AV	11.7466G	53.76	54.00	-0.24	39.10	3	Vertical	165	2.70	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7474G	64.91	74.00	-9.09	50.25	3	Horizontal	195	2.08	-	39.45	10.76	35.55
AV	11.7468G	51.32	54.00	-2.68	36.66	3	Horizontal	195	2.08	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89255G	102.06	Inf	-Inf	95.56	3	Vertical	50	1.80	-	34.56	7.49	35.55
AV	5.89253G	94.29	Inf	-Inf	87.79	3	Vertical	50	1.80	-	34.56	7.49	35.55
AV	5.8955G	66.80	89.83	-23.03	60.28	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55
PK	5.8955G	80.37	109.83	-29.46	73.85	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	66.77	89.83	-23.06	60.25	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7862G	61.02	74.00	-12.98	46.30	3	Vertical	167	2.95	-	39.49	10.77	35.54
AV	11.7866G	45.51	54.00	-8.49	30.79	3	Vertical	167	2.95	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7868G	57.87	74.00	-16.13	43.15	3	Horizontal	140	2.10	-	39.49	10.77	35.54
AV	11.7868G	43.40	54.00	-10.60	28.68	3	Horizontal	140	2.10	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 3 (1TX)


Appendix E.39

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.704G	53.83	54.00	-0.17	3	Vertical	169	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.80	68.20	-8.40	53.10	3	Vertical	79	1.77	-	34.54	7.57	35.41
PK	5.851G	121.65	Inf	-Inf	115.42	3	Vertical	79	1.77	-	34.31	7.45	35.53
AV	5.851G	109.60	Inf	-Inf	103.37	3	Vertical	79	1.77	-	34.31	7.45	35.53
PK	5.939G	61.65	88.20	-26.55	54.92	3	Vertical	79	1.77	-	34.76	7.54	35.57
AV	6.011G	48.22	68.20	-19.98	41.38	3	Vertical	79	1.77	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7054G	66.59	74.00	-7.41	51.97	3	Vertical	169	3.00	-	39.41	10.76	35.55
AV	11.704G	53.83	54.00	-0.17	39.23	3	Vertical	169	3.00	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7056G	60.93	74.00	-13.07	46.31	3	Horizontal	0	2.57	-	39.41	10.76	35.55
AV	11.704G	48.20	54.00	-5.80	33.60	3	Horizontal	0	2.57	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6442G	60.23	68.20	-7.97	53.58	3	Vertical	79.6	1.66	-	34.51	7.56	35.42
PK	5.8712G	122.18	Inf	-Inf	115.82	3	Vertical	79.6	1.66	-	34.43	7.47	35.54
AV	5.8712G	110.02	Inf	-Inf	103.66	3	Vertical	79.6	1.66	-	34.43	7.47	35.54
PK	5.9012G	86.23	105.65	-19.42	79.68	3	Vertical	79.6	1.66	-	34.60	7.50	35.55
AV	6.0312G	48.39	68.20	-19.81	41.47	3	Vertical	79.6	1.66	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	65.91	74.00	-8.09	51.26	3	Vertical	165	2.73	-	39.44	10.76	35.55
AV	11.744G	53.22	54.00	-0.78	38.57	3	Vertical	165	2.73	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	61.04	74.00	-12.96	46.39	3	Horizontal	360	2.58	-	39.44	10.76	35.55
AV	11.744G	47.91	54.00	-6.09	33.26	3	Horizontal	360	2.58	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8862G	102.71	Inf	-Inf	96.24	3	Vertical	48	1.80	-	34.52	7.49	35.54	
AV	5.8912G	96.17	Inf	-Inf	89.68	3	Vertical	48	1.80	-	34.55	7.49	35.55	
PK	5.8955G	81.20	109.83	-28.63	74.68	3	Vertical	48	1.80	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	70.67	89.83	-19.16	64.15	3	Vertical	48	1.80	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7834G	62.75	74.00	-11.25	48.04	3	Vertical	163	2.74	-	39.48	10.77	35.54
AV	11.784G	48.29	54.00	-5.71	33.58	3	Vertical	163	2.74	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7846G	60.02	74.00	-13.98	45.31	3	Horizontal	198	1.80	-	39.48	10.77	35.54
AV	11.784G	45.10	54.00	-8.90	30.39	3	Horizontal	198	1.80	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 3 (1TX)


Appendix E.40

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7362G	52.31	54.00	-1.69	3	Vertical	162	2.72	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.16	68.20	-8.04	53.53	3	Vertical	76	1.69	-	34.50	7.55	35.42
PK	5.848G	121.43	Inf	-Inf	115.20	3	Vertical	76	1.69	-	34.30	7.45	35.52
AV	5.847G	109.86	Inf	-Inf	103.64	3	Vertical	76	1.69	-	34.29	7.45	35.52
PK	5.929G	61.03	88.20	-27.17	54.34	3	Vertical	76	1.69	-	34.72	7.53	35.56
AV	6.009G	47.75	68.20	-20.45	40.92	3	Vertical	76	1.69	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.701G	64.16	74.00	-9.84	49.56	3	Vertical	163	3.00	-	39.40	10.76	35.56	
AV	11.6962G	51.25	54.00	-2.75	36.66	3	Vertical	163	3.00	-	39.40	10.75	35.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.701G	60.10	74.00	-13.90	45.50	3	Horizontal	-0	2.60	-	39.40	10.76	35.56
AV	11.6962G	46.72	54.00	-7.28	32.13	3	Horizontal	-0	2.60	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.52	68.20	-9.68	51.86	3	Vertical	78	1.68	-	34.52	7.56	35.42
PK	5.868G	121.89	Inf	-Inf	115.54	3	Vertical	78	1.68	-	34.41	7.47	35.53
AV	5.867G	109.93	Inf	-Inf	103.59	3	Vertical	78	1.68	-	34.40	7.47	35.53
PK	5.921G	67.48	91.13	-23.65	60.84	3	Vertical	78	1.68	-	34.68	7.52	35.56
AV	5.925G	48.03	68.20	-20.17	41.36	3	Vertical	78	1.68	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7348G	65.73	74.00	-8.27	51.09	3	Vertical	162	2.72	-	39.43	10.76	35.55
AV	11.7362G	52.31	54.00	-1.69	37.66	3	Vertical	162	2.72	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7364G	60.11	74.00	-13.89	45.46	3	Horizontal	357	2.61	-	39.44	10.76	35.55
AV	11.7384G	46.79	54.00	-7.21	32.14	3	Horizontal	357	2.61	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
AV	5.88743G	98.63	Inf	-Inf	92.16	3	Vertical	51	1.80	-	34.52	7.49	35.54	
PK	5.88623G	105.02	Inf	-Inf	98.55	3	Vertical	51	1.80	-	34.52	7.49	35.54	
PK	5.8955G	88.84	109.83	-20.99	82.32	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	77.28	89.83	-12.55	70.76	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55	
PK	5.8955G	88.76	109.83	-21.07	82.24	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.776G	63.88	74.00	-10.12	49.17	3	Vertical	165	2.71	-	39.48	10.77	35.54
AV	11.7762G	50.36	54.00	-3.64	35.65	3	Vertical	165	2.71	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7786G	59.71	74.00	-14.29	45.00	3	Horizontal	197	1.80	-	39.48	10.77	35.54
AV	11.7784G	45.34	54.00	-8.66	30.63	3	Horizontal	197	1.80	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 1 (2TX)


Appendix E.41

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.707G	53.76	54.00	-0.24	3	Vertical	178	2.81	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.09	68.20	-9.11	52.41	3	Vertical	232	1.80	-	34.53	7.57	35.42
PK	5.854G	120.18	Inf	-Inf	113.94	3	Vertical	232	1.80	-	34.32	7.45	35.53
AV	5.853G	108.51	Inf	-Inf	102.27	3	Vertical	232	1.80	-	34.32	7.45	35.53
PK	5.972G	59.82	88.20	-28.38	53.04	3	Vertical	232	1.80	-	34.80	7.57	35.59
AV	6.013G	47.60	68.20	-20.60	40.74	3	Vertical	232	1.80	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.67	68.20	-9.53	51.91	3	Horizontal	211	2.94	-	34.58	7.59	35.41
PK	5.853G	119.71	Inf	-Inf	113.47	3	Horizontal	211	2.94	-	34.32	7.45	35.53
AV	5.853G	109.18	Inf	-Inf	102.94	3	Horizontal	211	2.94	-	34.32	7.45	35.53
PK	5.954G	59.55	88.20	-28.65	52.78	3	Horizontal	211	2.94	-	34.80	7.55	35.58
AV	6.013G	47.19	68.20	-21.01	40.33	3	Horizontal	211	2.94	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.707G	66.79	74.00	-7.21	52.17	3	Vertical	178	2.81	-	39.41	10.76	35.55
AV	11.707G	53.76	54.00	-0.24	39.14	3	Vertical	178	2.81	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.708G	66.63	74.00	-7.37	52.01	3	Horizontal	199	2.00	-	39.41	10.76	35.55
AV	11.7074G	51.77	54.00	-2.23	37.15	3	Horizontal	199	2.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	58.93	68.20	-9.27	52.22	3	Vertical	231	1.80	-	34.55	7.57	35.41
PK	5.874G	121.21	Inf	-Inf	114.84	3	Vertical	231	1.80	-	34.44	7.47	35.54
AV	5.873G	110.40	Inf	-Inf	104.03	3	Vertical	231	1.80	-	34.44	7.47	35.54
PK	5.906G	81.87	102.13	-20.26	75.29	3	Vertical	231	1.80	-	34.62	7.51	35.55
AV	6.033G	48.41	68.20	-19.79	41.48	3	Vertical	231	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.66	68.20	-9.54	52.00	3	Horizontal	208	1.77	-	34.52	7.56	35.42
PK	5.873G	119.89	Inf	-Inf	113.52	3	Horizontal	208	1.77	-	34.44	7.47	35.54
AV	5.873G	109.91	Inf	-Inf	103.54	3	Horizontal	208	1.77	-	34.44	7.47	35.54
PK	5.906G	82.01	102.13	-20.12	75.43	3	Horizontal	208	1.77	-	34.62	7.51	35.55
AV	6.033G	48.06	68.20	-20.14	41.13	3	Horizontal	208	1.77	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7472G	60.96	74.00	-13.04	46.30	3	Vertical	221	1.80	-	39.45	10.76	35.55
AV	11.7472G	47.72	54.00	-6.28	33.06	3	Vertical	221	1.80	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7476G	67.89	74.00	-6.11	53.23	3	Horizontal	200	2.04	-	39.45	10.76	35.55
AV	11.7474G	53.05	54.00	-0.95	38.39	3	Horizontal	200	2.04	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89265G	106.88	Inf	-Inf	100.38	3	Vertical	86	2.07	-	34.56	7.49	35.55
AV	5.89293G	94.37	Inf	-Inf	87.87	3	Vertical	86	2.07	-	34.56	7.49	35.55
PK	5.8955G	86.72	109.83	-23.11	80.20	3	Vertical	86	2.07	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	69.30	89.83	-20.53	62.78	3	Vertical	86	2.07	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89268G	108.12	Inf	-Inf	101.62	3	Horizontal	170	1.86	-	34.56	7.49	35.55	
AV	5.89278G	97.35	Inf	-Inf	90.85	3	Horizontal	170	1.86	-	34.56	7.49	35.55	
PK	5.8955G	87.50	109.83	-22.33	80.98	3	Horizontal	170	1.86	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	72.21	89.83	-17.62	65.69	3	Horizontal	170	1.86	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7866G	63.26	74.00	-10.74	48.54	3	Vertical	179	3.00	-	39.49	10.77	35.54
AV	11.7872G	47.82	54.00	-6.18	33.10	3	Vertical	179	3.00	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT_X_2TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7878G	61.72	74.00	-12.28	47.00	3	Horizontal	198	2.06	-	39.49	10.77	35.54
AV	11.7874G	46.88	54.00	-7.12	32.16	3	Horizontal	198	2.06	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 1 (2TX)


Appendix E.42

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7844G	52.22	54.00	-1.78	3	Vertical	179	2.97	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.19	68.20	-10.01	51.53	3	Vertical	229	1.80	-	34.52	7.56	35.42
PK	5.851G	116.99	Inf	-Inf	110.76	3	Vertical	229	1.80	-	34.31	7.45	35.53
AV	5.851G	102.19	Inf	-Inf	95.96	3	Vertical	229	1.80	-	34.31	7.45	35.53
PK	6.053G	59.35	88.20	-28.85	52.34	3	Vertical	229	1.80	-	34.91	7.68	35.58
AV	6.012G	46.82	68.20	-21.38	39.98	3	Vertical	229	1.80	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.14	68.20	-10.06	51.48	3	Horizontal	205	1.94	-	34.52	7.56	35.42
PK	5.851G	116.46	Inf	-Inf	110.23	3	Horizontal	205	1.94	-	34.31	7.45	35.53
AV	5.851G	104.15	Inf	-Inf	97.92	3	Horizontal	205	1.94	-	34.31	7.45	35.53
PK	6.082G	59.10	88.20	-29.10	51.99	3	Horizontal	205	1.94	-	34.96	7.72	35.57
AV	6.011G	46.70	68.20	-21.50	39.86	3	Horizontal	205	1.94	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.705G	58.10	74.00	-15.90	43.48	3	Vertical	220	1.80	-	39.41	10.76	35.55
AV	11.705G	45.21	54.00	-8.79	30.59	3	Vertical	220	1.80	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7052G	63.36	74.00	-10.64	48.74	3	Horizontal	200	2.04	-	39.41	10.76	35.55
AV	11.7052G	50.69	54.00	-3.31	36.07	3	Horizontal	200	2.04	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	58.85	68.20	-9.35	52.13	3	Vertical	233	1.80	-	34.55	7.58	35.41
PK	5.872G	117.12	Inf	-Inf	110.76	3	Vertical	233	1.80	-	34.43	7.47	35.54
AV	5.871G	104.63	Inf	-Inf	98.27	3	Vertical	233	1.80	-	34.43	7.47	35.54
PK	5.929G	66.97	88.20	-21.23	60.28	3	Vertical	233	1.80	-	34.72	7.53	35.56
AV	6.031G	46.84	68.20	-21.36	39.92	3	Vertical	233	1.80	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.74	68.20	-9.46	52.10	3	Horizontal	207	1.94	-	34.51	7.55	35.42
PK	5.872G	117.58	Inf	-Inf	111.22	3	Horizontal	207	1.94	-	34.43	7.47	35.54
AV	5.871G	102.68	Inf	-Inf	96.32	3	Horizontal	207	1.94	-	34.43	7.47	35.54
PK	5.903G	83.09	104.33	-21.24	76.53	3	Horizontal	207	1.94	-	34.61	7.50	35.55
AV	6.032G	46.50	68.20	-21.70	39.58	3	Horizontal	207	1.94	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7444G	59.87	74.00	-14.13	45.22	3	Vertical	228	1.03	-	39.44	10.76	35.55
AV	11.7448G	47.14	54.00	-6.86	32.49	3	Vertical	228	1.03	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7454G	63.69	74.00	-10.31	49.03	3	Horizontal	201	2.03	-	39.45	10.76	35.55
AV	11.745G	50.81	54.00	-3.19	36.15	3	Horizontal	201	2.03	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89073G	107.68	Inf	-Inf	101.20	3	Vertical	152	1.79	-	34.54	7.49	35.55
AV	5.89133G	95.68	Inf	-Inf	89.19	3	Vertical	152	1.79	-	34.55	7.49	35.55
PK	5.8955G	93.62	109.83	-16.21	87.10	3	Vertical	152	1.79	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	80.37	89.83	-9.46	73.85	3	Vertical	152	1.79	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89068G	107.71	Inf	-Inf	101.23	3	Horizontal	25	2.13	-	34.54	7.49	35.55
AV	5.89103G	96.40	Inf	-Inf	89.91	3	Horizontal	25	2.13	-	34.55	7.49	35.55
PK	5.8955G	93.74	109.83	-16.09	87.22	3	Horizontal	25	2.13	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	79.30	89.83	-10.53	72.78	3	Horizontal	25	2.13	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7842G	65.53	74.00	-8.47	50.82	3	Vertical	179	2.97	-	39.48	10.77	35.54
AV	11.7844G	52.22	54.00	-1.78	37.51	3	Vertical	179	2.97	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7852G	63.53	74.00	-10.47	48.81	3	Horizontal	197	2.04	-	39.49	10.77	35.54
AV	11.7852G	50.50	54.00	-3.50	35.78	3	Horizontal	197	2.04	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 1 (2TX)


Appendix E.43

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.8955G	87.93	89.83	-1.90	3	Horizontal	170	1.88	BP 1MHz

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	58.98	68.20	-9.22	52.18	3	Vertical	234	1.80	-	34.60	7.60	35.40
PK	5.848G	116.33	Inf	-Inf	110.10	3	Vertical	234	1.80	-	34.30	7.45	35.52
AV	5.849G	102.47	Inf	-Inf	96.24	3	Vertical	234	1.80	-	34.30	7.45	35.52
PK	6.011G	58.51	88.20	-29.69	51.67	3	Vertical	234	1.80	-	34.82	7.62	35.60
AV	6.009G	46.33	68.20	-21.87	39.50	3	Vertical	234	1.80	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	58.89	68.20	-9.31	52.10	3	Horizontal	210	1.93	-	34.60	7.59	35.40
PK	5.848G	115.97	Inf	-Inf	109.74	3	Horizontal	210	1.93	-	34.30	7.45	35.52
AV	5.848G	101.77	Inf	-Inf	95.54	3	Horizontal	210	1.93	-	34.30	7.45	35.52
PK	5.928G	59.17	88.20	-29.03	52.49	3	Horizontal	210	1.93	-	34.71	7.53	35.56
AV	6.008G	46.05	68.20	-22.15	39.22	3	Horizontal	210	1.93	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68898G	63.85	74.00	-10.15	49.26	3	Vertical	164	3.00	-	39.40	10.75	35.56
AV	11.69948G	49.99	54.00	-4.01	35.40	3	Vertical	164	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69504G	61.65	74.00	-12.35	47.06	3	Horizontal	200	1.80	-	39.40	10.75	35.56
AV	11.69546G	48.32	54.00	-5.68	33.73	3	Horizontal	200	1.80	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.25	68.20	-9.95	51.51	3	Vertical	225	1.80	-	34.57	7.58	35.41
PK	5.869G	116.14	Inf	-Inf	109.79	3	Vertical	225	1.80	-	34.41	7.47	35.53
AV	5.869G	102.49	Inf	-Inf	96.14	3	Vertical	225	1.80	-	34.41	7.47	35.53
PK	5.928G	59.42	88.20	-28.78	52.74	3	Vertical	225	1.80	-	34.71	7.53	35.56
AV	6.029G	46.52	68.20	-21.68	39.61	3	Vertical	225	1.80	-	34.86	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.63	68.20	-8.57	52.93	3	Horizontal	205	1.76	-	34.54	7.57	35.41
PK	5.867G	115.96	Inf	-Inf	109.62	3	Horizontal	205	1.76	-	34.40	7.47	35.53
AV	5.867G	102.96	Inf	-Inf	96.62	3	Horizontal	205	1.76	-	34.40	7.47	35.53
PK	5.927G	59.30	88.20	-28.90	52.62	3	Horizontal	205	1.76	-	34.71	7.53	35.56
AV	6.027G	46.55	68.20	-21.65	39.65	3	Horizontal	205	1.76	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73744G	59.53	74.00	-14.47	44.88	3	Vertical	221	1.80	-	39.44	10.76	35.55
AV	11.73972G	45.08	54.00	-8.92	30.43	3	Vertical	221	1.80	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73498G	64.68	74.00	-9.32	50.04	3	Horizontal	199	2.02	-	39.43	10.76	35.55
AV	11.73552G	50.64	54.00	-3.36	35.99	3	Horizontal	199	2.02	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8876G	107.95	Inf	-Inf	101.47	3	Vertical	152	1.80	-	34.53	7.49	35.54
AV	5.88755G	97.84	Inf	-Inf	91.36	3	Vertical	152	1.80	-	34.53	7.49	35.54
PK	5.8955G	96.65	109.83	-13.18	90.13	3	Vertical	152	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	82.84	89.83	-6.99	76.32	3	Vertical	152	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8869G	108.39	Inf	-Inf	101.92	3	Horizontal	170	1.88	-	34.52	7.49	35.54
AV	5.8875G	100.57	Inf	-Inf	94.10	3	Horizontal	170	1.88	-	34.52	7.49	35.54
PK	5.8955G	97.71	109.83	-12.12	91.19	3	Horizontal	170	1.88	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.93	89.83	-1.90	81.41	3	Horizontal	170	1.88	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77498G	59.11	74.00	-14.89	44.41	3	Vertical	220	1.80	-	39.47	10.77	35.54
AV	11.77756G	45.06	54.00	-8.94	30.35	3	Vertical	220	1.80	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77522G	64.57	74.00	-9.43	49.86	3	Horizontal	138	2.04	-	39.48	10.77	35.54
AV	11.7752G	51.47	54.00	-2.53	36.76	3	Horizontal	138	2.04	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 2 (2TX)


Appendix E.44

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7472G	53.82	54.00	-0.18	3	Horizontal	200	2.09	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	58.69	68.20	-9.51	51.94	3	Vertical	183	1.68	-	34.57	7.59	35.41
PK	5.854G	121.60	Inf	-Inf	115.36	3	Vertical	183	1.68	-	34.32	7.45	35.53
AV	5.853G	110.27	Inf	-Inf	104.03	3	Vertical	183	1.68	-	34.32	7.45	35.53
PK	6.014G	61.33	88.20	-26.87	54.47	3	Vertical	183	1.68	-	34.83	7.62	35.59
AV	6.014G	49.55	68.20	-18.65	42.69	3	Vertical	183	1.68	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.38	68.20	-8.82	52.64	3	Horizontal	202	2.99	-	34.57	7.58	35.41
PK	5.854G	115.36	Inf	-Inf	109.12	3	Horizontal	202	2.99	-	34.32	7.45	35.53
AV	5.853G	104.14	Inf	-Inf	97.90	3	Horizontal	202	2.99	-	34.32	7.45	35.53
PK	6.014G	59.67	88.20	-28.53	52.81	3	Horizontal	202	2.99	-	34.83	7.62	35.59
AV	6.015G	46.81	68.20	-21.39	39.95	3	Horizontal	202	2.99	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7078G	66.72	74.00	-7.28	52.10	3	Vertical	193	2.36	-	39.41	10.76	35.55
AV	11.7072G	52.11	54.00	-1.89	37.49	3	Vertical	193	2.36	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 19.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7076G	68.45	74.00	-5.55	53.83	3	Horizontal	204	2.08	-	39.41	10.76	35.55
AV	11.7074G	53.70	54.00	-0.30	39.08	3	Horizontal	204	2.08	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.91	68.20	-8.29	53.26	3	Vertical	64	1.80	-	34.51	7.56	35.42
PK	5.874G	121.86	Inf	-Inf	115.49	3	Vertical	64	1.80	-	34.44	7.47	35.54
AV	5.873G	110.49	Inf	-Inf	104.12	3	Vertical	64	1.80	-	34.44	7.47	35.54
PK	5.907G	79.68	101.40	-21.72	73.09	3	Vertical	64	1.80	-	34.63	7.51	35.55
AV	6.034G	49.01	68.20	-19.19	42.08	3	Vertical	64	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	58.56	68.20	-9.64	51.89	3	Horizontal	61	1.00	-	34.53	7.56	35.42
PK	5.874G	115.59	Inf	-Inf	109.22	3	Horizontal	61	1.00	-	34.44	7.47	35.54
AV	5.873G	104.86	Inf	-Inf	98.49	3	Horizontal	61	1.00	-	34.44	7.47	35.54
PK	5.907G	74.75	101.40	-26.65	68.16	3	Horizontal	61	1.00	-	34.63	7.51	35.55
AV	6.034G	46.56	68.20	-21.64	39.63	3	Horizontal	61	1.00	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7478G	64.75	74.00	-9.25	50.09	3	Vertical	198	2.36	-	39.45	10.76	35.55
AV	11.747G	51.08	54.00	-2.92	36.42	3	Vertical	198	2.36	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7474G	68.88	74.00	-5.12	54.22	3	Horizontal	200	2.09	-	39.45	10.76	35.55
AV	11.7472G	53.82	54.00	-0.18	39.16	3	Horizontal	200	2.09	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	104.17	Inf	-Inf	97.67	3	Vertical	224	1.80	-	34.56	7.49	35.55
AV	5.89258G	96.19	Inf	-Inf	89.69	3	Vertical	224	1.80	-	34.56	7.49	35.55
PK	5.8955G	84.17	109.83	-25.66	77.65	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	70.03	89.83	-19.80	63.51	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	97.19	Inf	-Inf	90.69	3	Horizontal	104	2.08	-	34.56	7.49	35.55
AV	5.89258G	89.16	Inf	-Inf	82.66	3	Horizontal	104	2.08	-	34.56	7.49	35.55
PK	5.8955G	77.31	109.83	-32.52	70.79	3	Horizontal	104	2.08	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	62.89	89.83	-26.94	56.37	3	Horizontal	104	2.08	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7874G	62.78	74.00	-11.22	48.06	3	Vertical	194	1.00	-	39.49	10.77	35.54
AV	11.787G	46.79	54.00	-7.21	32.07	3	Vertical	194	1.00	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 13.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7876G	63.05	74.00	-10.95	48.33	3	Horizontal	205	2.09	-	39.49	10.77	35.54
AV	11.7874G	47.56	54.00	-6.44	32.84	3	Horizontal	205	2.09	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 2 (2TX)


Appendix E.45

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7452G	51.83	54.00	-2.17	3	Horizontal	200	2.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.604G	58.61	68.20	-9.59	51.82	3	Vertical	178	1.59	-	34.59	7.60	35.40	
PK	5.851G	118.55	Inf	-Inf	112.32	3	Vertical	178	1.59	-	34.31	7.45	35.53	
AV	5.852G	103.56	Inf	-Inf	97.33	3	Vertical	178	1.59	-	34.31	7.45	35.53	
PK	5.94G	60.80	88.20	-27.40	54.07	3	Vertical	178	1.59	-	34.76	7.54	35.57	
AV	6.013G	47.43	68.20	-20.77	40.57	3	Vertical	178	1.59	-	34.83	7.62	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	59.35	68.20	-8.85	52.58	3	Horizontal	205	3.00	-	34.58	7.59	35.40
PK	5.851G	112.81	Inf	-Inf	106.58	3	Horizontal	205	3.00	-	34.31	7.45	35.53
AV	5.851G	99.08	Inf	-Inf	92.85	3	Horizontal	205	3.00	-	34.31	7.45	35.53
PK	6.016G	59.03	88.20	-29.17	52.17	3	Horizontal	205	3.00	-	34.83	7.62	35.59
AV	6.012G	46.14	68.20	-22.06	39.30	3	Horizontal	205	3.00	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7046G	63.99	74.00	-10.01	49.38	3	Vertical	199	1.00	-	39.40	10.76	35.55
AV	11.7052G	51.16	54.00	-2.84	36.54	3	Vertical	199	1.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6896G	64.03	74.00	-9.97	49.44	3	Horizontal	200	2.11	-	39.40	10.75	35.56
AV	11.705G	51.62	54.00	-2.38	37.00	3	Horizontal	200	2.11	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	58.54	68.20	-9.66	51.81	3	Vertical	61	1.80	-	34.56	7.58	35.41
PK	5.872G	118.86	Inf	-Inf	112.50	3	Vertical	61	1.80	-	34.43	7.47	35.54
AV	5.871G	106.20	Inf	-Inf	99.84	3	Vertical	61	1.80	-	34.43	7.47	35.54
PK	5.901G	84.27	105.80	-21.53	77.72	3	Vertical	61	1.80	-	34.60	7.50	35.55
AV	6.032G	47.59	68.20	-20.61	40.67	3	Vertical	61	1.80	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.32	68.20	-9.88	51.69	3	Horizontal	200	2.99	-	34.50	7.55	35.42
PK	5.872G	113.12	Inf	-Inf	106.76	3	Horizontal	200	2.99	-	34.43	7.47	35.54
AV	5.871G	99.76	Inf	-Inf	93.40	3	Horizontal	200	2.99	-	34.43	7.47	35.54
PK	5.901G	78.25	105.80	-27.55	71.70	3	Horizontal	200	2.99	-	34.60	7.50	35.55
AV	6.032G	46.30	68.20	-21.90	39.38	3	Horizontal	200	2.99	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	62.86	74.00	-11.14	48.21	3	Vertical	195	2.96	-	39.44	10.76	35.55
AV	11.745G	49.01	54.00	-4.99	34.35	3	Vertical	195	2.96	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7454G	64.33	74.00	-9.67	49.67	3	Horizontal	200	2.12	-	39.45	10.76	35.55
AV	11.7452G	51.83	54.00	-2.17	37.17	3	Horizontal	200	2.12	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89065G	109.14	Inf	-Inf	102.66	3	Vertical	222	1.97	-	34.54	7.49	35.55
AV	5.89075G	101.08	Inf	-Inf	94.60	3	Vertical	222	1.97	-	34.54	7.49	35.55
PK	5.8955G	98.01	109.83	-11.82	91.49	3	Vertical	222	1.97	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.46	89.83	-2.37	80.94	3	Vertical	222	1.97	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89068G	102.63	Inf	-Inf	96.15	3	Horizontal	105	2.10	-	34.54	7.49	35.55
AV	5.89075G	95.04	Inf	-Inf	88.56	3	Horizontal	105	2.10	-	34.54	7.49	35.55
PK	5.8955G	91.41	109.83	-18.42	84.89	3	Horizontal	105	2.10	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	81.14	89.83	-8.69	74.62	3	Horizontal	105	2.10	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7856G	61.53	74.00	-12.47	46.81	3	Vertical	215	2.96	-	39.49	10.77	35.54
AV	11.7854G	47.86	54.00	-6.14	33.14	3	Vertical	215	2.96	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.785G	65.06	74.00	-8.94	50.35	3	Horizontal	206	2.11	-	39.48	10.77	35.54
AV	11.785G	51.64	54.00	-2.36	36.93	3	Horizontal	206	2.11	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 2 (2TX)


Appendix E.46

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.8955G	87.04	89.83	-2.79	3	Vertical	224	1.86	BP 1MHz

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.63	68.20	-9.57	51.99	3	Vertical	176	1.67	-	34.51	7.55	35.42
PK	5.849G	118.18	Inf	-Inf	111.95	3	Vertical	176	1.67	-	34.30	7.45	35.52
AV	5.848G	105.06	Inf	-Inf	98.83	3	Vertical	176	1.67	-	34.30	7.45	35.52
PK	6.008G	59.54	88.20	-28.66	52.71	3	Vertical	176	1.67	-	34.82	7.61	35.60
AV	6.009G	47.05	68.20	-21.15	40.22	3	Vertical	176	1.67	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	58.04	68.20	-10.16	51.34	3	Horizontal	201	1.02	-	34.54	7.57	35.41
PK	5.848G	111.60	Inf	-Inf	105.37	3	Horizontal	201	1.02	-	34.30	7.45	35.52
AV	5.847G	99.07	Inf	-Inf	92.85	3	Horizontal	201	1.02	-	34.29	7.45	35.52
PK	6.038G	58.20	88.20	-30.00	51.24	3	Horizontal	201	1.02	-	34.88	7.66	35.58
AV	6.071G	45.80	68.20	-22.40	38.72	3	Horizontal	201	1.02	-	34.94	7.71	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6952G	60.48	74.00	-13.52	45.89	3	Vertical	193	3.00	-	39.40	10.75	35.56
AV	11.6978G	47.22	54.00	-6.78	32.63	3	Vertical	193	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6976G	63.54	74.00	-10.46	48.95	3	Horizontal	199	2.06	-	39.40	10.75	35.56
AV	11.6954G	49.77	54.00	-4.23	35.18	3	Horizontal	199	2.06	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	57.86	68.20	-10.34	51.15	3	Vertical	67	1.00	-	34.55	7.57	35.41
PK	5.869G	118.57	Inf	-Inf	112.22	3	Vertical	67	1.00	-	34.41	7.47	35.53
AV	5.869G	105.45	Inf	-Inf	99.10	3	Vertical	67	1.00	-	34.41	7.47	35.53
PK	5.927G	62.18	88.20	-26.02	55.50	3	Vertical	67	1.00	-	34.71	7.53	35.56
AV	6.029G	47.62	68.20	-20.58	40.71	3	Vertical	67	1.00	-	34.86	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.25	68.20	-9.95	51.62	3	Horizontal	201	1.00	-	34.50	7.55	35.42
PK	5.868G	111.95	Inf	-Inf	105.60	3	Horizontal	201	1.00	-	34.41	7.47	35.53
AV	5.869G	99.29	Inf	-Inf	92.94	3	Horizontal	201	1.00	-	34.41	7.47	35.53
PK	6.102G	59.11	88.20	-29.09	51.92	3	Horizontal	201	1.00	-	35.00	7.75	35.56
AV	6.029G	46.04	68.20	-22.16	39.13	3	Horizontal	201	1.00	-	34.86	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.735G	62.48	74.00	-11.52	47.84	3	Vertical	193	2.97	-	39.43	10.76	35.55
AV	11.7358G	48.54	54.00	-5.46	33.89	3	Vertical	193	2.97	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7354G	65.00	74.00	-9.00	50.35	3	Horizontal	201	2.10	-	39.44	10.76	35.55
AV	11.7354G	50.73	54.00	-3.27	36.08	3	Horizontal	201	2.10	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6475G	60.19	68.20	-8.01	53.70	3	Vertical	224	1.86	BP 1MHz	34.51	7.40	35.42
PK	5.887G	108.36	Inf	-Inf	101.89	3	Vertical	224	1.86	-	34.52	7.49	35.54
AV	5.88675G	99.62	Inf	-Inf	93.15	3	Vertical	224	1.86	-	34.52	7.49	35.54
PK	5.8955G	97.98	109.83	-11.85	91.46	3	Vertical	224	1.86	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.04	89.83	-2.79	80.52	3	Vertical	224	1.86	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	59.63	68.57	-8.94	53.16	3	Horizontal	106	2.10	BP 1MHz	34.50	7.40	35.43
PK	5.88675G	101.66	Inf	-Inf	95.19	3	Horizontal	106	2.10	-	34.52	7.49	35.54
AV	5.88888G	93.26	Inf	-Inf	86.78	3	Horizontal	106	2.10	-	34.53	7.49	35.54
AV	5.8955G	81.05	89.83	-8.78	74.53	3	Horizontal	106	2.10	BP 1MHz	34.57	7.50	35.55
PK	5.8955G	91.65	109.83	-18.18	85.13	3	Horizontal	106	2.10	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7756G	63.41	74.00	-10.59	48.70	3	Vertical	195	2.95	-	39.48	10.77	35.54
AV	11.7756G	49.16	54.00	-4.84	34.45	3	Vertical	195	2.95	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.775G	65.43	74.00	-8.57	50.72	3	Horizontal	205	2.08	-	39.48	10.77	35.54
AV	11.7756G	51.17	54.00	-2.83	36.46	3	Horizontal	205	2.08	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 3 (2TX)


Appendix E.47

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.707G	53.98	54.00	-0.02	3	Horizontal	142	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	59.93	68.20	-8.27	53.25	3	Vertical	65	1.80	-	34.53	7.57	35.42
PK	5.853G	124.65	Inf	-Inf	118.41	3	Vertical	65	1.80	-	34.32	7.45	35.53
AV	5.853G	114.39	Inf	-Inf	108.15	3	Vertical	65	1.80	-	34.32	7.45	35.53
PK	6.014G	61.91	88.20	-26.29	55.05	3	Vertical	65	1.80	-	34.83	7.62	35.59
AV	6.013G	50.83	68.20	-17.37	43.97	3	Vertical	65	1.80	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT Y_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.708G	60.98	74.00	-13.02	46.36	3	Vertical	193	2.78	-	39.41	10.76	35.55
AV	11.7074G	47.49	54.00	-6.51	32.87	3	Vertical	193	2.78	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.707G	68.18	74.00	-5.82	53.56	3	Horizontal	142	1.80	-	39.41	10.76	35.55
AV	11.707G	53.98	54.00	-0.02	39.36	3	Horizontal	142	1.80	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	59.47	68.20	-8.73	52.74	3	Vertical	68	1.80	-	34.56	7.58	35.41
PK	5.873G	126.23	Inf	-Inf	119.86	3	Vertical	68	1.80	-	34.44	7.47	35.54
AV	5.873G	113.19	Inf	-Inf	106.82	3	Vertical	68	1.80	-	34.44	7.47	35.54
PK	6.034G	62.62	88.20	-25.58	55.69	3	Vertical	68	1.80	-	34.87	7.65	35.59
AV	6.033G	50.98	68.20	-17.22	44.05	3	Vertical	68	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7456G	60.66	74.00	-13.34	46.00	3	Vertical	198	1.94	-	39.45	10.76	35.55
AV	11.7472G	46.61	54.00	-7.39	31.95	3	Vertical	198	1.94	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7478G	67.09	74.00	-6.91	52.43	3	Horizontal	142	1.78	-	39.45	10.76	35.55
AV	11.747G	53.53	54.00	-0.47	38.87	3	Horizontal	142	1.78	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_V_2TX
Setting 7
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89258G	101.90	Inf	-Inf	95.40	3	Vertical	80	1.80	-	34.56	7.49	35.55
AV	5.8927G	93.14	Inf	-Inf	86.64	3	Vertical	80	1.80	-	34.56	7.49	35.55
PK	5.8955G	80.74	109.83	-29.09	74.22	3	Vertical	80	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	66.45	89.83	-23.38	59.93	3	Vertical	80	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7798G	56.71	74.00	-17.29	42.00	3	Vertical	348	1.01	-	39.48	10.77	35.54
AV	11.7868G	42.62	54.00	-11.38	27.90	3	Vertical	348	1.01	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT_V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7994G	55.93	74.00	-18.07	41.19	3	Horizontal	152	1.80	-	39.50	10.77	35.53
AV	11.7868G	42.89	54.00	-11.11	28.17	3	Horizontal	152	1.80	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 3 (2TX)


Appendix E.48

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7444G	53.82	54.00	-0.18	3	Horizontal	142	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.24	68.20	-7.96	53.56	3	Vertical	67	1.91	-	34.53	7.57	35.42
PK	5.852G	124.32	Inf	-Inf	118.09	3	Vertical	67	1.91	-	34.31	7.45	35.53
AV	5.852G	110.57	Inf	-Inf	104.34	3	Vertical	67	1.91	-	34.31	7.45	35.53
PK	6.014G	62.67	88.20	-25.53	55.81	3	Vertical	67	1.91	-	34.83	7.62	35.59
AV	6.012G	50.02	68.20	-18.18	43.18	3	Vertical	67	1.91	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7052G	60.42	74.00	-13.58	45.80	3	Vertical	195	1.87	-	39.41	10.76	35.55
AV	11.705G	47.69	54.00	-6.31	33.07	3	Vertical	195	1.87	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7046G	67.40	74.00	-6.60	52.79	3	Horizontal	140	1.80	-	39.40	10.76	35.55
AV	11.7044G	53.78	54.00	-0.22	39.18	3	Horizontal	140	1.80	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.22	68.20	-8.98	52.57	3	Vertical	66	1.80	-	34.51	7.56	35.42
PK	5.872G	124.83	Inf	-Inf	118.47	3	Vertical	66	1.80	-	34.43	7.47	35.54
AV	5.872G	111.18	Inf	-Inf	104.82	3	Vertical	66	1.80	-	34.43	7.47	35.54
PK	5.902G	86.03	105.07	-19.04	79.47	3	Vertical	66	1.80	-	34.61	7.50	35.55
AV	6.032G	50.30	68.20	-17.90	43.38	3	Vertical	66	1.80	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7444G	59.74	74.00	-14.26	45.09	3	Vertical	196	1.94	-	39.44	10.76	35.55
AV	11.745G	47.63	54.00	-6.37	32.97	3	Vertical	196	1.94	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7444G	66.88	74.00	-7.12	52.23	3	Horizontal	142	1.80	-	39.44	10.76	35.55
AV	11.7444G	53.82	54.00	-0.18	39.17	3	Horizontal	142	1.80	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_V_2TX
Setting 11
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88623G	103.41	Inf	-Inf	96.34	3	Vertical	292	1.59	-	34.52	7.49	34.94
AV	5.8912G	93.82	Inf	-Inf	86.73	3	Vertical	292	1.59	-	34.55	7.49	34.95
PK	5.8955G	80.21	109.83	-29.62	73.09	3	Vertical	292	1.59	BP 1MHz	34.57	7.50	34.95
AV	5.8955G	65.03	89.83	-24.80	57.91	3	Vertical	292	1.59	BP 1MHz	34.57	7.50	34.95

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_V_2TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7902G	57.52	74.00	-16.48	42.80	3	Vertical	205	2.24	-	39.49	10.77	35.54
AV	11.784G	43.32	54.00	-10.68	28.61	3	Vertical	205	2.24	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT_V_2TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7844G	61.16	74.00	-12.84	46.45	3	Horizontal	149	1.80	-	39.48	10.77	35.54
AV	11.7846G	46.81	54.00	-7.19	32.10	3	Horizontal	149	1.80	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 3 (2TX)


Appendix E.49

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7374G	52.70	54.00	-1.30	3	Horizontal	141	1.78	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	60.16	68.20	-8.04	53.38	3	Vertical	65	1.93	-	34.59	7.59	35.40
PK	5.848G	124.07	Inf	-Inf	117.84	3	Vertical	65	1.93	-	34.30	7.45	35.52
AV	5.847G	111.47	Inf	-Inf	105.25	3	Vertical	65	1.93	-	34.29	7.45	35.52
PK	6.008G	61.94	88.20	-26.26	55.11	3	Vertical	65	1.93	-	34.82	7.61	35.60
AV	6.009G	49.37	68.20	-18.83	42.54	3	Vertical	65	1.93	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6952G	60.87	74.00	-13.13	46.28	3	Vertical	195	1.91	-	39.40	10.75	35.56
AV	11.6954G	47.46	54.00	-6.54	32.87	3	Vertical	195	1.91	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.695G	66.54	74.00	-7.46	51.95	3	Horizontal	140	1.80	-	39.40	10.75	35.56
AV	11.6974G	52.55	54.00	-1.45	37.96	3	Horizontal	140	1.80	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.627G	59.41	68.20	-8.79	52.70	3	Vertical	67	1.80	-	34.55	7.57	35.41	
PK	5.868G	124.48	Inf	-Inf	118.13	3	Vertical	67	1.80	-	34.41	7.47	35.53	
AV	5.867G	110.72	Inf	-Inf	104.38	3	Vertical	67	1.80	-	34.40	7.47	35.53	
PK	5.917G	74.27	94.07	-19.80	67.64	3	Vertical	67	1.80	-	34.67	7.52	35.56	
AV	6.028G	49.25	68.20	-18.95	42.34	3	Vertical	67	1.80	-	34.86	7.64	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7354G	61.11	74.00	-12.89	46.46	3	Vertical	185	2.82	-	39.44	10.76	35.55
AV	11.7354G	47.92	54.00	-6.08	33.27	3	Vertical	185	2.82	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.735G	66.94	74.00	-7.06	52.30	3	Horizontal	141	1.78	-	39.43	10.76	35.55
AV	11.7374G	52.70	54.00	-1.30	38.05	3	Horizontal	141	1.78	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 14
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88623G	106.60	Inf	-Inf	100.13	3	Vertical	292	1.60	-	34.52	7.49	35.54
AV	5.88748G	98.84	Inf	-Inf	92.37	3	Vertical	292	1.60	-	34.52	7.49	35.54
PK	5.8955G	81.18	109.83	-28.65	74.66	3	Vertical	292	1.60	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	69.60	89.83	-20.23	63.08	3	Vertical	292	1.60	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_V_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.778G	57.75	74.00	-16.25	43.04	3	Vertical	203	2.84	-	39.48	10.77	35.54
AV	11.7756G	44.00	54.00	-10.00	29.29	3	Vertical	203	2.84	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT_V_2TX
Setting 14
03-D-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7748G	63.86	74.00	-10.14	49.16	3	Horizontal	144	1.65	-	39.47	10.77	35.54
AV	11.7792G	48.31	54.00	-5.69	33.60	3	Horizontal	144	1.65	-	39.48	10.77	35.54



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	AV	1.92003G	41.31	54.00	-12.69	Horizontal

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.91998G	44.51	74.00	-29.49	-4.72	3	Vertical	152	1.83	-	49.23	27.06	3.02	34.80
AV	1.91998G	40.77	54.00	-13.23	-4.72	3	Vertical	152	1.83	"Worst"	45.49	27.06	3.02	34.80

Mode 5



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.91996G	45.26	74.00	-28.74	-4.72	3	Horizontal	124	2.26	-	49.98	27.06	3.02	34.80
AV	1.92003G	41.31	54.00	-12.69	-4.72	3	Horizontal	124	2.26	"Worst"	46.03	27.06	3.02	34.80

1. Photographs of Conducted Emissions Test Configuration

Test Mode: Mode 2

FRONT VIEW



REAR VIEW

