


802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	59.57	68.20	-8.63	53.08	3	Horizontal	194	2.08	-	34.51	7.40	35.42	
PK	5.784G	113.81	Inf	-Inf	107.70	3	Horizontal	194	2.08	-	34.20	7.40	35.49	
AV	5.784G	103.86	Inf	-Inf	97.75	3	Horizontal	194	2.08	-	34.20	7.40	35.49	
PK	5.937G	60.33	68.20	-7.87	53.61	3	Horizontal	194	2.08	-	34.75	7.54	35.57	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56772G	64.57	74.00	-9.43	50.15	3	Vertical	187	2.54	-	39.27	10.74	35.59
AV	11.56982G	51.03	54.00	-2.97	36.59	3	Vertical	187	2.54	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57084G	61.97	74.00	-12.03	47.53	3	Horizontal	182	2.12	-	39.28	10.74	35.58
AV	11.57156G	48.36	54.00	-5.64	33.91	3	Horizontal	182	2.12	-	39.29	10.74	35.58

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	59.17	68.20	-9.03	52.58	3	Vertical	280	1.80	-	34.60	7.38	35.39	
PK	5.824G	111.66	Inf	-Inf	105.50	3	Vertical	280	1.80	-	34.25	7.42	35.51	
AV	5.824G	101.77	Inf	-Inf	95.61	3	Vertical	280	1.80	-	34.25	7.42	35.51	
PK	6.037G	59.42	68.20	-8.78	52.52	3	Vertical	280	1.80	-	34.87	7.62	35.59	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	59.20	68.20	-9.00	52.61	3	Horizontal	190	1.98	-	34.59	7.40	35.40
PK	5.826G	113.12	Inf	-Inf	106.95	3	Horizontal	190	1.98	-	34.25	7.43	35.51
AV	5.824G	103.50	Inf	-Inf	97.34	3	Horizontal	190	1.98	-	34.25	7.42	35.51
PK	6.009G	59.83	68.20	-8.37	53.01	3	Horizontal	190	1.98	-	34.82	7.60	35.60

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	63.17	74.00	-10.83	48.59	3	Vertical	161	2.37	-	39.40	10.75	35.57
AV	11.65108G	48.80	54.00	-5.20	34.22	3	Vertical	161	2.37	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65324G	61.72	74.00	-12.28	47.14	3	Horizontal	186	2.03	-	39.40	10.75	35.57
AV	11.65168G	47.65	54.00	-6.35	33.07	3	Horizontal	186	2.03	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.02	74.00	-1.98	66.19	3	Vertical	308	2.05	-	34.00	7.17	35.34
AV	5.15G	53.81	54.00	-0.19	47.98	3	Vertical	308	2.05	-	34.00	7.17	35.34
PK	5.1816G	115.21	Inf	-Inf	109.23	3	Vertical	308	2.05	-	34.13	7.19	35.34
AV	5.1808G	103.36	Inf	-Inf	97.39	3	Vertical	308	2.05	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.57	74.00	-5.43	62.74	3	Horizontal	202	2.16	-	34.00	7.17	35.34
AV	5.15G	51.11	54.00	-2.89	45.28	3	Horizontal	202	2.16	-	34.00	7.17	35.34
PK	5.1796G	112.07	Inf	-Inf	106.10	3	Horizontal	202	2.16	-	34.12	7.19	35.34
AV	5.1808G	100.15	Inf	-Inf	94.18	3	Horizontal	202	2.16	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52506G	60.52	74.00	-13.48	44.23	3	Vertical	52	2.28	-	38.52	13.16	35.39
AV	15.5283G	46.63	54.00	-7.37	30.36	3	Vertical	52	2.28	-	38.50	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52512G	59.94	74.00	-14.06	43.65	3	Horizontal	266	1.16	-	38.52	13.16	35.39
AV	15.52578G	46.66	54.00	-7.34	30.37	3	Horizontal	266	1.16	-	38.52	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.80	74.00	-13.20	54.97	3	Vertical	77	1.78	-	34.00	7.17	35.34
AV	5.1492G	46.46	54.00	-7.54	40.63	3	Vertical	77	1.78	-	34.00	7.17	35.34
PK	5.1992G	114.68	Inf	-Inf	108.62	3	Vertical	77	1.78	-	34.20	7.20	35.34
AV	5.2008G	102.81	Inf	-Inf	96.75	3	Vertical	77	1.78	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.74	74.00	-15.26	52.93	3	Horizontal	203	2.14	-	33.98	7.17	35.34
AV	5.1488G	45.94	54.00	-8.06	40.11	3	Horizontal	203	2.14	-	34.00	7.17	35.34
PK	5.1992G	112.49	Inf	-Inf	106.43	3	Horizontal	203	2.14	-	34.20	7.20	35.34
AV	5.2008G	100.47	Inf	-Inf	94.41	3	Horizontal	203	2.14	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60438G	60.35	74.00	-13.65	44.63	3	Vertical	272	1.93	-	37.98	13.20	35.46
AV	15.585G	46.38	54.00	-7.62	30.52	3	Vertical	272	1.93	-	38.11	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60432G	60.27	74.00	-13.73	44.55	3	Horizontal	71	1.44	-	37.98	13.20	35.46
AV	15.58566G	46.42	54.00	-7.58	30.57	3	Horizontal	71	1.44	-	38.10	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1266G	58.66	74.00	-15.34	52.89	3	Vertical	304	2.12	-	33.95	7.16	35.34
AV	5.1476G	45.48	54.00	-8.52	39.65	3	Vertical	304	2.12	-	34.00	7.17	35.34
PK	5.2418G	115.31	Inf	-Inf	109.08	3	Vertical	304	2.12	-	34.37	7.20	35.34
AV	5.2406G	103.42	Inf	-Inf	97.20	3	Vertical	304	2.12	-	34.36	7.20	35.34
PK	5.3816G	59.39	74.00	-14.61	52.98	3	Vertical	304	2.12	-	34.56	7.20	35.35
AV	5.3816G	45.99	54.00	-8.01	39.58	3	Vertical	304	2.12	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.28	74.00	-15.72	52.47	3	Horizontal	201	1.99	-	33.98	7.17	35.34
AV	5.15G	45.38	54.00	-8.62	39.55	3	Horizontal	201	1.99	-	34.00	7.17	35.34
PK	5.2418G	113.16	Inf	-Inf	106.93	3	Horizontal	201	1.99	-	34.37	7.20	35.34
AV	5.2406G	101.38	Inf	-Inf	95.16	3	Horizontal	201	1.99	-	34.36	7.20	35.34
PK	5.3564G	59.46	74.00	-14.54	53.09	3	Horizontal	201	1.99	-	34.51	7.20	35.34
AV	5.3792G	45.93	54.00	-8.07	39.52	3	Horizontal	201	1.99	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70686G	59.37	74.00	-14.63	44.13	3	Vertical	227	1.01	-	37.53	13.25	35.54
AV	15.71736G	46.21	54.00	-7.79	30.93	3	Vertical	227	1.01	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72288G	59.77	74.00	-14.23	44.48	3	Horizontal	334	2.09	-	37.59	13.26	35.56
AV	15.71802G	46.22	54.00	-7.78	30.94	3	Horizontal	334	2.09	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	58.50	74.00	-15.50	52.74	3	Vertical	75	1.02	-	33.93	7.16	35.33
AV	5.1478G	45.41	54.00	-8.59	39.58	3	Vertical	75	1.02	-	34.00	7.17	35.34
PK	5.2594G	114.87	Inf	-Inf	108.59	3	Vertical	75	1.02	-	34.42	7.20	35.34
AV	5.2606G	102.33	Inf	-Inf	96.05	3	Vertical	75	1.02	-	34.42	7.20	35.34
PK	5.4004G	59.10	74.00	-14.90	52.65	3	Vertical	75	1.02	-	34.60	7.20	35.35
AV	5.4004G	46.15	54.00	-7.85	39.70	3	Vertical	75	1.02	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	58.67	74.00	-15.33	52.86	3	Horizontal	201	2.18	-	33.98	7.17	35.34
AV	5.146G	45.35	54.00	-8.65	39.53	3	Horizontal	201	2.18	-	33.99	7.17	35.34
PK	5.2594G	112.75	Inf	-Inf	106.47	3	Horizontal	201	2.18	-	34.42	7.20	35.34
AV	5.2606G	100.27	Inf	-Inf	93.99	3	Horizontal	201	2.18	-	34.42	7.20	35.34
PK	5.3896G	58.54	74.00	-15.46	52.11	3	Horizontal	201	2.18	-	34.58	7.20	35.35
AV	5.398G	46.06	54.00	-7.94	39.61	3	Horizontal	201	2.18	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78336G	60.00	74.00	-14.00	44.49	3	Vertical	145	2.26	-	37.83	13.29	35.61
AV	15.79026G	46.48	54.00	-7.52	30.93	3	Vertical	145	2.26	-	37.86	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.78306G	59.75	74.00	-14.25	44.24	3	Horizontal	59	1.36	-	37.83	13.29	35.61
AV	15.7842G	46.54	54.00	-7.46	31.02	3	Horizontal	59	1.36	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2992G	114.98	Inf	-Inf	108.62	3	Vertical	312	1.97	-	34.50	7.20	35.34	
AV	5.3008G	102.57	Inf	-Inf	96.21	3	Vertical	312	1.97	-	34.50	7.20	35.34	
PK	5.35G	64.74	74.00	-9.26	58.38	3	Vertical	312	1.97	-	34.50	7.20	35.34	
AV	5.35G	48.42	54.00	-5.58	42.06	3	Vertical	312	1.97	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	113.52	Inf	-Inf	107.16	3	Horizontal	200	1.97	-	34.50	7.20	35.34
AV	5.3008G	101.15	Inf	-Inf	94.79	3	Horizontal	200	1.97	-	34.50	7.20	35.34
PK	5.3512G	62.97	74.00	-11.03	56.61	3	Horizontal	200	1.97	-	34.50	7.20	35.34
AV	5.35G	47.83	54.00	-6.17	41.47	3	Horizontal	200	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60177G	56.61	74.00	-17.39	43.20	3	Vertical	357	1.80	-	38.20	10.59	35.38
AV	10.6024G	43.53	54.00	-10.47	30.12	3	Vertical	357	1.80	-	38.20	10.59	35.38
PK	15.88518G	59.50	74.00	-14.50	44.21	3	Vertical	15	1.37	-	37.64	13.34	35.69
AV	15.89004G	46.30	54.00	-7.70	31.02	3	Vertical	15	1.37	-	37.63	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60189G	56.61	74.00	-17.39	43.20	3	Horizontal	98	2.38	-	38.20	10.59	35.38
AV	10.6021G	43.38	54.00	-10.62	29.97	3	Horizontal	98	2.38	-	38.20	10.59	35.38
PK	15.89538G	59.67	74.00	-14.33	44.41	3	Horizontal	193	2.35	-	37.61	13.35	35.70
AV	15.8919G	46.34	54.00	-7.66	31.07	3	Horizontal	193	2.35	-	37.62	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	113.48	Inf	-Inf	107.12	3	Vertical	312	2.00	-	34.50	7.20	35.34
AV	5.3208G	100.62	Inf	-Inf	94.26	3	Vertical	312	2.00	-	34.50	7.20	35.34
PK	5.3516G	71.82	74.00	-2.18	65.46	3	Vertical	312	2.00	-	34.50	7.20	35.34
AV	5.3504G	53.57	54.00	-0.43	47.21	3	Vertical	312	2.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	111.91	Inf	-Inf	105.55	3	Horizontal	201	1.96	-	34.50	7.20	35.34
AV	5.3204G	98.84	Inf	-Inf	92.48	3	Horizontal	201	1.96	-	34.50	7.20	35.34
PK	5.3504G	70.00	74.00	-4.00	63.64	3	Horizontal	201	1.96	-	34.50	7.20	35.34
AV	5.3504G	52.40	54.00	-1.60	46.04	3	Horizontal	201	1.96	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64966G	54.21	74.00	-19.79	40.65	3	Vertical	182	1.35	-	38.30	10.60	35.34
AV	10.6484G	41.01	54.00	-12.99	27.45	3	Vertical	182	1.35	-	38.30	10.60	35.34
PK	15.96114G	59.58	74.00	-14.42	44.48	3	Vertical	177	1.12	-	37.48	13.38	35.76
AV	15.96264G	45.87	54.00	-8.13	30.78	3	Vertical	177	1.12	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64336G	54.71	74.00	-19.29	41.17	3	Horizontal	188	1.89	-	38.29	10.60	35.35
AV	10.64366G	41.02	54.00	-12.98	27.48	3	Horizontal	188	1.89	-	38.29	10.60	35.35
PK	15.95238G	60.01	74.00	-13.99	44.88	3	Horizontal	250	1.30	-	37.50	13.38	35.75
AV	15.95484G	45.93	54.00	-8.07	30.81	3	Horizontal	250	1.30	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.444G	59.38	74.00	-14.62	52.98	3	Vertical	260	2.16	-	34.51	7.24	35.35	
PK	5.4692G	67.61	68.20	-0.59	61.15	3	Vertical	260	2.16	-	34.54	7.27	35.35	
AV	5.4588G	46.44	54.00	-7.56	40.01	3	Vertical	260	2.16	-	34.52	7.26	35.35	
PK	5.4996G	112.95	Inf	-Inf	106.40	3	Vertical	260	2.16	-	34.60	7.30	35.35	
AV	5.5008G	100.00	Inf	-Inf	93.45	3	Vertical	260	2.16	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	59.35	74.00	-14.65	52.93	3	Horizontal	197	2.15	-	34.51	7.26	35.35
AV	5.4016G	46.11	54.00	-7.89	39.66	3	Horizontal	197	2.15	-	34.60	7.20	35.35
PK	5.4692G	64.12	68.20	-4.08	57.66	3	Horizontal	197	2.15	-	34.54	7.27	35.35
PK	5.4996G	111.49	Inf	-Inf	104.94	3	Horizontal	197	2.15	-	34.60	7.30	35.35
AV	5.5008G	98.46	Inf	-Inf	91.91	3	Horizontal	197	2.15	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9907G	54.97	74.00	-19.03	40.98	3	Vertical	240	1.80	-	38.39	10.65	35.05
AV	10.99676G	41.67	54.00	-12.33	27.66	3	Vertical	240	1.80	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.99016G	55.11	74.00	-18.89	41.12	3	Horizontal	92	2.23	-	38.39	10.65	35.05
AV	10.9877G	41.69	54.00	-12.31	27.70	3	Horizontal	92	2.23	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.67	74.00	-14.33	53.27	3	Vertical	322	2.05	-	34.50	7.25	35.35
AV	5.42G	46.36	54.00	-7.64	39.93	3	Vertical	322	2.05	-	34.56	7.22	35.35
PK	5.4656G	57.94	68.20	-10.26	51.49	3	Vertical	322	2.05	-	34.53	7.27	35.35
PK	5.5816G	115.34	Inf	-Inf	108.75	3	Vertical	322	2.05	-	34.60	7.38	35.39
AV	5.5792G	103.65	Inf	-Inf	97.06	3	Vertical	322	2.05	-	34.60	7.38	35.39
PK	5.7368G	59.11	68.20	-9.09	52.95	3	Vertical	322	2.05	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	59.54	74.00	-14.46	53.11	3	Horizontal	196	1.93	-	34.57	7.21	35.35
AV	5.4192G	46.21	54.00	-7.79	39.78	3	Horizontal	196	1.93	-	34.56	7.22	35.35
PK	5.4696G	58.84	68.20	-9.36	52.38	3	Horizontal	196	1.93	-	34.54	7.27	35.35
PK	5.5816G	114.23	Inf	-Inf	107.64	3	Horizontal	196	1.93	-	34.60	7.38	35.39
AV	5.5792G	102.85	Inf	-Inf	96.26	3	Horizontal	196	1.93	-	34.60	7.38	35.39
PK	5.7688G	59.06	68.20	-9.14	52.94	3	Horizontal	196	1.93	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16156G	61.20	74.00	-12.80	47.19	3	Vertical	196	2.30	-	38.56	10.67	35.22
AV	11.1576G	47.80	54.00	-6.20	33.79	3	Vertical	196	2.30	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15844G	62.15	74.00	-11.85	48.14	3	Horizontal	234	2.12	-	38.56	10.67	35.22
AV	11.15736G	49.21	54.00	-4.79	35.20	3	Horizontal	234	2.12	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	109.03	Inf	-Inf	102.78	3	Vertical	332	2.08	-	34.30	7.40	35.45
AV	5.7006G	96.00	Inf	-Inf	89.75	3	Vertical	332	2.08	-	34.30	7.40	35.45
PK	5.725G	67.56	68.20	-0.64	61.37	3	Vertical	332	2.08	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 14
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	108.81	Inf	-Inf	102.56	3	Horizontal	193	1.97	-	34.30	7.40	35.45
AV	5.699G	95.95	Inf	-Inf	89.70	3	Horizontal	193	1.97	-	34.30	7.40	35.45
PK	5.725G	65.62	68.20	-2.58	59.43	3	Horizontal	193	1.97	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39178G	55.43	74.00	-18.57	41.41	3	Vertical	12	2.96	-	38.79	10.71	35.48
AV	11.41386G	41.78	54.00	-12.22	27.74	3	Vertical	12	2.96	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41266G	55.52	74.00	-18.48	41.48	3	Horizontal	67	1.52	-	38.83	10.71	35.50
AV	11.41488G	41.78	54.00	-12.22	27.74	3	Horizontal	67	1.52	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	58.31	74.00	-15.69	51.91	3	Vertical	326	2.08	-	34.55	7.20	35.35
AV	5.3994G	46.10	54.00	-7.90	39.65	3	Vertical	326	2.08	-	34.60	7.20	35.35
PK	5.4666G	58.36	68.20	-9.84	51.91	3	Vertical	326	2.08	-	34.53	7.27	35.35
PK	5.7214G	114.51	Inf	-Inf	108.31	3	Vertical	326	2.08	-	34.26	7.40	35.46
AV	5.72G	103.59	Inf	-Inf	97.39	3	Vertical	326	2.08	-	34.26	7.40	35.46
PK	5.9594G	59.19	68.20	-9.01	52.41	3	Vertical	326	2.08	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	59.20	74.00	-14.80	52.77	3	Horizontal	193	2.07	-	34.57	7.21	35.35
AV	5.4008G	46.10	54.00	-7.90	39.65	3	Horizontal	193	2.07	-	34.60	7.20	35.35
PK	5.4624G	57.67	68.20	-10.53	51.24	3	Horizontal	193	2.07	-	34.52	7.26	35.35
PK	5.7214G	114.93	Inf	-Inf	108.73	3	Horizontal	193	2.07	-	34.26	7.40	35.46
AV	5.72G	103.23	Inf	-Inf	97.03	3	Horizontal	193	2.07	-	34.26	7.40	35.46
PK	5.9622G	58.91	68.20	-9.29	52.13	3	Horizontal	193	2.07	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44162G	63.36	74.00	-10.64	49.29	3	Vertical	187	2.48	-	38.88	10.72	35.53
AV	11.43742G	50.37	54.00	-3.63	36.31	3	Vertical	187	2.48	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44192G	61.01	74.00	-12.99	46.94	3	Horizontal	181	2.12	-	38.88	10.72	35.53
AV	11.43742G	47.64	54.00	-6.36	33.58	3	Horizontal	181	2.12	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.13	68.20	-9.07	52.63	3	Vertical	333	2.06	-	34.52	7.40	35.42
PK	5.747G	114.55	Inf	-Inf	108.41	3	Vertical	333	2.06	-	34.21	7.40	35.47
AV	5.746G	102.92	Inf	-Inf	96.78	3	Vertical	333	2.06	-	34.21	7.40	35.47
PK	5.944G	60.07	68.20	-8.13	53.32	3	Vertical	333	2.06	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.504G	59.60	68.20	-8.60	53.05	3	Horizontal	192	2.02	-	34.60	7.30	35.35	
PK	5.744G	114.81	Inf	-Inf	108.67	3	Horizontal	192	2.02	-	34.21	7.40	35.47	
AV	5.744G	103.25	Inf	-Inf	97.11	3	Horizontal	192	2.02	-	34.21	7.40	35.47	
PK	5.933G	59.52	68.20	-8.68	52.83	3	Horizontal	192	2.02	-	34.73	7.53	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49216G	62.22	74.00	-11.78	48.11	3	Vertical	157	2.39	-	38.98	10.72	35.59
AV	11.4873G	48.71	54.00	-5.29	34.61	3	Vertical	157	2.39	-	38.97	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49318G	60.78	74.00	-13.22	46.66	3	Horizontal	184	2.00	-	38.99	10.72	35.59
AV	11.48754G	47.63	54.00	-6.37	33.52	3	Horizontal	184	2.00	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.66	68.20	-8.54	53.12	3	Vertical	332	2.05	-	34.55	7.40	35.41
PK	5.787G	114.48	Inf	-Inf	108.37	3	Vertical	332	2.05	-	34.20	7.40	35.49
AV	5.786G	102.76	Inf	-Inf	96.65	3	Vertical	332	2.05	-	34.20	7.40	35.49
PK	6.015G	59.56	68.20	-8.64	52.71	3	Vertical	332	2.05	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	59.27	68.20	-8.93	52.69	3	Horizontal	194	2.09	-	34.60	7.36	35.38
PK	5.784G	114.58	Inf	-Inf	108.47	3	Horizontal	194	2.09	-	34.20	7.40	35.49
AV	5.784G	102.95	Inf	-Inf	96.84	3	Horizontal	194	2.09	-	34.20	7.40	35.49
PK	5.964G	59.48	68.20	-8.72	52.70	3	Horizontal	194	2.09	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57162G	63.99	74.00	-10.01	49.54	3	Vertical	189	2.44	-	39.29	10.74	35.58
AV	11.5673G	50.33	54.00	-3.67	35.91	3	Vertical	189	2.44	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57342G	61.99	74.00	-12.01	47.54	3	Horizontal	184	2.09	-	39.29	10.74	35.58
AV	11.56742G	48.16	54.00	-5.84	33.74	3	Horizontal	184	2.09	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.39	68.20	-7.81	53.90	3	Vertical	286	1.80	-	34.51	7.40	35.42
PK	5.825G	112.97	Inf	-Inf	106.80	3	Vertical	286	1.80	-	34.25	7.43	35.51
AV	5.824G	100.85	Inf	-Inf	94.69	3	Vertical	286	1.80	-	34.25	7.42	35.51
PK	5.95G	59.89	68.20	-8.31	53.12	3	Vertical	286	1.80	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.612G	58.86	68.20	-9.34	52.29	3	Horizontal	191	1.99	-	34.58	7.40	35.41	
PK	5.824G	114.97	Inf	-Inf	108.81	3	Horizontal	191	1.99	-	34.25	7.42	35.51	
AV	5.824G	102.66	Inf	-Inf	96.50	3	Horizontal	191	1.99	-	34.25	7.42	35.51	
PK	6.06G	60.14	68.20	-8.06	53.17	3	Horizontal	191	1.99	-	34.92	7.63	35.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65222G	63.29	74.00	-10.71	48.71	3	Vertical	180	2.44	-	39.40	10.75	35.57	
AV	11.64742G	49.51	54.00	-4.49	34.93	3	Vertical	180	2.44	-	39.40	10.75	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65342G	61.82	74.00	-12.18	47.24	3	Horizontal	193	2.07	-	39.40	10.75	35.57
AV	11.65174G	47.63	54.00	-6.37	33.05	3	Horizontal	193	2.07	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	73.34	74.00	-0.66	67.52	3	Vertical	309	2.03	-	33.99	7.17	35.34
AV	5.1492G	53.30	54.00	-0.70	47.47	3	Vertical	309	2.03	-	34.00	7.17	35.34
PK	5.1928G	109.91	Inf	-Inf	103.88	3	Vertical	309	2.03	-	34.17	7.20	35.34
AV	5.192G	97.08	Inf	-Inf	91.05	3	Vertical	309	2.03	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	71.22	74.00	-2.78	65.40	3	Horizontal	201	2.14	-	33.99	7.17	35.34
AV	5.1492G	51.31	54.00	-2.69	45.48	3	Horizontal	201	2.14	-	34.00	7.17	35.34
PK	5.1928G	107.26	Inf	-Inf	101.23	3	Horizontal	201	2.14	-	34.17	7.20	35.34
AV	5.1924G	94.46	Inf	-Inf	88.43	3	Horizontal	201	2.14	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55848G	59.78	74.00	-14.22	43.73	3	Vertical	115	1.17	-	38.29	13.18	35.42
AV	15.56028G	46.53	54.00	-7.47	30.49	3	Vertical	115	1.17	-	38.28	13.18	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56664G	59.66	74.00	-14.34	43.68	3	Horizontal	337	2.93	-	38.23	13.18	35.43
AV	15.5613G	46.57	54.00	-7.43	30.54	3	Horizontal	337	2.93	-	38.27	13.18	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.67	74.00	-14.33	53.84	3	Vertical	311	2.03	-	34.00	7.17	35.34
AV	5.15G	46.72	54.00	-7.28	40.89	3	Vertical	311	2.03	-	34.00	7.17	35.34
PK	5.2324G	112.46	Inf	-Inf	106.27	3	Vertical	311	2.03	-	34.33	7.20	35.34
AV	5.2324G	100.13	Inf	-Inf	93.94	3	Vertical	311	2.03	-	34.33	7.20	35.34
PK	5.3566G	62.09	74.00	-11.91	55.72	3	Vertical	311	2.03	-	34.51	7.20	35.34
AV	5.35G	46.79	54.00	-7.21	40.43	3	Vertical	311	2.03	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	58.87	74.00	-15.13	53.10	3	Horizontal	201	2.02	-	33.95	7.16	35.34
AV	5.15G	46.33	54.00	-7.67	40.50	3	Horizontal	201	2.02	-	34.00	7.17	35.34
PK	5.2324G	110.79	Inf	-Inf	104.60	3	Horizontal	201	2.02	-	34.33	7.20	35.34
AV	5.2324G	98.48	Inf	-Inf	92.29	3	Horizontal	201	2.02	-	34.33	7.20	35.34
PK	5.3608G	59.40	74.00	-14.60	53.02	3	Horizontal	201	2.02	-	34.52	7.20	35.34
AV	5.3512G	46.54	54.00	-7.46	40.18	3	Horizontal	201	2.02	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70224G	59.88	74.00	-14.12	44.66	3	Vertical	97	1.86	-	37.51	13.25	35.54
AV	15.69912G	46.13	54.00	-7.87	30.92	3	Vertical	97	1.86	-	37.50	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70452G	59.31	74.00	-14.69	44.08	3	Horizontal	227	2.35	-	37.52	13.25	35.54
AV	15.70476G	46.11	54.00	-7.89	30.88	3	Horizontal	227	2.35	-	37.52	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	58.83	74.00	-15.17	53.02	3	Vertical	311	1.88	-	33.98	7.17	35.34
AV	5.1488G	45.58	54.00	-8.42	39.75	3	Vertical	311	1.88	-	34.00	7.17	35.34
PK	5.2724G	111.49	Inf	-Inf	105.19	3	Vertical	311	1.88	-	34.44	7.20	35.34
AV	5.2676G	99.04	Inf	-Inf	92.74	3	Vertical	311	1.88	-	34.44	7.20	35.34
PK	5.3564G	68.96	74.00	-5.04	62.59	3	Vertical	311	1.88	-	34.51	7.20	35.34
AV	5.35G	50.74	54.00	-3.26	44.38	3	Vertical	311	1.88	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.80	74.00	-15.20	52.98	3	Horizontal	201	1.95	-	33.99	7.17	35.34
AV	5.147G	45.60	54.00	-8.40	39.78	3	Horizontal	201	1.95	-	33.99	7.17	35.34
PK	5.2724G	109.98	Inf	-Inf	103.68	3	Horizontal	201	1.95	-	34.44	7.20	35.34
AV	5.2724G	97.43	Inf	-Inf	91.13	3	Horizontal	201	1.95	-	34.44	7.20	35.34
PK	5.3558G	67.47	74.00	-6.53	61.10	3	Horizontal	201	1.95	-	34.51	7.20	35.34
AV	5.35G	49.95	54.00	-4.05	43.59	3	Horizontal	201	1.95	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80496G	59.84	74.00	-14.16	44.28	3	Vertical	127	1.48	-	37.89	13.30	35.63
AV	15.79554G	46.55	54.00	-7.45	30.99	3	Vertical	127	1.48	-	37.88	13.30	35.62

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80406G	59.86	74.00	-14.14	44.30	3	Horizontal	317	1.36	-	37.89	13.30	35.63
AV	15.79746G	46.55	54.00	-7.45	30.98	3	Horizontal	317	1.36	-	37.89	13.30	35.62

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 16.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	109.34	Inf	-Inf	102.98	3	Vertical	74	1.24	-	34.50	7.20	35.34
AV	5.3072G	96.64	Inf	-Inf	90.28	3	Vertical	74	1.24	-	34.50	7.20	35.34
PK	5.3564G	73.70	74.00	-0.30	67.33	3	Vertical	74	1.24	-	34.51	7.20	35.34
AV	5.3508G	53.87	54.00	-0.13	47.51	3	Vertical	74	1.24	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 16.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	107.97	Inf	-Inf	101.61	3	Horizontal	201	2.06	-	34.50	7.20	35.34
AV	5.3072G	95.60	Inf	-Inf	89.24	3	Horizontal	201	2.06	-	34.50	7.20	35.34
PK	5.3564G	72.82	74.00	-1.18	66.45	3	Horizontal	201	2.06	-	34.51	7.20	35.34
AV	5.3508G	53.25	54.00	-0.75	46.89	3	Horizontal	201	2.06	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62306G	54.53	74.00	-19.47	41.05	3	Vertical	262	1.60	-	38.25	10.59	35.36
AV	10.62966G	40.99	54.00	-13.01	27.50	3	Vertical	262	1.60	-	38.26	10.59	35.36
PK	15.91938G	60.05	74.00	-13.95	44.85	3	Vertical	92	1.51	-	37.56	13.36	35.72
AV	15.9228G	45.98	54.00	-8.02	30.80	3	Vertical	92	1.51	-	37.55	13.36	35.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60998G	54.63	74.00	-19.37	41.20	3	Horizontal	15	2.74	-	38.22	10.59	35.38
AV	10.62462G	40.87	54.00	-13.13	27.39	3	Horizontal	15	2.74	-	38.25	10.59	35.36
PK	15.9246G	60.24	74.00	-13.76	45.06	3	Horizontal	220	2.00	-	37.55	13.36	35.73
AV	15.915G	46.06	54.00	-7.94	30.85	3	Horizontal	220	2.00	-	37.57	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.81	74.00	-8.19	59.39	3	Vertical	320	1.89	-	34.51	7.26	35.35
AV	5.46G	48.58	54.00	-5.42	42.15	3	Vertical	320	1.89	-	34.52	7.26	35.35
PK	5.4644G	68.17	68.20	-0.03	61.73	3	Vertical	320	1.89	-	34.53	7.26	35.35
PK	5.5128G	108.36	Inf	-Inf	101.81	3	Vertical	320	1.89	-	34.60	7.31	35.36
AV	5.512G	95.54	Inf	-Inf	88.99	3	Vertical	320	1.89	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.74	74.00	-10.26	57.31	3	Horizontal	197	1.96	-	34.52	7.26	35.35
AV	5.4588G	47.55	54.00	-6.45	41.12	3	Horizontal	197	1.96	-	34.52	7.26	35.35
PK	5.464G	67.51	68.20	-0.69	61.07	3	Horizontal	197	1.96	-	34.53	7.26	35.35
PK	5.5128G	107.11	Inf	-Inf	100.56	3	Horizontal	197	1.96	-	34.60	7.31	35.36
AV	5.5124G	94.44	Inf	-Inf	87.89	3	Horizontal	197	1.96	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02906G	55.56	74.00	-18.44	41.55	3	Vertical	119	2.58	-	38.43	10.65	35.07
AV	11.02954G	41.67	54.00	-12.33	27.66	3	Vertical	119	2.58	-	38.43	10.65	35.07

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02882G	54.80	74.00	-19.20	40.79	3	Horizontal	37	2.74	-	38.43	10.65	35.07
AV	11.03266G	41.60	54.00	-12.40	27.60	3	Horizontal	37	2.74	-	38.43	10.65	35.08

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.55	74.00	-11.45	56.13	3	Vertical	322	2.06	-	34.51	7.26	35.35
PK	5.4612G	63.37	68.20	-4.83	56.94	3	Vertical	322	2.06	-	34.52	7.26	35.35
AV	5.46G	46.79	54.00	-7.21	40.36	3	Vertical	322	2.06	-	34.52	7.26	35.35
PK	5.553G	111.52	Inf	-Inf	104.95	3	Vertical	322	2.06	-	34.60	7.35	35.38
AV	5.5524G	99.11	Inf	-Inf	92.54	3	Vertical	322	2.06	-	34.60	7.35	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4558G	63.44	74.00	-10.56	57.02	3	Horizontal	197	2.05	-	34.51	7.26	35.35	
AV	5.46G	46.68	54.00	-7.32	40.25	3	Horizontal	197	2.05	-	34.52	7.26	35.35	
PK	5.4678G	64.06	68.20	-4.14	57.60	3	Horizontal	197	2.05	-	34.54	7.27	35.35	
PK	5.5524G	110.50	Inf	-Inf	103.93	3	Horizontal	197	2.05	-	34.60	7.35	35.38	
AV	5.5476G	98.35	Inf	-Inf	91.77	3	Horizontal	197	2.05	-	34.60	7.35	35.37	

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10354G	57.30	74.00	-16.70	43.29	3	Vertical	174	1.93	-	38.50	10.67	35.16
AV	11.10492G	43.14	54.00	-10.86	29.13	3	Vertical	174	1.93	-	38.50	10.67	35.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09658G	56.47	74.00	-17.53	42.46	3	Horizontal	329	1.67	-	38.50	10.66	35.15
AV	11.09574G	43.05	54.00	-10.95	29.04	3	Horizontal	329	1.67	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	108.11	Inf	-Inf	101.74	3	Vertical	330	1.94	-	34.41	7.40	35.44
AV	5.6684G	95.44	Inf	-Inf	89.04	3	Vertical	330	1.94	-	34.43	7.40	35.43
PK	5.726G	67.68	68.20	-0.52	61.49	3	Vertical	330	1.94	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_X_1TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	107.69	Inf	-Inf	101.32	3	Horizontal	196	2.06	-	34.41	7.40	35.44
AV	5.672G	94.87	Inf	-Inf	88.50	3	Horizontal	196	2.06	-	34.41	7.40	35.44
PK	5.726G	66.99	68.20	-1.21	60.80	3	Horizontal	196	2.06	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35452G	54.80	74.00	-19.20	40.79	3	Vertical	211	2.42	-	38.75	10.70	35.44
AV	11.3547G	41.53	54.00	-12.47	27.52	3	Vertical	211	2.42	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32752G	55.22	74.00	-18.78	41.20	3	Horizontal	147	1.99	-	38.73	10.70	35.41
AV	11.35452G	41.47	54.00	-12.53	27.46	3	Horizontal	147	1.99	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	58.96	74.00	-15.04	52.53	3	Vertical	326	2.10	-	34.56	7.22	35.35
AV	5.41G	46.08	54.00	-7.92	39.64	3	Vertical	326	2.10	-	34.58	7.21	35.35
PK	5.4616G	58.48	68.20	-9.72	52.05	3	Vertical	326	2.10	-	34.52	7.26	35.35
PK	5.7124G	111.59	Inf	-Inf	105.37	3	Vertical	326	2.10	-	34.28	7.40	35.46
AV	5.7076G	99.19	Inf	-Inf	92.96	3	Vertical	326	2.10	-	34.28	7.40	35.45
PK	5.9368G	59.40	68.20	-8.80	52.68	3	Vertical	326	2.10	-	34.75	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	59.48	74.00	-14.52	53.04	3	Horizontal	191	2.06	-	34.58	7.21	35.35
AV	5.41G	46.06	54.00	-7.94	39.62	3	Horizontal	191	2.06	-	34.58	7.21	35.35
PK	5.4664G	58.18	68.20	-10.02	51.73	3	Horizontal	191	2.06	-	34.53	7.27	35.35
PK	5.7124G	111.37	Inf	-Inf	105.15	3	Horizontal	191	2.06	-	34.28	7.40	35.46
AV	5.7076G	99.08	Inf	-Inf	92.85	3	Horizontal	191	2.06	-	34.28	7.40	35.45
PK	5.8744G	59.62	68.20	-8.58	53.24	3	Horizontal	191	2.06	-	34.45	7.47	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42348G	59.58	74.00	-14.42	45.53	3	Vertical	196	2.62	-	38.85	10.71	35.51
AV	11.41586G	46.31	54.00	-7.69	32.28	3	Vertical	196	2.62	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42042G	57.71	74.00	-16.29	43.67	3	Horizontal	58	1.74	-	38.84	10.71	35.51
AV	11.4158G	44.39	54.00	-9.61	30.36	3	Horizontal	58	1.74	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.70	68.20	-7.50	54.21	3	Vertical	333	2.06	-	34.51	7.40	35.42
PK	5.757G	112.52	Inf	-Inf	106.40	3	Vertical	333	2.06	-	34.20	7.40	35.48
AV	5.752G	100.56	Inf	-Inf	94.44	3	Vertical	333	2.06	-	34.20	7.40	35.48
PK	5.965G	59.53	68.20	-8.67	52.75	3	Vertical	333	2.06	-	34.80	7.56	35.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.49	68.20	-7.71	54.01	3	Horizontal	192	2.02	-	34.50	7.40	35.42
PK	5.757G	112.51	Inf	-Inf	106.39	3	Horizontal	192	2.02	-	34.20	7.40	35.48
AV	5.752G	100.74	Inf	-Inf	94.62	3	Horizontal	192	2.02	-	34.20	7.40	35.48
PK	5.935G	59.72	68.20	-8.48	53.01	3	Horizontal	192	2.02	-	34.74	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51054G	60.86	74.00	-13.14	46.69	3	Vertical	189	2.40	-	39.04	10.73	35.60
AV	11.5058G	46.99	54.00	-7.01	32.84	3	Vertical	189	2.40	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51282G	58.84	74.00	-15.16	44.66	3	Horizontal	184	2.10	-	39.05	10.73	35.60
AV	11.50574G	45.19	54.00	-8.81	31.04	3	Horizontal	184	2.10	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.83	68.20	-8.37	53.34	3	Vertical	334	1.94	-	34.51	7.40	35.42
PK	5.797G	112.31	Inf	-Inf	106.21	3	Vertical	334	1.94	-	34.20	7.40	35.50
AV	5.792G	100.42	Inf	-Inf	94.32	3	Vertical	334	1.94	-	34.20	7.40	35.50
PK	5.922G	63.79	70.42	-6.63	57.14	3	Vertical	334	1.94	-	34.69	7.52	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	59.27	68.20	-8.93	52.77	3	Horizontal	191	2.05	-	34.52	7.40	35.42
PK	5.797G	112.71	Inf	-Inf	106.61	3	Horizontal	191	2.05	-	34.20	7.40	35.50
AV	5.792G	100.69	Inf	-Inf	94.59	3	Horizontal	191	2.05	-	34.20	7.40	35.50
PK	5.931G	63.21	68.20	-4.99	56.53	3	Horizontal	191	2.05	-	34.72	7.53	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5816G	62.08	74.00	-11.92	47.59	3	Vertical	188	2.43	-	39.33	10.74	35.58
AV	11.58574G	47.34	54.00	-6.66	32.84	3	Vertical	188	2.43	-	39.34	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59504G	58.46	74.00	-15.54	43.92	3	Horizontal	196	1.80	-	39.38	10.74	35.58
AV	11.5858G	44.42	54.00	-9.58	29.92	3	Horizontal	196	1.80	-	39.34	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.26	74.00	-5.74	62.44	3	Vertical	297	2.16	-	33.99	7.17	35.34
AV	5.142G	53.76	54.00	-0.24	47.95	3	Vertical	297	2.16	-	33.98	7.17	35.34
PK	5.214G	104.65	Inf	-Inf	98.53	3	Vertical	297	2.16	-	34.26	7.20	35.34
AV	5.213G	94.23	Inf	-Inf	88.12	3	Vertical	297	2.16	-	34.25	7.20	35.34
PK	5.35G	64.81	74.00	-9.19	58.45	3	Vertical	297	2.16	-	34.50	7.20	35.34
AV	5.356G	49.27	54.00	-4.73	42.90	3	Vertical	297	2.16	-	34.51	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.40	74.00	-8.60	59.58	3	Horizontal	201	2.00	-	33.99	7.17	35.34
AV	5.148G	51.63	54.00	-2.37	45.80	3	Horizontal	201	2.00	-	34.00	7.17	35.34
PK	5.213G	102.20	Inf	-Inf	96.09	3	Horizontal	201	2.00	-	34.25	7.20	35.34
AV	5.213G	91.86	Inf	-Inf	85.75	3	Horizontal	201	2.00	-	34.25	7.20	35.34
PK	5.357G	62.92	74.00	-11.08	56.55	3	Horizontal	201	2.00	-	34.51	7.20	35.34
AV	5.352G	49.62	54.00	-4.38	43.26	3	Horizontal	201	2.00	-	34.50	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6396G	60.27	74.00	-13.73	44.74	3	Vertical	260	2.37	-	37.80	13.22	35.49
AV	15.64206G	48.59	54.00	-5.41	33.07	3	Vertical	260	2.37	-	37.79	13.22	35.49

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6375G	59.17	74.00	-14.83	43.63	3	Horizontal	323	1.06	-	37.81	13.22	35.49
AV	15.61782G	49.05	54.00	-4.95	33.40	3	Horizontal	323	1.06	-	37.91	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_X_1TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	58.33	74.00	-15.67	52.67	3	Vertical	312	1.98	-	33.85	7.14	35.33
AV	5.108G	48.12	54.00	-5.88	42.38	3	Vertical	312	1.98	-	33.92	7.15	35.33
PK	5.294G	103.83	Inf	-Inf	97.48	3	Vertical	312	1.98	-	34.49	7.20	35.34
AV	5.292G	93.37	Inf	-Inf	87.03	3	Vertical	312	1.98	-	34.48	7.20	35.34
PK	5.359G	67.15	74.00	-6.85	60.77	3	Vertical	312	1.98	-	34.52	7.20	35.34
AV	5.355G	53.62	54.00	-0.38	47.25	3	Vertical	312	1.98	-	34.51	7.20	35.34
PK	5.466G	59.23	68.20	-8.97	52.78	3	Vertical	312	1.98	-	34.53	7.27	35.35

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.084G	58.65	74.00	-15.35	52.97	3	Horizontal	200	1.98	-	33.87	7.14	35.33
AV	5.118G	48.23	54.00	-5.77	42.46	3	Horizontal	200	1.98	-	33.94	7.16	35.33
PK	5.294G	102.43	Inf	-Inf	96.08	3	Horizontal	200	1.98	-	34.49	7.20	35.34
AV	5.293G	92.09	Inf	-Inf	85.74	3	Horizontal	200	1.98	-	34.49	7.20	35.34
PK	5.376G	66.13	74.00	-7.87	59.73	3	Horizontal	200	1.98	-	34.55	7.20	35.35
AV	5.355G	52.80	54.00	-1.20	46.43	3	Horizontal	200	1.98	-	34.51	7.20	35.34
PK	5.511G	58.64	68.20	-9.56	52.09	3	Horizontal	200	1.98	-	34.60	7.31	35.36

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87846G	59.97	74.00	-14.03	44.66	3	Vertical	266	2.38	-	37.66	13.34	35.69
AV	15.88188G	49.03	54.00	-4.97	33.73	3	Vertical	266	2.38	-	37.65	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85704G	60.38	74.00	-13.62	44.99	3	Horizontal	18	2.16	-	37.73	13.33	35.67
AV	15.85512G	49.15	54.00	-4.85	33.76	3	Horizontal	18	2.16	-	37.73	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	59.38	68.20	-8.82	53.02	3	Vertical	326	2.04	-	34.50	7.20	35.34
PK	5.448G	64.64	74.00	-9.36	58.24	3	Vertical	326	2.04	-	34.50	7.25	35.35
AV	5.451G	53.78	54.00	-0.22	47.38	3	Vertical	326	2.04	-	34.50	7.25	35.35
PK	5.467G	67.42	68.20	-0.78	60.97	3	Vertical	326	2.04	-	34.53	7.27	35.35
PK	5.534G	104.44	Inf	-Inf	97.88	3	Vertical	326	2.04	-	34.60	7.33	35.37
AV	5.533G	94.19	Inf	-Inf	87.63	3	Vertical	326	2.04	-	34.60	7.33	35.37
PK	5.742G	59.68	68.20	-8.52	53.53	3	Vertical	326	2.04	-	34.22	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.288G	58.89	68.20	-9.31	52.55	3	Horizontal	198	2.11	-	34.48	7.20	35.34
PK	5.458G	64.90	74.00	-9.10	58.47	3	Horizontal	198	2.11	-	34.52	7.26	35.35
AV	5.452G	53.16	54.00	-0.84	46.76	3	Horizontal	198	2.11	-	34.50	7.25	35.35
PK	5.467G	67.79	68.20	-0.41	61.34	3	Horizontal	198	2.11	-	34.53	7.27	35.35
PK	5.534G	103.62	Inf	-Inf	97.06	3	Horizontal	198	2.11	-	34.60	7.33	35.37
AV	5.533G	93.28	Inf	-Inf	86.72	3	Horizontal	198	2.11	-	34.60	7.33	35.37
PK	5.729G	59.17	68.20	-9.03	52.99	3	Horizontal	198	2.11	-	34.24	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06846G	55.70	74.00	-18.30	41.69	3	Vertical	285	2.03	-	38.47	10.66	35.12
AV	11.05406G	45.10	54.00	-8.90	31.09	3	Vertical	285	2.03	-	38.45	10.66	35.10

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.0462G	55.59	74.00	-18.41	41.57	3	Horizontal	180	2.42	-	38.45	10.66	35.09
AV	11.06366G	44.85	54.00	-9.15	30.84	3	Horizontal	180	2.42	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.411G	59.34	74.00	-14.66	52.90	3	Vertical	329	2.04	-	34.58	7.21	35.35
PK	5.469G	59.33	68.20	-8.87	52.87	3	Vertical	329	2.04	-	34.54	7.27	35.35
AV	5.458G	48.77	54.00	-5.23	42.34	3	Vertical	329	2.04	-	34.52	7.26	35.35
PK	5.614G	104.46	Inf	-Inf	97.90	3	Vertical	329	2.04	-	34.57	7.40	35.41
AV	5.609G	94.30	Inf	-Inf	87.72	3	Vertical	329	2.04	-	34.58	7.40	35.40
PK	5.727G	68.14	68.20	-0.06	61.95	3	Vertical	329	2.04	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.36G	59.25	74.00	-14.75	52.87	3	Horizontal	195	2.03	-	34.52	7.20	35.34
PK	5.467G	58.51	68.20	-9.69	52.06	3	Horizontal	195	2.03	-	34.53	7.27	35.35
AV	5.446G	48.92	54.00	-5.08	42.51	3	Horizontal	195	2.03	-	34.51	7.25	35.35
PK	5.614G	103.84	Inf	-Inf	97.28	3	Horizontal	195	2.03	-	34.57	7.40	35.41
AV	5.609G	93.59	Inf	-Inf	87.01	3	Horizontal	195	2.03	-	34.58	7.40	35.40
PK	5.727G	67.91	68.20	-0.29	61.72	3	Horizontal	195	2.03	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21808G	55.30	74.00	-18.70	41.28	3	Vertical	267	1.54	-	38.62	10.68	35.28	
AV	11.2323G	44.43	54.00	-9.57	30.42	3	Vertical	267	1.54	-	38.63	10.68	35.30	

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22258G	54.96	74.00	-19.04	40.95	3	Horizontal	339	1.30	-	38.62	10.68	35.29
AV	11.22714G	44.42	54.00	-9.58	30.40	3	Horizontal	339	1.30	-	38.63	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.16	74.00	-14.84	52.74	3	Vertical	332	1.98	-	34.53	7.24	35.35
PK	5.4668G	59.62	68.20	-8.58	53.17	3	Vertical	332	1.98	-	34.53	7.27	35.35
AV	5.4596G	48.68	54.00	-5.32	42.25	3	Vertical	332	1.98	-	34.52	7.26	35.35
PK	5.6936G	107.20	Inf	-Inf	100.92	3	Vertical	332	1.98	-	34.33	7.40	35.45
AV	5.6924G	96.92	Inf	-Inf	90.64	3	Vertical	332	1.98	-	34.33	7.40	35.45
PK	5.87G	66.69	68.20	-1.51	60.34	3	Vertical	332	1.98	-	34.42	7.47	35.54

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	58.51	74.00	-15.49	52.09	3	Horizontal	194	1.96	-	34.51	7.26	35.35
AV	5.3948G	48.91	54.00	-5.09	42.47	3	Horizontal	194	1.96	-	34.59	7.20	35.35
PK	5.47G	59.47	68.20	-8.73	53.01	3	Horizontal	194	1.96	-	34.54	7.27	35.35
PK	5.6936G	107.31	Inf	-Inf	101.03	3	Horizontal	194	1.96	-	34.33	7.40	35.45
AV	5.6924G	97.21	Inf	-Inf	90.93	3	Horizontal	194	1.96	-	34.33	7.40	35.45
PK	5.8748G	67.84	68.20	-0.36	61.46	3	Horizontal	194	1.96	-	34.45	7.47	35.54

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37844G	56.69	74.00	-17.31	42.66	3	Vertical	73	2.90	-	38.78	10.71	35.46
AV	11.3797G	45.40	54.00	-8.60	31.38	3	Vertical	73	2.90	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3917G	56.32	74.00	-17.68	42.30	3	Horizontal	18	1.57	-	38.79	10.71	35.48
AV	11.37862G	45.83	54.00	-8.17	31.80	3	Horizontal	18	1.57	-	38.78	10.71	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	62.97	68.20	-5.23	56.48	3	Vertical	333	1.98	-	34.51	7.40	35.42	
PK	5.778G	105.94	Inf	-Inf	99.83	3	Vertical	333	1.98	-	34.20	7.40	35.49	
AV	5.778G	95.66	Inf	-Inf	89.55	3	Vertical	333	1.98	-	34.20	7.40	35.49	
PK	5.925G	66.28	68.20	-1.92	59.61	3	Vertical	333	1.98	-	34.70	7.53	35.56	

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	63.72	68.20	-4.48	57.23	3	Horizontal	194	2.09	-	34.51	7.40	35.42
PK	5.779G	106.35	Inf	-Inf	100.24	3	Horizontal	194	2.09	-	34.20	7.40	35.49
AV	5.774G	96.14	Inf	-Inf	90.03	3	Horizontal	194	2.09	-	34.20	7.40	35.49
PK	5.949G	67.80	68.20	-0.40	61.02	3	Horizontal	194	2.09	-	34.80	7.55	35.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54976G	56.53	74.00	-17.47	42.19	3	Vertical	33	2.32	-	39.20	10.73	35.59
AV	11.55474G	46.09	54.00	-7.91	31.73	3	Vertical	33	2.32	-	39.22	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5575G	57.27	74.00	-16.73	42.90	3	Horizontal	221	1.34	-	39.23	10.73	35.59
AV	11.55732G	46.12	54.00	-7.88	31.75	3	Horizontal	221	1.34	-	39.23	10.73	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_1TX
Setting 11
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	64.56	74.00	-9.44	58.79	3	Vertical	74	1.29	-	33.95	7.16	35.34
AV	5.1432G	52.08	54.00	-1.92	46.26	3	Vertical	74	1.29	-	33.99	7.17	35.34
PK	5.2464G	97.83	Inf	-Inf	91.58	3	Vertical	74	1.29	-	34.39	7.20	35.34
AV	5.2548G	87.95	Inf	-Inf	81.68	3	Vertical	74	1.29	-	34.41	7.20	35.34
PK	5.3928G	65.19	74.00	-8.81	58.75	3	Vertical	74	1.29	-	34.59	7.20	35.35
AV	5.3928G	53.99	54.00	-0.01	47.55	3	Vertical	74	1.29	-	34.59	7.20	35.35
PK	5.4744G	58.94	68.20	-9.26	52.47	3	Vertical	74	1.29	-	34.55	7.27	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_1TX
Setting 11
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.42	74.00	-12.58	55.59	3	Horizontal	201	2.22	-	34.00	7.17	35.34
AV	5.1264G	50.10	54.00	-3.90	44.33	3	Horizontal	201	2.22	-	33.95	7.16	35.34
PK	5.2464G	95.60	Inf	-Inf	89.35	3	Horizontal	201	2.22	-	34.39	7.20	35.34
AV	5.2536G	85.30	Inf	-Inf	79.03	3	Horizontal	201	2.22	-	34.41	7.20	35.34
PK	5.3928G	64.18	74.00	-9.82	57.74	3	Horizontal	201	2.22	-	34.59	7.20	35.35
AV	5.394G	52.96	54.00	-1.04	46.52	3	Horizontal	201	2.22	-	34.59	7.20	35.35
PK	5.4876G	59.20	68.20	-9.00	52.68	3	Horizontal	201	2.22	-	34.58	7.29	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76104G	59.78	74.00	-14.22	44.35	3	Vertical	168	2.76	-	37.74	13.28	35.59
AV	15.7506G	48.87	54.00	-5.13	33.47	3	Vertical	168	2.76	-	37.70	13.28	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75726G	59.43	74.00	-14.57	44.01	3	Horizontal	243	1.71	-	37.73	13.28	35.59
AV	15.76092G	48.74	54.00	-5.26	33.31	3	Horizontal	243	1.71	-	37.74	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	66.81	74.00	-7.19	60.40	3	Vertical	321	2.03	-	34.51	7.25	35.35
AV	5.446G	53.27	54.00	-0.73	46.86	3	Vertical	321	2.03	-	34.51	7.25	35.35
PK	5.4676G	64.61	68.20	-3.59	58.15	3	Vertical	321	2.03	-	34.54	7.27	35.35
PK	5.5668G	98.67	Inf	-Inf	92.08	3	Vertical	321	2.03	-	34.60	7.37	35.38
AV	5.5748G	88.98	Inf	-Inf	82.40	3	Vertical	321	2.03	-	34.60	7.37	35.39
PK	5.726G	65.79	68.20	-2.41	59.60	3	Vertical	321	2.03	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	65.04	74.00	-8.96	58.63	3	Horizontal	193	2.02	-	34.51	7.25	35.35
AV	5.446G	52.44	54.00	-1.56	46.03	3	Horizontal	193	2.02	-	34.51	7.25	35.35
PK	5.466G	63.31	68.20	-4.89	56.86	3	Horizontal	193	2.02	-	34.53	7.27	35.35
PK	5.566G	98.06	Inf	-Inf	91.47	3	Horizontal	193	2.02	-	34.60	7.37	35.38
AV	5.5748G	87.95	Inf	-Inf	81.37	3	Horizontal	193	2.02	-	34.60	7.37	35.39
PK	5.726G	67.28	68.20	-0.92	61.09	3	Horizontal	193	2.02	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1343G	55.38	74.00	-18.62	41.37	3	Vertical	216	2.49	-	38.53	10.67	35.19
AV	11.1397G	44.45	54.00	-9.55	30.44	3	Vertical	216	2.49	-	38.54	10.67	35.20

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.15404G	54.81	74.00	-19.19	40.80	3	Horizontal	295	1.42	-	38.55	10.67	35.21
AV	11.15248G	44.25	54.00	-9.75	30.24	3	Horizontal	295	1.42	-	38.55	10.67	35.21



RSE TX above 1GHz

<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.2 (1TX)


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.402G	53.90	54.00	-0.10	3	Horizontal	111	1.98	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.15G	73.16	74.00	-0.84	67.33	3	Vertical	34	2.02	-	34.00	7.17	35.34	
AV	5.15G	51.08	54.00	-2.92	45.25	3	Vertical	34	2.02	-	34.00	7.17	35.34	
PK	5.1808G	113.05	Inf	-Inf	107.08	3	Vertical	34	2.02	-	34.12	7.19	35.34	
AV	5.1792G	103.19	Inf	-Inf	97.22	3	Vertical	34	2.02	-	34.12	7.19	35.34	

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.39	74.00	-4.61	63.56	3	Horizontal	54	1.78	-	34.00	7.17	35.34
AV	5.15G	48.51	54.00	-5.49	42.68	3	Horizontal	54	1.78	-	34.00	7.17	35.34
PK	5.1816G	109.73	Inf	-Inf	103.75	3	Horizontal	54	1.78	-	34.13	7.19	35.34
AV	5.1792G	99.89	Inf	-Inf	93.92	3	Horizontal	54	1.78	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5412G	61.92	74.00	-12.08	45.74	3	Vertical	154	2.09	-	38.41	13.17	35.40
AV	15.53736G	46.91	54.00	-7.09	30.70	3	Vertical	154	2.09	-	38.44	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53874G	59.57	74.00	-14.43	43.37	3	Horizontal	282	1.80	-	38.43	13.17	35.40
AV	15.5388G	45.59	54.00	-8.41	29.39	3	Horizontal	282	1.80	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.55	74.00	-13.45	54.72	3	Vertical	34	1.99	-	34.00	7.17	35.34
AV	5.15G	45.38	54.00	-8.62	39.55	3	Vertical	34	1.99	-	34.00	7.17	35.34
PK	5.1992G	112.96	Inf	-Inf	106.90	3	Vertical	34	1.99	-	34.20	7.20	35.34
AV	5.2008G	103.09	Inf	-Inf	97.03	3	Vertical	34	1.99	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.95	74.00	-15.05	53.13	3	Horizontal	54	1.80	-	33.99	7.17	35.34
AV	5.1496G	45.09	54.00	-8.91	39.26	3	Horizontal	54	1.80	-	34.00	7.17	35.34
PK	5.2016G	109.88	Inf	-Inf	103.81	3	Horizontal	54	1.80	-	34.21	7.20	35.34
AV	5.1992G	100.05	Inf	-Inf	93.99	3	Horizontal	54	1.80	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6009G	60.30	74.00	-13.70	44.55	3	Vertical	155	2.10	-	38.00	13.20	35.45
AV	15.60276G	46.57	54.00	-7.43	30.84	3	Vertical	155	2.10	-	37.99	13.20	35.46

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59916G	60.06	74.00	-13.94	44.30	3	Horizontal	291	1.89	-	38.01	13.20	35.45
AV	15.60276G	46.34	54.00	-7.66	30.61	3	Horizontal	291	1.89	-	37.99	13.20	35.46

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0936G	57.71	74.00	-16.29	52.00	3	Vertical	33	1.78	-	33.89	7.15	35.33
AV	5.0918G	46.61	54.00	-7.39	40.91	3	Vertical	33	1.78	-	33.88	7.15	35.33
PK	5.2412G	113.09	Inf	-Inf	106.87	3	Vertical	33	1.78	-	34.36	7.20	35.34
AV	5.2412G	105.78	Inf	-Inf	99.56	3	Vertical	33	1.78	-	34.36	7.20	35.34
PK	5.3828G	58.20	74.00	-15.80	51.78	3	Vertical	33	1.78	-	34.57	7.20	35.35
AV	5.3846G	46.97	54.00	-7.03	40.55	3	Vertical	33	1.78	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	58.01	74.00	-15.99	52.24	3	Horizontal	55	1.89	-	33.94	7.16	35.33
AV	5.1194G	44.86	54.00	-9.14	39.09	3	Horizontal	55	1.89	-	33.94	7.16	35.33
PK	5.2406G	109.78	Inf	-Inf	103.56	3	Horizontal	55	1.89	-	34.36	7.20	35.34
AV	5.2406G	99.90	Inf	-Inf	93.68	3	Horizontal	55	1.89	-	34.36	7.20	35.34
PK	5.3816G	57.79	74.00	-16.21	51.38	3	Horizontal	55	1.89	-	34.56	7.20	35.35
AV	5.3756G	45.26	54.00	-8.74	38.86	3	Horizontal	55	1.89	-	34.55	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72198G	60.08	74.00	-13.92	44.79	3	Vertical	165	1.94	-	37.59	13.26	35.56
AV	15.71868G	45.43	54.00	-8.57	30.15	3	Vertical	165	1.94	-	37.57	13.26	35.55

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72624G	58.77	74.00	-15.23	43.47	3	Horizontal	168	1.62	-	37.60	13.26	35.56
AV	15.7224G	45.35	54.00	-8.65	30.06	3	Horizontal	168	1.62	-	37.59	13.26	35.56

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	57.26	74.00	-16.74	51.49	3	Vertical	26	1.84	-	33.95	7.16	35.34
AV	5.1154G	44.77	54.00	-9.23	39.01	3	Vertical	26	1.84	-	33.93	7.16	35.33
PK	5.2612G	112.17	Inf	-Inf	105.89	3	Vertical	26	1.84	-	34.42	7.20	35.34
AV	5.2594G	102.42	Inf	-Inf	96.14	3	Vertical	26	1.84	-	34.42	7.20	35.34
PK	5.3662G	58.05	74.00	-15.95	51.66	3	Vertical	26	1.84	-	34.53	7.20	35.34
AV	5.3752G	45.29	54.00	-8.71	38.89	3	Vertical	26	1.84	-	34.55	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	57.43	74.00	-16.57	51.60	3	Horizontal	54	1.85	-	34.00	7.17	35.34
AV	5.1106G	44.73	54.00	-9.27	38.98	3	Horizontal	54	1.85	-	33.92	7.16	35.33
PK	5.2612G	109.36	Inf	-Inf	103.08	3	Horizontal	54	1.85	-	34.42	7.20	35.34
AV	5.2606G	99.59	Inf	-Inf	93.31	3	Horizontal	54	1.85	-	34.42	7.20	35.34
PK	5.3794G	58.11	74.00	-15.89	51.70	3	Horizontal	54	1.85	-	34.56	7.20	35.35
AV	5.3836G	45.18	54.00	-8.82	38.76	3	Horizontal	54	1.85	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77706G	59.27	74.00	-14.73	43.77	3	Vertical	118	1.48	-	37.81	13.29	35.60
AV	15.78276G	45.59	54.00	-8.41	30.08	3	Vertical	118	1.48	-	37.83	13.29	35.61

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7791G	58.68	74.00	-15.32	43.17	3	Horizontal	264	1.78	-	37.82	13.29	35.60
AV	15.77976G	44.97	54.00	-9.03	29.46	3	Horizontal	264	1.78	-	37.82	13.29	35.60

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	112.95	Inf	-Inf	106.59	3	Vertical	35	1.92	-	34.50	7.20	35.34
AV	5.2992G	103.21	Inf	-Inf	96.85	3	Vertical	35	1.92	-	34.50	7.20	35.34
PK	5.35G	64.64	74.00	-9.36	58.28	3	Vertical	35	1.92	-	34.50	7.20	35.34
AV	5.35G	47.81	54.00	-6.19	41.45	3	Vertical	35	1.92	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom



EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	109.96	Inf	-Inf	103.60	3	Horizontal	53	1.80	-	34.50	7.20	35.34
AV	5.2992G	100.17	Inf	-Inf	93.81	3	Horizontal	53	1.80	-	34.50	7.20	35.34
PK	5.3508G	64.10	74.00	-9.90	57.74	3	Horizontal	53	1.80	-	34.50	7.20	35.34
AV	5.3504G	47.03	54.00	-6.97	40.67	3	Horizontal	53	1.80	-	34.50	7.20	35.34