











REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.


Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,313.200	111.63			43.48	V	43.7	1.00
6	5,350.000	69.97	74.00	4.03	43.55	V	5	1.00
6	5,356.000	70.42	74.00	3.58	43.55	V	43.7	1.00








REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.










REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5270MHz: Fundamental frequency.




Test Report No.: RF260413B010





Boomwave Test (Shenzhen)
Co., Ltd.

Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com











REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.










REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.


Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,263.650	112.29			43.62	V	1	1.00
4	5,350.000	63.49	74.00	10.51	43.55	V	359.1	1.00
4	5,352.000	64.54	74.00	9.46	43.55	V	357.6	1.00





REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5260MHz: Fundamental frequency.

