



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,658.000	107.48			44.39	V	92.8	1.00
8	5,725.000	59.59	68.20	8.61	44.48	V	44.9	1.00
8	5,726.000	61.45	68.20	6.75	44.48	V	44.9	1.00




REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5670MHz: Fundamental frequency.
- 4 #: Out of restricted band.




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,705.300	106.85			44.48	V	5.8	1.00
9	5,850.000	62.76	68.20	5.44	44.73	V	175.3	2.00
9	5,869.200	64.45	68.20	3.75	44.66	V	42.5	1.00





REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5710MHz: Fundamental frequency.
- 4 #: Out of restricted band.










REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.


Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5610MHz: Fundamental frequency.
- 4 #: Out of restricted band.



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,665.570	107.32			44.41	V	89.2	1.00
4	5,850.000	59.42	68.20	8.78	44.73	V	42.5	1.00
4	5,874.433	59.90	68.20	8.30	44.64	V	359.1	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5690MHz: Fundamental frequency.
- 4 #: Out of restricted band.


BAND 4


802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.000	59.96	68.20	8.24	44.57	H	208.6	1.00
12	5,740.780	103.85			44.60	H	107.2	2.00
13	5,981.250	59.43	68.20	8.77	44.34	H	359	2.00






REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.

Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.

Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.

Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China

Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com




REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




Test Report No.: RF260413B010



Boomwave Test (Shenzhen)
Co., Ltd.


Rm B38, Warehouse A5(Chiwan #1), #3 Chiwan
4th Rd, Chiwan Comm, Zhaoshang St, Nanshan
Dist, Shenzhen, Guangdong, Shenzhen, China


Mobile: +86 15118052731
Email:shimin.wang@boomwavelab.com



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.

