

Table of Contents

1. MAXIMUM PEAK CONDUCTED OUTPUT POWER 2

2. -6DB BANDWIDTH 5

3. OCCUPIED CHANNEL BANDWIDTH 8

4. MAXIMUM POWER SPECTRAL DENSITY LEVEL 11

5. BAND EDGE 14

6. CONDUCTED RF SPURIOUS EMISSION 17

FCC ID BLE


FCC_BLE(Part15.247) Test Data

1. Maximum Peak Conducted Output Power


Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
BLE 1M	2402	-8.95	30	Pass
BLE 1M	2440	-9.86	30	Pass
BLE 1M	2480	-9.63	30	Pass

Test Graphs


Peak Power NVNT BLE 1M 2402MHz Ant1



Peak Power NVNT BLE 1M 2440MHz Ant1



Peak Power NVNT BLE 1M 2480MHz Ant1




2. -6dB Bandwidth


Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
BLE 1M	2402	0.7	0.5	Pass
BLE 1M	2440	0.73	0.5	Pass
BLE 1M	2480	0.699	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1



-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1



-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1




3. Occupied Channel Bandwidth


Mode	Frequency (MHz)	99% OBW (MHz)
BLE 1M	2402	1.041
BLE 1M	2440	1.046
BLE 1M	2480	1.058

Test Graphs


OBW NVNT BLE 1M 2402MHz Ant1



OBW NVNT BLE 1M 2440MHz Ant1



OBW NVNT BLE 1M 2480MHz Ant1




4. Maximum Power Spectral Density Level


Mode	Frequency (MHz)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
BLE 1M	2402	-24.74	8	Pass
BLE 1M	2440	-25.49	8	Pass
BLE 1M	2480	-25.12	8	Pass

Test Graphs


PSD NVNT BLE 1M 2402MHz Ant1



PSD NVNT BLE 1M 2440MHz Ant1



PSD NVNT BLE 1M 2480MHz Ant1




5. Band Edge


Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
BLE 1M	2402	-43.74	-20	Pass
BLE 1M	2480	-44.55	-20	Pass

Test Graphs


Band Edge NVNT BLE 1M 2402MHz Ant1 Ref




Band Edge NVNT BLE 1M 2402MHz Ant1 Emission



Band Edge NVNT BLE 1M 2480MHz Ant1 Ref



Band Edge NVNT BLE 1M 2480MHz Ant1 Emission




6. Conducted RF Spurious Emission


Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
BLE 1M	2402	-42.36	-20	Pass
BLE 1M	2440	-39.46	-20	Pass
BLE 1M	2480	-39.52	-20	Pass

Test Graphs


Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission

