

Appendix RF Test Data for 5.2GWIFI

Company: : Shenzhen Wufang Technology Co., Ltd.

EUT : Tablet

Model Number : X1

FCC ID : 2BMOX-X1

Report No. : CTA25081801116


Reviewed By : Eric Wang

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	94.65	0.24	0.91
NVNT	a	5200	Ant1	94.56	0.24	0.91
NVNT	a	5240	Ant1	94.56	0.24	0.91
NVNT	n20	5180	Ant1	97.29	0.12	0.44
NVNT	n20	5200	Ant1	97.29	0.12	0.44
NVNT	n20	5240	Ant1	97.29	0.12	0.44
NVNT	n40	5190	Ant1	94.71	0.24	0.9
NVNT	n40	5230	Ant1	94.71	0.24	0.9
NVNT	ac20	5180	Ant1	97.35	0.12	0.44
NVNT	ac20	5200	Ant1	97.3	0.12	0.44
NVNT	ac20	5240	Ant1	97.34	0.12	0.44
NVNT	ac40	5190	Ant1	94.72	0.24	0.9
NVNT	ac40	5230	Ant1	94.72	0.24	0.9

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1



Duty Cycle NVNT ac40 5190MHz Ant1



Duty Cycle NVNT ac40 5230MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.12	0.24	12.36	24	Pass
NVNT	a	5200	Ant1	12.44	0.24	12.68	24	Pass
NVNT	a	5240	Ant1	13.02	0.24	13.26	24	Pass
NVNT	n20	5180	Ant1	11.59	0.12	11.71	24	Pass
NVNT	n20	5200	Ant1	11.3	0.12	11.42	24	Pass
NVNT	n20	5240	Ant1	11.04	0.12	11.16	24	Pass
NVNT	n40	5190	Ant1	10.28	0.24	10.52	24	Pass
NVNT	n40	5230	Ant1	10.64	0.24	10.88	24	Pass
NVNT	ac20	5180	Ant1	11.59	0.12	11.71	24	Pass
NVNT	ac20	5200	Ant1	11.77	0.12	11.89	24	Pass
NVNT	ac20	5240	Ant1	12.07	0.12	12.19	24	Pass
NVNT	ac40	5190	Ant1	9.84	0.24	10.08	24	Pass
NVNT	ac40	5230	Ant1	10.67	0.24	10.91	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	28.336	>=0.5	Pass
NVNT	a	5200	Ant1	27.164	>=0.5	Pass
NVNT	a	5240	Ant1	26.186	>=0.5	Pass
NVNT	n20	5180	Ant1	29.882	>=0.5	Pass
NVNT	n20	5200	Ant1	29.13	>=0.5	Pass
NVNT	n20	5240	Ant1	28.433	>=0.5	Pass
NVNT	n40	5190	Ant1	41.202	>=0.5	Pass
NVNT	n40	5230	Ant1	51.872	>=0.5	Pass
NVNT	ac20	5180	Ant1	27.172	>=0.5	Pass
NVNT	ac20	5200	Ant1	28.397	>=0.5	Pass
NVNT	ac20	5240	Ant1	28.297	>=0.5	Pass
NVNT	ac40	5190	Ant1	49.159	>=0.5	Pass
NVNT	ac40	5230	Ant1	54.787	>=0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.548
NVNT	a	5200	Ant1	16.564
NVNT	a	5240	Ant1	16.575
NVNT	n20	5180	Ant1	17.622
NVNT	n20	5200	Ant1	17.624
NVNT	n20	5240	Ant1	17.636
NVNT	n40	5190	Ant1	36.281
NVNT	n40	5230	Ant1	36.27
NVNT	ac20	5180	Ant1	17.619
NVNT	ac20	5200	Ant1	17.627
NVNT	ac20	5240	Ant1	17.647
NVNT	ac40	5190	Ant1	36.223
NVNT	ac40	5230	Ant1	36.272

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	1.62	0.24	1.86	11	Pass
NVNT	a	5200	Ant1	1.98	0.24	2.22	11	Pass
NVNT	a	5240	Ant1	2.39	0.24	2.63	11	Pass
NVNT	n20	5180	Ant1	0.82	0.12	0.94	11	Pass
NVNT	n20	5200	Ant1	0.46	0.12	0.58	11	Pass
NVNT	n20	5240	Ant1	0.71	0.12	0.83	11	Pass
NVNT	n40	5190	Ant1	-3.42	0.24	-3.18	11	Pass
NVNT	n40	5230	Ant1	-3.02	0.24	-2.78	11	Pass
NVNT	ac20	5180	Ant1	1.17	0.12	1.29	11	Pass
NVNT	ac20	5200	Ant1	0.91	0.12	1.03	11	Pass
NVNT	ac20	5240	Ant1	1.64	0.12	1.76	11	Pass
NVNT	ac40	5190	Ant1	-3.7	0.24	-3.46	11	Pass
NVNT	ac40	5230	Ant1	-2.92	0.24	-2.68	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-38.25	-27	Pass
NVNT	a	5240	Ant1	-46.49	-27	Pass
NVNT	n20	5180	Ant1	-35.75	-27	Pass
NVNT	n20	5240	Ant1	-46.73	-27	Pass
NVNT	n40	5190	Ant1	-35.77	-27	Pass
NVNT	n40	5230	Ant1	-46.34	-27	Pass
NVNT	ac20	5180	Ant1	-32.92	-27	Pass
NVNT	ac20	5240	Ant1	-46.11	-27	Pass
NVNT	ac40	5190	Ant1	-35	-27	Pass
NVNT	ac40	5230	Ant1	-46.4	-27	Pass

Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1



Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1




[illegible][illegible]


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1




Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5180	0	0	25	Pass
NVNT	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n20	5180	Ant1	5180	0	0	25	Pass
NVNT	n20	5200	Ant1	5200	0	0	25	Pass
NVNT	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n40	5190	Ant1	5190	0	0	25	Pass
NVNT	n40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5200	0	0	25	Pass
NVNT	ac20	5240	Ant1	5240	0	0	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass

Test Graphs


Freq. Stability NVNT a 5180MHz Ant1




Freq. Stability NVNT a 5200MHz Ant1




Freq. Stability NVNT a 5240MHz Ant1




Freq. Stability NVNT n20 5180MHz Ant1



Freq. Stability NVNT n20 5200MHz Ant1



Freq. Stability NVNT n20 5240MHz Ant1



[illegible]

Freq. Stability NVNT n40 5230MHz Ant1

Agilent Spectrum Analyzer - Swept SA

R RF 50 Q AC SENSE:PULSE ALIGN: AUTO 10:37:49 AM Sep 04, 2025

Center Freq 5.230000000 GHz
#Avg Type: RMS
Avg|Hold: 10/10

 TRACE 1 2 3 4 5 6
 TYPE M W W W W W W W W W
 DET P N N N N N N

PN0: Fast
IF Gain: Low
→ Trig: Free Run
#Atten: 30 dB


10 dB/div
Log
Ref Offset 3.87 dB
Ref 20.00 dBm
Mkr1 5.230 00 GHz
-25.650 dBm

Center 5.23000 GHz
#Res BW 10 kHz
#VBW 30 kHz
Span 80.00 MHz
Sweep 764.6 ms (1001 pts)


MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N		f	5.230 00 GHz	-25.650 dBm			
2	N		f	5.211 76 GHz	-15.493 dBm			
3	N		f	5.248 24 GHz	-20.804 dBm			
4								
5								
6								
7								
8								
9								
10								
11								

MSG
STATUS


Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1




Freq. Stability NVNT ac20 5240MHz Ant1



Freq. Stability NVNT ac40 5190MHz Ant1



Freq. Stability NVNT ac40 5230MHz Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.935	-27	Pass
NVNT	a	5200	Ant1	-34.908	-27	Pass
NVNT	a	5240	Ant1	-35.61	-27	Pass
NVNT	n20	5180	Ant1	-35.009	-27	Pass
NVNT	n20	5200	Ant1	-35.272	-27	Pass
NVNT	n20	5240	Ant1	-34.417	-27	Pass
NVNT	n40	5190	Ant1	-34.165	-27	Pass
NVNT	n40	5230	Ant1	-36.086	-27	Pass
NVNT	ac20	5180	Ant1	-35.34	-27	Pass
NVNT	ac20	5200	Ant1	-34.983	-27	Pass
NVNT	ac20	5240	Ant1	-35.096	-27	Pass
NVNT	ac40	5190	Ant1	-35.872	-27	Pass
NVNT	ac40	5230	Ant1	-35.607	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission



Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-48.66	2	-	48.57	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-57.58	2	0.24	39.89	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-39.38	2	-	57.85	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-50.35	2	0.24	47.12	Average	54	Pass
NVNT	a	5180	Ant1	5150	-40.22	2	-	57.01	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-50.96	2	0.24	46.51	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.97	2	-	47.26	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57.41	2	0.24	40.06	Average	54	Pass
NVNT	a	5240	Ant1	5419.68	-45.89	2	-	51.34	Peak	68.2	Pass
NVNT	a	5240	Ant1	5443.2	-56.4	2	0.24	41.07	Average	54	Pass
NVNT	a	5240	Ant1	5460	-48.68	2	-	48.55	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.62	2	0.24	39.85	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.08	2	-	47.15	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-58	2	0.12	39.35	Average	54	Pass
NVNT	n20	5180	Ant1	5147.5	-39.05	2	-	58.18	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-54.36	2	0.12	42.99	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-41.24	2	-	55.99	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-53.44	2	0.12	43.91	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.17	2	-	48.06	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.31	2	0.12	40.04	Average	54	Pass
NVNT	n20	5240	Ant1	5395.68	-46.46	2	-	50.77	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5384.16	-56.24	2	0.12	41.11	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-49.05	2	-	48.18	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.2	2	0.12	40.15	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-49.63	2	-	47.6	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-57.79	2	0.24	39.68	Average	54	Pass
NVNT	n40	5190	Ant1	5144.59	-41.31	2	-	55.92	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5148.24	-53.77	2	0.24	43.7	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-44.95	2	-	52.28	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-54.04	2	0.24	43.43	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-48.63	2	-	48.6	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.22	2	0.24	40.25	Average	54	Pass
NVNT	n40	5230	Ant1	5370.09	-46.37	2	-	50.86	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5410.86	-56.27	2	0.24	41.2	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.43	2	-	47.8	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-57.3	2	0.24	40.17	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-49.8	2	-	47.43	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-57.92	2	0.12	39.43	Average	54	Pass
NVNT	ac20	5180	Ant1	5147.5	-43.08	2	-	54.15	Peak	68.2	Pass


NVNT	ac20	5180	Ant1	5147.5	-54.92	2	0.12	42.43	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-44.42	2	-	52.81	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-54.46	2	0.12	42.89	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-50	2	-	47.23	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-56.82	2	0.12	40.53	Average	54	Pass
NVNT	ac20	5240	Ant1	5377.68	-46.25	2	-	50.98	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5370	-56.3	2	0.12	41.05	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-48.9	2	-	48.33	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.1	2	0.12	40.25	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-49.29	2	-	47.94	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-57.4	2	0.24	40.07	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-41.82	2	-	55.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-53.84	2	0.24	43.63	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.82	2	-	55.41	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-53.84	2	0.24	43.63	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-50.21	2	-	47.02	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.17	2	0.24	40.3	Average	54	Pass
NVNT	ac40	5230	Ant1	5440.83	-46.71	2	-	50.52	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5429.76	-56.36	2	0.24	41.11	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-50.24	2	-	46.99	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57.28	2	0.24	40.19	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average




Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average




Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average




Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average




Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average




Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average




Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average




Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average




Restrict Band NVNT ac40 5190MHz Ant1 Peak



Restrict Band NVNT ac40 5190MHz Ant1 Average



Restrict Band NVNT ac40 5230MHz Ant1 Peak



Restrict Band NVNT ac40 5230MHz Ant1 Average

