

Appendix RF Test Data for 5.3GWIFI

Company: : Shenzhen Wufang Technology Co., Ltd.

EUT : Tablet

Model Number : X1

FCC ID : 2BMOX-X1

Report No. : CTA25081801116


Reviewed By : Eric Wang

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	94.56	0.24	0.91
NVNT	a	5300	Ant1	94.56	0.24	0.91
NVNT	a	5320	Ant1	94.56	0.24	0.91
NVNT	n20	5260	Ant1	97.29	0.12	0.44
NVNT	n20	5300	Ant1	97.29	0.12	0.44
NVNT	n20	5320	Ant1	97.29	0.12	0.44
NVNT	n40	5270	Ant1	94.79	0.23	0.9
NVNT	n40	5310	Ant1	94.71	0.24	0.9
NVNT	ac20	5260	Ant1	97.34	0.12	0.44
NVNT	ac20	5300	Ant1	97.34	0.12	0.44
NVNT	ac20	5320	Ant1	97.34	0.12	0.44
NVNT	ac40	5270	Ant1	94.72	0.24	0.9
NVNT	ac40	5310	Ant1	94.72	0.24	0.9

Test Graphs


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5300MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5300MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1




Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5300MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1



Duty Cycle NVNT ac40 5270MHz Ant1



Duty Cycle NVNT ac40 5310MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	12.58	0.24	12.82	24	Pass
NVNT	a	5300	Ant1	12.2	0.24	12.44	24	Pass
NVNT	a	5320	Ant1	12.57	0.24	12.81	24	Pass
NVNT	n20	5260	Ant1	10.97	0.12	11.09	24	Pass
NVNT	n20	5300	Ant1	11.12	0.12	11.24	24	Pass
NVNT	n20	5320	Ant1	11.12	0.12	11.24	24	Pass
NVNT	n40	5270	Ant1	11.18	0.23	11.41	24	Pass
NVNT	n40	5310	Ant1	10.97	0.24	11.21	24	Pass
NVNT	ac20	5260	Ant1	11.03	0.12	11.15	24	Pass
NVNT	ac20	5300	Ant1	11.1	0.12	11.22	24	Pass
NVNT	ac20	5320	Ant1	11.13	0.12	11.25	24	Pass
NVNT	ac40	5270	Ant1	10.34	0.24	10.58	24	Pass
NVNT	ac40	5310	Ant1	10.81	0.24	11.05	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	29.071	>=0.5	Pass
NVNT	a	5300	Ant1	28.091	>=0.5	Pass
NVNT	a	5320	Ant1	27.345	>=0.5	Pass
NVNT	n20	5260	Ant1	26.139	>=0.5	Pass
NVNT	n20	5300	Ant1	26.53	>=0.5	Pass
NVNT	n20	5320	Ant1	27.013	>=0.5	Pass
NVNT	n40	5270	Ant1	44.972	>=0.5	Pass
NVNT	n40	5310	Ant1	45.144	>=0.5	Pass
NVNT	ac20	5260	Ant1	27.444	>=0.5	Pass
NVNT	ac20	5300	Ant1	27.546	>=0.5	Pass
NVNT	ac20	5320	Ant1	29.053	>=0.5	Pass
NVNT	ac40	5270	Ant1	49.828	>=0.5	Pass
NVNT	ac40	5310	Ant1	49.447	>=0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5300MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5300MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1




-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5300MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.564
NVNT	a	5300	Ant1	16.526
NVNT	a	5320	Ant1	16.547
NVNT	n20	5260	Ant1	17.628
NVNT	n20	5300	Ant1	17.651
NVNT	n20	5320	Ant1	17.635
NVNT	n40	5270	Ant1	36.2
NVNT	n40	5310	Ant1	36.234
NVNT	ac20	5260	Ant1	17.615
NVNT	ac20	5300	Ant1	17.645
NVNT	ac20	5320	Ant1	17.637
NVNT	ac40	5270	Ant1	36.205
NVNT	ac40	5310	Ant1	36.262

Test Graphs


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5300MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5300MHz Ant1




OBW NVNT n20 5320MHz Ant1




OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5300MHz Ant1




OBW NVNT ac20 5320MHz Ant1



OBW NVNT ac40 5270MHz Ant1



OBW NVNT ac40 5310MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	2.11	0.24	2.35	11	Pass
NVNT	a	5300	Ant1	2.15	0.24	2.39	11	Pass
NVNT	a	5320	Ant1	2.11	0.24	2.35	11	Pass
NVNT	n20	5260	Ant1	0.51	0.12	0.63	11	Pass
NVNT	n20	5300	Ant1	0.59	0.12	0.71	11	Pass
NVNT	n20	5320	Ant1	0.28	0.12	0.4	11	Pass
NVNT	n40	5270	Ant1	-2.35	0.23	-2.12	11	Pass
NVNT	n40	5310	Ant1	-3.33	0.24	-3.09	11	Pass
NVNT	ac20	5260	Ant1	0.25	0.12	0.37	11	Pass
NVNT	ac20	5300	Ant1	0.32	0.12	0.44	11	Pass
NVNT	ac20	5320	Ant1	0.38	0.12	0.5	11	Pass
NVNT	ac40	5270	Ant1	-3.49	0.24	-3.25	11	Pass
NVNT	ac40	5310	Ant1	-3.25	0.24	-3.01	11	Pass

Test Graphs


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5300MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5300MHz Ant1




PSD NVNT n20 5320MHz Ant1




PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5300MHz Ant1




PSD NVNT ac20 5320MHz Ant1



PSD NVNT ac40 5270MHz Ant1



PSD NVNT ac40 5310MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-46.45	-27	Pass
NVNT	a	5320	Ant1	-33.51	-27	Pass
NVNT	n20	5260	Ant1	-47.39	-27	Pass
NVNT	n20	5320	Ant1	-32.09	-27	Pass
NVNT	n40	5270	Ant1	-46.95	-27	Pass
NVNT	n40	5310	Ant1	-34.01	-27	Pass
NVNT	ac20	5260	Ant1	-46.69	-27	Pass
NVNT	ac20	5320	Ant1	-31.72	-27	Pass
NVNT	ac40	5270	Ant1	-47.11	-27	Pass
NVNT	ac40	5310	Ant1	-36.46	-27	Pass

Test Graphs


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1




Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant1




Band Edge NVNT ac20 5320MHz High Ant1



Band Edge NVNT ac40 5270MHz Low Ant1



Band Edge NVNT ac40 5310MHz High Ant1




Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5260	0	0	25	Pass
NVNT	a	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	a	5320	Ant1	5320	0	0	25	Pass
NVNT	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5300	Ant1	5300	0	0	25	Pass
NVNT	ac20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	ac40	5270	Ant1	5270	0	0	25	Pass
NVNT	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass

Test Graphs


Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5300MHz Ant1




Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1




Freq. Stability NVNT n20 5300MHz Ant1




Freq. Stability NVNT n20 5320MHz Ant1




Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1




Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5300MHz Ant1




Freq. Stability NVNT ac20 5320MHz Ant1



Freq. Stability NVNT ac40 5270MHz Ant1



Freq. Stability NVNT ac40 5310MHz Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-34.105	-27	Pass
NVNT	a	5300	Ant1	-34.781	-27	Pass
NVNT	a	5320	Ant1	-34.218	-27	Pass
NVNT	n20	5260	Ant1	-34.572	-27	Pass
NVNT	n20	5300	Ant1	-34.487	-27	Pass
NVNT	n20	5320	Ant1	-34.867	-27	Pass
NVNT	n40	5270	Ant1	-34.037	-27	Pass
NVNT	n40	5310	Ant1	-34.149	-27	Pass
NVNT	ac20	5260	Ant1	-34.352	-27	Pass
NVNT	ac20	5300	Ant1	-35.038	-27	Pass
NVNT	ac20	5320	Ant1	-34.525	-27	Pass
NVNT	ac40	5270	Ant1	-34.175	-27	Pass
NVNT	ac40	5310	Ant1	-34.163	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5300MHz Ant1 Emission



Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




[illegible][illegible]


Tx. Spurious NVNT n40 5270MHz Ant1 Emission




Tx. Spurious NVNT n40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5300MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission



Tx. Spurious NVNT ac40 5270MHz Ant1 Emission



Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-49.65	2	-	47.58	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-58.7	2	0.24	38.77	Average	54	Pass
NVNT	a	5260	Ant1	5114.64	-47.02	2	-	50.21	Peak	68.2	Pass
NVNT	a	5260	Ant1	4787.04	-56.88	2	0.24	40.59	Average	54	Pass
NVNT	a	5260	Ant1	5150	-49.54	2	-	47.69	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-57.48	2	0.24	39.99	Average	54	Pass
NVNT	a	5320	Ant1	5350	-45.62	2	-	51.61	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-56.83	2	0.24	40.64	Average	54	Pass
NVNT	a	5320	Ant1	5351.4	-44.24	2	-	52.99	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350.2	-56.14	2	0.24	41.33	Average	54	Pass
NVNT	a	5320	Ant1	5460	-49.83	2	-	47.4	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-58.36	2	0.24	39.11	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-51.01	2	-	46.22	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-59.27	2	0.12	38.08	Average	54	Pass
NVNT	n20	5260	Ant1	5134.14	-46.73	2	-	50.5	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5070.96	-57.09	2	0.12	40.26	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-49.84	2	-	47.39	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-57.84	2	0.12	39.51	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-45.56	2	-	51.67	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-55.12	2	0.12	42.23	Average	54	Pass
NVNT	n20	5320	Ant1	5350.2	-43.05	2	-	54.18	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350.2	-54.97	2	0.12	42.38	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-50.89	2	-	46.34	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-58.26	2	0.12	39.09	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-47.99	2	-	49.24	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.15	2	0.23	38.31	Average	54	Pass
NVNT	n40	5270	Ant1	4969.8	-46.95	2	-	50.28	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4806.18	-56.5	2	0.23	40.96	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-48.46	2	-	48.77	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-58.03	2	0.23	39.43	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-44.24	2	-	52.99	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-54.13	2	0.24	43.34	Average	54	Pass
NVNT	n40	5310	Ant1	5350.2	-41.05	2	-	56.18	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-50.97	2	-	46.26	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-57.92	2	0.24	39.55	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-50.68	2	-	46.55	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4500	-58.63	2	0.12	38.72	Average	54	Pass
NVNT	ac20	5260	Ant1	5068.62	-47.36	2	-	49.87	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5011.68	-57.09	2	0.12	40.26	Average	54	Pass


NVNT	ac20	5260	Ant1	5150	-49.79	2	-	47.44	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-57.78	2	0.12	39.57	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-44.68	2	-	52.55	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-55.16	2	0.12	42.19	Average	54	Pass
NVNT	ac20	5320	Ant1	5350.4	-41.43	2	-	55.8	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-50.07	2	-	47.16	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-57.9	2	0.12	39.45	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-50.66	2	-	46.57	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-58.73	2	0.24	38.74	Average	54	Pass
NVNT	ac40	5270	Ant1	5092.11	-46.17	2	-	51.06	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4773.78	-56.26	2	0.24	41.21	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-49.83	2	-	47.4	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.34	2	0.24	40.13	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-46.15	2	-	51.08	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-54.96	2	0.24	42.51	Average	54	Pass
NVNT	ac40	5310	Ant1	5351.4	-39.86	2	-	57.37	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.2	-54.53	2	0.24	42.94	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-50.66	2	-	46.57	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-58.2	2	0.24	39.27	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average




Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average




Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average




Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average




Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average




Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average




Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average




Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average




Restrict Band NVNT ac40 5270MHz Ant1 Peak



Restrict Band NVNT ac40 5270MHz Ant1 Average



Restrict Band NVNT ac40 5310MHz Ant1 Peak



Restrict Band NVNT ac40 5310MHz Ant1 Average

