

Appendix RF Test Data for 5.5GWIFI

Company: : Shenzhen Wufang Technology Co., Ltd.

EUT : Tablet

Model Number : X1

FCC ID : 2BMOX-X1

Report No. : CTA25081801116


Reviewed By : Eric Wang

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	94.65	0.24	0.91
NVNT	a	5580	Ant1	94.56	0.24	0.91
NVNT	a	5700	Ant1	94.65	0.24	0.91
NVNT	n20	5500	Ant1	97.29	0.12	0.44
NVNT	n20	5580	Ant1	97.29	0.12	0.44
NVNT	n20	5700	Ant1	97.29	0.12	0.44
NVNT	n40	5510	Ant1	94.79	0.23	0.9
NVNT	n40	5550	Ant1	94.79	0.23	0.9
NVNT	n40	5670	Ant1	94.71	0.24	0.9
NVNT	ac20	5500	Ant1	97.34	0.12	0.44
NVNT	ac20	5580	Ant1	97.34	0.12	0.44
NVNT	ac20	5700	Ant1	97.3	0.12	0.44
NVNT	ac40	5510	Ant1	94.72	0.24	0.9
NVNT	ac40	5550	Ant1	94.72	0.24	0.9
NVNT	ac40	5670	Ant1	94.72	0.24	0.9

Test Graphs


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5580MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5580MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1




Duty Cycle NVNT n40 5550MHz Ant1




Duty Cycle NVNT n40 5670MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5580MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1



Duty Cycle NVNT ac40 5550MHz Ant1



Duty Cycle NVNT ac40 5670MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.51	0.24	12.75	24	Pass
NVNT	a	5580	Ant1	12.49	0.24	12.73	24	Pass
NVNT	a	5700	Ant1	12.51	0.24	12.75	24	Pass
NVNT	n20	5500	Ant1	11.02	0.12	11.14	24	Pass
NVNT	n20	5580	Ant1	11.91	0.12	12.03	24	Pass
NVNT	n20	5700	Ant1	12.02	0.12	12.14	24	Pass
NVNT	n40	5510	Ant1	10.56	0.23	10.79	24	Pass
NVNT	n40	5550	Ant1	11.08	0.23	11.31	24	Pass
NVNT	n40	5670	Ant1	10.65	0.24	10.89	24	Pass
NVNT	ac20	5500	Ant1	11.89	0.12	12.01	24	Pass
NVNT	ac20	5580	Ant1	11.95	0.12	12.07	24	Pass
NVNT	ac20	5700	Ant1	11.13	0.12	11.25	24	Pass
NVNT	ac40	5510	Ant1	10.2	0.24	10.44	24	Pass
NVNT	ac40	5550	Ant1	10.23	0.24	10.47	24	Pass
NVNT	ac40	5670	Ant1	10.55	0.24	10.79	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	28.567	>=0.5	Pass
NVNT	a	5580	Ant1	27.461	>=0.5	Pass
NVNT	a	5700	Ant1	26.414	>=0.5	Pass
NVNT	n20	5500	Ant1	27.29	>=0.5	Pass
NVNT	n20	5580	Ant1	28.864	>=0.5	Pass
NVNT	n20	5700	Ant1	27.895	>=0.5	Pass
NVNT	n40	5510	Ant1	49.6	>=0.5	Pass
NVNT	n40	5550	Ant1	49.679	>=0.5	Pass
NVNT	n40	5670	Ant1	45.533	>=0.5	Pass
NVNT	ac20	5500	Ant1	28.426	>=0.5	Pass
NVNT	ac20	5580	Ant1	29.634	>=0.5	Pass
NVNT	ac20	5700	Ant1	27.202	>=0.5	Pass
NVNT	ac40	5510	Ant1	50.272	>=0.5	Pass
NVNT	ac40	5550	Ant1	49.616	>=0.5	Pass
NVNT	ac40	5670	Ant1	44.617	>=0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5580MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5550MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1



-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.539
NVNT	a	5580	Ant1	16.583
NVNT	a	5700	Ant1	16.541
NVNT	n20	5500	Ant1	17.653
NVNT	n20	5580	Ant1	17.65
NVNT	n20	5700	Ant1	17.655
NVNT	n40	5510	Ant1	36.266
NVNT	n40	5550	Ant1	36.184
NVNT	n40	5670	Ant1	36.231
NVNT	ac20	5500	Ant1	17.647
NVNT	ac20	5580	Ant1	17.646
NVNT	ac20	5700	Ant1	17.649
NVNT	ac40	5510	Ant1	36.271
NVNT	ac40	5550	Ant1	36.25
NVNT	ac40	5670	Ant1	36.276

Test Graphs


OBW NVNT a 5500MHz Ant1




OBW NVNT a 5580MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5580MHz Ant1




OBW NVNT n20 5700MHz Ant1




OBW NVNT n40 5510MHz Ant1




OBW NVNT n40 5550MHz Ant1




OBW NVNT n40 5670MHz Ant1




OBW NVNT ac20 5500MHz Ant1




OBW NVNT ac20 5580MHz Ant1




OBW NVNT ac20 5700MHz Ant1




OBW NVNT ac40 5510MHz Ant1



OBW NVNT ac40 5550MHz Ant1



OBW NVNT ac40 5670MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	2.1	0.24	2.34	11	Pass
NVNT	a	5580	Ant1	1.83	0.24	2.07	11	Pass
NVNT	a	5700	Ant1	2.07	0.24	2.31	11	Pass
NVNT	n20	5500	Ant1	0.23	0.12	0.35	11	Pass
NVNT	n20	5580	Ant1	1.24	0.12	1.36	11	Pass
NVNT	n20	5700	Ant1	1.21	0.12	1.33	11	Pass
NVNT	n40	5510	Ant1	-3.6	0.23	-3.37	11	Pass
NVNT	n40	5550	Ant1	-2.27	0.23	-2.04	11	Pass
NVNT	n40	5670	Ant1	-2.63	0.24	-2.39	11	Pass
NVNT	ac20	5500	Ant1	1.11	0.12	1.23	11	Pass
NVNT	ac20	5580	Ant1	1.28	0.12	1.4	11	Pass
NVNT	ac20	5700	Ant1	0.2	0.12	0.32	11	Pass
NVNT	ac40	5510	Ant1	-3.53	0.24	-3.29	11	Pass
NVNT	ac40	5550	Ant1	-2.5	0.24	-2.26	11	Pass
NVNT	ac40	5670	Ant1	-3.13	0.24	-2.89	11	Pass

Test Graphs


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5580MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1




PSD NVNT n40 5550MHz Ant1




PSD NVNT n40 5670MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5580MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5550MHz Ant1



PSD NVNT ac40 5670MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-36.07	-27	Pass
NVNT	a	5700	Ant1	-33.58	-27	Pass
NVNT	n20	5500	Ant1	-32.54	-27	Pass
NVNT	n20	5700	Ant1	-28.69	-27	Pass
NVNT	n40	5510	Ant1	-31.69	-27	Pass
NVNT	n40	5670	Ant1	-44.43	-27	Pass
NVNT	ac20	5500	Ant1	-32.18	-27	Pass
NVNT	ac20	5700	Ant1	-29.31	-27	Pass
NVNT	ac40	5510	Ant1	-34.18	-27	Pass
NVNT	ac40	5670	Ant1	-45.52	-27	Pass

Test Graphs


Band Edge NVNT a 5500MHz Low Ant1




Band Edge NVNT a 5700MHz High Ant1




Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5700MHz High Ant1




Band Edge NVNT n40 5510MHz Low Ant1




Band Edge NVNT n40 5670MHz High Ant1




Band Edge NVNT ac20 5500MHz Low Ant1




Band Edge NVNT ac20 5700MHz High Ant1



Band Edge NVNT ac40 5510MHz Low Ant1



Band Edge NVNT ac40 5670MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-34.259	-27	Pass
NVNT	a	5580	Ant1	-34.587	-27	Pass
NVNT	a	5700	Ant1	-33.921	-27	Pass
NVNT	n20	5500	Ant1	-34.844	-27	Pass
NVNT	n20	5580	Ant1	-33.677	-27	Pass
NVNT	n20	5700	Ant1	-34.552	-27	Pass
NVNT	n40	5510	Ant1	-34.937	-27	Pass
NVNT	n40	5550	Ant1	-33.594	-27	Pass
NVNT	n40	5670	Ant1	-33.596	-27	Pass
NVNT	ac20	5500	Ant1	-34.649	-27	Pass
NVNT	ac20	5580	Ant1	-33.4	-27	Pass
NVNT	ac20	5700	Ant1	-34.219	-27	Pass
NVNT	ac40	5510	Ant1	-34.294	-27	Pass
NVNT	ac40	5550	Ant1	-34.363	-27	Pass
NVNT	ac40	5670	Ant1	-34.578	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5580MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5580MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission




Tx. Spurious NVNT n40 5550MHz Ant1 Emission




Tx. Spurious NVNT n40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission



Tx. Spurious NVNT ac20 5580MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission



[illegible][illegible]

Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-49.01	2	-	48.22	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-57.83	2	0.24	39.64	Average	54	Pass
NVNT	a	5500	Ant1	5467.6	-46.65	2	-	50.58	Peak	68.2	Pass
NVNT	a	5500	Ant1	5469.6	-56.41	2	0.24	41.06	Average	54	Pass
NVNT	a	5500	Ant1	5470	-47.16	2	-	50.07	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-57.04	2	0.24	40.43	Average	54	Pass
NVNT	a	5700	Ant1	5725	-41.04	2	-	56.19	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-53.72	2	0.24	43.75	Average	54	Pass
NVNT	a	5700	Ant1	5726.8	-40.67	2	-	56.56	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-49.44	2	-	47.79	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-58.09	2	0.24	39.38	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-49.88	2	-	47.35	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-57.67	2	0.12	39.68	Average	54	Pass
NVNT	n20	5500	Ant1	5467.8	-43.1	2	-	54.13	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5469.6	-55.87	2	0.12	41.48	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-46.53	2	-	50.7	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-56.5	2	0.12	40.85	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-38.56	2	-	58.67	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-52.07	2	0.12	45.28	Average	54	Pass
NVNT	n20	5700	Ant1	5725.6	-37.54	2	-	59.69	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-45.76	2	-	51.47	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-56.98	2	0.12	40.37	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-50.24	2	-	46.99	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-57.35	2	0.23	40.11	Average	54	Pass
NVNT	n40	5510	Ant1	5469.8	-40.86	2	-	56.37	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-54.51	2	0.23	42.95	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-45.74	2	-	51.49	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-49.52	2	-	47.71	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-57.92	2	0.24	39.55	Average	54	Pass
NVNT	n40	5670	Ant1	5733.2	-46.96	2	-	50.27	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725.4	-57.21	2	0.24	40.26	Average	54	Pass
NVNT	n40	5670	Ant1	5735	-49.28	2	-	47.95	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-57.23	2	0.24	40.24	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-49.45	2	-	47.78	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5460	-57.15	2	0.12	40.2	Average	54	Pass
NVNT	ac20	5500	Ant1	5468.2	-41.57	2	-	55.66	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-54.76	2	0.12	42.59	Average	54	Pass
NVNT	ac20	5500	Ant1	5470	-42.13	2	-	55.1	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-39.86	2	-	57.37	Peak	68.2	Pass


NVNT	ac20	5700	Ant1	5725	-50.96	2	0.12	46.39	Average	54	Pass
NVNT	ac20	5700	Ant1	5725.4	-35.3	2	-	61.93	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-48.61	2	-	48.62	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-57.3	2	0.12	40.05	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-49.19	2	-	48.04	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-57.07	2	0.24	40.4	Average	54	Pass
NVNT	ac40	5510	Ant1	5469.2	-40.25	2	-	56.98	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5470	-54.63	2	0.24	42.84	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-43.6	2	-	53.63	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-49.23	2	-	48	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-57.48	2	0.24	39.99	Average	54	Pass
NVNT	ac40	5670	Ant1	5726.8	-46.79	2	-	50.44	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5726	-57.17	2	0.24	40.3	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-48.89	2	-	48.34	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5735	-57.88	2	0.24	39.59	Average	54	Pass

Test Graphs


Restrict Band NVNT a 5500MHz Ant1 Peak




Restrict Band NVNT a 5500MHz Ant1 Average




Restrict Band NVNT a 5700MHz Ant1 Peak




Restrict Band NVNT a 5700MHz Ant1 Average




Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average



Restrict Band NVNT n20 5700MHz Ant1 Peak




Restrict Band NVNT n20 5700MHz Ant1 Average




[illegible][illegible]


Restrict Band NVNT n40 5670MHz Ant1 Peak




Restrict Band NVNT n40 5670MHz Ant1 Average




Restrict Band NVNT ac20 5500MHz Ant1 Peak




Restrict Band NVNT ac20 5500MHz Ant1 Average




Restrict Band NVNT ac20 5700MHz Ant1 Peak




Restrict Band NVNT ac20 5700MHz Ant1 Average




Restrict Band NVNT ac40 5510MHz Ant1 Peak




Restrict Band NVNT ac40 5510MHz Ant1 Average



Restrict Band NVNT ac40 5670MHz Ant1 Peak



Restrict Band NVNT ac40 5670MHz Ant1 Average




Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
NVNT	ac20	5580	Ant1	5579.98	-20000	-3.58	25	Pass
NVNT	ac20	5700	Ant1	5700	0	0	25	Pass
NVNT	ac40	5510	Ant1	5510	0	0	25	Pass
NVNT	ac40	5550	Ant1	5550	0	0	25	Pass
NVNT	ac40	5670	Ant1	5669.96	-40000	-7.05	25	Pass

Test Graphs


Freq. Stability NVNT ac20 5500MHz Ant1




Freq. Stability NVNT ac20 5580MHz Ant1




Freq. Stability NVNT ac20 5700MHz Ant1



Freq. Stability NVNT ac40 5510MHz Ant1



Freq. Stability NVNT ac40 5550MHz Ant1



Freq. Stability NVNT ac40 5670MHz Ant1

