






Date: 2.AUG.2026 15:23:03




Date: 2.AUG.2026 15:28:01

NTNV-11AX20SISO-Ant1-5180

NTNV-11AX20SISO-Ant1-5200




Date: 2.AUG.2026 15:31:33




Date: 2.AUG.2026 15:35:47

NTNV-11AX20SISO-Ant1-5240

NTNV-11AX20SISO-Ant1-5260





Date: 2.AUG.2026 15:42:18



Date: 2.AUG.2026 15:47:50



NTNV-11AX20SISO-Ant1-5280

NTNV-11AX20SISO-Ant1-5320





NTNV-11AX20SISO-Ant1-5500

NTNV-11AX20SISO-Ant1-5580





NTNV-11AX20SISO-Ant1-5700

NTNV-11AX20SISO-Ant1-5745





NTNV-11AX20SISO-Ant1-5785

NTNV-11AX20SISO-Ant1-5825





NTNV-11AX40SISO-Ant1-5190

NTNV-11AX40SISO-Ant1-5230





NTNV-11AX40SISO-Ant1-5270

NTNV-11AX40SISO-Ant1-5310




NTNV-11AX40SISO-Ant1-5510

NTNV-11AX40SISO-Ant1-5550



NTNV-11AX40SISO-Ant1-5670

NTNV-11AX40SISO-Ant1-5755



NTNV-11AX40SISO-Ant1-5795

5: Maximum conducted output power

5.1 Test Result

TestMode	Antenna	Frequency [MHz]	Raw Power [dBm]	DC Factor	Result [dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	14.10	1.77	15.87	≤23.98	PASS
11A	Ant1	5200	14.06	1.78	15.84	≤23.98	PASS
11A	Ant1	5240	14.05	1.77	15.82	≤23.98	PASS
11A	Ant1	5260	14.15	1.78	15.93	≤23.98	PASS
11A	Ant1	5280	14.13	1.78	15.91	≤23.98	PASS
11A	Ant1	5320	13.69	1.78	15.47	≤23.98	PASS
11A	Ant1	5500	13.62	1.77	15.39	≤23.98	PASS
11A	Ant1	5580	13.80	1.76	15.56	≤23.98	PASS
11A	Ant1	5700	13.55	1.77	15.32	≤23.98	PASS
11A	Ant1	5745	13.48	1.78	15.26	≤30.00	PASS
11A	Ant1	5785	13.88	1.78	15.66	≤30.00	PASS
11A	Ant1	5825	13.61	1.78	15.39	≤30.00	PASS
11N20SISO	Ant1	5180	14.43	1.08	15.51	≤23.98	PASS
11N20SISO	Ant1	5200	14.45	0.79	15.24	≤23.98	PASS
11N20SISO	Ant1	5240	14.43	0.80	15.23	≤23.98	PASS
11N20SISO	Ant1	5260	15.13	0.80	15.93	≤23.98	PASS
11N20SISO	Ant1	5280	14.58	0.82	15.40	≤23.98	PASS
11N20SISO	Ant1	5320	14.61	0.80	15.41	≤23.98	PASS
11N20SISO	Ant1	5500	14.88	0.80	15.68	≤23.98	PASS
11N20SISO	Ant1	5580	15.05	0.80	15.85	≤23.98	PASS
11N20SISO	Ant1	5700	15.00	0.80	15.80	≤23.98	PASS
11N20SISO	Ant1	5745	15.06	0.80	15.86	≤30.00	PASS
11N20SISO	Ant1	5785	14.39	0.80	15.19	≤30.00	PASS
11N20SISO	Ant1	5825	14.81	0.80	15.61	≤30.00	PASS
11N40SISO	Ant1	5190	14.64	1.14	15.78	≤23.98	PASS
11N40SISO	Ant1	5230	14.64	0.82	15.46	≤23.98	PASS
11N40SISO	Ant1	5270	14.14	0.82	14.96	≤23.98	PASS
11N40SISO	Ant1	5310	14.37	0.82	15.19	≤23.98	PASS
11N40SISO	Ant1	5510	14.79	0.82	15.61	≤23.98	PASS
11N40SISO	Ant1	5550	14.45	0.82	15.27	≤23.98	PASS
11N40SISO	Ant1	5670	15.40	0.82	16.22	≤23.98	PASS
11N40SISO	Ant1	5755	15.23	0.82	16.05	≤30.00	PASS
11N40SISO	Ant1	5795	14.05	0.82	14.87	≤30.00	PASS
11AC20SISO	Ant1	5180	14.29	1.27	15.56	≤23.98	PASS
11AC20SISO	Ant1	5200	14.34	0.94	15.28	≤23.98	PASS
11AC20SISO	Ant1	5240	14.29	0.79	15.08	≤23.98	PASS
11AC20SISO	Ant1	5260	14.43	0.79	15.22	≤23.98	PASS
11AC20SISO	Ant1	5280	14.27	0.79	15.06	≤23.98	PASS
11AC20SISO	Ant1	5320	14.83	0.79	15.62	≤23.98	PASS
11AC20SISO	Ant1	5500	15.13	0.79	15.92	≤23.98	PASS
11AC20SISO	Ant1	5580	15.05	0.79	15.84	≤23.98	PASS

11AC20SISO	Ant1	5700	14.88	0.79	15.67	≤23.98	PASS
11AC20SISO	Ant1	5745	15.04	0.79	15.83	≤30.00	PASS
11AC20SISO	Ant1	5785	14.36	0.79	15.15	≤30.00	PASS
11AC20SISO	Ant1	5825	13.86	0.79	14.65	≤30.00	PASS
11AC40SISO	Ant1	5190	14.48	0.82	15.30	≤23.98	PASS
11AC40SISO	Ant1	5230	14.83	0.82	15.65	≤23.98	PASS
11AC40SISO	Ant1	5270	15.16	0.82	15.98	≤23.98	PASS
11AC40SISO	Ant1	5310	14.73	0.82	15.55	≤23.98	PASS
11AC40SISO	Ant1	5510	13.95	0.84	14.79	≤23.98	PASS
11AC40SISO	Ant1	5550	14.61	0.82	15.43	≤23.98	PASS
11AC40SISO	Ant1	5670	14.88	0.82	15.70	≤23.98	PASS
11AC40SISO	Ant1	5755	15.24	0.82	16.06	≤30.00	PASS
11AC40SISO	Ant1	5795	14.63	0.82	15.45	≤30.00	PASS
11AX20SISO	Ant1	5180	13.99	1.02	15.01	≤23.98	PASS
11AX20SISO	Ant1	5200	13.88	1.02	14.90	≤23.98	PASS
11AX20SISO	Ant1	5240	13.81	1.02	14.83	≤23.98	PASS
11AX20SISO	Ant1	5260	13.94	1.02	14.96	≤23.98	PASS
11AX20SISO	Ant1	5280	14.33	1.02	15.35	≤23.98	PASS
11AX20SISO	Ant1	5320	14.79	1.02	15.81	≤23.98	PASS
11AX20SISO	Ant1	5500	14.10	1.02	15.12	≤23.98	PASS
11AX20SISO	Ant1	5580	14.01	1.02	15.03	≤23.98	PASS
11AX20SISO	Ant1	5700	14.50	1.02	15.52	≤23.98	PASS
11AX20SISO	Ant1	5745	14.37	1.02	15.39	≤30.00	PASS
11AX20SISO	Ant1	5785	14.17	1.02	15.19	≤30.00	PASS
11AX20SISO	Ant1	5825	14.08	1.02	15.10	≤30.00	PASS
11AX40SISO	Ant1	5190	14.81	1.02	15.83	≤23.98	PASS
11AX40SISO	Ant1	5230	14.77	1.02	15.79	≤23.98	PASS
11AX40SISO	Ant1	5270	15.51	1.02	16.53	≤23.98	PASS
11AX40SISO	Ant1	5310	14.69	1.02	15.71	≤23.98	PASS
11AX40SISO	Ant1	5510	13.77	1.04	14.81	≤23.98	PASS
11AX40SISO	Ant1	5550	14.46	1.04	15.50	≤23.98	PASS
11AX40SISO	Ant1	5670	14.66	1.02	15.68	≤23.98	PASS
11AX40SISO	Ant1	5755	15.07	1.02	16.09	≤30.00	PASS
11AX40SISO	Ant1	5795	14.40	1.02	15.42	≤30.00	PASS

6: Maximum power spectral density

6.1 Test Result


Test Mode	Ant.	Frequency [MHz]	RawData [dBm/500kHz]	DC Factor	Result [dBm/MHz] Result [dBm/500kHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
11A	Ant1	5180	3.34	1.77	5.11	≤11.00	PASS
11A	Ant1	5200	3.16	1.78	4.94	≤11.00	PASS
11A	Ant1	5240	3.16	1.77	4.93	≤11.00	PASS
11A	Ant1	5260	3.19	1.78	4.97	≤11.00	PASS
11A	Ant1	5280	2.89	1.78	4.67	≤11.00	PASS
11A	Ant1	5320	2.72	1.78	4.50	≤11.00	PASS
11A	Ant1	5500	2.39	1.77	4.16	≤11.00	PASS
11A	Ant1	5580	2.71	1.76	4.47	≤11.00	PASS
11A	Ant1	5700	2.67	1.77	4.44	≤11.00	PASS
11A	Ant1	5745	-0.72	1.78	1.06	≤30.00	PASS
11A	Ant1	5785	-0.37	1.78	1.41	≤30.00	PASS
11A	Ant1	5825	-0.8	1.78	0.98	≤30.00	PASS
11N20SISO	Ant1	5180	3.02	1.08	4.10	≤11.00	PASS
11N20SISO	Ant1	5200	3.68	0.79	4.47	≤11.00	PASS
11N20SISO	Ant1	5240	3.67	0.80	4.47	≤11.00	PASS
11N20SISO	Ant1	5260	3.75	0.80	4.55	≤11.00	PASS
11N20SISO	Ant1	5280	3.51	0.82	4.33	≤11.00	PASS
11N20SISO	Ant1	5320	3.1	0.80	3.90	≤11.00	PASS
11N20SISO	Ant1	5500	3.83	0.80	4.63	≤11.00	PASS
11N20SISO	Ant1	5580	4.02	0.80	4.82	≤11.00	PASS
11N20SISO	Ant1	5700	3.43	0.80	4.23	≤11.00	PASS
11N20SISO	Ant1	5745	0.81	0.80	1.61	≤30.00	PASS
11N20SISO	Ant1	5785	-0.03	0.80	0.77	≤30.00	PASS
11N20SISO	Ant1	5825	0.51	0.80	1.31	≤30.00	PASS
11N40SISO	Ant1	5190	0.51	1.14	1.65	≤11.00	PASS
11N40SISO	Ant1	5230	0.48	0.82	1.30	≤11.00	PASS
11N40SISO	Ant1	5270	0.55	0.82	1.37	≤11.00	PASS
11N40SISO	Ant1	5310	-0.03	0.82	0.79	≤11.00	PASS
11N40SISO	Ant1	5510	0.8	0.82	1.62	≤11.00	PASS
11N40SISO	Ant1	5550	0.47	0.82	1.29	≤11.00	PASS
11N40SISO	Ant1	5670	0.69	0.82	1.51	≤11.00	PASS
11N40SISO	Ant1	5755	-2.4	0.82	-1.58	≤30.00	PASS
11N40SISO	Ant1	5795	-3.15	0.82	-2.33	≤30.00	PASS
11AC20SISO	Ant1	5180	2.66	1.27	3.93	≤11.00	PASS
11AC20SISO	Ant1	5200	3.13	0.94	4.07	≤11.00	PASS
11AC20SISO	Ant1	5240	2.74	0.79	3.53	≤11.00	PASS
11AC20SISO	Ant1	5260	2.96	0.79	3.75	≤11.00	PASS
11AC20SISO	Ant1	5280	3.25	0.79	4.04	≤11.00	PASS
11AC20SISO	Ant1	5320	3.66	0.79	4.45	≤11.00	PASS
11AC20SISO	Ant1	5500	3.48	0.79	4.27	≤11.00	PASS
11AC20SISO	Ant1	5580	3.07	0.79	3.86	≤11.00	PASS


11AC20SISO	Ant1	5700	3.02	0.79	3.81	≤11.00	PASS
11AC20SISO	Ant1	5745	0.89	0.79	1.68	≤30.00	PASS
11AC20SISO	Ant1	5785	0.17	0.79	0.96	≤30.00	PASS
11AC20SISO	Ant1	5825	-0.56	0.79	0.23	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.89	0.82	-0.07	≤11.00	PASS
11AC40SISO	Ant1	5230	0.87	0.82	1.69	≤11.00	PASS
11AC40SISO	Ant1	5270	0.14	0.82	0.96	≤11.00	PASS
11AC40SISO	Ant1	5310	0.19	0.82	1.01	≤11.00	PASS
11AC40SISO	Ant1	5510	-0.15	0.84	0.69	≤11.00	PASS
11AC40SISO	Ant1	5550	-0.22	0.82	0.60	≤11.00	PASS
11AC40SISO	Ant1	5670	0.74	0.82	1.56	≤11.00	PASS
11AC40SISO	Ant1	5755	-2.49	0.82	-1.67	≤30.00	PASS
11AC40SISO	Ant1	5795	-3.18	0.82	-2.36	≤30.00	PASS
11AX20SISO	Ant1	5180	1.64	1.02	2.66	≤11.00	PASS
11AX20SISO	Ant1	5200	2.55	1.02	3.57	≤11.00	PASS
11AX20SISO	Ant1	5240	2.43	1.02	3.45	≤11.00	PASS
11AX20SISO	Ant1	5260	2.31	1.02	3.33	≤11.00	PASS
11AX20SISO	Ant1	5280	2.11	1.02	3.13	≤11.00	PASS
11AX20SISO	Ant1	5320	3.12	1.02	4.14	≤11.00	PASS
11AX20SISO	Ant1	5500	2	1.02	3.02	≤11.00	PASS
11AX20SISO	Ant1	5580	1.69	1.02	2.71	≤11.00	PASS
11AX20SISO	Ant1	5700	2.84	1.02	3.86	≤11.00	PASS
11AX20SISO	Ant1	5745	-0.67	1.02	0.35	≤30.00	PASS
11AX20SISO	Ant1	5785	-1.87	1.02	-0.85	≤30.00	PASS
11AX20SISO	Ant1	5825	-0.61	1.02	0.41	≤30.00	PASS
11AX40SISO	Ant1	5190	0.8	1.02	1.82	≤11.00	PASS
11AX40SISO	Ant1	5230	0.55	1.02	1.57	≤11.00	PASS
11AX40SISO	Ant1	5270	0.79	1.02	1.81	≤11.00	PASS
11AX40SISO	Ant1	5310	0.25	1.02	1.27	≤11.00	PASS
11AX40SISO	Ant1	5510	-0.89	1.04	0.15	≤11.00	PASS
11AX40SISO	Ant1	5550	-0.25	1.04	0.79	≤11.00	PASS
11AX40SISO	Ant1	5670	0.19	1.02	1.21	≤11.00	PASS
11AX40SISO	Ant1	5755	-2.8	1.02	-1.78	≤30.00	PASS
11AX40SISO	Ant1	5795	-3.37	1.02	-2.35	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.RF Conducted test Offset= cable loss+ Attenuator

6.2 Test Graphs







11A-Ant1-5500-PASS




11A-Ant1-5580-PASS




11A-Ant1-5700-PASS




11A-Ant1-5745-PASS



11A-Ant1-5785-PASS




11A-Ant1-5825-PASS




Date: 30.JUL.2026 11:09:40

11N20SISO-Ant1-5180-PASS




Date: 30.JUL.2026 11:13:17

11N20SISO-Ant1-5200-PASS




Date: 30.JUL.2026 12:51:50

11N20SISO-Ant1-5240-PASS




Date: 30.JUL.2026 12:55:05

11N20SISO-Ant1-5260-PASS




Date: 30.JUL.2026 12:58:44

11N20SISO-Ant1-5280-PASS




Date: 30.JUL.2026 13:01:59

11N20SISO-Ant1-5320-PASS




Date: 30.JUL.2026 13:29:35




Date: 30.JUL.2026 13:14:30

11N20ISO-Ant1-5500-PASS

11N20ISO-Ant1-5580-PASS




Date: 30.JUL.2026 13:30:13




Date: 2.AUG.2026 17:06:22

11N20ISO-Ant1-5700-PASS

11N20ISO-Ant1-5745-PASS




Date: 2.AUG.2026 17:10:43



Date: 2.AUG.2026 17:14:32


11N20ISO-Ant1-5785-PASS

11N20ISO-Ant1-5825-PASS




Date: 30.JUL.2026 13:36:32

11N40SISO-Ant1-5190-PASS




Date: 30.JUL.2026 13:40:57

11N40SISO-Ant1-5230-PASS




Date: 30.JUL.2026 13:44:29

11N40SISO-Ant1-5270-PASS




Date: 30.JUL.2026 13:48:31

11N40SISO-Ant1-5310-PASS




Date: 30.JUL.2026 13:58:54

11N40SISO-Ant1-5510-PASS




Date: 30.JUL.2026 14:04:28

11N40SISO-Ant1-5550-PASS




Date: 30.JUL.2026 14:08:11




Date: 2.AUG.2026 17:23:34

11N40SISO-Ant1-5670-PASS

11N40SISO-Ant1-5755-PASS




Date: 2.AUG.2026 17:28:05




Date: 30.JUL.2026 14:13:40

11N40SISO-Ant1-5795-PASS

11AC20SISO-Ant1-5180-PASS




Date: 30.JUL.2026 14:18:29



Date: 30.JUL.2026 14:21:50


11AC20SISO-Ant1-5200-PASS

11AC20SISO-Ant1-5240-PASS




Date: 2.AUG.2026 13:55:06

11AC20SISO-Ant1-5260-PASS




Date: 2.AUG.2026 14:00:12

11AC20SISO-Ant1-5280-PASS




Date: 2.AUG.2026 14:21:01

11AC20SISO-Ant1-5320-PASS




Date: 2.AUG.2026 14:35:38

11AC20SISO-Ant1-5500-PASS




Date: 2.AUG.2026 14:36:08

11AC20SISO-Ant1-5580-PASS




Date: 2.AUG.2026 14:32:01

11AC20SISO-Ant1-5700-PASS




Date: 2.AUG.2026 17:35:14




Date: 2.AUG.2026 17:40:55

11AC20SISO-Ant1-5745-PASS

11AC20SISO-Ant1-5785-PASS




Date: 2.AUG.2026 17:47:24




Date: 2.AUG.2026 14:38:07

11AC20SISO-Ant1-5825-PASS

11AC40SISO-Ant1-5190-PASS




Date: 2.AUG.2026 14:49:08



Date: 2.AUG.2026 14:57:34


11AC40SISO-Ant1-5230-PASS

11AC40SISO-Ant1-5270-PASS




Date: 2.AUG.2026 14:58:35

11AC40SISO-Ant1-5310-PASS




Date: 2.AUG.2026 15:06:11

11AC40SISO-Ant1-5510-PASS




Date: 2.AUG.2026 15:08:08

11AC40SISO-Ant1-5550-PASS




Date: 2.AUG.2026 15:11:37

11AC40SISO-Ant1-5670-PASS




Date: 2.AUG.2026 17:51:22

11AC40SISO-Ant1-5755-PASS




Date: 2.AUG.2026 17:56:04

11AC40SISO-Ant1-5795-PASS




Date: 2.AUG.2026 15:23:20

11AX20SISO-Ant1-5180-PASS




Date: 2.AUG.2026 15:28:17

11AX20SISO-Ant1-5200-PASS




Date: 2.AUG.2026 15:31:49

11AX20SISO-Ant1-5240-PASS




Date: 2.AUG.2026 15:41:38

11AX20SISO-Ant1-5260-PASS




Date: 2.AUG.2026 15:44:29

11AX20SISO-Ant1-5280-PASS




Date: 2.AUG.2026 15:51:01

11AX20SISO-Ant1-5320-PASS




Date: 2.AUG.2026 15:55:24




Date: 2.AUG.2026 16:00:34

11AX20SISO-Ant1-5500-PASS

11AX20SISO-Ant1-5580-PASS




Date: 2.AUG.2026 16:04:53




Date: 3.AUG.2026 10:20:02

11AX20SISO-Ant1-5700-PASS

11AX20SISO-Ant1-5745-PASS




Date: 3.AUG.2026 10:23:53



Date: 3.AUG.2026 10:33:53


11AX20SISO-Ant1-5785-PASS

11AX20SISO-Ant1-5825-PASS




Date: 2.AUG.2026 16:09:14

11AX40SISO-Ant1-5190-PASS




Date: 2.AUG.2026 16:16:34

11AX40SISO-Ant1-5230-PASS




Date: 2.AUG.2026 16:21:17

11AX40SISO-Ant1-5270-PASS




Date: 2.AUG.2026 16:24:50

11AX40SISO-Ant1-5310-PASS





Date: 2.AUG.2026 16:29:45

11AX40SISO-Ant1-5510-PASS




Date: 2.AUG.2026 16:34:50

11AX40SISO-Ant1-5550-PASS



11AX40SISO-Ant1-5670-PASS

11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS

11AX40SISO-Ant1-5755-PASS

7: Band edge measurements

7.1 Test Result B1/2/3



TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-30.75	≤ -27	PASS
11A	Ant1	High	5320	-33.78	≤ -27	PASS
11A	Ant1	Low	5500	-29.48	≤ -27	PASS
11A	Ant1	High	5700	-27.37	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-29	≤ -27	PASS
11N20SISO	Ant1	High	5320	-32.97	≤ -27	PASS
11N20SISO	Ant1	Low	5500	-33.78	≤ -27	PASS
11N20SISO	Ant1	High	5700	-29.06	≤ -27	PASS
11N40SISO	Ant1	Low	5190	-29.24	≤ -27	PASS
11N40SISO	Ant1	High	5310	-31.57	≤ -27	PASS
11N40SISO	Ant1	Low	5510	-27.71	≤ -27	PASS
11N40SISO	Ant1	High	5670	-28.48	≤ -27	PASS
11AC20SISO	Ant1	Low	5180	-31.81	≤ -27	PASS
11AC20SISO	Ant1	High	5320	-33.44	≤ -27	PASS
11AC20SISO	Ant1	Low	5500	-30.98	≤ -27	PASS
11AC20SISO	Ant1	High	5700	-27.65	≤ -27	PASS
11AC40SISO	Ant1	Low	5190	-30.27	≤ -27	PASS
11AC40SISO	Ant1	High	5310	-29.02	≤ -27	PASS
11AC40SISO	Ant1	Low	5510	-30	≤ -27	PASS
11AC40SISO	Ant1	High	5670	-28.39	≤ -27	PASS
11AX20SISO	Ant1	Low	5180	-30.05	≤ -27	PASS
11AX20SISO	Ant1	High	5320	-31.23	≤ -27	PASS
11AX20SISO	Ant1	Low	5500	-35.66	≤ -27	PASS
11AX20SISO	Ant1	High	5700	-31.79	≤ -27	PASS
11AX40SISO	Ant1	Low	5190	-32.54	≤ -27	PASS
11AX40SISO	Ant1	High	5310	-27.53	≤ -27	PASS
11AX40SISO	Ant1	Low	5510	-30.91	≤ -27	PASS
11AX40SISO	Ant1	High	5670	-29.23	≤ -27	PASS

7.2 Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-36.63	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-36.06	≤11.17	PASS
11A	Ant1	Low	5745	5650~5700	-38.82	≤-26.51	PASS
11A	Ant1	Low	5745	5645~5650	-37.07	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-37.89	≤16.10	PASS
11A	Ant1	High	5825	5855~5875	-36.98	≤10.62	PASS
11A	Ant1	High	5825	5875~5925	-38.36	≤-26.73	PASS
11A	Ant1	High	5825	5925~5935	-36.67	≤-27	PASS
11N20SISO	Ant1	Low	5745	5720~5725	-29.02	≤15.98	PASS
11N20SISO	Ant1	Low	5745	5700~5720	-29.95	≤13.36	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-37.79	≤-26.88	PASS
11N20SISO	Ant1	Low	5745	5645~5650	-36.68	≤-27	PASS
11N20SISO	Ant1	High	5825	5850~5855	-27.03	≤19.22	PASS
11N20SISO	Ant1	High	5825	5855~5875	-33.86	≤10.68	PASS
11N20SISO	Ant1	High	5825	5875~5925	-38.42	≤-26.73	PASS
11N20SISO	Ant1	High	5825	5925~5935	-37.31	≤-27	PASS
11N40SISO	Ant1	Low	5755	5720~5725	-21.85	≤15.90	PASS
11N40SISO	Ant1	Low	5755	5700~5720	-21.73	≤15.53	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-37.68	≤-25.78	PASS
11N40SISO	Ant1	Low	5755	5645~5650	-38.08	≤-27	PASS
11N40SISO	Ant1	High	5795	5850~5855	-33	≤15.85	PASS
11N40SISO	Ant1	High	5795	5855~5875	-35.18	≤10.27	PASS
11N40SISO	Ant1	High	5795	5875~5925	-37.9	≤-26.97	PASS
11N40SISO	Ant1	High	5795	5925~5935	-36.66	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5720~5725	-32.84	≤15.98	PASS
11AC20SISO	Ant1	Low	5745	5700~5720	-28.33	≤12.66	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-38.32	≤-26.14	PASS
11AC20SISO	Ant1	Low	5745	5645~5650	-36.94	≤-27	PASS
11AC20SISO	Ant1	High	5825	5850~5855	-38.55	≤15.65	PASS
11AC20SISO	Ant1	High	5825	5855~5875	-36.34	≤10.29	PASS
11AC20SISO	Ant1	High	5825	5875~5925	-37.81	≤-26.87	PASS
11AC20SISO	Ant1	High	5825	5925~5935	-37.54	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5720~5725	-25.89	≤15.90	PASS
11AC40SISO	Ant1	Low	5755	5700~5720	-25.99	≤13.88	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-38.98	≤-26.65	PASS
11AC40SISO	Ant1	Low	5755	5645~5650	-37.71	≤-27	PASS
11AC40SISO	Ant1	High	5795	5850~5855	-29.63	≤22.39	PASS
11AC40SISO	Ant1	High	5795	5855~5875	-34.34	≤11.88	PASS
11AC40SISO	Ant1	High	5795	5875~5925	-35.07	≤-24.84	PASS
11AC40SISO	Ant1	High	5795	5925~5935	-36.84	≤-27	PASS
11AX20SISO	Ant1	Low	5745	5720~5725	-25.93	≤25.10	PASS
11AX20SISO	Ant1	Low	5745	5700~5720	-34.15	≤11.07	PASS
11AX20SISO	Ant1	Low	5745	5650~5700	-39.31	≤-26.88	PASS

11AX20SISO	Ant1	Low	5745	5645~5650	-38.18	≤-27	PASS
11AX20SISO	Ant1	High	5825	5850~5855	-38.76	≤15.65	PASS
11AX20SISO	Ant1	High	5825	5855~5875	-36.87	≤10.07	PASS
11AX20SISO	Ant1	High	5825	5875~5925	-36.38	≤-25.42	PASS
11AX20SISO	Ant1	High	5825	5925~5935	-36.07	≤-27	PASS
11AX40SISO	Ant1	Low	5755	5720~5725	-24.29	≤15.90	PASS
11AX40SISO	Ant1	Low	5755	5700~5720	-20.51	≤15.09	PASS
11AX40SISO	Ant1	Low	5755	5650~5700	-37.89	≤-26.94	PASS
11AX40SISO	Ant1	Low	5755	5645~5650	-36.99	≤-27	PASS
11AX40SISO	Ant1	High	5795	5850~5855	-34.81	≤15.85	PASS
11AX40SISO	Ant1	High	5795	5855~5875	-34.26	≤11.81	PASS
11AX40SISO	Ant1	High	5795	5875~5925	-39.79	≤-26.97	PASS
11AX40SISO	Ant1	High	5795	5925~5935	-36.41	≤-27	PASS


7.3 Test Graphs B1/2/3




11A-Ant1-5180-PASS




11A-Ant1-5320-PASS



11A-Ant1-5500-PASS





11A-Ant1-5700-PASS





11N20SISO-Ant1-5180-PASS



11N20SISO-Ant1-5320-PASS



11N20SISO-Ant1-5500-PASS



11N40SISO-Ant1-5190-PASS



11N40SISO-Ant1-5510-PASS



11N40SISO-Ant1-5670-PASS

