U-NII-2A 11ac20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.27	5.40	74.0	15.73	Peak	213.00	150	Horizontal	Pass
1**	5350.000	49.27	5.40	54.0	4.73	AV	213.00	150	Horizontal	Pass
2	5351.650	60.49	5.45	74.0	13.51	Peak	211.00	150	Horizontal	Pass
2**	5351.650	49.50	5.45	54.0	4.50	AV	211.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.60	5.21	74.0	18.40	Peak	104.04	150	Vertical	Pass
1**	5150.000	45.48	5.21	54.0	8.52	AV	104.04	150	Vertical	Pass
2	5089.550	57.19	4.94	74.0	16.81	Peak	158.00	150	Vertical	Pass
2**	5089.550	45.11	4.94	54.0	8.89	AV	158.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.13	5.40	74.0	14.87	Peak	222.00	150	Horizontal	Pass
1**	5350.000	49.15	5.40	54.0	4.85	AV	222.00	150	Horizontal	Pass
2	5352.750	60.45	5.47	74.0	13.55	Peak	219.00	150	Horizontal	Pass
2**	5352.750	48.50	5.47	54.0	5.50	AV	219.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.110	63.01	5.40	74.0	10.99	Peak	218.00	150	Horizontal	Pass
1**	5350.110	52.16	5.40	54.0	1.84	AV	218.00	150	Horizontal	Pass
2	5359.240	65.58	5.68	74.0	8.42	Peak	239.00	150	Horizontal	Pass
2**	5359.240	51.81	5.68	54.0	2.19	AV	239.00	150	Horizontal	Pass
3	5359.680	63.87	5.69	74.0	10.13	Peak	239.00	150	Horizontal	Pass
3**	5359.680	52.93	5.69	54.0	1.07	AV	239.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.20	5.21	74.0	18.80	Peak	27.00	150	Horizontal	Pass
1**	5150.000	45.11	5.21	54.0	8.89	AV	27.00	150	Horizontal	Pass
2	5069.400	56.97	5.22	74.0	17.03	Peak	83.00	150	Horizontal	Pass
2**	5069.400	45.56	5.22	54.0	8.44	AV	83.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	5.40	74.0	17.63	Peak	218.00	150	Horizontal	Pass
1**	5350.000	47.86	5.40	54.0	6.14	AV	218.00	150	Horizontal	Pass
2	5354.510	59.79	5.52	74.0	14.21	Peak	218.00	150	Horizontal	Pass
2**	5354.510	47.47	5.52	54.0	6.53	AV	218.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.29	5.21	74.0	17.71	Peak	360.00	150	Horizontal	Pass
1**	5150.000	45.43	5.21	54.0	8.57	AV	360.00	150	Horizontal	Pass
2	4973.850	56.86	4.96	74.0	17.14	Peak	176.00	150	Horizontal	Pass
2**	4973.850	44.88	4.96	54.0	9.12	AV	176.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.14	5.40	74.0	16.86	Peak	221.00	150	Vertical	Pass
1**	5350.000	46.68	5.40	54.0	7.32	AV	221.00	150	Vertical	Pass
2	5352.420	58.00	5.46	74.0	16.00	Peak	234.00	150	Vertical	Pass
2**	5352.420	47.02	5.46	54.0	6.98	AV	234.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.58	5.40	74.0	12.42	Peak	209.00	150	Horizontal	Pass
1**	5350.000	51.37	5.40	54.0	2.63	AV	209.00	150	Horizontal	Pass
2	5353.190	64.90	5.48	74.0	9.10	Peak	219.00	150	Horizontal	Pass
2**	5353.190	50.44	5.48	54.0	3.56	AV	219.00	150	Horizontal	Pass
3	5350.550	61.18	5.42	74.0	12.82	Peak	222.00	150	Horizontal	Pass
3**	5350.550	51.77	5.42	54.0	2.23	AV	222.00	150	Horizontal	Pass

U-NII-2C 11a CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.72	5.38	68.2	10.48	Peak	223.69	150	Horizontal	Pass
1**	5460.000	48.46	5.38	54.0	5.54	AV	223.69	150	Horizontal	Pass
2	5468.560	60.80	5.77	68.2	7.40	Peak	241.00	150	Horizontal	Pass
2**	5468.560	50.00	5.77	--	-50.00	AV	241.00	150	Horizontal	N/A

U-NII-2C 11a CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.91	6.57	68.2	8.29	Peak	279.00	150	Vertical	Pass
2	5727.875	61.33	6.48	68.2	6.87	Peak	274.00	150	Vertical	Pass

U-NII-2C 11n20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.03	5.38	68.2	10.17	Peak	223.00	150	Horizontal	Pass
1**	5460.000	48.27	5.38	54.0	5.73	AV	223.00	150	Horizontal	Pass
2	5469.160	60.16	5.80	68.2	8.04	Peak	219.00	150	Horizontal	Pass
2**	5469.160	49.73	5.80	--	-49.73	AV	219.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.58	6.57	68.2	7.62	Peak	205.00	150	Horizontal	Pass
2	5726.125	61.79	6.54	68.2	6.41	Peak	217.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.28	5.38	68.2	10.92	Peak	227.99	150	Horizontal	Pass
1**	5460.000	47.85	5.38	54.0	6.15	AV	227.99	150	Horizontal	Pass
2	5469.400	59.94	5.80	68.2	8.26	Peak	221.00	150	Horizontal	Pass
2**	5469.400	48.98	5.80	--	-48.98	AV	221.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.82	6.57	68.2	8.38	Peak	270.00	150	Vertical	Pass
2	5730.500	60.50	6.36	68.2	7.70	Peak	276.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.69	5.38	68.2	6.51	Peak	239.00	150	Horizontal	Pass
1**	5460.000	50.61	5.38	54.0	3.39	AV	239.00	150	Horizontal	Pass
2	5464.480	66.72	5.57	68.2	1.48	Peak	241.00	150	Horizontal	Pass
2**	5464.480	51.87	5.57	--	-51.87	AV	241.00	150	Horizontal	N/A
3	5458.240	60.91	5.44	74.0	13.09	Peak	235.00	150	Horizontal	Pass
3**	5458.240	51.87	5.44	54.0	2.13	AV	235.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.63	6.57	68.2	7.57	Peak	273.00	150	Vertical	Pass
2	5730.000	60.92	6.36	68.2	7.28	Peak	256.00	150	Vertical	Pass

U-NII-2C 11ax20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.61	5.38	68.2	11.59	Peak	218.35	150	Horizontal	Pass
1**	5460.000	47.49	5.38	54.0	6.51	AV	218.35	150	Horizontal	Pass
2	5469.040	59.99	5.80	68.2	8.21	Peak	216.00	150	Horizontal	Pass
2**	5469.040	48.13	5.80	--	-48.13	AV	216.00	150	Horizontal	N/A

U-NII-2C 11ax20 CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.95	6.57	68.2	7.25	Peak	290.00	150	Vertical	Pass
2	5725.375	61.70	6.56	68.2	6.50	Peak	216.00	150	Vertical	Pass

U-NII-2C 11ax40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.16	5.38	68.2	12.04	Peak	287.34	150	Vertical	Pass
1**	5460.000	46.80	5.38	54.0	7.20	AV	287.34	150	Vertical	Pass
2	5467.240	58.28	5.66	68.2	9.92	Peak	267.00	150	Vertical	Pass
2**	5467.240	47.31	5.66	--	-47.31	AV	267.00	150	Vertical	N/A

U-NII-2C 11ax40 CH134



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.07	6.57	68.2	9.13	Peak	225.00	150	Vertical	Pass
2	5725.875	59.81	6.55	68.2	8.39	Peak	307.00	150	Vertical	Pass

U-NII-2C 11ax80 CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.90	5.38	68.2	7.30	Peak	271.34	150	Vertical	Pass
1**	5460.000	50.42	5.38	54.0	3.58	AV	271.34	150	Vertical	Pass
2	5466.040	66.41	5.62	68.2	1.79	Peak	251.00	150	Vertical	Pass
2**	5466.040	52.27	5.62	--	-52.27	AV	251.00	150	Vertical	N/A
3	5457.880	60.48	5.46	74.0	13.52	Peak	289.00	150	Vertical	Pass
3**	5457.880	51.29	5.46	54.0	2.71	AV	289.00	150	Vertical	Pass

U-NII-2C 11ax80 CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.76	6.57	68.2	8.44	Peak	231.00	150	Horizontal	Pass
2	5734.625	62.00	6.29	68.2	6.20	Peak	220.00	150	Horizontal	Pass

U-NII-3 11a CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.00	5.94	68.2	11.20	Peak	0.30	150	Horizontal	Pass
2	5640.625	59.94	5.92	68.2	8.26	Peak	239.00	150	Horizontal	Pass

U-NII-3 11a CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.46	7.83	68.2	10.74	Peak	0.02	150	Vertical	Pass
2	5991.150	60.57	7.95	68.2	7.63	Peak	3.00	150	Vertical	Pass

U-NII-3 11n20 CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.45	5.94	68.2	9.75	Peak	254.03	150	Vertical	Pass
2	5642.875	59.59	5.99	68.2	8.61	Peak	271.00	150	Vertical	Pass

U-NII-3 11n20 CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.61	7.83	68.2	10.59	Peak	1.21	150	Vertical	Pass
2	5986.800	60.00	7.69	68.2	8.20	Peak	360.00	150	Vertical	Pass

U-NII-3 11n40 CH151



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.07	5.94	68.2	10.13	Peak	297.73	150	Vertical	Pass
2	5635.375	59.46	5.86	68.2	8.74	Peak	317.00	150	Vertical	Pass

U-NII-3 11n40 CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.14	7.83	68.2	11.06	Peak	330.65	150	Horizontal	Pass
2	5934.750	59.85	7.51	68.2	8.35	Peak	205.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.18	5.94	68.2	7.02	Peak	265.99	150	Vertical	Pass
2	5620.250	61.51	5.90	68.2	6.69	Peak	258.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.28	5.94	68.2	10.92	Peak	360.00	150	Horizontal	Pass
2	5648.500	59.82	5.96	68.2	8.38	Peak	200.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.22	7.83	68.2	9.98	Peak	247.06	150	Vertical	Pass
2	5982.300	59.89	7.52	68.2	8.31	Peak	153.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.98	5.94	68.2	11.22	Peak	356.95	150	Vertical	Pass
2	5643.375	58.84	6.01	68.2	9.36	Peak	229.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.89	7.83	68.2	10.31	Peak	33.28	150	Horizontal	Pass
2	5943.900	60.38	7.38	68.2	7.82	Peak	40.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	60.11	5.94	68.2	8.09	Peak	296.97	150	Vertical	Pass
2	5649.000	64.72	5.96	68.2	3.48	Peak	291.00	150	Vertical	Pass

Aux, Antenna:

U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.17	5.21	74.0	13.83	Peak	209.00	150	Vertical	Pass
1**	5150.000	51.00	5.21	54.0	3.00	AV	209.00	150	Vertical	Pass
2	5110.350	60.17	5.07	74.0	13.83	Peak	218.00	150	Vertical	Pass
2**	5110.350	49.41	5.07	54.0	4.59	AV	218.00	150	Vertical	Pass

U-NII-1 11a CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.27	5.40	74.0	16.73	Peak	211.00	150	Vertical	Pass
1**	5350.000	48.25	5.40	54.0	5.75	AV	211.00	150	Vertical	Pass
2	5350.660	59.72	5.42	74.0	14.28	Peak	217.00	150	Vertical	Pass
2**	5350.660	48.46	5.42	54.0	5.54	AV	217.00	150	Vertical	Pass

U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.09	5.21	74.0	15.91	Peak	221.00	150	Vertical	Pass
1**	5150.000	50.12	5.21	54.0	3.88	AV	221.00	150	Vertical	Pass
2	5148.050	59.87	5.26	74.0	14.13	Peak	206.00	150	Vertical	Pass
2**	5148.050	49.70	5.26	54.0	4.30	AV	206.00	150	Vertical	Pass

U-NII-1 11ac20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.54	5.40	74.0	16.46	Peak	206.00	150	Vertical	Pass
1**	5350.000	47.78	5.40	54.0	6.22	AV	206.00	150	Vertical	Pass
2	5356.050	59.37	5.58	74.0	14.63	Peak	206.00	150	Vertical	Pass
2**	5356.050	47.60	5.58	54.0	6.40	AV	206.00	150	Vertical	Pass

U-NII-1 11ac40 CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.76	5.21	74.0	16.24	Peak	214.00	150	Vertical	Pass
1**	5150.000	49.93	5.21	54.0	4.07	AV	214.00	150	Vertical	Pass
2	5141.550	59.76	5.55	74.0	14.24	Peak	220.00	150	Vertical	Pass
2**	5141.550	49.49	5.55	54.0	4.51	AV	220.00	150	Vertical	Pass

U-NII-1 11ac40 CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.40	5.40	74.0	17.60	Peak	215.00	150	Vertical	Pass
1**	5350.000	47.20	5.40	54.0	6.80	AV	215.00	150	Vertical	Pass
2	5376.180	58.25	5.56	74.0	15.75	Peak	215.00	150	Vertical	Pass
2**	5376.180	46.90	5.56	54.0	7.10	AV	215.00	150	Vertical	Pass

U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.35	5.21	74.0	13.65	Peak	241.00	150	Vertical	Pass
1**	5150.000	52.49	5.21	54.0	1.51	AV	241.00	150	Vertical	Pass
2	5144.800	62.52	5.42	74.0	11.48	Peak	198.00	150	Vertical	Pass
2**	5144.800	50.75	5.42	54.0	3.25	AV	198.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.44	5.21	74.0	16.56	Peak	202.00	150	Vertical	Pass
1**	5150.000	48.82	5.21	54.0	5.18	AV	202.00	150	Vertical	Pass
2	5149.350	58.75	5.21	74.0	15.25	Peak	202.00	150	Vertical	Pass
2**	5149.350	48.70	5.21	54.0	5.30	AV	202.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	5.40	74.0	16.93	Peak	242.00	150	Vertical	Pass
1**	5350.000	46.83	5.40	54.0	7.17	AV	242.00	150	Vertical	Pass
2	5388.830	58.41	5.54	74.0	15.59	Peak	314.00	150	Vertical	Pass
2**	5388.830	46.46	5.54	54.0	7.54	AV	314.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.81	5.21	74.0	16.19	Peak	218.00	150	Vertical	Pass
1**	5150.000	49.56	5.21	54.0	4.44	AV	218.00	150	Vertical	Pass
2	5136.350	59.43	5.50	74.0	14.57	Peak	214.00	150	Vertical	Pass
2**	5136.350	47.62	5.50	54.0	6.38	AV	214.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.97	5.40	74.0	18.03	Peak	218.00	150	Vertical	Pass
1**	5350.000	46.05	5.40	54.0	7.95	AV	218.00	150	Vertical	Pass
2	5361.880	57.90	5.70	74.0	16.10	Peak	308.00	150	Vertical	Pass
2**	5361.880	46.48	5.70	54.0	7.52	AV	308.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.53	5.21	74.0	13.47	Peak	196.00	150	Vertical	Pass
1**	5150.000	51.65	5.21	54.0	2.35	AV	196.00	150	Vertical	Pass
2	5138.300	64.03	5.56	74.0	9.97	Peak	216.00	150	Vertical	Pass
2**	5138.300	51.14	5.56	54.0	2.86	AV	216.00	150	Vertical	Pass

U-NII-2A 11a CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.36	5.21	74.0	17.64	Peak	52.02	150	Vertical	Pass
1**	5150.000	46.92	5.21	54.0	7.08	AV	52.02	150	Vertical	Pass
2	4998.550	57.23	5.10	74.0	16.77	Peak	334.00	150	Vertical	Pass
2**	4998.550	45.26	5.10	54.0	8.74	AV	334.00	150	Vertical	Pass

U-NII-2A 11a CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.61	5.40	74.0	11.39	Peak	213.00	150	Vertical	Pass
1**	5350.000	51.45	5.40	54.0	2.55	AV	213.00	150	Vertical	Pass
2	5356.600	61.84	5.60	74.0	12.16	Peak	211.00	150	Vertical	Pass
2**	5356.600	51.21	5.60	54.0	2.79	AV	211.00	150	Vertical	Pass

U-NII-2A 11n20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.69	5.21	74.0	18.31	Peak	122.03	150	Vertical	Pass
1**	5150.000	46.14	5.21	54.0	7.86	AV	122.03	150	Vertical	Pass
2	5146.750	57.21	5.33	74.0	16.79	Peak	216.00	150	Vertical	Pass
2**	5146.750	46.36	5.33	54.0	7.64	AV	216.00	150	Vertical	Pass

U-NII-2A 11n20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.48	5.40	74.0	14.52	Peak	219.00	150	Vertical	Pass
1**	5350.000	51.42	5.40	54.0	2.58	AV	219.00	150	Vertical	Pass
2	5350.330	62.15	5.41	74.0	11.85	Peak	212.00	150	Vertical	Pass
2**	5350.330	51.48	5.41	54.0	2.52	AV	212.00	150	Vertical	Pass

U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.87	5.21	74.0	18.13	Peak	241.00	150	Vertical	Pass
1**	5150.000	46.16	5.21	54.0	7.84	AV	241.00	150	Vertical	Pass
2	5121.400	58.33	5.17	74.0	15.67	Peak	246.00	150	Vertical	Pass
2**	5121.400	45.71	5.17	54.0	8.29	AV	246.00	150	Vertical	Pass

U-NII-2A 11n40 CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.75	5.40	74.0	13.25	Peak	205.00	150	Vertical	Pass
1**	5350.000	51.95	5.40	54.0	2.05	AV	205.00	150	Vertical	Pass
2	5361.330	62.76	5.71	74.0	11.24	Peak	205.00	150	Vertical	Pass
2**	5361.330	50.02	5.71	54.0	3.98	AV	205.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.75	5.40	74.0	13.25	Peak	201.00	150	Vertical	Pass
1**	5350.000	52.33	5.40	54.0	1.67	AV	201.00	150	Vertical	Pass
2	5362.540	62.49	5.68	74.0	11.51	Peak	214.00	150	Vertical	Pass
2**	5362.540	50.27	5.68	54.0	3.73	AV	214.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.52	5.21	74.0	17.48	Peak	0.05	150	Vertical	Pass
1**	5150.000	46.15	5.21	54.0	7.85	AV	0.05	150	Vertical	Pass
2	5113.600	57.20	5.16	74.0	16.80	Peak	219.00	150	Vertical	Pass
2**	5113.600	46.05	5.16	54.0	7.95	AV	219.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.26	5.40	74.0	12.74	Peak	209.00	150	Vertical	Pass
1**	5350.000	50.68	5.40	54.0	3.32	AV	209.00	150	Vertical	Pass
2	5354.510	61.23	5.52	74.0	12.77	Peak	213.00	150	Vertical	Pass
2**	5354.510	49.99	5.52	54.0	4.01	AV	213.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.05	5.21	74.0	17.95	Peak	221.02	150	Vertical	Pass
1**	5150.000	45.88	5.21	54.0	8.12	AV	221.02	150	Vertical	Pass
2	5057.700	57.29	5.13	74.0	16.71	Peak	136.00	150	Vertical	Pass
2**	5057.700	45.53	5.13	54.0	8.47	AV	136.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.15	5.40	74.0	13.85	Peak	207.00	150	Vertical	Pass
1**	5350.000	50.91	5.40	54.0	3.09	AV	207.00	150	Vertical	Pass
2	5350.770	61.39	5.42	74.0	12.61	Peak	207.00	150	Vertical	Pass
2**	5350.770	50.31	5.42	54.0	3.69	AV	207.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.89	5.40	74.0	14.11	Peak	208.00	150	Vertical	Pass
1**	5350.000	51.82	5.40	54.0	2.18	AV	208.00	150	Vertical	Pass
2	5354.400	63.48	5.51	74.0	10.52	Peak	208.00	150	Vertical	Pass
2**	5354.400	51.18	5.51	54.0	2.82	AV	208.00	150	Vertical	Pass

U-NII-2C 11a CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.74	5.38	68.2	7.46	Peak	212.34	150	Vertical	Pass
1**	5460.000	51.57	5.38	54.0	2.43	AV	212.34	150	Vertical	Pass
2	5469.400	64.03	5.80	68.2	4.17	Peak	205.00	150	Vertical	Pass
2**	5469.400	52.79	5.80	--	-52.79	AV	205.00	150	Vertical	N/A

U-NII-2C 11a CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.86	6.57	68.2	6.34	Peak	209.00	150	Vertical	Pass
2	5725.750	62.95	6.55	68.2	5.25	Peak	197.00	150	Vertical	Pass

U-NII-2C 11n20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.82	5.38	68.2	12.38	Peak	57.79	150	Vertical	Pass
1**	5460.000	46.92	5.38	54.0	7.08	AV	57.79	150	Vertical	Pass
2	5465.920	63.08	5.61	68.2	5.12	Peak	211.00	150	Vertical	Pass
2**	5465.920	50.96	5.61	--	-50.96	AV	211.00	150	Vertical	N/A

U-NII-2C 11n20 CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.76	6.57	68.2	6.44	Peak	216.00	150	Vertical	Pass
2	5726.500	63.01	6.53	68.2	5.19	Peak	220.00	150	Vertical	Pass

U-NII-2C 11n40 CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.00	5.38	68.2	8.20	Peak	218.67	150	Vertical	Pass
1**	5460.000	49.41	5.38	54.0	4.59	AV	218.67	150	Vertical	Pass
2	5469.640	62.20	5.80	68.2	6.00	Peak	218.00	150	Vertical	Pass
2**	5469.640	50.54	5.80	--	-50.54	AV	218.00	150	Vertical	N/A

U-NII-2C 11n40 CH134



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.45	6.57	68.2	7.75	Peak	246.00	150	Vertical	Pass
2	5725.625	63.26	6.56	68.2	4.94	Peak	212.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.01	5.38	68.2	8.19	Peak	207.00	150	Vertical	Pass
1**	5460.000	51.05	5.38	54.0	2.95	AV	207.00	150	Vertical	Pass
2	5469.880	64.82	5.80	68.2	3.38	Peak	207.00	150	Vertical	Pass
2**	5469.880	52.30	5.80	--	-52.30	AV	207.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.79	6.57	68.2	9.41	Peak	339.00	150	Horizontal	Pass
2	5802.500	59.66	6.46	68.2	8.54	Peak	221.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.73	5.38	68.2	9.47	Peak	208.66	150	Vertical	Pass
1**	5460.000	49.76	5.38	54.0	4.24	AV	208.66	150	Vertical	Pass
2	5469.640	60.81	5.80	68.2	7.39	Peak	212.00	150	Vertical	Pass
2**	5469.640	50.22	5.80	--	-50.22	AV	212.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.86	6.57	68.2	6.34	Peak	215.00	150	Vertical	Pass
2	5727.875	62.94	6.48	68.2	5.26	Peak	215.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.53	5.38	68.2	10.67	Peak	206.64	150	Vertical	Pass
1**	5460.000	48.57	5.38	54.0	5.43	AV	206.64	150	Vertical	Pass
2	5467.600	60.22	5.69	68.2	7.98	Peak	219.00	150	Vertical	Pass
2**	5467.600	48.87	5.69	--	-48.87	AV	219.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.42	6.57	68.2	9.78	Peak	212.00	150	Vertical	Pass
2	5729.750	60.70	6.38	68.2	7.50	Peak	199.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.24	5.38	68.2	6.96	Peak	213.34	150	Vertical	Pass
1**	5460.000	50.79	5.38	54.0	3.21	AV	213.34	150	Vertical	Pass
2	5461.360	63.89	5.43	68.2	4.31	Peak	206.00	150	Vertical	Pass
2**	5461.360	51.91	5.43	--	-51.91	AV	206.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.24	6.57	68.2	9.96	Peak	356.00	150	Horizontal	Pass
2	5843.500	59.86	7.10	68.2	8.34	Peak	90.00	150	Horizontal	Pass

U-NII-3 11a CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.58	5.94	68.2	9.62	Peak	215.01	150	Horizontal	Pass
2	5647.500	61.00	5.95	68.2	7.20	Peak	215.00	150	Horizontal	Pass

U-NII-3 11a CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	60.68	7.83	68.2	7.52	Peak	248.00	150	Vertical	Pass
2	5983.350	60.93	7.54	68.2	7.27	Peak	209.00	150	Vertical	Pass

U-NII-3 11n20 CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.97	5.94	68.2	9.23	Peak	215.00	150	Vertical	Pass
2	5643.250	59.78	6.01	68.2	8.42	Peak	198.00	150	Vertical	Pass

U-NII-3 11n20 CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.57	7.83	68.2	8.63	Peak	221.03	150	Vertical	Pass
2	5932.200	60.45	7.62	68.2	7.75	Peak	211.00	150	Vertical	Pass

U-NII-3 11n40 CH151



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.97	5.94	68.2	9.23	Peak	215.00	150	Vertical	Pass
2	5644.125	59.79	6.02	68.2	8.41	Peak	221.00	150	Vertical	Pass

U-NII-3 11n40 CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.41	7.83	68.2	9.79	Peak	221.02	150	Vertical	Pass
2	5935.950	59.87	7.49	68.2	8.33	Peak	234.00	150	Vertical	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.78	5.94	68.2	10.42	Peak	112.10	150	Horizontal	Pass
2	5605.625	59.48	5.89	68.2	8.72	Peak	286.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.45	5.94	68.2	9.75	Peak	221.99	150	Vertical	Pass
2	5641.375	60.22	5.93	68.2	7.98	Peak	219.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	59.05	7.83	68.2	9.15	Peak	209.05	150	Vertical	Pass
2	5962.500	60.72	7.34	68.2	7.48	Peak	239.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.04	5.94	68.2	11.16	Peak	0.28	150	Vertical	Pass
2	5602.250	59.07	5.99	68.2	9.13	Peak	238.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.57	7.83	68.2	10.63	Peak	0.29	150	Vertical	Pass
2	5989.050	60.07	7.89	68.2	8.13	Peak	347.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.45	5.94	68.2	10.75	Peak	310.91	150	Vertical	Pass
2	5640.125	58.99	5.91	68.2	9.21	Peak	277.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2490677-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2490677-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2490677-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.

2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.

3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.

4. The test data and results are only valid for the tested samples provided by the customer.

5. This report shall not be partially reproduced without the written permission of the Testing Center.

6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--