



Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.02	0.17	7.19	12.52	Pass
40	5200	6.99	0.17	7.16	12.52	Pass
48	5240	7.00	0.17	7.18	12.52	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.37	12.52	Pass
40	5200	12.35	12.52	Pass
48	5240	12.41	12.52	Pass


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.51	0.23	7.74	12.52	Pass
40	5200	7.74	0.23	7.97	12.52	Pass
48	5240	7.45	0.23	7.69	12.52	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.41	0.23	7.65	12.52	Pass
40	5200	7.49	0.23	7.72	12.52	Pass
48	5240	7.66	0.23	7.90	12.52	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.60	0.23	7.84	12.52	Pass
40	5200	7.14	0.23	7.37	12.52	Pass
48	5240	6.97	0.23	7.21	12.52	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.51	12.52	Pass
40	5200	12.47	12.52	Pass
48	5240	12.38	12.52	Pass


Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.95	0.73	7.67	12.52	Pass
46	5230	6.92	0.73	7.65	12.52	Pass

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.76	0.73	7.48	12.52	Pass
46	5230	7.12	0.73	7.85	12.52	Pass

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.39	0.73	7.12	12.52	Pass
46	5230	6.30	0.73	7.03	12.52	Pass

CH38



CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.20	12.52	Pass
46	5230	12.29	12.52	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.24	1.15	7.39	12.52	Pass


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.29	1.15	7.44	12.52	Pass


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.91	1.15	7.06	12.52	Pass

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.07	12.52	Pass


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.59	0.17	1.76	6.52	Pass
60	5300	1.73	0.17	1.91	6.52	Pass
64	5320	1.48	0.17	1.65	6.52	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.84	0.17	2.01	6.52	Pass
60	5300	2.21	0.17	2.39	6.52	Pass
64	5320	2.29	0.17	2.46	6.52	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.70	0.17	0.88	6.52	Pass
60	5300	0.56	0.17	0.73	6.52	Pass
64	5320	0.69	0.17	0.87	6.52	Pass


CH52



CH60



CH64




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.35	6.52	Pass
60	5300	6.50	6.52	Pass
64	5320	6.48	6.52	Pass


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.33	0.23	1.56	6.52	Pass
60	5300	1.42	0.23	1.65	6.52	Pass
64	5320	1.57	0.23	1.81	6.52	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.74	0.23	1.98	6.52	Pass
60	5300	1.96	0.23	2.20	6.52	Pass
64	5320	1.92	0.23	2.16	6.52	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.70	0.23	0.93	6.52	Pass
60	5300	0.37	0.23	0.60	6.52	Pass
64	5320	0.16	0.23	0.40	6.52	Pass


CH52



CH60



CH64




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.28	6.52	Pass
60	5300	6.30	6.52	Pass
64	5320	6.29	6.52	Pass


Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.83	0.73	1.56	6.52	Pass
62	5310	1.01	0.73	1.73	6.52	Pass

CH54




CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.89	0.73	1.62	6.52	Pass
62	5310	1.29	0.73	2.02	6.52	Pass

CH54



CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.09	0.73	0.82	6.52	Pass
62	5310	0.02	0.73	0.75	6.52	Pass

CH54

CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.12	6.52	Pass
62	5310	6.31	6.52	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.49	1.15	1.64	6.52	Pass


CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.02	1.15	2.17	6.52	Pass


CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.17	1.15	0.98	6.52	Pass

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.39	6.52	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.02	1.60	1.61	6.52	Pass

The screenshot shows a spectrum analyzer interface. The top bar indicates the mode is 'Spectrum'. The main display area shows a signal with a notch. The notch is centered at 1000 GHz, as indicated by the '1000 GHz' label at the bottom. The signal level is approximately 0 dBm, and the noise floor is around -40 dBm. The notch depth is 10 dB, reaching approximately -30 dBm. The signal is labeled 'Spectrum' and 'Spectrum Analyzer'.

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.74	1.60	2.33	6.52	Pass

MultView • Spectrum
 Ref Level: 20.00 dBm Offset: 10.70 GHz = RBW: 1.00 Hz
 SFTF: 1.00 GHz Mode: Auto Sweep
 Span: 5.00 GHz Center: 10.00 GHz Res: 1.00 GHz

1 Frequency Setup

20 dBm
 15 dBm
 10 dBm
 5 dBm
 0 dBm
 -5 dBm
 -10 dBm
 -15 dBm
 -20 dBm


9.5 GHz 10.0 GHz 10.5 GHz

Q 5.25 GHz 1001 pps 40.0 dBm/2 Span: 5.00 GHz 0.00 dB

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-0.49	1.60	1.10	6.52	Pass

CH50




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	6.48	6.52	Pass


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.36	0.17	1.54	6.52	Pass
116	5580	1.75	0.17	1.92	6.52	Pass
140	5700	1.90	0.17	2.07	6.52	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.31	0.17	2.48	6.52	Pass
116	5580	1.72	0.17	1.89	6.52	Pass
140	5700	2.29	0.17	2.47	6.52	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.23	0.17	0.41	6.52	Pass
116	5580	0.34	0.17	0.52	6.52	Pass
140	5700	-0.01	0.17	0.16	6.52	Pass


CH100



CH116



CH140




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.33	6.52	Pass
116	5580	6.26	6.52	Pass
140	5700	6.45	6.52	Pass


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.80	0.23	2.04	6.52	Pass
116	5580	1.71	0.23	1.95	6.52	Pass
140	5700	1.66	0.23	1.90	6.52	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.00	0.23	2.23	6.52	Pass
116	5580	2.00	0.23	2.24	6.52	Pass
140	5700	2.02	0.23	2.26	6.52	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.25	0.23	0.48	6.52	Pass
116	5580	0.55	0.23	0.78	6.52	Pass
140	5700	0.73	0.23	0.96	6.52	Pass


CH100



CH116



CH140




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.42	6.52	Pass
116	5580	6.47	6.52	Pass
140	5700	6.51	6.52	Pass


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.71	0.73	1.44	6.52	Pass
110	5550	1.28	0.73	2.01	6.52	Pass
134	5670	1.32	0.73	2.04	6.52	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.32	0.73	2.05	6.52	Pass
110	5550	1.66	0.73	2.38	6.52	Pass
134	5670	1.48	0.73	2.21	6.52	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.56	0.73	0.17	6.52	Pass
110	5550	-0.14	0.73	0.59	6.52	Pass
134	5670	-0.08	0.73	0.65	6.52	Pass


CH102



CH110



CH134




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.06	6.52	Pass
110	5550	6.50	6.52	Pass
134	5670	6.46	6.52	Pass


Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.14	1.15	1.29	6.52	Pass
122	5610	0.50	1.15	1.65	6.52	Pass

CH106




CH122




Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.50	1.15	2.65	6.52	Pass
122	5610	1.38	1.15	2.53	6.52	Pass

CH106




CH122




Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.69	1.15	0.46	6.52	Pass
122	5610	-0.83	1.15	0.32	6.52	Pass

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.34	6.52	Pass
122	5610	6.36	6.52	Pass

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.62	1.60	2.21	6.52	Pass

The screenshot displays the Keysight Spectrum Analyzer software interface. At the top, the 'MultView' tab is active, showing a 'Spectrum' plot. The main display area shows a signal trace with a prominent peak at 40.0 MHz, labeled '40.0'. The y-axis represents power in dBm, ranging from -50 to 20. The x-axis represents frequency in GHz, ranging from 0 to 100. The signal trace is a blue line with a sharp peak at 40.0 MHz. The peak is labeled '40.0' and has a value of 10.0 dBm. The signal is identified as '1 Frequency Span'. The bottom status bar shows the center frequency is 40.0 MHz, the span is 5.0 GHz, and the resolution bandwidth is 40.0 MHz. The bottom right corner shows the 'Span: 40.0 MHz' and 'Center: 40.0 MHz'.


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	0.60	1.60	2.20	6.52	Pass

The screenshot shows the NI-MAX software interface. At the top, there is a 'MultiView' tab and a 'Spectrum' sub-tab. Below this, a status bar displays 'Ref Level: 20.00 dBm', 'Offset: 10.00 dB', 'BW: 1 MHz', 'RF: 20', 'LO: 60', 'LOF: 1.00 GHz', 'Mode: Auto Sweep', and 'Start: 1000 GHz'. The main plot area shows a spectrum plot with a sharp peak at 1000 GHz. The y-axis is labeled 'dBm' and ranges from -50 to 20. The x-axis is labeled 'GHz' and ranges from 0 to 1000. The peak is labeled '1000 GHz' and has a value of 10.00 dBm. The plot is titled 'Spectrum' and '1000 GHz'. On the right side, there is a 'Data View' tab showing a table with columns 'Frequency (GHz)' and 'Power (dBm)'. The table contains one row with the value 10.00 dBm. Below the table, there is a 'Summary' section showing 'Peak Power: 10.00 dBm' and 'Peak Frequency: 1000 GHz'.

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.03	1.60	0.56	6.52	Pass

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	6.50	6.52	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.29	13.28	0.17	13.45	25.52	Pass
157	5785	7.30	14.29	0.17	14.46	25.52	Pass
165	5825	6.64	13.63	0.17	13.80	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.75	13.74	0.17	13.91	25.52	Pass
157	5785	7.08	14.07	0.17	14.24	25.52	Pass
165	5825	7.09	14.08	0.17	14.25	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.61	12.60	0.17	12.77	25.52	Pass
157	5785	6.86	13.85	0.17	14.02	25.52	Pass
165	5825	6.61	13.60	0.17	13.77	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	18.18	25.52	Pass
157	5785	19.02	25.52	Pass
165	5825	18.72	25.52	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.72	12.71	0.23	12.94	25.52	Pass
157	5785	5.67	12.66	0.23	12.89	25.52	Pass
165	5825	5.21	12.20	0.23	12.43	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.19	13.18	0.23	13.41	25.52	Pass
157	5785	5.50	12.49	0.23	12.72	25.52	Pass
165	5825	5.77	12.76	0.23	12.99	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.11	12.10	0.23	12.51	25.52	Pass
157	5785	4.71	11.76	0.23	11.99	25.52	Pass
165	5825	5.29	12.28	0.23	12.51	25.52	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.69	25.52	Pass
157	5785	17.33	25.52	Pass
165	5825	17.43	25.52	Pass