

User Manual **T3**

CHANNEL DASHCAM



Contact us

Scan the code with your WhatsApp and chat with our support right now!

Typically we will reply to you in 24 hours on business days!

Model: T3

FCC ID: 2BMUT-T3

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following

measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

WATCH THE INSTALLATION VIDEO GUIDE

Thank you for choosing and kolvt-**** Dash cam.

The more familiar you are with your dash cam, the better effect you will have on the road. We therefore strongly suggest you watch our installation video.

1.Visit the link directly

https://youtu.be/B_tYcNPTHdc



2.Scan the code with your cellphone



HERE ARE OUR CONTACT!

OUR EMAIL ADDRESS :

kolvtafter-sale@outlook.com

Scan the code with your
cellphone and you can
email us directly!



OUR WhatsApp

Scan the code with your
WhatsApp and chat with
our support right now!



Typically we will reply to you in 24 hours on
business days!



Scan to download the "Viidure" app



MOST IMPORTANT

- 1** Please select the correct dash cam WiFi name when connect it:

WiFi name: Kolvt_****


Password:12345678

- 2** The TF card is already inserted into the camera TF card slot. If you receive the camera without a TF card, please get in touch with us promptly to receive one.

If you find the provided memory card's capacity too small, you can consider getting a larger one from Amazon. We suggest inserting a SAMSUNG /PNY Class 10 U3 speed micro TF card (up to 512GB) into this T3 dash cam.



INCLUDED



RECOMMEND

- 3** We will offer you a type C hardwire kit if you need to use the 24 hours parking monitor function. Please kindly email or text us via email address or WhatsApp.



OPTIONAL

CUSTOMERS FREQUENTLY ASKED QUESTIONS

1.Camera repeatedly power on and off?

please ensure that you are using the original cigarette lighter power cord and the CLASS 10, U1/U3 Speed memory card. If the issue persists, please contact us at our email address for further assistance.

2.Connect failed when connecting camera on Viidure app.

- (1)When opening the app for the first time, please make sure to authorize the App with the album, location, WLAN & cellular data.
 - (2)Make sure the VPN on your phone is turned off.
 - (3)Make sure the Carplay or Android Auto is totally disconnected. Otherwise, the connection will fail. Please contact us for support when you can't get this issue resolved.
-

3.Viidure APP keeps saying "The card is abnormal, please format or replace the memory card" after inserting an TF card or formatting in the settings.

(1)The new TF card is required to be formatted in Viidure APP, please do not format it on computer, You can format it in Viidure APP as below:

Viidure APP→Connect Camera→Camera Settings→Format the TF CARD

(2)Make sure you are using the recommended, CLASS 10,U1, U3 Speed, and 512GB max TF card. Otherwise you will get notice of a malfunction. The recommended TF card for T3: please go to amazon.com search

4.Rear camera doesn't display?

Make sure the rear camera cable is connected correctly and fully plugged into the rear camera input port, contact us if it is still not working.

5.Glue pad falls off from windshield.

Please stick the electrostatic film on windshield firstly, then stick a new glue pad on electrostatic film.

6.Camera freezing/Only record for a few seconds.

If the camera comes freezing, lagging, or only recording video for a few seconds, this is the TF card issue, NOT the camera issue. Please format the TF card to have a try using the FAKE, WRONG and BAD TF card can also result in this problem. If the problem is still after formatting the TF card, please contact us and we are dedicated to resolve it.

7.Some of video files are missing/ Can't find videos.

(1)Our T3 dashcam has a loop recording function, it will delete the oldest file sand record newer files when the TF card is full except the locked video files. We recommend you to turn on the G-Sensor at low sensitivity which will auto-lock the videos when a collision occurs. If you want to lock the current video manually, press “M” button while the camera is recording. The video will be locked and gets unable to be removed by Loop Recording.

(2)The videos recorded by front and rear cameras are saved in different file folders. When you connect the dashcam to your computer, you can find 2 folders named “Front,” “Rear” represent front, rear video respectively. You can download, playback and backup according to this video classification. When you are playing video on APP, you will see a mark "Front" or "Rear" to represent.

8.24 hours parking monitor.

T3 support 24 hours recording only when it is connected to a Type C hardwire kit (not included in the package). If you need a free hardwire kit, please email us. The video will be locked and gets unable to be removed by Loop Recording

[The 24-hour parking monitoring function consumes power from the car battery, so you need to use this installation method with caution.](#)



Please scan the code to chat with our technical team on WhatsApp, we will reply you in 24 hours on working days!

INDEX

1. Product Specifications	1	14. Installation front camera	15
2. Package Contents	2	· Installation front camera.....	16
3. Appearance	3	· Installation front camera.....	17
4. Buttons and Functions.....	4	15 · Installation rear camera.....	18
5. Function Overview	5	· Installation rear camera	19
· Function Overview.....	6		
6. User interface overview.....	7		
7. App and WiFi function.....	8		
8. App and WiFi function.....	9		
9. Start to use.....	10		
10. App introduction-app interface	11		
11. Check your files on app	12		
12. How to Play Video on Computer.....	13		
13. How to Play Video on Computer.....	14		

PRODUCT SPECIFICATIONS

Please check the specification of T3 dashcam.

Display Screen	3.16-inch Screen
G-sensor	Built-in
Resolution	4K 2160P Front + 1080P Rear 2K 1440P Front + 1080P Rear
Sensor	8 glass, 170 Degree Wide Angle Lens
Language	English、Français、Español、Português、Deutsch Italiano、Русский язык、 にほんご
Video Format	.MP4
Picture Format	.JPG
Operating Voltage	5V
Working Temperature	Working temperature 5°F to 149°F(−15°C to 65°C).

PACKAGE CONTENTS

MAIN UNIT



T3 Dash Cam



GPS Mount



64GB TF Card included


ACCESSORIES



Car Charger



Rear Camera



Electrostatic Film



Wiring Tools



User Manual



Warranty Card


REMINDER

1. 64GB SD card is inserted in camera. If you find the provided memory card's capacity too small, you can consider getting a larger one from Amazon.

We suggest inserting a SAMSUNG /PNY Class 10 U3 speed micro TF card (up to 512GB) into this T3 dash cam.

2. If there is no cigarette lighter port in your car, please email us kolvtafter-sale@outlook.com to get a USB C cable from us.

APPEARANCE



BUTTONS AND FUNCTIONS


BUTTON	NAME	FUNCTIONS
	Power button	Short Press: Toggles the screen on or off; recording continues uninterrupted. Long Press : Powers the device on or off.
	Menu button	Short Press: Locks the current video file (a lock icon will be displayed). To Access Menu (during recording): Press the OK button to pause recording. Press the M button to enter the menu options. Long Press (2 seconds): Directly enters the video playback mode
	Record button/ confirmation button	Short Press (Recording Mode): Starts or stops recording. Short Press (confirmation button): Confirms and selects the option.
	Left Button	Moves selection to the left in menus.
	Right Button	Moves selection to the right in menus.

FUNCTION OVERVIEW

OPTIONS	NAME	FUNCTIONS
	Video resolution	You can choose either front 4K and rear 1080p or front 2K and rear 1080p
	LoopRecording	The Loop recording video can be set the timing 1 min, 3 mins and 5mins. It will overwrite the oldest unprotected video with the lasted footage, make space for your memory card.
	Language	You can choose from languages such as English, French, Spanish, and more.
	WiFi Switch	Click 2.4GHz or 5GHz to turn on WiFi. Default setting is on
	Dual Cam Display	Selecting "Front" will display only the front recording. Selecting 'Rear' will display only the rear recording. Selecting "Front/Rear" will display both front and rear recordings simultaneously.
	Record Audio	Select to turn the recording function on or off
	G-Sensor	When the G-sensor detects a severe shock or collision, it automatically locks the current video file. Locked files are protected from automatic deletion during loop recording.
	OSD mode	Enabling this feature will display data such as time, speed, and resolution information on the video screen.
	ScreenSaver Switch	After enabling the screen saver feature, the screen will turn off after a specified period of inactivity.
	Time System	This feature allows you to choose between the 12-hour time format or the 24-hour time format.

OPTIONS	NAME	FUNCTIONS
	Date/Time	Click "OK" to switch to the next time option. Click the left button to decrease the time. Click the right button to increase the time.
	Beep sound	Enable key press sound prompts
	Parking Mode	The parking surveillance mode automatically engages when the vehicle is powered off. Using a low-power standby state, it monitors for impacts or motion. If detected, the system activates and records a video of the incident, such as a hit-and-run or vandalism.
	Frequency	Select 50 Hz or 60 Hz
	Time Zone	This feature allows you to select your time zone.
	DateStamp	Overlay date and time on video/image footage
	GPS	The red bar indicates signal strength; the more red in the bar, the better the GPS signal reception.
	Format	Clicking Format will clear all image and video records.
	Default Setting	Enabling this feature will restore all default settings.
	Version Info	Click this option to view your current version number.
	Parking Surveillance	Enable this option to record video after parking and turning off the engine. You can choose between 12-hour or 24-hour recording


USER INTERFACE OVERVIEW



(It will sync to the phone time when connect to APP)

PLAYBACK MODE

- 1.Tap“OK”to pause recording (during recording)
- 2.Press and hold “M” to enter replay mode




APP AND WI-FI FUNCTION

1. Turn on the dashcam

After powering on the dashcam, the WiFi will activate immediately, and the WiFi SSID and password will be displayed on the screen

2. Download the app



Or search for 'Viidure' in App Store or Google Play Store to download and install it on your phone.

REMAIN POWER SUPPLY

Please remain the T3 connected to the power while you are operating the WiFi function, otherwise the dash cam WiFi is offline.


3.Connect the WiFi


When you successfully turn on the app, just simply press 'Add Camera' > 'Next'> 'Add Camera' then it will jump to the WiFi setting of your cellphone. Simply join the T3 WiFi by going into your iPhone or Android phone's Settings> WiFi>Kolvt_****. Then enter the default password: 12345678. And join the network.



REMINDER

Once you connect to Kolvt_**** WiFi,it will say 'No internet connection', which is fine and please select 'Keep trying wifi'. If you want to use the phone network, just disconnect the camera WiFi. The camera will continue to record even when there is no WiFi connected.





4. Start to use

Once your camera is connected to "Kolvt_****" WiFi successfully and when you go back Viidure app, the camera will sync automatically. You should see the live video feed from the camera on Viidure app. Then keep exploring the APP from here.



WATCH GUIDE VIDEO

Please scan the code to watch the T3 Dashcam WiFi connection video

CONNECTION FAILURE?


The cellular data will cause the live feed not to be viewed. Please disable the "Viidure" cellular data of your cellphone if you can't view the live feed.
Setting → Viidure - Disable the "Cellular Data"

APP INTRODUCTION

All operations can only be set on Viidure APP


APP INTERFACE

when you access to the camera, you will see the live time video of the dash cam.



CHECK YOUR FILES ON APP

After you access the camera, you can press 'Camera Files' to check the recorded videos or photos of the dash cams. There are 4 folders for different albums.



For the best effect, we recommend you to download the videos because the preview resolution in the app is at just 720P while the actual video is 4K/2K.



FOR YOUR BEST EXPERIENCE

- (1) Please download the videos if you need a more detailed and smoothly video, the preview resolution is at only 720P, For a real 4K/2K video experience, please use a monitor that support 4K/2K resolution while most cellphone can only support up to 720P resolution.
- (2) The downloaded videos / photos will be saved in your local albums.

HOW TO PLAY VIDEO ON COMPUTER

1.Insert the TF Card into the SD Card Adapter



2.After you insert the SD card Adapter to your computer, please look for the added flash drive

3.When you locate the added flash drive, double click in it, where you will find all of the your videos recorded by T3.

Lock	2025/8/26 21:49	Folder
Movie	2025/8/26 21:53	Folder
Photo	2025/8/27 11:51	Folder

4.How to directly view video recordings:

Connect the dashcam to your computer using a USB cable. Select “Mass Storage,” click “OK” to enter read mode, then locate our drive on your computer. Open it to find the video files and view recordings directly.

5.How to Play Back Your Driving Route with the Dedicated Player Software.
To play back your driving route with GPS data, follow these steps:



Scan the QR code to view the driving route replay video

a.Transfer Files to Your Computer:

Option 1 (Card Reader): Remove the memory card, insert it into a card reader, and connect it to your computer.

Option 2 (USB Cable): Connect your dash cam to the computer using the USB cable. On the dash cam, select 'Mass Storage' mode.

b.Install & Open the Player Software:

Open File Explorer (Windows) or Finder (Mac) and locate the new drive that represents your memory card or connected dash cam.


Open the drive and find the application file as shown in the diagram.

Double-click the file to run the installer and follow the on-screen instructions to complete the installation.

c.Import and View:


Use the software's 'Import' function to load your video files.

Your driving route, speed, and location will display on the map

A screenshot of a file explorer window. It shows a folder icon with the name 'Novatek' next to it.A screenshot of a file explorer window. It shows a file icon with the name 'gxplayerv1.3.6' next to it. The file icon is a small square with a blue and white pattern.

6.Recommend Video Player

The video format of T3 dash cam maybe not supported by your computer original video player. We recommend you download a VLC Player to play the videos. You can get it free at www.videolan.org.



1.INSTALL AND SECURE THE T3 DASHCAM

1.Secure the GPS mount to the main unit

2.Mount the bracket and main unit on the windshield then rotate the GPS bracket upward to secure it



2.INSTALL T3 TO WINDSHIELD



a

Installation Area: Most of our customers will install their T3 next to the rearview mirror and close to the passenger side. Park your car in a safe and well-lit area before you start the installation,

b

Please use wet & dry tissues to repeatedly wipe the place you choose to install the dash cam in order to clean the dust particles on the windshield and the grease evaporated.

c

Stick the Electrostatic Film on the place you desire.

About electrostatic Sticker

(1) Since the adhesive strength is strong on both sides and it is difficult to peel off once it is pasted, it will be troublesome if the pasting position is incorrect. Therefore, we design the electrostatic sticker to attach to the windshield first then stick the bracket with 3M Adhesive on the electrostatic sticker. You can easily readjust location by sticking the 3M Adhesive on electrostatic sticker and peel it off.

(2) Re-sticking may weaken the adhesive strength of the tape and cause it to fall off. If you need more accessories, please contact us

d Tear off the adhesive film of the sticky pad and stick it onto Electrostatic Film.

e Connect the car charger to the car cigarette lighter socket, then insert the USB end of the charger into the Type C power port of the camera. Use the car wire trim tools to run the cable through the A-Pillar.



REMINDER

If your car does not have the cigarette lighter socket for the dash cam, please contact us to get a spare Type C power cable.

3.TEST & ADJUST

After the power cable is connected correctly, please spark your engine to see if the T3 dash cam power on successfully and start recording automatically.

a

Auto Power ON: Upon vehicle startup, the dash cam will power on automatically and announce: "Starting up". When the device is ready to record, it will announce: "Recording start"

b

Auto Power OFF: After the car is shut off, the camera will also be turned off

c

Test the WiFi Connection

Please download the app and get the dash cam linked with your cellphone. to test if the WiFi module works well. (see page 7 of this booklet)

d

Auto Phone Time Synchronization

After you successfully connect your cellphone with the dash cam via WiFi T3 dash cam will auto sync the time with your cellphone, and you don't need to set the time via the dash cam yourself.


e

Connect GPS to automatically sync local time

If the GPS version is selected, the dashcam will automatically synchronize the local time once GPS positioning is successful.

4.INSTALL REAR CAMERA

We recommend attaching the rear camera to the top of the rear windshield inside the vehicle



Installing the rear camera requires certain professional skills. If you are not sure whether you can install it yourself, please go to an auto repair shop to hire a professional to install it, otherwise, it may cause damage to your car.

a The package comes with screws and 3M adhesive tape, you can choose the method of fixing the rear view lens according to your situation (if you choose to use screws, you may need to drill holes when there are no reserved holes in your car).

b Fix the rear camera in place by sticking the 3M adhesive tape or tightening the screws.


c Fix the rear camera in place by sticking the 3M adhesive tape

5. REAR CAMERA CABLE MANAGEMENT

- 1 After snaking your rear camera's cable into the trunk of the car, then connect it to the rear camera extending cable. Route the extending cable to the front of your car, you can hide the cable with the wire trimming tool that came with the package.



- 2 Plug the socket of the rear camera extending cable into the rear camera input port of the main camera, start engine and see if both front and rear video will show on the display at the same time. If not please check if all the cables are firmly connected.



If you are not sure how to resolve your problem, please chat with our WhatsApp directly or email us directly.



HERE ARE OUR CONTACT!

OUR EMAIL ADDRESS :

kolvtafter-sale@outlook.com

Scan the code with your
cellphone and you can
email us directly!



OUR WhatsApp

Scan the code with your
WhatsApp and chat with
our support right now!



Typically we will reply to you in 24 hours on
business days!



Scan to download the "Viidure" app

Sincere Thanks

Dear customer,

Thanks for choosing our T3 dash cam. As you are the most valuable customer of us, we provide 12 months warranty & life time customer care for you. Please contact us via email or WhatsApp and provide your order number to activate warranty service

If you have any problem about our dash cam, please contact us via the email or whatsapp, Typically we will reply in 24 hours and we will try our best to help, thank you!

Sincerely,
Kolvt Team