

RF Test Data for 2.4G Wi-Fi (Conducted Measurements)

General Description of EUT	
EUT Name:	All-in-One Solar AI Wi-Fi Security Camera
Model:	CM-BC7WU
Sample ID:	HC-C-202603-0005-1-01
Environmental Conditions	
Ambient Temperature:	23.8℃
Ambient Humidity:	49%
Test Power Supply:	DC 5V
Test Engineer:	Lily Zhang
Note: For a more detailed features description, please refer to the report TBR-C-202603-0005-71.	

Contents



1: DTS Bandwidth.....	3
1.1 Test Result.....	3
1.2 Test Graphs	4
2: Occupied Channel Bandwidth	7
2.1 Test Result.....	7
2.2 Test Graphs	8
3: Maximum conducted output power.....	11
3.1 Test Result Average	11
4: Maximum power spectral density	12
4.1 Test Result.....	12
4.2 Test Graphs	13
5: Band edge measurements	16
5.1 Test Result.....	16
5.2 Test Graphs	17
6: Conducted Spurious Emission.....	19
6.1 Test Result.....	19
6.2 Test Graphs	20
7: Duty Cycle	21
7.1 Test Result.....	21
7.2 Test Graphs	22
8: Emissions in Restricted Bands.....	24
8.1 Test Result.....	24
8.2 Test Graphs	26

1: DTS Bandwidth


1.1 Test Result

TestMode	Ant.	Frequency [MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.08	2407.96	2416.04	0.5	PASS
11B	Ant1	2437	9.12	2432.44	2441.56	0.5	PASS
11B	Ant1	2462	9.52	2457.24	2466.76	0.5	PASS
11G	Ant1	2412	16.36	2403.84	2420.20	0.5	PASS
11G	Ant1	2437	16.40	2428.80	2445.20	0.5	PASS
11G	Ant1	2462	16.48	2453.72	2470.20	0.5	PASS
11N20SISO	Ant1	2412	17.60	2403.20	2420.80	0.5	PASS
11N20SISO	Ant1	2437	17.72	2428.08	2445.80	0.5	PASS
11N20SISO	Ant1	2462	17.76	2453.08	2470.84	0.5	PASS
11N40SISO	Ant1	2422	36.48	2403.76	2440.24	0.5	PASS
11N40SISO	Ant1	2437	36.24	2418.76	2455.00	0.5	PASS
11N40SISO	Ant1	2452	36.48	2433.76	2470.24	0.5	PASS
11AX20SISO	Ant1	2412	18.92	2402.64	2421.56	0.5	PASS
11AX20SISO	Ant1	2437	18.96	2427.44	2446.40	0.5	PASS
11AX20SISO	Ant1	2462	18.92	2452.48	2471.40	0.5	PASS
11AX40SISO	Ant1	2422	36.16	2403.52	2439.68	0.5	PASS
11AX40SISO	Ant1	2437	38.00	2417.96	2455.96	0.5	PASS
11AX40SISO	Ant1	2452	37.92	2433.04	2470.96	0.5	PASS


1.2 Test Graphs




11B-Ant1-2412-PASS




11B-Ant1-2437-PASS



11B-Ant1-2462-PASS





11G-Ant1-2412-PASS





11G-Ant1-2437-PASS

11G-Ant1-2462-PASS





11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2437-PASS





11N20SISO-Ant1-2462-PASS

11N40SISO-Ant1-2422-PASS





11N40SISO-Ant1-2437-PASS

11N40SISO-Ant1-2452-PASS





11AX20SISO-Ant1-2412-PASS

11AX20SISO-Ant1-2437-PASS



11AX20SISO-Ant1-2462-PASS

11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2437-PASS


11AX40SISO-Ant1-2452-PASS

2: Occupied Channel Bandwidth

2.1 Test Result



TestMode	Ant.	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.027	2405.5265	2418.5534	---	---
11B	Ant1	2437	13.147	2430.4466	2443.5934	---	---
11B	Ant1	2462	13.147	2455.4466	2468.5934	---	---
11G	Ant1	2412	16.623	2403.6084	2420.2318	---	---
11G	Ant1	2437	17.183	2428.0090	2445.1918	---	---
11G	Ant1	2462	16.583	2453.6484	2470.2318	---	---
11N20SISO	Ant1	2412	18.621	2402.6494	2421.2707	---	---
11N20SISO	Ant1	2437	18.581	2427.7692	2446.3506	---	---
11N20SISO	Ant1	2462	18.462	2452.6494	2471.1109	---	---
11N40SISO	Ant1	2422	36.603	2403.7782	2440.3816	---	---
11N40SISO	Ant1	2437	36.444	2418.6983	2455.1419	---	---
11N40SISO	Ant1	2452	36.523	2433.6983	2470.2218	---	---
11AX20SISO	Ant1	2412	18.901	2402.5295	2421.4306	---	---
11AX20SISO	Ant1	2437	19.021	2427.4895	2446.5105	---	---
11AX20SISO	Ant1	2462	18.981	2452.5295	2471.5105	---	---
11AX40SISO	Ant1	2422	38.042	2402.8991	2440.9411	---	---
11AX40SISO	Ant1	2437	38.202	2417.8192	2456.0210	---	---
11AX40SISO	Ant1	2452	37.962	2433.1389	2471.1009	---	---

2.2 Test Graphs





11B-Ant1-2412

11B-Ant1-2437





11B-Ant1-2462

11G-Ant1-2412




11G-Ant1-2437


11G-Ant1-2462



11N20SISO-Ant1-2412




11N20SISO-Ant1-2437



11N20SISO-Ant1-2462





11N40SISO-Ant1-2422





11N40SISO-Ant1-2437

11N40SISO-Ant1-2452




11AX20SISO-Ant1-2412

11AX20SISO-Ant1-2437



11AX20SISO-Ant1-2462

11AX40SISO-Ant1-2422



11AX40SISO-Ant1-2437

11AX40SISO-Ant1-2452

3: Maximum conducted output power

3.1 Test Result Average

Test Mode	Ant.	Frequency [MHz]	Raw Power [dBm]	DC Factor	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	13.40	3.39	16.79	≤30.00	PASS
11B	Ant1	2437	12.92	3.39	16.31	≤30.00	PASS
11B	Ant1	2462	12.02	3.39	15.41	≤30.00	PASS
11G	Ant1	2412	5.92	9.13	15.05	≤30.00	PASS
11G	Ant1	2437	6.19	9.13	15.32	≤30.00	PASS
11G	Ant1	2462	6.89	9.13	16.02	≤30.00	PASS
11N20SISO	Ant1	2412	6.23	5.06	11.29	≤30.00	PASS
11N20SISO	Ant1	2437	9.60	5.06	14.66	≤30.00	PASS
11N20SISO	Ant1	2462	10.75	5.06	15.81	≤30.00	PASS
11N40SISO	Ant1	2422	8.83	5.16	13.99	≤30.00	PASS
11N40SISO	Ant1	2437	11.12	5.16	16.28	≤30.00	PASS
11N40SISO	Ant1	2452	10.71	5.16	15.87	≤30.00	PASS
11AX20SISO	Ant1	2412	8.37	5.41	13.78	≤30.00	PASS
11AX20SISO	Ant1	2437	8.96	5.41	14.37	≤30.00	PASS
11AX20SISO	Ant1	2462	7.43	5.41	12.84	≤30.00	PASS
11AX40SISO	Ant1	2422	6.32	5.38	11.70	≤30.00	PASS
11AX40SISO	Ant1	2437	10.78	5.38	16.16	≤30.00	PASS
11AX40SISO	Ant1	2452	9.38	5.38	14.76	≤30.00	PASS


4: Maximum power spectral density

4.1 Test Result


TestMode	Ant.	Frequency[MHz]	RawData [dBm/3kHz]	DC Factor	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-16.66	3.39	-13.27	≤8.00	PASS
11B	Ant1	2437	-17.12	3.39	-13.73	≤8.00	PASS
11B	Ant1	2462	-18.44	3.39	-15.05	≤8.00	PASS
11G	Ant1	2412	-24.44	9.13	-15.31	≤8.00	PASS
11G	Ant1	2437	-24.79	9.13	-15.66	≤8.00	PASS
11G	Ant1	2462	-24.98	9.13	-15.85	≤8.00	PASS
11N20SISO	Ant1	2412	-27.77	5.06	-22.71	≤8.00	PASS
11N20SISO	Ant1	2437	-21.75	5.06	-16.69	≤8.00	PASS
11N20SISO	Ant1	2462	-22.53	5.06	-17.47	≤8.00	PASS
11N40SISO	Ant1	2422	-32.03	5.16	-26.87	≤8.00	PASS
11N40SISO	Ant1	2437	-25.55	5.16	-20.39	≤8.00	PASS
11N40SISO	Ant1	2452	-28.24	5.16	-23.08	≤8.00	PASS
11AX20SISO	Ant1	2412	-24.55	5.41	-19.14	≤8.00	PASS
11AX20SISO	Ant1	2437	-22.78	5.41	-17.37	≤8.00	PASS
11AX20SISO	Ant1	2462	-26.26	5.41	-20.85	≤8.00	PASS
11AX40SISO	Ant1	2422	-32.91	5.38	-27.53	≤8.00	PASS
11AX40SISO	Ant1	2437	-25.25	5.38	-19.87	≤8.00	PASS
11AX40SISO	Ant1	2452	-30.39	5.38	-25.01	≤8.00	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator


4.2 Test Graphs




11B-Ant1-2412-PASS




11B-Ant1-2437-PASS




11B-Ant1-2462-PASS




11G-Ant1-2412-PASS



11G-Ant1-2437-PASS




11G-Ant1-2462-PASS




Date: 25.MAR.2026 09:04:45

11N20SISO-Ant1-2412-PASS




Date: 25.MAR.2026 09:07:59

11N20SISO-Ant1-2437-PASS




Date: 25.MAR.2026 09:09:25

11N20SISO-Ant1-2462-PASS




Date: 25.MAR.2026 09:12:14

11N40SISO-Ant1-2422-PASS




Date: 25.MAR.2026 09:15:53

11N40SISO-Ant1-2437-PASS




Date: 25.MAR.2026 09:17:39

11N40SISO-Ant1-2452-PASS




Date: 25.MAR.2026 09:30:44

11AX20SISO-Ant1-2412-PASS




Date: 25.MAR.2026 09:32:45

11AX20SISO-Ant1-2437-PASS




Date: 25.MAR.2026 12:00:02

11AX20SISO-Ant1-2462-PASS




Date: 25.MAR.2026 10:07:19

11AX40SISO-Ant1-2422-PASS



Date: 25.MAR.2026 10:11:16

11AX40SISO-Ant1-2437-PASS



Date: 25.MAR.2026 11:57:04



11AX40SISO-Ant1-2452-PASS

5: Band edge measurements

5.1 Test Result


TestMode	Ant.	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	2.77	-45.76	≤ -27.23	PASS
11B	Ant1	High	2462	7.53	-52.23	≤ -22.47	PASS
11G	Ant1	Low	2412	5.06	-30.02	≤ -24.94	PASS
11G	Ant1	High	2462	1.61	-44.44	≤ -28.39	PASS
11N20SISO	Ant1	Low	2412	-3.75	-33.84	≤ -33.75	PASS
11N20SISO	Ant1	High	2462	1.93	-42.56	≤ -28.07	PASS
11N40SISO	Ant1	Low	2422	-7.43	-38.94	≤ -37.43	PASS
11N40SISO	Ant1	High	2452	-4.11	-40.38	≤ -34.11	PASS
11AX20SISO	Ant1	Low	2412	-0.35	-31.91	≤ -30.35	PASS
11AX20SISO	Ant1	High	2462	-1.32	-44.75	≤ -31.32	PASS
11AX40SISO	Ant1	Low	2422	-7.09	-39.01	≤ -37.09	PASS
11AX40SISO	Ant1	High	2452	-4.84	-41.18	≤ -34.84	PASS

5.2 Test Graphs





11B-Ant1-2412-PASS

11B-Ant1-2462-PASS




11G-Ant1-2412-PASS

11G-Ant1-2462-PASS




11N20ISO-Ant1-2412-PASS


11N20ISO-Ant1-2462-PASS




11N40SISO-Ant1-2422-PASS




11N40SISO-Ant1-2452-PASS




11AX20SISO-Ant1-2412-PASS



11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2452-PASS

6: Conducted Spurious Emission

6.1 Test Result

TestMode	Ant.	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
TestMode	Antenna	Channel	FreqRange	RefLevel	Result	Limit	Verdict

6.2 Test Graphs

--	--

7: Duty Cycle

7.1 Test Result



TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	1/T [kHz]
11B	Ant1	2412	8.45	18.45	45.80	3.39	0.12
11G	Ant1	2412	1.40	11.45	12.23	9.13	0.71
11N20SISO	Ant1	2412	4.55	14.60	31.16	5.06	0.22
11N40SISO	Ant1	2422	4.40	14.45	30.45	5.16	0.23
11AX20SISO	Ant1	2412	4.10	14.25	28.77	5.41	0.24
11AX40SISO	Ant1	2422	4.10	14.15	28.98	5.38	0.24

Note: 1, Duty Cycle= Transmission Duration/ Transmission Period


2, DC Factor= $10 \cdot \log_{10}(1/\text{Duty Cycle})$

3, $1/T = 1/\text{Transmission Duration}$


7.2 Test Graphs




NTNV-11B-Ant1-2412




NTNV-11G-Ant1-2412



NTNV-11N20SISO-Ant1-2412



NTNV-11N40SISO-Ant1-2422



NTNV-11AX20SISO-Ant1-2412



NTNV-11AX40SISO-Ant1-2422



8: Emissions in Restricted Bands

8.1 Test Result


TestMode	Ant.	ChName	Freq. [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	Peak	2390.000	-35.69	≤-21.20	59.51	≤74	PASS
11B	Ant1	Low	2412	Peak	2310.000	-33.32	≤-21.20	61.88	≤74	PASS
11B	Ant1	Low	2412	Peak	2341.826	-32.61	≤-21.20	62.59	≤74	PASS
11B	Ant1	Low	2412	AV	2390.000	-57.9	≤-41.20	37.30	≤54	PASS
11B	Ant1	Low	2412	AV	2310.000	-61.05	≤-41.20	34.15	≤54	PASS
11B	Ant1	Low	2412	AV	2389.304	-57.12	≤-41.20	38.08	≤54	PASS
11B	Ant1	High	2462	Peak	2483.500	-35.1	≤-21.20	60.10	≤74	PASS
11B	Ant1	High	2462	Peak	2500.000	-35.17	≤-21.20	60.03	≤74	PASS
11B	Ant1	High	2462	Peak	2491.014	-33.86	≤-21.20	61.34	≤74	PASS
11B	Ant1	High	2462	AV	2483.500	-55.63	≤-41.20	39.57	≤54	PASS
11B	Ant1	High	2462	AV	2500.000	-56.42	≤-41.20	38.78	≤54	PASS
11B	Ant1	High	2462	AV	2490.696	-54.26	≤-41.20	40.94	≤54	PASS
11G	Ant1	Low	2412	Peak	2390.000	-31.54	≤-21.20	63.66	≤74	PASS
11G	Ant1	Low	2412	Peak	2310.000	-35.69	≤-21.20	59.51	≤74	PASS
11G	Ant1	Low	2412	Peak	2389.493	-30.77	≤-21.20	64.43	≤74	PASS
11G	Ant1	Low	2412	AV	2390.000	-47.2	≤-41.20	48.00	≤54	PASS
11G	Ant1	Low	2412	AV	2310.000	-61.93	≤-41.20	33.27	≤54	PASS
11G	Ant1	Low	2412	AV	2389.870	-47.79	≤-41.20	47.41	≤54	PASS
11G	Ant1	High	2462	Peak	2483.500	-29.7	≤-21.20	65.50	≤74	PASS
11G	Ant1	High	2462	Peak	2500.000	-34.09	≤-21.20	61.11	≤74	PASS
11G	Ant1	High	2462	Peak	2483.522	-29.7	≤-21.20	65.50	≤74	PASS
11G	Ant1	High	2462	AV	2483.500	-46.88	≤-41.20	48.32	≤54	PASS
11G	Ant1	High	2462	AV	2500.000	-57.63	≤-41.20	37.57	≤54	PASS
11G	Ant1	High	2462	AV	2483.681	-46.88	≤-41.20	48.32	≤54	PASS
11N20SISO	Ant1	Low	2412	Peak	2390.000	-35.28	≤-21.20	59.92	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2310.000	-34.25	≤-21.20	60.95	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2342.014	-31.59	≤-21.20	63.61	≤74	PASS
11N20SISO	Ant1	Low	2412	AV	2390.000	-50.19	≤-41.20	45.01	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2310.000	-60.34	≤-41.20	34.86	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2389.870	-50.45	≤-41.20	44.75	≤54	PASS
11N20SISO	Ant1	High	2462	Peak	2483.500	-29.62	≤-21.20	65.58	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2500.000	-33.49	≤-21.20	61.71	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2483.522	-29.62	≤-21.20	65.58	≤74	PASS
11N20SISO	Ant1	High	2462	AV	2483.500	-41.99	≤-41.20	53.21	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2500.000	-56.68	≤-41.20	38.52	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2483.522	-41.99	≤-41.20	53.21	≤54	PASS
11N40SISO	Ant1	Low	2422	Peak	2390.000	-33.08	≤-21.20	62.12	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2310.000	-33.82	≤-21.20	61.38	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2329.130	-32.73	≤-21.20	62.47	≤74	PASS
11N40SISO	Ant1	Low	2422	AV	2390.000	-44.79	≤-41.20	50.41	≤54	PASS
11N40SISO	Ant1	Low	2422	AV	2310.000	-60.97	≤-41.20	34.23	≤54	PASS

11N40SISO	Ant1	Low	2422	AV	2388.261	-45.05	≤-41.20	50.15	≤54	PASS
11N40SISO	Ant1	High	2452	Peak	2483.500	-28.96	≤-21.20	66.24	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2500.000	-34.23	≤-21.20	60.97	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2488.587	-28.22	≤-21.20	66.98	≤74	PASS
11N40SISO	Ant1	High	2452	AV	2483.500	-41.29	≤-41.20	53.91	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2500.000	-51.87	≤-41.20	43.33	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2483.514	-41.29	≤-41.20	53.91	≤54	PASS
11AX20SISO	Ant1	Low	2412	Peak	2390.000	-33.08	≤-21.20	62.12	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2310.000	-34.99	≤-21.20	60.21	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2350.116	-31.31	≤-21.20	63.89	≤74	PASS
11AX20SISO	Ant1	Low	2412	AV	2390.000	-46.36	≤-41.20	48.84	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2310.000	-59.42	≤-41.20	35.78	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2389.870	-46.7	≤-41.20	48.50	≤54	PASS
11AX20SISO	Ant1	High	2462	Peak	2483.500	-31.64	≤-21.20	63.56	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2500.000	-33.06	≤-21.20	62.14	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2485.913	-29.76	≤-21.20	65.44	≤74	PASS
11AX20SISO	Ant1	High	2462	AV	2483.500	-46.44	≤-41.20	48.76	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2500.000	-58.16	≤-41.20	37.04	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2483.522	-46.44	≤-41.20	48.76	≤54	PASS
11AX40SISO	Ant1	Low	2422	Peak	2390.000	-31.82	≤-21.20	63.38	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2310.000	-33.91	≤-21.20	61.29	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2389.348	-31.29	≤-21.20	63.91	≤74	PASS
11AX40SISO	Ant1	Low	2422	AV	2390.000	-50.96	≤-41.20	44.24	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2310.000	-61.31	≤-41.20	33.89	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2389.783	-51.08	≤-41.20	44.12	≤54	PASS
11AX40SISO	Ant1	High	2452	Peak	2483.500	-28.45	≤-21.20	66.75	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2500.000	-34.73	≤-21.20	60.47	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2483.514	-28.45	≤-21.20	66.75	≤74	PASS
11AX40SISO	Ant1	High	2452	AV	2483.500	-47.21	≤-41.20	47.99	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2500.000	-52.25	≤-41.20	42.95	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2485.145	-46.81	≤-41.20	48.39	≤54	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a), The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

8.2 Test Graphs




Date: 25.MAR.2026 08:31:29




Date: 25.MAR.2026 08:31:41

11B-Ant1-2412-PASS

11B-Ant1-2412-PASS




Date: 25.MAR.2026 08:39:55




Date: 25.MAR.2026 08:40:11

11B-Ant1-2462-PASS

11B-Ant1-2462-PASS





Date: 25.MAR.2026 08:53:18



Date: 25.MAR.2026 08:53:30



11G-Ant1-2412-PASS

11G-Ant1-2412-PASS





11G-Ant1-2462-PASS

11G-Ant1-2462-PASS





11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2412-PASS





11N20SISO-Ant1-2462-PASS

11N20SISO-Ant1-2462-PASS





11N40SISO-Ant1-2422-PASS

11N40SISO-Ant1-2422-PASS





11N40SISO-Ant1-2452-PASS

11N40SISO-Ant1-2452-PASS





11AX20SISO-Ant1-2412-PASS

11AX20SISO-Ant1-2412-PASS





11AX20ISO-Ant1-2462-PASS

11AX20ISO-Ant1-2462-PASS



11AX40ISO-Ant1-2422-PASS

11AX40ISO-Ant1-2422-PASS



11AX40ISO-Ant1-2452-PASS

11AX40ISO-Ant1-2452-PASS

-----END OF THE REPORT-----