










11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS



11AC20SISO-Ant1-5825-PASS







11AC20SISO-Ant1-5885-PASS













11AC40SISO-Ant1-5230-PASS










11AC40SISO-Ant1-5270-PASS











11AX40SISO-Ant1-5670-PASS



11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS



8: Conducted Spurious Emission

8.1 Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	916.1	-54.56	≤-27	PASS
11A	Ant1	5180	1000~40000	24778.73	-48.44	≤-27	PASS
11A	Ant1	5200	30~1000	751.55	-54.61	≤-27	PASS
11A	Ant1	5200	1000~40000	24778.73	-48.71	≤-27	PASS
11A	Ant1	5240	30~1000	889.52	-54.81	≤-27	PASS
11A	Ant1	5240	1000~40000	24652.2	-47.33	≤-27	PASS
11A	Ant1	5260	30~1000	911.96	-55.44	≤-27	PASS
11A	Ant1	5260	1000~40000	24654.8	-48.27	≤-27	PASS
11A	Ant1	5280	30~1000	481.18	-54.78	≤-27	PASS
11A	Ant1	5280	1000~40000	5381.87	-48.5	≤-27	PASS
11A	Ant1	5320	30~1000	647.37	-53.71	≤-27	PASS
11A	Ant1	5320	1000~40000	5404.4	-47.1	≤-27	PASS
11A	Ant1	5500	30~1000	663.86	-54.75	≤-27	PASS
11A	Ant1	5500	1000~40000	5410.47	-47.96	≤-27	PASS
11A	Ant1	5580	30~1000	883.31	-54.88	≤-27	PASS
11A	Ant1	5580	1000~40000	24814.27	-48.2	≤-27	PASS
11A	Ant1	5700	30~1000	681	-54.31	≤-27	PASS
11A	Ant1	5700	1000~40000	5597.67	-48.11	≤-27	PASS
11A	Ant1	5745	30~1000	865.36	-54.85	≤-27	PASS
11A	Ant1	5745	1000~40000	24691.2	-44.79	≤-27	PASS
11A	Ant1	5785	30~1000	945.23	-54.4	≤-27	PASS
11A	Ant1	5785	1000~40000	24705.93	-44.84	≤-27	PASS
11A	Ant1	5825	30~1000	717.6	-53.72	≤-27	PASS
11A	Ant1	5825	1000~40000	5698.2	-33.5	≤-27	PASS
11N20SISO	Ant1	5180	30~1000	852.3	-54.8	≤-27	PASS
11N20SISO	Ant1	5180	1000~40000	5267.47	-47.84	≤-27	PASS
11N20SISO	Ant1	5200	30~1000	552.8	-54.54	≤-27	PASS
11N20SISO	Ant1	5200	1000~40000	5280.47	-46.32	≤-27	PASS
11N20SISO	Ant1	5240	30~1000	922.43	-54.8	≤-27	PASS
11N20SISO	Ant1	5240	1000~40000	5326.4	-46.77	≤-27	PASS
11N20SISO	Ant1	5260	30~1000	868.18	-53.2	≤-27	PASS
11N20SISO	Ant1	5260	1000~40000	5345.47	-46.8	≤-27	PASS
11N20SISO	Ant1	5280	30~1000	975.65	-54.51	≤-27	PASS
11N20SISO	Ant1	5280	1000~40000	5366.27	-47.25	≤-27	PASS
11N20SISO	Ant1	5320	30~1000	967.31	-54.21	≤-27	PASS
11N20SISO	Ant1	5320	1000~40000	5404.4	-47.62	≤-27	PASS
11N20SISO	Ant1	5500	30~1000	424.24	-54.36	≤-27	PASS
11N20SISO	Ant1	5500	1000~40000	5583.8	-46.63	≤-27	PASS
11N20SISO	Ant1	5580	30~1000	745.44	-54.46	≤-27	PASS
11N20SISO	Ant1	5580	1000~40000	24689.47	-47.33	≤-27	PASS


11N20SISO	Ant1	5700	30~1000	730.24	-53.94	≤-27	PASS
11N20SISO	Ant1	5700	1000~40000	24724.13	-48.16	≤-27	PASS
11N20SISO	Ant1	5745	30~1000	828.12	-54.14	≤-27	PASS
11N20SISO	Ant1	5745	1000~40000	24769.2	-44.33	≤-27	PASS
11N20SISO	Ant1	5785	30~1000	876.75	-54.47	≤-27	PASS
11N20SISO	Ant1	5785	1000~40000	24679.07	-44.77	≤-27	PASS
11N20SISO	Ant1	5825	30~1000	31.97	-52.52	≤-27	PASS
11N20SISO	Ant1	5825	1000~40000	17480.53	-42.97	≤-27	PASS
11N40SISO	Ant1	5190	30~1000	699.82	-53.87	≤-27	PASS
11N40SISO	Ant1	5190	1000~40000	24146.93	-48.57	≤-27	PASS
11N40SISO	Ant1	5230	30~1000	823.3	-54.79	≤-27	PASS
11N40SISO	Ant1	5230	1000~40000	5381.87	-48.61	≤-27	PASS
11N40SISO	Ant1	5270	30~1000	894.92	-54.95	≤-27	PASS
11N40SISO	Ant1	5270	1000~40000	24819.47	-49.01	≤-27	PASS
11N40SISO	Ant1	5310	30~1000	805.42	-54.67	≤-27	PASS
11N40SISO	Ant1	5310	1000~40000	25861.2	-48.87	≤-27	PASS
11N40SISO	Ant1	5510	30~1000	711.94	-53.77	≤-27	PASS
11N40SISO	Ant1	5510	1000~40000	24738	-48.37	≤-27	PASS
11N40SISO	Ant1	5550	30~1000	508.73	-54.46	≤-27	PASS
11N40SISO	Ant1	5550	1000~40000	24726.73	-48.19	≤-27	PASS
11N40SISO	Ant1	5670	30~1000	923.05	-54.06	≤-27	PASS
11N40SISO	Ant1	5670	1000~40000	24829	-48.73	≤-27	PASS
11N40SISO	Ant1	5755	30~1000	728.27	-53.24	≤-27	PASS
11N40SISO	Ant1	5755	1000~40000	24734.53	-43.56	≤-27	PASS
11N40SISO	Ant1	5795	30~1000	445.29	-54.22	≤-27	PASS
11N40SISO	Ant1	5795	1000~40000	24778.73	-44.13	≤-27	PASS
11AC20SISO	Ant1	5180	30~1000	927.44	-54.64	≤-27	PASS
11AC20SISO	Ant1	5180	1000~40000	5269.2	-46.41	≤-27	PASS
11AC20SISO	Ant1	5200	30~1000	442.99	-54.38	≤-27	PASS
11AC20SISO	Ant1	5200	1000~40000	5290	-46.97	≤-27	PASS
11AC20SISO	Ant1	5240	30~1000	757.63	-55.1	≤-27	PASS
11AC20SISO	Ant1	5240	1000~40000	5325.53	-46.62	≤-27	PASS
11AC20SISO	Ant1	5260	30~1000	929.58	-54.5	≤-27	PASS
11AC20SISO	Ant1	5260	1000~40000	5342	-46.61	≤-27	PASS
11AC20SISO	Ant1	5280	30~1000	811.14	-54.76	≤-27	PASS
11AC20SISO	Ant1	5280	1000~40000	5367.13	-47.9	≤-27	PASS
11AC20SISO	Ant1	5320	30~1000	410.5	-55.24	≤-27	PASS
11AC20SISO	Ant1	5320	1000~40000	5414.8	-47.95	≤-27	PASS
11AC20SISO	Ant1	5500	30~1000	462.94	-54.42	≤-27	PASS
11AC20SISO	Ant1	5500	1000~40000	5584.67	-46.37	≤-27	PASS
11AC20SISO	Ant1	5580	30~1000	800.83	-54.9	≤-27	PASS
11AC20SISO	Ant1	5580	1000~40000	5497.13	-48.02	≤-27	PASS
11AC20SISO	Ant1	5700	30~1000	869.44	-54.57	≤-27	PASS
11AC20SISO	Ant1	5700	1000~40000	5619.33	-46.14	≤-27	PASS
11AC20SISO	Ant1	5745	30~1000	960.68	-54.87	≤-27	PASS

11AC20SISO	Ant1	5745	1000~40000	24745.8	-44.22	≤-27	PASS
11AC20SISO	Ant1	5785	30~1000	882.95	-54.58	≤-27	PASS
11AC20SISO	Ant1	5785	1000~40000	24733.67	-44.22	≤-27	PASS
11AC20SISO	Ant1	5825	30~1000	828.15	-54.48	≤-27	PASS
11AC20SISO	Ant1	5825	1000~40000	25365.47	-44.73	≤-27	PASS
11AC40SISO	Ant1	5190	30~1000	434.36	-55.11	≤-27	PASS
11AC40SISO	Ant1	5190	1000~40000	24715.47	-47.77	≤-27	PASS
11AC40SISO	Ant1	5230	30~1000	433.1	-54.65	≤-27	PASS
11AC40SISO	Ant1	5230	1000~40000	24722.4	-48.37	≤-27	PASS
11AC40SISO	Ant1	5270	30~1000	915.55	-54.25	≤-27	PASS
11AC40SISO	Ant1	5270	1000~40000	24698.13	-48.56	≤-27	PASS
11AC40SISO	Ant1	5310	30~1000	915.93	-53.84	≤-27	PASS
11AC40SISO	Ant1	5310	1000~40000	24735.4	-47.78	≤-27	PASS
11AC40SISO	Ant1	5510	30~1000	880.72	-53.79	≤-27	PASS
11AC40SISO	Ant1	5510	1000~40000	24791.73	-48.9	≤-27	PASS
11AC40SISO	Ant1	5550	30~1000	855.18	-54.28	≤-27	PASS
11AC40SISO	Ant1	5550	1000~40000	24779.6	-49.04	≤-27	PASS
11AC40SISO	Ant1	5670	30~1000	923.4	-54.67	≤-27	PASS
11AC40SISO	Ant1	5670	1000~40000	24691.2	-48.72	≤-27	PASS
11AC40SISO	Ant1	5755	30~1000	746.38	-54.47	≤-27	PASS
11AC40SISO	Ant1	5755	1000~40000	24761.4	-44.24	≤-27	PASS
11AC40SISO	Ant1	5795	30~1000	902.64	-54.43	≤-27	PASS
11AC40SISO	Ant1	5795	1000~40000	24798.67	-44.6	≤-27	PASS
11AX20SISO	Ant1	5180	30~1000	968.83	-54.27	≤-27	PASS
11AX20SISO	Ant1	5180	1000~40000	24704.2	-47.2	≤-27	PASS
11AX20SISO	Ant1	5200	30~1000	732.09	-54.36	≤-27	PASS
11AX20SISO	Ant1	5200	1000~40000	5280.47	-46.54	≤-27	PASS
11AX20SISO	Ant1	5240	30~1000	989.82	-54.37	≤-27	PASS
11AX20SISO	Ant1	5240	1000~40000	5322.93	-47.95	≤-27	PASS
11AX20SISO	Ant1	5260	30~1000	411.21	-53.54	≤-27	PASS
11AX20SISO	Ant1	5260	1000~40000	5172.13	-47.68	≤-27	PASS
11AX20SISO	Ant1	5280	30~1000	937.08	-54.3	≤-27	PASS
11AX20SISO	Ant1	5280	1000~40000	24757.93	-46.78	≤-27	PASS
11AX20SISO	Ant1	5320	30~1000	757.31	-54.31	≤-27	PASS
11AX20SISO	Ant1	5320	1000~40000	8512.27	-46.41	≤-27	PASS
11AX20SISO	Ant1	5500	30~1000	995.51	-53.22	≤-27	PASS
11AX20SISO	Ant1	5500	1000~40000	8800	-43.87	≤-27	PASS
11AX20SISO	Ant1	5580	30~1000	612.36	-54.66	≤-27	PASS
11AX20SISO	Ant1	5580	1000~40000	8928.27	-42.73	≤-27	PASS
11AX20SISO	Ant1	5700	30~1000	922.11	-53.96	≤-27	PASS
11AX20SISO	Ant1	5700	1000~40000	5619.33	-45.57	≤-27	PASS
11AX20SISO	Ant1	5745	30~1000	891.46	-53.69	≤-27	PASS
11AX20SISO	Ant1	5745	1000~40000	5661.8	-43.07	≤-27	PASS
11AX20SISO	Ant1	5785	30~1000	501.39	-54.51	≤-27	PASS
11AX20SISO	Ant1	5785	1000~40000	5686.93	-43.43	≤-27	PASS


11AX20SISO	Ant1	5825	30~1000	839.76	-53.82	≤-27	PASS
11AX20SISO	Ant1	5825	1000~40000	24794.33	-44.59	≤-27	PASS
11AX40SISO	Ant1	5190	30~1000	978.18	-54.8	≤-27	PASS
11AX40SISO	Ant1	5190	1000~40000	24635.73	-48.4	≤-27	PASS
11AX40SISO	Ant1	5230	30~1000	342.76	-54.5	≤-27	PASS
11AX40SISO	Ant1	5230	1000~40000	2460.33	-46.72	≤-27	PASS
11AX40SISO	Ant1	5270	30~1000	815.7	-55.67	≤-27	PASS
11AX40SISO	Ant1	5270	1000~40000	24736.27	-48.68	≤-27	PASS
11AX40SISO	Ant1	5310	30~1000	879.78	-54.86	≤-27	PASS
11AX40SISO	Ant1	5310	1000~40000	8496.67	-46.85	≤-27	PASS
11AX40SISO	Ant1	5510	30~1000	667.06	-54.35	≤-27	PASS
11AX40SISO	Ant1	5510	1000~40000	8816.47	-43.58	≤-27	PASS
11AX40SISO	Ant1	5550	30~1000	916.39	-55.23	≤-27	PASS
11AX40SISO	Ant1	5550	1000~40000	16654.6	-37.21	≤-27	PASS
11AX40SISO	Ant1	5670	30~1000	915.19	-54.46	≤-27	PASS
11AX40SISO	Ant1	5670	1000~40000	17005.6	-30.17	≤-27	PASS
11AX40SISO	Ant1	5755	30~1000	843.47	-54.43	≤-27	PASS
11AX40SISO	Ant1	5755	1000~40000	17255.2	-30.41	≤-27	PASS
11AX40SISO	Ant1	5795	30~1000	30.36	-54.74	≤-27	PASS
11AX40SISO	Ant1	5795	1000~40000	17385.2	-27.52	≤-27	PASS

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
TestMode	Antenna	Channel	FreqRange	RefLevel	Result	Limit	Verdict


8.2 Test Graphs



11A-Ant1-5180-30~1000-PASS




11A-Ant1-5180-1000~40000-PASS




11A-Ant1-5200-30~1000-PASS





11A-Ant1-5200-1000~40000-PASS



11A-Ant1-5240-30~1000-PASS





11A-Ant1-5240-1000~40000-PASS





11A-Ant1-5260-30~1000-PASS

11A-Ant1-5260-1000~40000-PASS



11A-Ant1-5280-30~1000-PASS

11A-Ant1-5280-1000~40000-PASS



11A-Ant1-5320-30~1000-PASS

11A-Ant1-5320-1000~40000-PASS