
Product specifications acknowledgment

Manufacturer: Shenzhen Helixun Technology Co., LTD

Description: BT Antenna

Product Type: YTX-TX-003022A


Shenzhen Helixun Technology Co., LTD
Room 2504-1, Block 6, Building 1, East Yingjun Holiday Plaza, No. 3036 Buji Section,
Longgang Avenue, Danzhu Tou Community, Nanwan Street, Longgang District,
Shenzhen

1、Cover.	1
2、Index.	2
3、Product Specification.	3
4、Product Drawing.	3
5、Test Equipment & Conditions.	4
6、Test Report.	5

Product Specification


Main technical specifications			
Frequency Range (MHz)		2400-2500MHz	
Impedance (Ω)		50	
Gain (dB)		1. 22	
VSWR		≤2	
Physical Properties			
Size (mm)	30*21		
Material	FPC		
Cable	SY113	black	250mm

Product Drawing




Test Equipment & Conditions

Sequence Number	Test Item	equipment
S parameter	VSWR	Agilent 5071C Agilent 5071B
OTA Test	TRP&TIS	Agilent 8960 RS CMW500 ETS SATIMO
Gain & Efficiency	Gain & Efficiency	ETS SATIMO Agilent 5071C





Test Report


S11 Parameter-VSWR



Frequency(MHz)	2400	2450	2480	2500
VSWR	1.47	1.64	1.68	1.96

Radiation Pattern (3D)





Efficiency

Freq (MHz)	Gain (dB)	Eff (dB)
2400	1.22	-3.73
2410	0.6	-3.91
2420	0.54	-4.13
2430	0.46	-4.45
2440	0.47	-4.75
2450	0.31	-4.87
2460	0.33	-4.93
2470	0.34	-5.04
2480	0.4	-5.07
2490	0.71	-5.02
2500	0.95	-5