# Appendix _g: Test Data for SA-N38

**Product Name: Smart Phone**

**Test Model: BraX3**

## Environmental Conditions

| | |
|---|---|
| Temperature: | 23.8°C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Paddi Chen |
| Supervised by: | Nick Peng |

# g.1 Conducted Output Power Data

## TestResult

| Band | Bandwidth | SCS | Channel | TestID | TestConfig | Value | LowLimit | UpLimit | Result |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 10MHz | 30kHz | 515000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.63 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.60 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.64 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.22 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.13 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.65 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.61 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.85 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.76 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.65 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.72 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.63 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.57 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.72 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.42 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.38 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.39 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.32 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.19 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.41 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.06 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.03 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.11 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.74 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.59 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.80 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.68 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.67 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.41 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.39 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.45 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.35 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.75 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 10MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.89 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.82 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.28 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.45 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.41 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.78 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.89 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.99 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.76 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.00 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.89 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.78 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.92 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.91 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.46 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.59 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.50 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.33 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.52 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.64 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.05 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.29 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.22 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.68 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.86 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.82 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.30 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.54 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.57 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.52 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.77 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.40 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.92 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.98 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.96 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.49 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.54 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.54 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.89 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.92 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.13 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.94 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.99 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 10MHz | 30kHz | 523000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.04 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.98 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.06 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.05 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.63 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.60 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.63 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.54 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.57 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.76 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.53 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.55 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.34 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.86 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.86 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.08 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.66 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.70 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.69 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.78 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.79 | -99.90 | 33.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.71 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.69 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.67 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.72 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.24 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.25 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.70 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.65 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.69 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.73 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.67 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.78 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.57 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.49 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.76 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.44 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.47 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.37 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.34 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.27 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.37 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 15MHz | 30kHz | 515500 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.02 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 18.93 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.25 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.67 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.64 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.82 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.35 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.31 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.33 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.49 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.45 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.47 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.68 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.90 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.84 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.46 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.33 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.58 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.82 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.81 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.65 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.85 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.87 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.62 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.83 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.90 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.49 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.50 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.45 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.18 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.50 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.47 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.07 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.38 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.18 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.62 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.81 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.93 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.30 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.52 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.40 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.45 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 15MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.67 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.55 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.83 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.90 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.95 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.39 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.47 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.44 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.77 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.85 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.96 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.86 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.02 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.00 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.72 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.78 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.00 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.48 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.48 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.56 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.50 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.53 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.62 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.21 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.24 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.52 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.74 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.76 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.99 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.53 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.59 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.55 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.67 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.66 | -99.90 | 33.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.71 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.67 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.70 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.75 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.21 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.26 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.69 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.63 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 20MHz | 30kHz | 516000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.74 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.72 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.75 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.78 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.52 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.66 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.76 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.52 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.34 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.34 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.33 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.28 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.30 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.25 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.21 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.27 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.68 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.73 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.78 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.51 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.57 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.35 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.47 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.53 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.37 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.66 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.96 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.85 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.16 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.50 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.37 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.59 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.88 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.87 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.67 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.98 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.89 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.61 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.81 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.87 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.35 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.65 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.45 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 20MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.27 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.49 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.48 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.00 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.24 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.36 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.63 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.82 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.88 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.35 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.61 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.54 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.37 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.69 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.50 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.84 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.96 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.01 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.41 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.52 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.52 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.78 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.87 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.03 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.85 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.93 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.02 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.83 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.99 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.03 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.55 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.65 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.62 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.42 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.50 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.64 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.20 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.33 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.53 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.77 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.84 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.08 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.52 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 20MHz | 30kHz | 522000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.68 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.67 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.64 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.74 | -99.90 | 33.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.65 | -99.90 | 33.00 | PASS |

## TestResult

| Band | Bandwidth | SCS | Channel | TestID | TestConfig | Value | LowLimit | UpLimit | Result |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 25MHz | 30kHz | 516500 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.68 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 20.84 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.78 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.39 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.38 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.67 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.74 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.83 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.82 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 19.95 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.90 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.63 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.83 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.85 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.58 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.59 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.42 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.39 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.49 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.40 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.07 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.21 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.27 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.68 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.82 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.82 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.32 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.46 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.36 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.47 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.67 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.48 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 25MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.77 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.14 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.00 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.31 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.65 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.55 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.76 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.14 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.02 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.82 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.22 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.07 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.61 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.04 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.03 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.50 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.80 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.65 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.34 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.75 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.59 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.14 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.47 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.52 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.72 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.96 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.01 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.36 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.73 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.57 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.58 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.88 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.67 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.84 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.09 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.11 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.39 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.64 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.64 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.80 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.02 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.14 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.84 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 25MHz | 30kHz | 521500 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.05 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.14 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.88 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.05 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.13 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.49 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.70 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.71 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.49 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.69 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.72 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 17.87 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.58 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.66 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.85 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.05 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.10 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.50 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.87 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.71 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.73 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.87 | -99.90 | 33.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.75 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.83 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.08 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.86 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.31 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.60 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.45 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.75 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 20.95 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.90 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.85 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.09 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.97 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.72 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.00 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.95 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.55 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.69 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.41 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.43 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.68 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 30MHz | 30kHz | 517000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.46 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.25 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.39 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.42 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.81 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 18.98 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.99 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.42 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.56 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.46 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.57 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.69 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.54 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.77 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.13 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.99 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.29 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.70 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.51 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.73 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.11 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.99 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.83 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.13 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.06 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.60 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.99 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.03 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.49 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.85 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.56 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.44 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.79 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.56 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.15 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.55 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.53 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.70 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.04 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.07 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.23 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.83 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.61 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 30MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.54 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.90 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.65 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.86 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.13 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.12 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.37 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.72 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.62 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.74 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.07 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.13 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.78 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.08 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.15 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.73 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.18 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.19 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.65 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.92 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.74 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.45 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.73 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.69 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.21 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.65 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.63 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.71 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.08 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.21 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.42 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.82 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.73 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.58 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.93 | -99.90 | 33.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.78 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.75 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.14 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 20.92 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.27 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.66 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.49 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.74 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 40MHz | 30kHz | 518000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.08 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 20.90 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.79 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.10 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 19.98 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.67 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.07 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 19.95 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.62 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.92 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.49 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.37 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.70 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.51 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.16 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.57 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.41 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.71 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.05 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 18.92 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.27 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.80 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.50 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.51 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.83 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.55 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.73 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.21 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.01 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.28 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.74 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.56 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.70 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.08 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.01 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.85 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.22 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.06 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.66 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.08 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.00 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.40 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.81 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 40MHz | 30kHz | 519000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.57 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.30 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.72 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.56 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.11 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.62 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.51 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.75 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.07 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.02 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.38 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.80 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.60 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.48 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.86 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.66 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 1 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Left:PC3 | 20.66 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 2 | DFT-s-OFDM PI/2 BPSK^Inner_1RB_Right:PC3 | 21.12 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 3 | DFT-s-OFDM PI/2 BPSK^Inner_Full:PC3 | 21.05 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 4 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3 | 20.21 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 5 | DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3 | 20.65 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 6 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 20.55 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 7 | DFT-s-OFDM QPSK^Inner_1RB_Left:PC3 | 20.67 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 8 | DFT-s-OFDM QPSK^Inner_1RB_Right:PC3 | 21.12 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 9 | DFT-s-OFDM QPSK^Inner_Full:PC3 | 21.03 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 10 | DFT-s-OFDM QPSK^Edge_1RB_Left:PC3 | 19.71 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 11 | DFT-s-OFDM QPSK^Edge_1RB_Right:PC3 | 20.20 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 12 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 20.02 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 13 | DFT-s-OFDM 16QAM^Inner_1RB_Left:PC3 | 19.56 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 14 | DFT-s-OFDM 16QAM^Inner_1RB_Right:PC3 | 20.12 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 15 | DFT-s-OFDM 16QAM^Inner_Full:PC3 | 20.09 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 16 | DFT-s-OFDM 64QAM^Inner_1RB_Left:PC3 | 18.41 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 17 | DFT-s-OFDM 64QAM^Inner_1RB_Right:PC3 | 18.84 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 18 | DFT-s-OFDM 64QAM^Inner_Full:PC3 | 18.59 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 19 | DFT-s-OFDM 256QAM^Inner_1RB_Left:PC3 | 16.32 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 20 | DFT-s-OFDM 256QAM^Inner_1RB_Right:PC3 | 16.71 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 21 | DFT-s-OFDM 256QAM^Inner_Full:PC3 | 16.64 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 22 | CP-OFDM QPSK^Inner_1RB_Left:PC3 | 19.04 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 23 | CP-OFDM QPSK^Inner_1RB_Right:PC3 | 19.53 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 24 | CP-OFDM QPSK^Inner_Full:PC3 | 19.52 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 25 | CP-OFDM 16QAM^Inner_1RB_Left:PC3 | 18.66 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 26 | CP-OFDM 16QAM^Inner_1RB_Right:PC3 | 19.06 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 27 | CP-OFDM 16QAM^Inner_Full:PC3 | 19.06 | -99.90 | 33.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 40MHz | 30kHz | 520000 | 28 | CP-OFDM 64QAM^Inner_1RB_Left:PC3 | 17.32 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 29 | CP-OFDM 64QAM^Inner_1RB_Right:PC3 | 17.64 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 30 | CP-OFDM 64QAM^Inner_Full:PC3 | 17.64 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 31 | CP-OFDM 256QAM^Inner_1RB_Left:PC3 | 14.45 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 32 | CP-OFDM 256QAM^Inner_1RB_Right:PC3 | 14.86 | -99.90 | 33.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 33 | CP-OFDM 256QAM^Inner_Full:PC3 | 14.72 | -99.90 | 33.00 | PASS |

## g.2 Peak to average ratio

### TestResult

| Band | Bandwidth | SCS | Channel | TestID | TestConfig | Value | LowLimit | UpLimit | Result |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 10MHz | 30kHz | 515000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 7.0 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 8.0 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 515000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.5 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.1 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.8 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.4 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.3 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 3.9 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 4.8 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.6 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.7 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.0 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.0 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.3 | 0.00 | 13.00 | PASS |
| n38 | 10MHz | 30kHz | 523000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.2 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.5 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.0 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.6 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.6 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 515500 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.7 | 0.00 | 13.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 15MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.4 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.6 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.0 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.7 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.4 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.1 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.0 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.3 | 0.00 | 13.00 | PASS |
| n38 | 15MHz | 30kHz | 522500 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.4 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.6 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 516000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.8 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.2 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.6 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.6 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.6 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.7 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.1 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.0 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.8 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.0 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.3 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.3 | 0.00 | 13.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 20MHz | 30kHz | 522000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 20MHz | 30kHz | 522000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.6 | 0.00 | 13.00 | PASS |

## TestResult

| Band | Bandwidth | SCS | Channel | TestID | TestConfig | Value | LowLimit | UpLimit | Result |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 25MHz | 30kHz | 516500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.4 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.4 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 516500 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.7 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.2 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.0 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.4 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.6 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.5 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.1 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.4 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.6 | 0.00 | 13.00 | PASS |
| n38 | 25MHz | 30kHz | 521500 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.5 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.4 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.4 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.0 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.7 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 8.0 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 517000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.6 | 0.00 | 13.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 30MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.3 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.2 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.7 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.5 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.1 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.2 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.4 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.5 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 30MHz | 30kHz | 521000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.4 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.4 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.1 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.4 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.6 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 8.0 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 518000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.5 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 6.0 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 8.0 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 519000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.4 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 1 | DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3 | 4.2 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 2 | DFT-s-OFDM QPSK^Outer_Full:PC3 | 5.3 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 3 | DFT-s-OFDM 16QAM^Outer_Full:PC3 | 5.9 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 4 | DFT-s-OFDM 64QAM^Outer_Full:PC3 | 6.3 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 5 | DFT-s-OFDM 256QAM^Outer_Full:PC3 | 6.5 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 6 | CP-OFDM QPSK^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 7 | CP-OFDM 16QAM^Outer_Full:PC3 | 7.8 | 0.00 | 13.00 | PASS |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| n38 | 40MHz | 30kHz | 520000 | 8 | CP-OFDM 64QAM^Outer_Full:PC3 | 7.9 | 0.00 | 13.00 | PASS |
| n38 | 40MHz | 30kHz | 520000 | 9 | CP-OFDM 256QAM^Outer_Full:PC3 | 8.3 | 0.00 | 13.00 | PASS |

**TestGraph**

n38_10MHz_30kHz_515000_DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3

n38_10MHz_30kHz_515000_DFT-s-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_515000_DFT-s-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_515000_DFT-s-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_515000_DFT-s-OFDM 256QAM^Outer_Full:PC3

n38_10MHz_30kHz_515000_CP-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_515000_CP-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_515000_CP-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_515000_CP-OFDM 256QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3

n38_10MHz_30kHz_519000_DFT-s-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_519000_DFT-s-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_DFT-s-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_DFT-s-OFDM 256QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_CP-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_519000_CP-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_CP-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_519000_CP-OFDM 256QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3

n38_10MHz_30kHz_523000_DFT-s-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_523000_DFT-s-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_DFT-s-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_DFT-s-OFDM 256QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_CP-OFDM QPSK^Outer_Full:PC3

n38_10MHz_30kHz_523000_CP-OFDM 16QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_CP-OFDM 64QAM^Outer_Full:PC3

n38_10MHz_30kHz_523000_CP-OFDM 256QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3

n38_15MHz_30kHz_515500_DFT-s-OFDM QPSK^Outer_Full:PC3

n38_15MHz_30kHz_515500_DFT-s-OFDM 16QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_DFT-s-OFDM 64QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_DFT-s-OFDM 256QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_CP-OFDM QPSK^Outer_Full:PC3

n38_15MHz_30kHz_515500_CP-OFDM 16QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_CP-OFDM 64QAM^Outer_Full:PC3

n38_15MHz_30kHz_515500_CP-OFDM 256QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3

n38_15MHz_30kHz_519000_DFT-s-OFDM QPSK^Outer_Full:PC3

n38_15MHz_30kHz_519000_DFT-s-OFDM 16QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_DFT-s-OFDM 64QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_DFT-s-OFDM 256QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_CP-OFDM QPSK^Outer_Full:PC3

n38_15MHz_30kHz_519000_CP-OFDM 16QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_CP-OFDM 64QAM^Outer_Full:PC3

n38_15MHz_30kHz_519000_CP-OFDM 256QAM^Outer_Full:PC3