

Appendix - LTE Band_2

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	18.19	-2.11	16.08	<=33.01	Pass
			2	18.32	-2.11	16.21	<=33.01	Pass
			5	18.21	-2.11	16.10	<=33.01	Pass
		3	0	18.29	-2.11	16.18	<=33.01	Pass
			2	18.31	-2.11	16.20	<=33.01	Pass
			3	18.30	-2.11	16.19	<=33.01	Pass
		6	0	17.31	-2.11	15.20	<=33.01	Pass
	1880	1	0	17.87	-2.11	15.76	<=33.01	Pass
			2	17.95	-2.11	15.84	<=33.01	Pass
			5	17.85	-2.11	15.74	<=33.01	Pass
		3	0	17.99	-2.11	15.88	<=33.01	Pass
			2	18.01	-2.11	15.90	<=33.01	Pass
			3	17.97	-2.11	15.86	<=33.01	Pass
		6	0	17.00	-2.11	14.89	<=33.01	Pass
	1909.3	1	0	18.05	-2.11	15.94	<=33.01	Pass
			2	18.16	-2.11	16.05	<=33.01	Pass
			5	18.05	-2.11	15.94	<=33.01	Pass
		3	0	18.12	-2.11	16.01	<=33.01	Pass
			2	18.13	-2.11	16.02	<=33.01	Pass
			3	18.10	-2.11	15.99	<=33.01	Pass
		6	0	17.15	-2.11	15.04	<=33.01	Pass
16QAM	1850.7	1	0	17.40	-2.11	15.29	<=33.01	Pass
			2	17.51	-2.11	15.40	<=33.01	Pass
			5	17.39	-2.11	15.28	<=33.01	Pass
		3	0	17.33	-2.11	15.22	<=33.01	Pass
			2	17.31	-2.11	15.20	<=33.01	Pass
			3	17.30	-2.11	15.19	<=33.01	Pass
		6	0	16.32	-2.11	14.21	<=33.01	Pass
	1880	1	0	16.92	-2.11	14.81	<=33.01	Pass
			2	17.01	-2.11	14.90	<=33.01	Pass
			5	16.91	-2.11	14.80	<=33.01	Pass
		3	0	17.16	-2.11	15.05	<=33.01	Pass
			2	17.23	-2.11	15.12	<=33.01	Pass
			3	17.20	-2.11	15.09	<=33.01	Pass
		6	0	15.99	-2.11	13.88	<=33.01	Pass
	1909.3	1	0	17.08	-2.11	14.97	<=33.01	Pass
			2	17.18	-2.11	15.07	<=33.01	Pass
			5	17.10	-2.11	14.99	<=33.01	Pass
		3	0	17.20	-2.11	15.09	<=33.01	Pass
			2	17.18	-2.11	15.07	<=33.01	Pass
			3	17.17	-2.11	15.06	<=33.01	Pass
		6	0	16.05	-2.11	13.94	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
----------------------------------	--	--	--	--	--	--	--	--

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 1 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	18.51	-2.11	16.40	<=33.01	Pass
			7	18.63	-2.11	16.52	<=33.01	Pass
			14	18.47	-2.11	16.36	<=33.01	Pass
		8	0	17.51	-2.11	15.40	<=33.01	Pass
			4	17.55	-2.11	15.44	<=33.01	Pass
			7	17.50	-2.11	15.39	<=33.01	Pass
		15	0	17.49	-2.11	15.38	<=33.01	Pass
	1880	1	0	18.07	-2.11	15.96	<=33.01	Pass
			7	18.20	-2.11	16.09	<=33.01	Pass
			14	18.03	-2.11	15.92	<=33.01	Pass
		8	0	17.14	-2.11	15.03	<=33.01	Pass
			4	17.14	-2.11	15.03	<=33.01	Pass
			7	17.09	-2.11	14.98	<=33.01	Pass
		15	0	17.11	-2.11	15.00	<=33.01	Pass
	1908.5	1	0	18.42	-2.11	16.31	<=33.01	Pass
			7	18.52	-2.11	16.41	<=33.01	Pass
			14	18.35	-2.11	16.24	<=33.01	Pass
		8	0	17.44	-2.11	15.33	<=33.01	Pass
			4	17.50	-2.11	15.39	<=33.01	Pass
			7	17.44	-2.11	15.33	<=33.01	Pass
		15	0	17.46	-2.11	15.35	<=33.01	Pass
16QAM	1851.5	1	0	17.54	-2.11	15.43	<=33.01	Pass
			7	17.69	-2.11	15.58	<=33.01	Pass
			14	17.49	-2.11	15.38	<=33.01	Pass
		8	0	16.54	-2.11	14.43	<=33.01	Pass
			4	16.60	-2.11	14.49	<=33.01	Pass
			7	16.54	-2.11	14.43	<=33.01	Pass
		15	0	16.55	-2.11	14.44	<=33.01	Pass
	1880	1	0	17.29	-2.11	15.18	<=33.01	Pass
			7	17.40	-2.11	15.29	<=33.01	Pass
			14	17.25	-2.11	15.14	<=33.01	Pass
		8	0	16.11	-2.11	14.00	<=33.01	Pass
			4	16.13	-2.11	14.02	<=33.01	Pass
			7	16.06	-2.11	13.95	<=33.01	Pass
		15	0	16.07	-2.11	13.96	<=33.01	Pass
	1908.5	1	0	17.93	-2.11	15.82	<=33.01	Pass
			7	18.07	-2.11	15.96	<=33.01	Pass
			14	17.91	-2.11	15.80	<=33.01	Pass
		8	0	16.61	-2.11	14.50	<=33.01	Pass
			4	16.66	-2.11	14.55	<=33.01	Pass
			7	16.61	-2.11	14.50	<=33.01	Pass
		15	0	16.53	-2.11	14.42	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	18.29	-2.11	16.18	<=33.01	Pass
			13	18.38	-2.11	16.27	<=33.01	Pass
			24	18.24	-2.11	16.13	<=33.01	Pass
		12	0	17.35	-2.11	15.24	<=33.01	Pass
			6	17.42	-2.11	15.31	<=33.01	Pass
			13	17.41	-2.11	15.30	<=33.01	Pass
		25	0	17.35	-2.11	15.24	<=33.01	Pass
	1880	1	0	17.70	-2.11	15.59	<=33.01	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 2 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

16QAM	1907.5	12	13	17.79	-2.11	15.68	<=33.01	Pass
			24	17.66	-2.11	15.55	<=33.01	Pass
			0	16.83	-2.11	14.72	<=33.01	Pass
		25	6	16.83	-2.11	14.72	<=33.01	Pass
			13	16.77	-2.11	14.66	<=33.01	Pass
			0	16.79	-2.11	14.68	<=33.01	Pass
		1	0	18.03	-2.11	15.92	<=33.01	Pass
			13	18.12	-2.11	16.01	<=33.01	Pass
			24	17.83	-2.11	15.72	<=33.01	Pass
		12	0	16.91	-2.11	14.80	<=33.01	Pass
			6	16.88	-2.11	14.77	<=33.01	Pass
			13	16.65	-2.11	14.54	<=33.01	Pass
		25	0	16.74	-2.11	14.63	<=33.01	Pass
	1852.5	1	0	17.42	-2.11	15.31	<=33.01	Pass
			13	17.53	-2.11	15.42	<=33.01	Pass
			24	17.38	-2.11	15.27	<=33.01	Pass
		12	0	16.30	-2.11	14.19	<=33.01	Pass
			6	16.39	-2.11	14.28	<=33.01	Pass
			13	16.35	-2.11	14.24	<=33.01	Pass
		25	0	16.39	-2.11	14.28	<=33.01	Pass
		1	0	16.99	-2.11	14.88	<=33.01	Pass
			13	17.11	-2.11	15.00	<=33.01	Pass
			24	16.95	-2.11	14.84	<=33.01	Pass
		12	0	15.83	-2.11	13.72	<=33.01	Pass
			6	15.87	-2.11	13.76	<=33.01	Pass
			13	15.79	-2.11	13.68	<=33.01	Pass
		25	0	15.80	-2.11	13.69	<=33.01	Pass
	1907.5	1	0	16.48	-2.11	14.37	<=33.01	Pass
			13	16.60	-2.11	14.49	<=33.01	Pass
			24	16.44	-2.11	14.33	<=33.01	Pass
		12	0	15.71	-2.11	13.60	<=33.01	Pass
			6	15.70	-2.11	13.59	<=33.01	Pass
			13	15.66	-2.11	13.55	<=33.01	Pass
		25	0	15.76	-2.11	13.65	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	18.69	-2.11	16.58	<=33.01	Pass
			25	18.79	-2.11	16.68	<=33.01	Pass
			49	18.55	-2.11	16.44	<=33.01	Pass
		25	0	17.66	-2.11	15.55	<=33.01	Pass
			13	17.65	-2.11	15.54	<=33.01	Pass
			25	17.59	-2.11	15.48	<=33.01	Pass
		50	0	17.50	-2.11	15.39	<=33.01	Pass
		1	0	17.95	-2.11	15.84	<=33.01	Pass
			25	18.03	-2.11	15.92	<=33.01	Pass
			49	17.84	-2.11	15.73	<=33.01	Pass
		25	0	16.98	-2.11	14.87	<=33.01	Pass
			13	16.94	-2.11	14.83	<=33.01	Pass
			25	16.89	-2.11	14.78	<=33.01	Pass
	1880	50	0	16.90	-2.11	14.79	<=33.01	Pass
		1	0	17.30	-2.11	15.19	<=33.01	Pass
			25	17.39	-2.11	15.28	<=33.01	Pass
			49	17.23	-2.11	15.12	<=33.01	Pass
		25	0	16.35	-2.11	14.24	<=33.01	Pass

16QAM	1855	50	13	16.29	-2.11	14.18	<=33.01	Pass
			25	16.18	-2.11	14.07	<=33.01	Pass
			0	16.25	-2.11	14.14	<=33.01	Pass
		1	0	17.23	-2.11	15.12	<=33.01	Pass
			25	17.42	-2.11	15.31	<=33.01	Pass
			49	17.25	-2.11	15.14	<=33.01	Pass
		25	0	16.27	-2.11	14.16	<=33.01	Pass
			13	16.27	-2.11	14.16	<=33.01	Pass
			25	16.31	-2.11	14.20	<=33.01	Pass
		50	0	16.25	-2.11	14.14	<=33.01	Pass
	1880	1	0	17.06	-2.11	14.95	<=33.01	Pass
			25	17.20	-2.11	15.09	<=33.01	Pass
			49	17.01	-2.11	14.90	<=33.01	Pass
		25	0	15.97	-2.11	13.86	<=33.01	Pass
			13	15.97	-2.11	13.86	<=33.01	Pass
			25	15.92	-2.11	13.81	<=33.01	Pass
		50	0	15.95	-2.11	13.84	<=33.01	Pass
	1905	1	0	16.81	-2.11	14.70	<=33.01	Pass
			25	16.89	-2.11	14.78	<=33.01	Pass
			49	16.74	-2.11	14.63	<=33.01	Pass
		25	0	15.41	-2.11	13.30	<=33.01	Pass
			13	15.32	-2.11	13.21	<=33.01	Pass
			25	15.22	-2.11	13.11	<=33.01	Pass
		50	0	15.28	-2.11	13.17	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	17.97	-2.11	15.86	<=33.01	Pass
			38	17.77	-2.11	15.66	<=33.01	Pass
			74	17.37	-2.11	15.26	<=33.01	Pass
		36	0	16.59	-2.11	14.48	<=33.01	Pass
			18	16.56	-2.11	14.45	<=33.01	Pass
			39	16.54	-2.11	14.43	<=33.01	Pass
		75	0	16.57	-2.11	14.46	<=33.01	Pass
	1880	1	0	17.22	-2.11	15.11	<=33.01	Pass
			38	17.30	-2.11	15.19	<=33.01	Pass
			74	17.17	-2.11	15.06	<=33.01	Pass
		36	0	16.37	-2.11	14.26	<=33.01	Pass
			18	16.32	-2.11	14.21	<=33.01	Pass
			39	16.29	-2.11	14.18	<=33.01	Pass
		75	0	16.36	-2.11	14.25	<=33.01	Pass
	1902.5	1	0	17.96	-2.11	15.85	<=33.01	Pass
			38	17.96	-2.11	15.85	<=33.01	Pass
			74	17.83	-2.11	15.72	<=33.01	Pass
		36	0	17.06	-2.11	14.95	<=33.01	Pass
			18	17.07	-2.11	14.96	<=33.01	Pass
			39	16.95	-2.11	14.84	<=33.01	Pass
		75	0	17.01	-2.11	14.90	<=33.01	Pass
16QAM	1857.5	1	0	16.87	-2.11	14.76	<=33.01	Pass
			38	16.93	-2.11	14.82	<=33.01	Pass
			74	16.77	-2.11	14.66	<=33.01	Pass
		36	0	15.53	-2.11	13.42	<=33.01	Pass
			18	15.51	-2.11	13.40	<=33.01	Pass
			39	15.46	-2.11	13.35	<=33.01	Pass
		75	0	15.53	-2.11	13.42	<=33.01	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 4 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

	1880	1	0	16.40	-2.11	14.29	<=33.01	Pass
			38	16.48	-2.11	14.37	<=33.01	Pass
			74	16.35	-2.11	14.24	<=33.01	Pass
		36	0	15.32	-2.11	13.21	<=33.01	Pass
			18	15.32	-2.11	13.21	<=33.01	Pass
			39	15.28	-2.11	13.17	<=33.01	Pass
		75	0	15.34	-2.11	13.23	<=33.01	Pass
	1902.5	1	0	17.49	-2.11	15.38	<=33.01	Pass
			38	17.47	-2.11	15.36	<=33.01	Pass
			74	17.37	-2.11	15.26	<=33.01	Pass
		36	0	16.03	-2.11	13.92	<=33.01	Pass
			18	16.05	-2.11	13.94	<=33.01	Pass
			39	15.95	-2.11	13.84	<=33.01	Pass
		75	0	16.03	-2.11	13.92	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	17.55	-2.11	15.44	<=33.01	Pass
			50	17.83	-2.11	15.72	<=33.01	Pass
			99	17.37	-2.11	15.26	<=33.01	Pass
		50	0	16.72	-2.11	14.61	<=33.01	Pass
			25	16.71	-2.11	14.60	<=33.01	Pass
			50	16.69	-2.11	14.58	<=33.01	Pass
		100	0	16.71	-2.11	14.60	<=33.01	Pass
	1880	1	0	17.92	-2.11	15.81	<=33.01	Pass
			50	18.25	-2.11	16.14	<=33.01	Pass
			99	17.81	-2.11	15.70	<=33.01	Pass
		50	0	17.12	-2.11	15.01	<=33.01	Pass
			25	17.09	-2.11	14.98	<=33.01	Pass
			50	17.03	-2.11	14.92	<=33.01	Pass
		100	0	17.10	-2.11	14.99	<=33.01	Pass
	1900	1	0	17.55	-2.11	15.44	<=33.01	Pass
			50	17.84	-2.11	15.73	<=33.01	Pass
			99	17.40	-2.11	15.29	<=33.01	Pass
		50	0	16.72	-2.11	14.61	<=33.01	Pass
			25	16.67	-2.11	14.56	<=33.01	Pass
			50	16.50	-2.11	14.39	<=33.01	Pass
		100	0	16.64	-2.11	14.53	<=33.01	Pass
16QAM	1860	1	0	17.09	-2.11	14.98	<=33.01	Pass
			50	17.38	-2.11	15.27	<=33.01	Pass
			99	16.92	-2.11	14.81	<=33.01	Pass
		50	0	15.64	-2.11	13.53	<=33.01	Pass
			25	15.71	-2.11	13.60	<=33.01	Pass
			50	15.66	-2.11	13.55	<=33.01	Pass
		100	0	15.71	-2.11	13.60	<=33.01	Pass
	1880	1	0	17.13	-2.11	15.02	<=33.01	Pass
			50	17.42	-2.11	15.31	<=33.01	Pass
			99	17.00	-2.11	14.89	<=33.01	Pass
		50	0	16.13	-2.11	14.02	<=33.01	Pass
			25	16.09	-2.11	13.98	<=33.01	Pass
			50	16.03	-2.11	13.92	<=33.01	Pass
		100	0	16.09	-2.11	13.98	<=33.01	Pass
	1900	1	0	16.82	-2.11	14.71	<=33.01	Pass
			50	17.11	-2.11	15.00	<=33.01	Pass
			99	16.67	-2.11	14.56	<=33.01	Pass

		50	0	15.70	-2.11	13.59	<=33.01	Pass
			25	15.71	-2.11	13.60	<=33.01	Pass
			50	15.47	-2.11	13.36	<=33.01	Pass
		100	0	15.64	-2.11	13.53	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-4.807	-0.0026	-2.5 to 2.5	Pass
					3.85	-3.061	-0.0017	-2.5 to 2.5	Pass
					4.43	-5.279	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-9.069	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-5.279	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-6.967	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-8.197	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-5.479	-0.0030	-2.5 to 2.5	Pass
				30	3.85	-6.638	-0.0036	-2.5 to 2.5	Pass
				40	3.85	-2.217	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-4.349	-0.0023	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	2.217	0.0012	-2.5 to 2.5	Pass
					3.85	-8.712	-0.0046	-2.5 to 2.5	Pass
					4.43	-8.297	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-7.396	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-5.736	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	-11.659	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-7.524	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-15.664	-0.0083	-2.5 to 2.5	Pass
				30	3.85	-13.247	-0.0070	-2.5 to 2.5	Pass
				40	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				50	3.85	-2.346	-0.0012	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-15.306	-0.0080	-2.5 to 2.5	Pass
					3.85	-5.479	-0.0029	-2.5 to 2.5	Pass
					4.43	-11.301	-0.0059	-2.5 to 2.5	Pass
				-30	3.85	-10.514	-0.0055	-2.5 to 2.5	Pass
				-20	3.85	-8.054	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-3.591	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-6.094	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-5.050	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-10.285	-0.0054	-2.5 to 2.5	Pass
				40	3.85	-3.462	-0.0018	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.27	-9.441	-0.0051	-2.5 to 2.5	Pass
					3.85	-9.499	-0.0051	-2.5 to 2.5	Pass
					4.43	-8.097	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-7.339	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	-6.123	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-9.313	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-7.267	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-7.052	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-9.084	-0.0049	-2.5 to 2.5	Pass
				40	3.85	-13.447	-0.0073	-2.5 to 2.5	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 6 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

	1880	6	0	50	3.85	-5.479	-0.0030	-2.5 to 2.5	Pass
				20	3.27	-2.246	-0.0012	-2.5 to 2.5	Pass
					3.85	-2.532	-0.0013	-2.5 to 2.5	Pass
					4.43	-0.529	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.815	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-5.937	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-6.609	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-6.166	-0.0033	-2.5 to 2.5	Pass
	1909.3	6	0	40	3.85	-3.119	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-10.901	-0.0058	-2.5 to 2.5	Pass
				20	3.27	-12.474	-0.0065	-2.5 to 2.5	Pass
					3.85	-6.108	-0.0032	-2.5 to 2.5	Pass
					4.43	-4.807	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-14.663	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-15.335	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-2.060	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-4.749	-0.0025	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-7.639	-0.0041	-2.5 to 2.5	Pass
					3.85	-8.798	-0.0048	-2.5 to 2.5	Pass
					4.43	-5.751	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-9.785	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-4.849	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-9.971	-0.0054	-2.5 to 2.5	Pass
				0	3.85	-14.105	-0.0076	-2.5 to 2.5	Pass
				10	3.85	-6.623	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-6.280	-0.0034	-2.5 to 2.5	Pass
	1880	15	0	50	3.85	-9.184	-0.0050	-2.5 to 2.5	Pass
				20	3.27	-5.465	-0.0029	-2.5 to 2.5	Pass
					3.85	-13.347	-0.0071	-2.5 to 2.5	Pass
					4.43	-13.990	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	-12.689	-0.0067	-2.5 to 2.5	Pass
				-20	3.85	-4.492	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
				0	3.85	-12.259	-0.0065	-2.5 to 2.5	Pass
				10	3.85	-9.756	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-5.736	-0.0031	-2.5 to 2.5	Pass
	1908.5	15	0	40	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-6.394	-0.0034	-2.5 to 2.5	Pass
				20	3.27	-5.565	-0.0029	-2.5 to 2.5	Pass
					3.85	-5.536	-0.0029	-2.5 to 2.5	Pass
					4.43	-8.755	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-6.824	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-5.736	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-8.941	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-8.340	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-10.743	-0.0056	-2.5 to 2.5	Pass

16QAM	1851.5	15	0	30	3.85	-12.259	-0.0064	-2.5 to 2.5	Pass
				40	3.85	-18.768	-0.0098	-2.5 to 2.5	Pass
				50	3.85	-8.898	-0.0047	-2.5 to 2.5	Pass
				20	3.27	-10.200	-0.0055	-2.5 to 2.5	Pass
					3.85	-5.279	-0.0029	-2.5 to 2.5	Pass
					4.43	-7.439	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-12.274	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-1.659	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	2.174	0.0012	-2.5 to 2.5	Pass
	1880	15	0	0	3.85	-9.484	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-13.933	-0.0075	-2.5 to 2.5	Pass
				30	3.85	-3.204	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-4.220	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-6.866	-0.0037	-2.5 to 2.5	Pass
				20	3.27	-9.384	-0.0050	-2.5 to 2.5	Pass
					3.85	-8.354	-0.0044	-2.5 to 2.5	Pass
					4.43	-14.091	-0.0075	-2.5 to 2.5	Pass
				-30	3.85	-8.698	-0.0046	-2.5 to 2.5	Pass
	1908.5	15	0	-20	3.85	-5.693	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-5.550	-0.0030	-2.5 to 2.5	Pass
				0	3.85	-18.425	-0.0098	-2.5 to 2.5	Pass
				10	3.85	-6.366	-0.0034	-2.5 to 2.5	Pass
				30	3.85	-7.553	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-6.237	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-8.340	-0.0044	-2.5 to 2.5	Pass
				20	3.27	-6.037	-0.0032	-2.5 to 2.5	Pass
					3.85	-8.712	-0.0046	-2.5 to 2.5	Pass
					4.43	1.817	0.0010	-2.5 to 2.5	Pass
				-30	3.85	-4.821	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	2.675	0.0014	-2.5 to 2.5	Pass
				-10	3.85	-10.743	-0.0056	-2.5 to 2.5	Pass
				0	3.85	-8.283	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-13.604	-0.0071	-2.5 to 2.5	Pass
				30	3.85	-6.151	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-6.194	-0.0032	-2.5 to 2.5	Pass
				50	3.85	-14.563	-0.0076	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-9.241	-0.0050	-2.5 to 2.5	Pass
					3.85	-11.716	-0.0063	-2.5 to 2.5	Pass
					4.43	-7.625	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-12.274	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-10.672	-0.0058	-2.5 to 2.5	Pass
				-10	3.85	-5.922	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-3.319	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-9.971	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-9.241	-0.0050	-2.5 to 2.5	Pass
	40	3.85	-3.104	-0.0017	-2.5 to 2.5	Pass			
	50	3.85	-8.798	-0.0047	-2.5 to 2.5	Pass			
	1880	25	0	20	3.27	-13.247	-0.0070	-2.5 to 2.5	Pass
					3.85	-3.333	-0.0018	-2.5 to 2.5	Pass
					4.43	-8.354	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-8.612	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-10.672	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	-8.240	-0.0044	-2.5 to 2.5	Pass

				0	3.85	-12.817	-0.0068	-2.5 to 2.5	Pass
				10	3.85	-4.950	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-13.704	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-6.709	-0.0036	-2.5 to 2.5	Pass
				50	3.85	-1.659	-0.0009	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-5.407	-0.0028	-2.5 to 2.5	Pass
					3.85	-12.431	-0.0065	-2.5 to 2.5	Pass
					4.43	-7.181	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	1.917	0.0010	-2.5 to 2.5	Pass
				-20	3.85	-4.449	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-1.030	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-4.735	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-4.849	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-2.618	-0.0014	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-11.015	-0.0059	-2.5 to 2.5	Pass
					3.85	-4.234	-0.0023	-2.5 to 2.5	Pass
					4.43	-9.198	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-4.692	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-4.892	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-7.167	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-8.183	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-7.253	-0.0039	-2.5 to 2.5	Pass
				50	3.85	-9.999	-0.0054	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-3.262	-0.0017	-2.5 to 2.5	Pass
					3.85	-14.048	-0.0075	-2.5 to 2.5	Pass
					4.43	-9.069	-0.0048	-2.5 to 2.5	Pass
				-30	3.85	-9.828	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-12.288	-0.0065	-2.5 to 2.5	Pass
				-10	3.85	-5.422	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-13.547	-0.0072	-2.5 to 2.5	Pass
				10	3.85	1.316	0.0007	-2.5 to 2.5	Pass
				30	3.85	-12.517	-0.0067	-2.5 to 2.5	Pass
				40	3.85	-10.772	-0.0057	-2.5 to 2.5	Pass
				50	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-4.549	-0.0024	-2.5 to 2.5	Pass
					3.85	-5.035	-0.0026	-2.5 to 2.5	Pass
					4.43	-5.722	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-3.591	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-9.513	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-4.420	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-11.044	-0.0058	-2.5 to 2.5	Pass
				10	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				30	3.85	-10.815	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-5.021	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-6.251	-0.0033	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-3.204	-0.0017	-2.5 to 2.5	Pass
					3.85	-0.844	-0.0005	-2.5 to 2.5	Pass
					4.43	-4.907	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-6.266	-0.0034	-2.5 to 2.5	Pass

				-20	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-1.945	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-8.225	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-8.197	-0.0044	-2.5 to 2.5	Pass
				30	3.85	-8.912	-0.0048	-2.5 to 2.5	Pass
				40	3.85	-8.483	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-4.778	-0.0026	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-7.982	-0.0042	-2.5 to 2.5	Pass
					3.85	-8.183	-0.0044	-2.5 to 2.5	Pass
					4.43	-11.587	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-8.898	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-8.526	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-7.110	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-11.573	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-7.381	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-9.356	-0.0050	-2.5 to 2.5	Pass
				40	3.85	-8.826	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-3.905	-0.0021	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-5.751	-0.0030	-2.5 to 2.5	Pass
					3.85	-3.848	-0.0020	-2.5 to 2.5	Pass
					4.43	-6.924	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-9.313	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-7.982	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-1.402	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-10.543	-0.0055	-2.5 to 2.5	Pass
				10	3.85	-5.336	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-6.952	-0.0036	-2.5 to 2.5	Pass
				40	3.85	-2.818	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-7.238	-0.0038	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-4.292	-0.0023	-2.5 to 2.5	Pass
					3.85	-4.807	-0.0026	-2.5 to 2.5	Pass
					4.43	-1.130	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-7.181	-0.0039	-2.5 to 2.5	Pass
				0	3.85	1.688	0.0009	-2.5 to 2.5	Pass
				10	3.85	-4.992	-0.0027	-2.5 to 2.5	Pass
				30	3.85	-1.588	-0.0009	-2.5 to 2.5	Pass
				40	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				50	3.85	-3.834	-0.0021	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-9.184	-0.0049	-2.5 to 2.5	Pass
					3.85	-10.428	-0.0055	-2.5 to 2.5	Pass
					4.43	-2.289	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-2.303	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-4.449	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-8.411	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-11.702	-0.0062	-2.5 to 2.5	Pass
				10	3.85	-6.766	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-5.150	-0.0027	-2.5 to 2.5	Pass
				40	3.85	-7.696	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-3.362	-0.0018	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-9.069	-0.0048	-2.5 to 2.5	Pass
					3.85	-7.796	-0.0041	-2.5 to 2.5	Pass
					4.43	-5.536	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-10.800	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-1.259	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-8.326	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-5.522	-0.0029	-2.5 to 2.5	Pass

				30	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-8.526	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	0.229	0.0001	-2.5 to 2.5	Pass
					3.85	-5.565	-0.0030	-2.5 to 2.5	Pass
					4.43	-1.445	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	2.260	0.0012	-2.5 to 2.5	Pass
				-20	3.85	-8.039	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-5.479	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-2.375	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.958	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-6.967	-0.0038	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-3.977	-0.0021	-2.5 to 2.5	Pass
					3.85	-6.309	-0.0034	-2.5 to 2.5	Pass
					4.43	-6.208	-0.0033	-2.5 to 2.5	Pass
				-30	3.85	-8.912	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-11.358	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-7.811	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-9.670	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-6.995	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-10.386	-0.0055	-2.5 to 2.5	Pass
				40	3.85	-9.341	-0.0050	-2.5 to 2.5	Pass
				50	3.85	-5.937	-0.0032	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-3.061	-0.0016	-2.5 to 2.5	Pass
					3.85	-5.136	-0.0027	-2.5 to 2.5	Pass
					4.43	-2.317	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-5.164	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-3.548	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-2.618	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-6.022	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-9.642	-0.0051	-2.5 to 2.5	Pass
				40	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-5.336	-0.0028	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.27	-2.117	-0.0011	-2.5 to 2.5	Pass
					3.85	-1.702	-0.0009	-2.5 to 2.5	Pass
					4.43	-5.794	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-6.166	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-5.822	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-4.005	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-3.633	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-5.779	-0.0031	-2.5 to 2.5	Pass
				40	3.85	-2.861	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-2.260	-0.0012	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	-10.843	-0.0058	-2.5 to 2.5	Pass
					3.85	-6.380	-0.0034	-2.5 to 2.5	Pass
					4.43	-6.394	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-10.915	-0.0058	-2.5 to 2.5	Pass
				-20	3.85	-6.609	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-6.180	-0.0033	-2.5 to 2.5	Pass

				0	3.85	-8.841	-0.0047	-2.5 to 2.5	Pass
				10	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
				30	3.85	-6.638	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-10.643	-0.0057	-2.5 to 2.5	Pass
				50	3.85	-11.187	-0.0060	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-5.107	-0.0027	-2.5 to 2.5	Pass
					3.85	-3.004	-0.0016	-2.5 to 2.5	Pass
					4.43	-8.640	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-4.478	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-3.390	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-4.349	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-6.981	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-2.217	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-1.874	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-4.663	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-3.719	-0.0020	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-1.245	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.830	-0.0004	-2.5 to 2.5	Pass
					4.43	-5.708	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-4.506	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-4.749	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-9.298	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-5.822	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-0.129	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-7.439	-0.0040	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-4.778	-0.0025	-2.5 to 2.5	Pass
					3.85	-3.877	-0.0021	-2.5 to 2.5	Pass
					4.43	-7.625	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-9.227	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-6.609	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-4.063	-0.0022	-2.5 to 2.5	Pass
				0	3.85	-4.606	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-8.926	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-7.653	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-7.467	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-5.422	-0.0029	-2.5 to 2.5	Pass
					3.85	-3.591	-0.0019	-2.5 to 2.5	Pass
					4.43	-0.472	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-4.177	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-5.765	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-6.652	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-6.752	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-6.280	-0.0033	-2.5 to 2.5	Pass
				30	3.85	-6.781	-0.0036	-2.5 to 2.5	Pass
				40	3.85	-11.086	-0.0058	-2.5 to 2.5	Pass
				50	3.85	-5.894	-0.0031	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-2.131	-0.0011	-2.5 to 2.5	Pass
					3.85	-4.520	-0.0024	-2.5 to 2.5	Pass
					4.43	-4.063	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-6.638	-0.0036	-2.5 to 2.5	Pass

				-20	3.85	-3.791	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-3.276	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.691	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-2.060	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-3.519	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-0.587	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-7.553	-0.0041	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-6.609	-0.0035	-2.5 to 2.5	Pass
					3.85	-6.022	-0.0032	-2.5 to 2.5	Pass
					4.43	-6.838	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-7.839	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-9.499	-0.0051	-2.5 to 2.5	Pass
				-10	3.85	-4.807	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-8.340	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-7.796	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-7.339	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-9.413	-0.0050	-2.5 to 2.5	Pass
				50	3.85	-6.766	-0.0036	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-6.394	-0.0034	-2.5 to 2.5	Pass
					3.85	-5.679	-0.0030	-2.5 to 2.5	Pass
					4.43	-8.812	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-8.039	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-7.482	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-9.685	-0.0051	-2.5 to 2.5	Pass
				0	3.85	-7.668	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-9.069	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-10.285	-0.0054	-2.5 to 2.5	Pass
				40	3.85	-10.214	-0.0054	-2.5 to 2.5	Pass
				50	3.85	-9.055	-0.0048	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.109	/	Pass
		1880	6	0	1.128	/	Pass
		1909.3	6	0	1.103	/	Pass
	16QAM	1850.7	6	0	1.118	/	Pass
		1880	6	0	1.115	/	Pass
		1909.3	6	0	1.108	/	Pass
3	QPSK	1851.5	15	0	2.723	/	Pass
		1880	15	0	2.726	/	Pass
		1908.5	15	0	2.713	/	Pass
	16QAM	1851.5	15	0	2.709	/	Pass
		1880	15	0	2.721	/	Pass
		1908.5	15	0	2.711	/	Pass
5	QPSK	1852.5	25	0	4.537	/	Pass
		1880	25	0	4.539	/	Pass
		1907.5	25	0	4.538	/	Pass
	16QAM	1852.5	25	0	4.525	/	Pass
		1880	25	0	4.557	/	Pass
		1907.5	25	0	4.525	/	Pass
10	QPSK	1855	50	0	9.076	/	Pass
		1880	50	0	9.044	/	Pass
		1905	50	0	9.067	/	Pass
	16QAM	1855	50	0	9.037	/	Pass
		1880	50	0	9.061	/	Pass
		1905	50	0	9.084	/	Pass
15	QPSK	1857.5	75	0	13.594	/	Pass
		1880	75	0	13.570	/	Pass
		1902.5	75	0	13.540	/	Pass
	16QAM	1857.5	75	0	13.577	/	Pass
		1880	75	0	13.554	/	Pass
		1902.5	75	0	13.553	/	Pass
20	QPSK	1860	100	0	18.087	/	Pass
		1880	100	0	18.046	/	Pass
		1900	100	0	18.003	/	Pass
	16QAM	1860	100	0	18.098	/	Pass
		1880	100	0	18.089	/	Pass
		1900	100	0	18.063	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.319	/	Pass
		1880	6	0	1.378	/	Pass
		1909.3	6	0	1.320	/	Pass
	16QAM	1850.7	6	0	1.333	/	Pass
		1880	6	0	1.323	/	Pass


3	QPSK	1909.3	6	0	1.330	/	Pass
		1851.5	15	0	2.993	/	Pass
		1880	15	0	2.996	/	Pass
		1908.5	15	0	2.996	/	Pass
	16QAM	1851.5	15	0	3.000	/	Pass
		1880	15	0	3.001	/	Pass
		1908.5	15	0	2.972	/	Pass
5	QPSK	1852.5	25	0	5.013	/	Pass
		1880	25	0	5.030	/	Pass
		1907.5	25	0	4.990	/	Pass
	16QAM	1852.5	25	0	5.061	/	Pass
		1880	25	0	5.034	/	Pass
		1907.5	25	0	5.019	/	Pass
10	QPSK	1855	50	0	9.969	/	Pass
		1880	50	0	9.885	/	Pass
		1905	50	0	10.030	/	Pass
	16QAM	1855	50	0	9.843	/	Pass
		1880	50	0	9.877	/	Pass
		1905	50	0	9.834	/	Pass
15	QPSK	1857.5	75	0	14.991	/	Pass
		1880	75	0	14.859	/	Pass
		1902.5	75	0	15.038	/	Pass
	16QAM	1857.5	75	0	14.864	/	Pass
		1880	75	0	14.974	/	Pass
		1902.5	75	0	14.871	/	Pass
20	QPSK	1860	100	0	19.737	/	Pass
		1880	100	0	19.854	/	Pass
		1900	100	0	19.583	/	Pass
	16QAM	1860	100	0	19.851	/	Pass
		1880	100	0	19.735	/	Pass
		1900	100	0	19.810	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.00	<=13	Pass
	1880	6	0	5.19	<=13	Pass
	1909.3	6	0	4.94	<=13	Pass
16QAM	1850.7	6	0	5.85	<=13	Pass
	1880	6	0	5.95	<=13	Pass
	1909.3	6	0	5.77	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.24	<=13	Pass
	1880	15	0	5.18	<=13	Pass
	1908.5	15	0	5.01	<=13	Pass
16QAM	1851.5	15	0	6.03	<=13	Pass
	1880	15	0	6.03	<=13	Pass
	1908.5	15	0	5.83	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.40	<=13	Pass
	1880	25	0	5.47	<=13	Pass
	1907.5	25	0	5.23	<=13	Pass
16QAM	1852.5	25	0	6.11	<=13	Pass
	1880	25	0	6.14	<=13	Pass
	1907.5	25	0	5.92	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.40	<=13	Pass
	1880	50	0	5.43	<=13	Pass
	1905	50	0	5.18	<=13	Pass
16QAM	1855	50	0	6.15	<=13	Pass
	1880	50	0	6.20	<=13	Pass
	1905	50	0	5.91	<=13	Pass

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
-----------------------------------	--	--	--	--	--	--


Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.56	<=13	Pass
	1880	75	0	5.57	<=13	Pass
	1902.5	75	0	5.28	<=13	Pass
16QAM	1857.5	75	0	6.14	<=13	Pass
	1880	75	0	6.18	<=13	Pass
	1902.5	75	0	5.92	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.40	<=13	Pass
	1880	100	0	5.41	<=13	Pass
	1900	100	0	5.21	<=13	Pass
16QAM	1860	100	0	6.11	<=13	Pass
	1880	100	0	6.16	<=13	Pass
	1900	100	0	6.01	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




5.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV



5.2.4 B2_10MHz

