

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.551	37.55	74.0	36.45	Peak	337.00	200	Horizontal	Pass
1**	1511.551	30.70	54.0	23.30	AV	337.00	200	Horizontal	Pass
2	2974.481	42.87	74.0	31.13	Peak	226.00	400	Horizontal	Pass
2**	2974.481	35.08	54.0	18.92	AV	226.00	400	Horizontal	Pass
3	4201.620	48.32	74.0	25.68	Peak	12.00	200	Horizontal	Pass
3**	4201.620	39.65	54.0	14.35	AV	12.00	200	Horizontal	Pass
4	7324.096	45.65	74.0	28.35	Peak	195.00	200	Horizontal	Pass
4**	7324.096	37.30	54.0	16.70	AV	195.00	200	Horizontal	Pass
5	12447.844	49.00	74.0	25.00	Peak	44.00	400	Horizontal	Pass
5**	12447.844	39.49	54.0	14.51	AV	44.00	400	Horizontal	Pass
6	15788.301	51.04	74.0	22.96	Peak	1.00	300	Horizontal	Pass
6**	15788.301	39.55	54.0	14.46	AV	1.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.546	38.44	74.0	35.56	Peak	66.00	300	Vertical	Pass
1**	1493.546	29.83	54.0	24.17	AV	66.00	300	Vertical	Pass
2	2987.818	42.78	74.0	31.22	Peak	31.00	200	Vertical	Pass
2**	2987.818	34.73	54.0	19.27	AV	31.00	200	Vertical	Pass
3	4196.301	48.38	74.0	25.62	Peak	195.00	200	Vertical	Pass
3**	4196.301	39.02	54.0	14.98	AV	195.00	200	Vertical	Pass
4	7378.696	45.35	74.0	28.65	Peak	191.00	100	Vertical	Pass
4**	7378.696	35.51	54.0	18.49	AV	191.00	100	Vertical	Pass
5	12593.857	49.16	74.0	24.84	Peak	345.00	200	Vertical	Pass
5**	12593.857	39.40	54.0	14.60	AV	345.00	200	Vertical	Pass
6	15818.950	50.35	74.0	23.65	Peak	41.00	300	Vertical	Pass
6**	15818.950	39.56	54.0	14.44	AV	41.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.236	37.37	74.0	36.63	Peak	255.00	200	Horizontal	Pass
1**	1513.236	30.60	54.0	23.40	AV	255.00	200	Horizontal	Pass
2	2972.095	42.61	74.0	31.39	Peak	227.00	300	Horizontal	Pass
2**	2972.095	35.14	54.0	18.86	AV	227.00	300	Horizontal	Pass
3	4204.986	48.11	74.0	25.89	Peak	58.00	200	Horizontal	Pass
3**	4204.986	39.43	54.0	14.57	AV	58.00	200	Horizontal	Pass
4	7318.571	45.43	74.0	28.57	Peak	324.00	300	Horizontal	Pass
4**	7318.571	37.26	54.0	16.75	AV	324.00	300	Horizontal	Pass
5	12451.430	48.82	74.0	25.18	Peak	342.00	200	Horizontal	Pass
5**	12451.430	39.36	54.0	14.64	AV	342.00	200	Horizontal	Pass
6	15788.708	50.99	74.0	23.01	Peak	210.00	100	Horizontal	Pass
6**	15788.708	39.36	54.0	14.64	AV	210.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.104	38.03	74.0	35.97	Peak	356.00	100	Vertical	Pass
1**	1495.104	29.89	54.0	24.11	AV	356.00	100	Vertical	Pass
2	2990.815	42.65	74.0	31.35	Peak	10.00	100	Vertical	Pass
2**	2990.815	34.60	54.0	19.40	AV	10.00	100	Vertical	Pass
3	4199.472	48.31	74.0	25.70	Peak	332.00	200	Vertical	Pass
3**	4199.472	38.73	54.0	15.27	AV	332.00	200	Vertical	Pass
4	7381.588	44.88	74.0	29.12	Peak	213.00	200	Vertical	Pass
4**	7381.588	35.31	54.0	18.69	AV	213.00	200	Vertical	Pass
5	12593.340	49.00	74.0	25.00	Peak	283.00	100	Vertical	Pass
5**	12593.340	39.16	54.0	14.85	AV	283.00	100	Vertical	Pass
6	15815.640	50.27	74.0	23.74	Peak	313.00	400	Vertical	Pass
6**	15815.640	39.43	54.0	14.57	AV	313.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.180	37.60	74.0	36.40	Peak	19.00	300	Horizontal	Pass
1**	1510.180	30.92	54.0	23.08	AV	19.00	300	Horizontal	Pass
2	2972.064	43.09	74.0	30.92	Peak	154.00	200	Horizontal	Pass
2**	2972.064	35.08	54.0	18.92	AV	154.00	200	Horizontal	Pass
3	4199.973	48.25	74.0	25.75	Peak	210.00	200	Horizontal	Pass
3**	4199.973	39.90	54.0	14.10	AV	210.00	200	Horizontal	Pass
4	7321.609	45.75	74.0	28.25	Peak	344.00	300	Horizontal	Pass
4**	7321.609	37.37	54.0	16.63	AV	344.00	300	Horizontal	Pass
5	12450.653	48.87	74.0	25.13	Peak	355.00	300	Horizontal	Pass
5**	12450.653	39.83	54.0	14.17	AV	355.00	300	Horizontal	Pass
6	15790.343	51.38	74.0	22.63	Peak	257.00	300	Horizontal	Pass
6**	15790.343	39.79	54.0	14.21	AV	257.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.052	38.36	74.0	35.64	Peak	18.00	400	Vertical	Pass
1**	1493.052	29.97	54.0	24.03	AV	18.00	400	Vertical	Pass
2	2992.727	42.87	74.0	31.13	Peak	161.00	300	Vertical	Pass
2**	2992.727	34.91	54.0	19.09	AV	161.00	300	Vertical	Pass
3	4199.369	48.63	74.0	25.37	Peak	7.00	200	Vertical	Pass
3**	4199.369	39.15	54.0	14.85	AV	7.00	200	Vertical	Pass
4	7377.112	45.32	74.0	28.68	Peak	229.00	100	Vertical	Pass
4**	7377.112	35.74	54.0	18.26	AV	229.00	100	Vertical	Pass
5	12598.001	49.14	74.0	24.87	Peak	318.00	400	Vertical	Pass
5**	12598.001	39.55	54.0	14.45	AV	318.00	400	Vertical	Pass
6	15818.502	50.53	74.0	23.47	Peak	183.00	400	Vertical	Pass
6**	15818.502	39.49	54.0	14.51	AV	183.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.766	37.74	74.0	36.26	Peak	104.00	300	Horizontal	Pass
1**	1513.766	31.05	54.0	22.96	AV	104.00	300	Horizontal	Pass
2	2970.821	43.18	74.0	30.83	Peak	301.00	100	Horizontal	Pass
2**	2970.821	35.28	54.0	18.72	AV	301.00	100	Horizontal	Pass
3	4199.405	48.27	74.0	25.73	Peak	141.00	200	Horizontal	Pass
3**	4199.405	40.05	54.0	13.95	AV	141.00	200	Horizontal	Pass
4	7324.121	45.84	74.0	28.16	Peak	251.00	200	Horizontal	Pass
4**	7324.121	37.58	54.0	16.42	AV	251.00	200	Horizontal	Pass
5	12447.288	48.99	74.0	25.01	Peak	0.00	300	Horizontal	Pass
5**	12447.288	39.79	54.0	14.21	AV	0.00	300	Horizontal	Pass
6	15790.075	51.37	74.0	22.63	Peak	230.00	200	Horizontal	Pass
6**	15790.075	39.84	54.0	14.16	AV	230.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.260	38.57	74.0	35.43	Peak	313.00	200	Vertical	Pass
1**	1493.260	30.36	54.0	23.65	AV	313.00	200	Vertical	Pass
2	2993.588	43.19	74.0	30.82	Peak	311.00	100	Vertical	Pass
2**	2993.588	35.21	54.0	18.79	AV	311.00	100	Vertical	Pass
3	4201.353	48.48	74.0	25.52	Peak	294.00	200	Vertical	Pass
3**	4201.353	39.56	54.0	14.44	AV	294.00	200	Vertical	Pass
4	7377.916	45.72	74.0	28.28	Peak	57.00	300	Vertical	Pass
4**	7377.916	36.08	54.0	17.92	AV	57.00	300	Vertical	Pass
5	12597.448	49.33	74.0	24.67	Peak	329.00	400	Vertical	Pass
5**	12597.448	39.68	54.0	14.32	AV	329.00	400	Vertical	Pass
6	15812.429	50.72	74.0	23.28	Peak	203.00	100	Vertical	Pass
6**	15812.429	40.00	54.0	14.01	AV	203.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.034	37.56	74.0	36.45	Peak	68.00	300	Horizontal	Pass
1**	1511.034	30.84	54.0	23.16	AV	68.00	300	Horizontal	Pass
2	2972.708	43.16	74.0	30.84	Peak	107.00	400	Horizontal	Pass
2**	2972.708	35.02	54.0	18.98	AV	107.00	400	Horizontal	Pass
3	4198.994	48.12	74.0	25.89	Peak	9.00	200	Horizontal	Pass
3**	4198.994	39.87	54.0	14.13	AV	9.00	200	Horizontal	Pass
4	7323.132	45.68	74.0	28.32	Peak	193.00	400	Horizontal	Pass
4**	7323.132	37.57	54.0	16.43	AV	193.00	400	Horizontal	Pass
5	12449.844	48.72	74.0	25.28	Peak	209.00	200	Horizontal	Pass
5**	12449.844	39.51	54.0	14.49	AV	209.00	200	Horizontal	Pass
6	15793.669	51.35	74.0	22.65	Peak	109.00	300	Horizontal	Pass
6**	15793.669	39.59	54.0	14.41	AV	109.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.466	38.44	74.0	35.57	Peak	256.00	200	Vertical	Pass
1**	1494.466	30.27	54.0	23.73	AV	256.00	200	Vertical	Pass
2	2993.364	43.15	74.0	30.85	Peak	150.00	200	Vertical	Pass
2**	2993.364	35.20	54.0	18.80	AV	150.00	200	Vertical	Pass
3	4198.264	48.20	74.0	25.80	Peak	76.00	200	Vertical	Pass
3**	4198.264	39.40	54.0	14.60	AV	76.00	200	Vertical	Pass
4	7379.470	45.60	74.0	28.40	Peak	92.00	300	Vertical	Pass
4**	7379.470	36.07	54.0	17.93	AV	92.00	300	Vertical	Pass
5	12599.594	49.29	74.0	24.71	Peak	347.00	400	Vertical	Pass
5**	12599.594	39.57	54.0	14.43	AV	347.00	400	Vertical	Pass
6	15813.573	50.70	74.0	23.30	Peak	122.00	100	Vertical	Pass
6**	15813.573	39.77	54.0	14.23	AV	122.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.488	37.47	74.0	36.54	Peak	7.00	200	Horizontal	Pass
1**	1512.488	30.66	54.0	23.34	AV	7.00	200	Horizontal	Pass
2	2976.212	43.16	74.0	30.84	Peak	271.00	200	Horizontal	Pass
2**	2976.212	34.85	54.0	19.15	AV	271.00	200	Horizontal	Pass
3	4197.229	47.83	74.0	26.17	Peak	21.00	200	Horizontal	Pass
3**	4197.229	39.85	54.0	14.15	AV	21.00	200	Horizontal	Pass
4	7321.248	45.56	74.0	28.44	Peak	101.00	400	Horizontal	Pass
4**	7321.248	37.57	54.0	16.43	AV	101.00	400	Horizontal	Pass
5	12447.380	48.53	74.0	25.47	Peak	264.00	100	Horizontal	Pass
5**	12447.380	39.25	54.0	14.75	AV	264.00	100	Horizontal	Pass
6	15789.260	51.26	74.0	22.74	Peak	95.00	100	Horizontal	Pass
6**	15789.260	39.31	54.0	14.69	AV	95.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.837	38.19	74.0	35.81	Peak	347.00	200	Vertical	Pass
1**	1495.837	30.17	54.0	23.83	AV	347.00	200	Vertical	Pass
2	2994.871	42.86	74.0	31.14	Peak	182.00	200	Vertical	Pass
2**	2994.871	34.91	54.0	19.09	AV	182.00	200	Vertical	Pass
3	4197.915	47.97	74.0	26.03	Peak	192.00	200	Vertical	Pass
3**	4197.915	39.40	54.0	14.60	AV	192.00	200	Vertical	Pass
4	7380.787	45.42	74.0	28.58	Peak	247.00	200	Vertical	Pass
4**	7380.787	35.98	54.0	18.02	AV	247.00	200	Vertical	Pass
5	12599.733	49.11	74.0	24.89	Peak	155.00	100	Vertical	Pass
5**	12599.733	39.35	54.0	14.65	AV	155.00	100	Vertical	Pass
6	15815.897	50.56	74.0	23.44	Peak	22.00	400	Vertical	Pass
6**	15815.897	39.58	54.0	14.42	AV	22.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.660	37.34	74.0	36.66	Peak	185.00	400	Horizontal	Pass
1**	1514.660	30.66	54.0	23.35	AV	185.00	400	Horizontal	Pass
2	2971.328	42.88	74.0	31.12	Peak	35.00	400	Horizontal	Pass
2**	2971.328	34.79	54.0	19.22	AV	35.00	400	Horizontal	Pass
3	4203.666	47.72	74.0	26.28	Peak	125.00	200	Horizontal	Pass
3**	4203.666	39.65	54.0	14.35	AV	125.00	200	Horizontal	Pass
4	7321.160	45.27	74.0	28.73	Peak	162.00	400	Horizontal	Pass
4**	7321.160	37.52	54.0	16.48	AV	162.00	400	Horizontal	Pass
5	12446.991	48.36	74.0	25.64	Peak	114.00	400	Horizontal	Pass
5**	12446.991	39.13	54.0	14.88	AV	114.00	400	Horizontal	Pass
6	15792.101	50.97	74.0	23.03	Peak	225.00	200	Horizontal	Pass
6**	15792.101	39.31	54.0	14.70	AV	225.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.481	38.14	74.0	35.86	Peak	203.00	300	Vertical	Pass
1**	1490.481	29.93	54.0	24.07	AV	203.00	300	Vertical	Pass
2	2988.713	42.80	74.0	31.20	Peak	343.00	200	Vertical	Pass
2**	2988.713	34.62	54.0	19.38	AV	343.00	200	Vertical	Pass
3	4201.152	47.87	74.0	26.13	Peak	103.00	200	Vertical	Pass
3**	4201.152	39.29	54.0	14.71	AV	103.00	200	Vertical	Pass
4	7381.758	45.34	74.0	28.67	Peak	349.00	200	Vertical	Pass
4**	7381.758	35.73	54.0	18.27	AV	349.00	200	Vertical	Pass
5	12598.009	48.86	74.0	25.14	Peak	343.00	300	Vertical	Pass
5**	12598.009	39.34	54.0	14.66	AV	343.00	300	Vertical	Pass
6	15819.367	50.54	74.0	23.47	Peak	322.00	300	Vertical	Pass
6**	15819.367	39.41	54.0	14.59	AV	322.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.108	37.61	74.0	36.40	Peak	20.00	400	Horizontal	Pass
1**	1511.108	30.84	54.0	23.16	AV	20.00	400	Horizontal	Pass
2	2969.901	43.08	74.0	30.92	Peak	129.00	100	Horizontal	Pass
2**	2969.901	35.12	54.0	18.88	AV	129.00	100	Horizontal	Pass
3	4202.643	48.11	74.0	25.89	Peak	170.00	200	Horizontal	Pass
3**	4202.643	39.98	54.0	14.02	AV	170.00	200	Horizontal	Pass
4	7322.752	45.58	74.0	28.42	Peak	98.00	100	Horizontal	Pass
4**	7322.752	37.40	54.0	16.61	AV	98.00	100	Horizontal	Pass
5	12449.715	48.96	74.0	25.05	Peak	57.00	300	Horizontal	Pass
5**	12449.715	39.67	54.0	14.33	AV	57.00	300	Horizontal	Pass
6	15793.253	51.30	74.0	22.70	Peak	105.00	400	Horizontal	Pass
6**	15793.253	39.68	54.0	14.32	AV	105.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.434	38.35	74.0	35.65	Peak	271.00	400	Vertical	Pass
1**	1493.434	30.33	54.0	23.67	AV	271.00	400	Vertical	Pass
2	2987.907	43.10	74.0	30.90	Peak	141.00	200	Vertical	Pass
2**	2987.907	34.94	54.0	19.06	AV	141.00	200	Vertical	Pass
3	4201.580	48.46	74.0	25.54	Peak	352.00	200	Vertical	Pass
3**	4201.580	39.55	54.0	14.45	AV	352.00	200	Vertical	Pass
4	7381.899	45.56	74.0	28.44	Peak	238.00	100	Vertical	Pass
4**	7381.899	35.82	54.0	18.18	AV	238.00	100	Vertical	Pass
5	12596.471	49.09	74.0	24.92	Peak	311.00	100	Vertical	Pass
5**	12596.471	39.59	54.0	14.41	AV	311.00	100	Vertical	Pass
6	15817.808	50.48	74.0	23.52	Peak	191.00	300	Vertical	Pass
6**	15817.808	39.96	54.0	14.04	AV	191.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.860	37.42	74.0	36.58	Peak	3.00	400	Horizontal	Pass
1**	1509.860	30.67	54.0	23.33	AV	3.00	400	Horizontal	Pass
2	2975.068	42.90	74.0	31.10	Peak	312.00	300	Horizontal	Pass
2**	2975.068	34.91	54.0	19.09	AV	312.00	300	Horizontal	Pass
3	4203.138	48.01	74.0	26.00	Peak	262.00	200	Horizontal	Pass
3**	4203.138	39.72	54.0	14.28	AV	262.00	200	Horizontal	Pass
4	7320.982	45.57	74.0	28.43	Peak	222.00	100	Horizontal	Pass
4**	7320.982	37.42	54.0	16.58	AV	222.00	100	Horizontal	Pass
5	12447.578	48.65	74.0	25.35	Peak	57.00	200	Horizontal	Pass
5**	12447.578	39.51	54.0	14.49	AV	57.00	200	Horizontal	Pass
6	15793.202	51.31	74.0	22.69	Peak	6.00	100	Horizontal	Pass
6**	15793.202	39.43	54.0	14.57	AV	6.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.933	38.29	74.0	35.71	Peak	335.00	300	Vertical	Pass
1**	1497.933	30.09	54.0	23.91	AV	335.00	300	Vertical	Pass
2	2988.664	43.04	74.0	30.96	Peak	358.00	200	Vertical	Pass
2**	2988.664	34.99	54.0	19.01	AV	358.00	200	Vertical	Pass
3	4198.536	47.94	74.0	26.06	Peak	156.00	200	Vertical	Pass
3**	4198.536	39.10	54.0	14.90	AV	156.00	200	Vertical	Pass
4	7380.491	45.41	74.0	28.59	Peak	331.00	200	Vertical	Pass
4**	7380.491	35.95	54.0	18.05	AV	331.00	200	Vertical	Pass
5	12597.317	49.09	74.0	24.91	Peak	27.00	300	Vertical	Pass
5**	12597.317	39.50	54.0	14.51	AV	27.00	300	Vertical	Pass
6	15817.668	50.57	74.0	23.43	Peak	59.00	200	Vertical	Pass
6**	15817.668	39.56	54.0	14.44	AV	59.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.244	37.28	74.0	36.72	Peak	124.00	300	Horizontal	Pass
1**	1512.244	30.55	54.0	23.45	AV	124.00	300	Horizontal	Pass
2	2976.436	42.89	74.0	31.11	Peak	54.00	100	Horizontal	Pass
2**	2976.436	34.84	54.0	19.16	AV	54.00	100	Horizontal	Pass
3	4199.063	47.70	74.0	26.30	Peak	113.00	200	Horizontal	Pass
3**	4199.063	39.74	54.0	14.26	AV	113.00	200	Horizontal	Pass
4	7322.373	45.43	74.0	28.57	Peak	134.00	200	Horizontal	Pass
4**	7322.373	37.56	54.0	16.44	AV	134.00	200	Horizontal	Pass
5	12452.583	48.30	74.0	25.70	Peak	3.00	400	Horizontal	Pass
5**	12452.583	39.11	54.0	14.89	AV	3.00	400	Horizontal	Pass
6	15792.256	51.14	74.0	22.87	Peak	263.00	200	Horizontal	Pass
6**	15792.256	39.16	54.0	14.84	AV	263.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.776	38.00	74.0	36.00	Peak	158.00	100	Vertical	Pass
1**	1491.776	30.13	54.0	23.87	AV	158.00	100	Vertical	Pass
2	2989.969	42.66	74.0	31.34	Peak	57.00	200	Vertical	Pass
2**	2989.969	34.65	54.0	19.35	AV	57.00	200	Vertical	Pass
3	4204.156	47.81	74.0	26.19	Peak	129.00	200	Vertical	Pass
3**	4204.156	39.38	54.0	14.62	AV	129.00	200	Vertical	Pass
4	7377.426	45.22	74.0	28.78	Peak	103.00	300	Vertical	Pass
4**	7377.426	35.72	54.0	18.28	AV	103.00	300	Vertical	Pass
5	12594.830	49.05	74.0	24.95	Peak	340.00	400	Vertical	Pass
5**	12594.830	39.34	54.0	14.66	AV	340.00	400	Vertical	Pass
6	15815.702	50.52	74.0	23.48	Peak	219.00	200	Vertical	Pass
6**	15815.702	39.35	54.0	14.65	AV	219.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.007	37.60	74.0	36.40	Peak	198.00	200	Horizontal	Pass
1**	1513.007	30.83	54.0	23.17	AV	198.00	200	Horizontal	Pass
2	2969.990	43.09	74.0	30.91	Peak	125.00	100	Horizontal	Pass
2**	2969.990	35.12	54.0	18.88	AV	125.00	100	Horizontal	Pass
3	4200.475	48.19	74.0	25.81	Peak	264.00	200	Horizontal	Pass
3**	4200.475	39.98	54.0	14.02	AV	264.00	200	Horizontal	Pass
4	7319.948	45.61	74.0	28.39	Peak	85.00	100	Horizontal	Pass
4**	7319.948	37.31	54.0	16.69	AV	85.00	100	Horizontal	Pass
5	12450.903	48.89	74.0	25.11	Peak	347.00	400	Horizontal	Pass
5**	12450.903	39.57	54.0	14.43	AV	347.00	400	Horizontal	Pass
6	15791.986	51.30	74.0	22.71	Peak	31.00	200	Horizontal	Pass
6**	15791.986	39.76	54.0	14.24	AV	31.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.456	37.86	74.0	36.14	Peak	201.00	100	Vertical	Pass
1**	1493.456	29.93	54.0	24.07	AV	201.00	100	Vertical	Pass
2	2992.841	42.59	74.0	31.41	Peak	192.00	300	Vertical	Pass
2**	2992.841	34.46	54.0	19.55	AV	192.00	300	Vertical	Pass
3	4200.805	47.60	74.0	26.40	Peak	279.00	200	Vertical	Pass
3**	4200.805	39.10	54.0	14.90	AV	279.00	200	Vertical	Pass
4	7376.377	45.31	74.0	28.69	Peak	29.00	400	Vertical	Pass
4**	7376.377	35.68	54.0	18.33	AV	29.00	400	Vertical	Pass
5	12599.999	48.77	74.0	25.23	Peak	69.00	300	Vertical	Pass
5**	12599.999	39.32	54.0	14.69	AV	69.00	300	Vertical	Pass
6	15813.403	50.37	74.0	23.63	Peak	205.00	300	Vertical	Pass
6**	15813.403	39.30	54.0	14.70	AV	205.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.559	37.40	74.0	36.60	Peak	10.00	300	Horizontal	Pass
1**	1509.559	30.59	54.0	23.41	AV	10.00	300	Horizontal	Pass
2	2975.547	43.01	74.0	30.99	Peak	97.00	200	Horizontal	Pass
2**	2975.547	34.78	54.0	19.22	AV	97.00	200	Horizontal	Pass
3	4198.835	47.82	74.0	26.18	Peak	93.00	200	Horizontal	Pass
3**	4198.835	39.68	54.0	14.32	AV	93.00	200	Horizontal	Pass
4	7318.501	45.42	74.0	28.59	Peak	105.00	200	Horizontal	Pass
4**	7318.501	37.39	54.0	16.61	AV	105.00	200	Horizontal	Pass
5	12448.902	48.45	74.0	25.55	Peak	56.00	300	Horizontal	Pass
5**	12448.902	39.22	54.0	14.78	AV	56.00	300	Horizontal	Pass
6	15792.155	51.08	74.0	22.92	Peak	312.00	100	Horizontal	Pass
6**	15792.155	39.52	54.0	14.49	AV	312.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.665	38.12	74.0	35.88	Peak	215.00	100	Vertical	Pass
1**	1495.665	30.07	54.0	23.93	AV	215.00	100	Vertical	Pass
2	2990.755	43.00	74.0	31.00	Peak	86.00	300	Vertical	Pass
2**	2990.755	34.66	54.0	19.34	AV	86.00	300	Vertical	Pass
3	4198.627	48.29	74.0	25.71	Peak	59.00	200	Vertical	Pass
3**	4198.627	39.55	54.0	14.45	AV	59.00	200	Vertical	Pass
4	7377.975	45.35	74.0	28.65	Peak	211.00	100	Vertical	Pass
4**	7377.975	35.63	54.0	18.37	AV	211.00	100	Vertical	Pass
5	12599.568	49.05	74.0	24.95	Peak	356.00	200	Vertical	Pass
5**	12599.568	39.40	54.0	14.60	AV	356.00	200	Vertical	Pass
6	15814.713	50.47	74.0	23.53	Peak	69.00	400	Vertical	Pass
6**	15814.713	39.67	54.0	14.34	AV	69.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.964	37.38	74.0	36.62	Peak	172.00	400	Horizontal	Pass
1**	1512.964	30.65	54.0	23.35	AV	172.00	400	Horizontal	Pass
2	2974.875	43.16	74.0	30.84	Peak	8.00	300	Horizontal	Pass
2**	2974.875	34.64	54.0	19.36	AV	8.00	300	Horizontal	Pass
3	4203.288	47.60	74.0	26.40	Peak	224.00	200	Horizontal	Pass
3**	4203.288	39.63	54.0	14.37	AV	224.00	200	Horizontal	Pass
4	7319.464	45.54	74.0	28.46	Peak	76.00	100	Horizontal	Pass
4**	7319.464	37.47	54.0	16.53	AV	76.00	100	Horizontal	Pass
5	12451.382	48.27	74.0	25.74	Peak	121.00	400	Horizontal	Pass
5**	12451.382	39.13	54.0	14.87	AV	121.00	400	Horizontal	Pass
6	15790.427	51.12	74.0	22.88	Peak	232.00	300	Horizontal	Pass
6**	15790.427	39.01	54.0	14.99	AV	232.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.205	38.12	74.0	35.88	Peak	202.00	200	Vertical	Pass
1**	1493.205	29.86	54.0	24.14	AV	202.00	200	Vertical	Pass
2	2991.350	42.93	74.0	31.07	Peak	11.00	100	Vertical	Pass
2**	2991.350	34.88	54.0	19.12	AV	11.00	100	Vertical	Pass
3	4196.573	47.71	74.0	26.29	Peak	253.00	200	Vertical	Pass
3**	4196.573	39.02	54.0	14.98	AV	253.00	200	Vertical	Pass
4	7378.898	45.11	74.0	28.89	Peak	150.00	300	Vertical	Pass
4**	7378.898	35.78	54.0	18.22	AV	150.00	300	Vertical	Pass
5	12593.437	48.82	74.0	25.18	Peak	70.00	100	Vertical	Pass
5**	12593.437	39.26	54.0	14.74	AV	70.00	100	Vertical	Pass
6	15818.682	50.33	74.0	23.67	Peak	10.00	300	Vertical	Pass
6**	15818.682	39.54	54.0	14.46	AV	10.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.766	37.20	74.0	36.80	Peak	18.00	300	Horizontal	Pass
1**	1513.766	30.49	54.0	23.51	AV	18.00	300	Horizontal	Pass
2	2974.593	42.69	74.0	31.32	Peak	88.00	400	Horizontal	Pass
2**	2974.593	34.58	54.0	19.43	AV	88.00	400	Horizontal	Pass
3	4200.174	47.65	74.0	26.35	Peak	317.00	200	Horizontal	Pass
3**	4200.174	39.62	54.0	14.38	AV	317.00	200	Horizontal	Pass
4	7318.471	45.02	74.0	28.99	Peak	131.00	300	Horizontal	Pass
4**	7318.471	37.31	54.0	16.69	AV	131.00	300	Horizontal	Pass
5	12450.020	48.09	74.0	25.91	Peak	273.00	100	Horizontal	Pass
5**	12450.020	39.05	54.0	14.95	AV	273.00	100	Horizontal	Pass
6	15791.066	50.84	74.0	23.16	Peak	322.00	100	Horizontal	Pass
6**	15791.066	39.13	54.0	14.87	AV	322.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.490	37.74	74.0	36.26	Peak	256.00	200	Vertical	Pass
1**	1497.490	30.02	54.0	23.98	AV	256.00	200	Vertical	Pass
2	2991.031	42.58	74.0	31.42	Peak	275.00	100	Vertical	Pass
2**	2991.031	34.58	54.0	19.42	AV	275.00	100	Vertical	Pass
3	4202.760	47.61	74.0	26.39	Peak	277.00	200	Vertical	Pass
3**	4202.760	39.18	54.0	14.82	AV	277.00	200	Vertical	Pass
4	7379.182	44.98	74.0	29.02	Peak	208.00	200	Vertical	Pass
4**	7379.182	35.60	54.0	18.40	AV	208.00	200	Vertical	Pass
5	12600.571	48.93	74.0	25.08	Peak	294.00	400	Vertical	Pass
5**	12600.571	39.18	54.0	14.82	AV	294.00	400	Vertical	Pass
6	15812.475	50.44	74.0	23.56	Peak	31.00	400	Vertical	Pass
6**	15812.475	39.16	54.0	14.84	AV	31.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.862	37.45	74.0	36.55	Peak	192.00	400	Horizontal	Pass
1**	1507.862	30.81	54.0	23.19	AV	192.00	400	Horizontal	Pass
2	2976.787	43.06	74.0	30.94	Peak	255.00	100	Horizontal	Pass
2**	2976.787	35.01	54.0	18.99	AV	255.00	100	Horizontal	Pass
3	4204.067	47.98	74.0	26.02	Peak	36.00	200	Horizontal	Pass
3**	4204.067	39.95	54.0	14.05	AV	36.00	200	Horizontal	Pass
4	7321.312	45.36	74.0	28.64	Peak	299.00	400	Horizontal	Pass
4**	7321.312	37.25	54.0	16.75	AV	299.00	400	Horizontal	Pass
5	12453.027	48.83	74.0	25.18	Peak	285.00	300	Horizontal	Pass
5**	12453.027	39.53	54.0	14.47	AV	285.00	300	Horizontal	Pass
6	15792.511	51.12	74.0	22.88	Peak	137.00	200	Horizontal	Pass
6**	15792.511	39.60	54.0	14.40	AV	137.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.281	37.81	74.0	36.19	Peak	281.00	400	Vertical	Pass
1**	1496.281	29.69	54.0	24.31	AV	281.00	400	Vertical	Pass
2	2987.787	42.57	74.0	31.43	Peak	41.00	100	Vertical	Pass
2**	2987.787	34.33	54.0	19.67	AV	41.00	100	Vertical	Pass
3	4198.509	47.52	74.0	26.48	Peak	227.00	200	Vertical	Pass
3**	4198.509	39.06	54.0	14.94	AV	227.00	200	Vertical	Pass
4	7379.492	45.24	74.0	28.76	Peak	82.00	200	Vertical	Pass
4**	7379.492	35.45	54.0	18.55	AV	82.00	200	Vertical	Pass
5	12599.162	48.73	74.0	25.28	Peak	67.00	300	Vertical	Pass
5**	12599.162	39.28	54.0	14.73	AV	67.00	300	Vertical	Pass
6	15816.214	50.23	74.0	23.77	Peak	354.00	200	Vertical	Pass
6**	15816.214	39.23	54.0	14.77	AV	354.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.441	37.20	74.0	36.80	Peak	349.00	400	Horizontal	Pass
1**	1510.441	30.62	54.0	23.38	AV	349.00	400	Horizontal	Pass
2	2973.053	42.85	74.0	31.15	Peak	83.00	200	Horizontal	Pass
2**	2973.053	34.73	54.0	19.27	AV	83.00	200	Horizontal	Pass
3	4199.636	47.74	74.0	26.26	Peak	16.00	200	Horizontal	Pass
3**	4199.636	39.56	54.0	14.45	AV	16.00	200	Horizontal	Pass
4	7323.541	45.44	74.0	28.56	Peak	212.00	200	Horizontal	Pass
4**	7323.541	37.34	54.0	16.66	AV	212.00	200	Horizontal	Pass
5	12446.665	48.41	74.0	25.59	Peak	111.00	300	Horizontal	Pass
5**	12446.665	39.33	54.0	14.67	AV	111.00	300	Horizontal	Pass
6	15792.856	51.29	74.0	22.71	Peak	316.00	400	Horizontal	Pass
6**	15792.856	39.15	54.0	14.85	AV	316.00	400	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.130	37.88	74.0	36.12	Peak	82.00	100	Vertical	Pass
1**	1498.130	30.00	54.0	24.00	AV	82.00	100	Vertical	Pass
2	2988.146	42.82	74.0	31.18	Peak	312.00	400	Vertical	Pass
2**	2988.146	34.53	54.0	19.47	AV	312.00	400	Vertical	Pass
3	4196.561	48.10	74.0	25.90	Peak	202.00	200	Vertical	Pass
3**	4196.561	39.42	54.0	14.58	AV	202.00	200	Vertical	Pass
4	7377.212	45.32	74.0	28.68	Peak	131.00	400	Vertical	Pass
4**	7377.212	35.55	54.0	18.45	AV	131.00	400	Vertical	Pass
5	12594.560	48.88	74.0	25.13	Peak	157.00	200	Vertical	Pass
5**	12594.560	39.19	54.0	14.81	AV	157.00	200	Vertical	Pass
6	15813.381	50.27	74.0	23.73	Peak	74.00	200	Vertical	Pass
6**	15813.381	39.43	54.0	14.57	AV	74.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.324	37.32	74.0	36.68	Peak	335.00	200	Horizontal	Pass
1**	1513.324	30.62	54.0	23.38	AV	335.00	200	Horizontal	Pass
2	2973.196	43.00	74.0	31.00	Peak	359.00	300	Horizontal	Pass
2**	2973.196	34.84	54.0	19.16	AV	359.00	300	Horizontal	Pass
3	4197.527	47.98	74.0	26.02	Peak	113.00	200	Horizontal	Pass
3**	4197.527	39.80	54.0	14.20	AV	113.00	200	Horizontal	Pass
4	7322.135	45.54	74.0	28.46	Peak	242.00	200	Horizontal	Pass
4**	7322.135	37.05	54.0	16.95	AV	242.00	200	Horizontal	Pass
5	12449.990	48.74	74.0	25.26	Peak	351.00	200	Horizontal	Pass
5**	12449.990	39.54	54.0	14.46	AV	351.00	200	Horizontal	Pass
6	15787.910	51.24	74.0	22.77	Peak	32.00	100	Horizontal	Pass
6**	15787.910	39.57	54.0	14.43	AV	32.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.740	37.70	74.0	36.30	Peak	104.00	100	Vertical	Pass
1**	1497.740	29.77	54.0	24.23	AV	104.00	100	Vertical	Pass
2	2989.743	42.35	74.0	31.66	Peak	212.00	400	Vertical	Pass
2**	2989.743	34.29	54.0	19.71	AV	212.00	400	Vertical	Pass
3	4200.892	47.38	74.0	26.62	Peak	108.00	200	Vertical	Pass
3**	4200.892	39.16	54.0	14.85	AV	108.00	200	Vertical	Pass
4	7375.783	44.88	74.0	29.12	Peak	321.00	200	Vertical	Pass
4**	7375.783	35.53	54.0	18.47	AV	321.00	200	Vertical	Pass
5	12599.599	48.72	74.0	25.28	Peak	324.00	300	Vertical	Pass
5**	12599.599	39.10	54.0	14.90	AV	324.00	300	Vertical	Pass
6	15815.399	50.37	74.0	23.63	Peak	129.00	100	Vertical	Pass
6**	15815.399	39.08	54.0	14.92	AV	129.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.437	37.66	74.0	36.34	Peak	192.00	100	Horizontal	Pass
1**	1510.437	30.85	54.0	23.15	AV	192.00	100	Horizontal	Pass
2	2973.382	42.92	74.0	31.08	Peak	109.00	300	Horizontal	Pass
2**	2973.382	35.07	54.0	18.93	AV	109.00	300	Horizontal	Pass
3	4197.342	48.01	74.0	25.99	Peak	284.00	200	Horizontal	Pass
3**	4197.342	39.78	54.0	14.22	AV	284.00	200	Horizontal	Pass
4	7322.571	45.63	74.0	28.37	Peak	185.00	400	Horizontal	Pass
4**	7322.571	37.42	54.0	16.58	AV	185.00	400	Horizontal	Pass
5	12448.926	48.90	74.0	25.10	Peak	267.00	300	Horizontal	Pass
5**	12448.926	39.68	54.0	14.32	AV	267.00	300	Horizontal	Pass
6	15790.904	51.35	74.0	22.66	Peak	59.00	300	Horizontal	Pass
6**	15790.904	39.60	54.0	14.40	AV	59.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.675	38.48	74.0	35.52	Peak	174.00	100	Vertical	Pass
1**	1495.675	30.26	54.0	23.74	AV	174.00	100	Vertical	Pass
2	2991.611	42.89	74.0	31.11	Peak	200.00	400	Vertical	Pass
2**	2991.611	34.92	54.0	19.08	AV	200.00	400	Vertical	Pass
3	4198.430	48.35	74.0	25.65	Peak	26.00	200	Vertical	Pass
3**	4198.430	39.52	54.0	14.48	AV	26.00	200	Vertical	Pass
4	7375.715	45.68	74.0	28.32	Peak	168.00	100	Vertical	Pass
4**	7375.715	35.82	54.0	18.18	AV	168.00	100	Vertical	Pass
5	12600.697	49.30	74.0	24.70	Peak	268.00	300	Vertical	Pass
5**	12600.697	39.59	54.0	14.42	AV	268.00	300	Vertical	Pass
6	15813.453	50.66	74.0	23.34	Peak	302.00	200	Vertical	Pass
6**	15813.453	39.86	54.0	14.14	AV	302.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.031	37.46	74.0	36.54	Peak	222.00	100	Horizontal	Pass
1**	1511.031	30.61	54.0	23.39	AV	222.00	100	Horizontal	Pass
2	2970.213	42.93	74.0	31.07	Peak	186.00	200	Horizontal	Pass
2**	2970.213	35.00	54.0	19.00	AV	186.00	200	Horizontal	Pass
3	4200.613	47.90	74.0	26.10	Peak	156.00	200	Horizontal	Pass
3**	4200.613	39.67	54.0	14.33	AV	156.00	200	Horizontal	Pass
4	7320.218	45.50	74.0	28.51	Peak	168.00	200	Horizontal	Pass
4**	7320.218	37.53	54.0	16.47	AV	168.00	200	Horizontal	Pass
5	12449.679	48.60	74.0	25.40	Peak	179.00	200	Horizontal	Pass
5**	12449.679	39.42	54.0	14.58	AV	179.00	200	Horizontal	Pass
6	15787.307	51.16	74.0	22.84	Peak	282.00	100	Horizontal	Pass
6**	15787.307	39.35	54.0	14.65	AV	282.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.893	38.19	74.0	35.81	Peak	105.00	100	Vertical	Pass
1**	1496.893	30.14	54.0	23.86	AV	105.00	100	Vertical	Pass
2	2987.343	43.00	74.0	31.00	Peak	165.00	200	Vertical	Pass
2**	2987.343	35.12	54.0	18.88	AV	165.00	200	Vertical	Pass
3	4198.013	48.14	74.0	25.86	Peak	231.00	200	Vertical	Pass
3**	4198.013	39.32	54.0	14.68	AV	231.00	200	Vertical	Pass
4	7374.975	45.50	74.0	28.50	Peak	290.00	200	Vertical	Pass
4**	7374.975	35.93	54.0	18.08	AV	290.00	200	Vertical	Pass
5	12593.411	49.26	74.0	24.74	Peak	169.00	100	Vertical	Pass
5**	12593.411	39.47	54.0	14.53	AV	169.00	100	Vertical	Pass
6	15813.879	50.56	74.0	23.44	Peak	25.00	400	Vertical	Pass
6**	15813.879	39.48	54.0	14.52	AV	25.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.468	37.38	74.0	36.62	Peak	157.00	100	Horizontal	Pass
1**	1515.468	30.45	54.0	23.55	AV	157.00	100	Horizontal	Pass
2	2973.982	42.91	74.0	31.09	Peak	142.00	100	Horizontal	Pass
2**	2973.982	34.80	54.0	19.20	AV	142.00	100	Horizontal	Pass
3	4202.644	47.65	74.0	26.35	Peak	347.00	200	Horizontal	Pass
3**	4202.644	39.85	54.0	14.15	AV	347.00	200	Horizontal	Pass
4	7319.905	45.40	74.0	28.60	Peak	9.00	200	Horizontal	Pass
4**	7319.905	37.48	54.0	16.52	AV	9.00	200	Horizontal	Pass
5	12450.698	48.52	74.0	25.48	Peak	10.00	400	Horizontal	Pass
5**	12450.698	39.05	54.0	14.95	AV	10.00	400	Horizontal	Pass
6	15793.341	51.22	74.0	22.78	Peak	313.00	100	Horizontal	Pass
6**	15793.341	39.17	54.0	14.83	AV	313.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.405	37.91	74.0	36.09	Peak	96.00	200	Vertical	Pass
1**	1496.405	30.05	54.0	23.95	AV	96.00	200	Vertical	Pass
2	2987.102	42.57	74.0	31.43	Peak	2.00	200	Vertical	Pass
2**	2987.102	34.76	54.0	19.24	AV	2.00	200	Vertical	Pass
3	4196.886	47.82	74.0	26.18	Peak	247.00	200	Vertical	Pass
3**	4196.886	39.14	54.0	14.86	AV	247.00	200	Vertical	Pass
4	7382.076	45.32	74.0	28.68	Peak	360.00	100	Vertical	Pass
4**	7382.076	35.84	54.0	18.16	AV	360.00	100	Vertical	Pass
5	12593.767	49.10	74.0	24.90	Peak	233.00	200	Vertical	Pass
5**	12593.767	39.26	54.0	14.74	AV	233.00	200	Vertical	Pass
6	15817.732	50.37	74.0	23.63	Peak	190.00	400	Vertical	Pass
6**	15817.732	39.40	54.0	14.60	AV	190.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.838	37.05	74.0	36.95	Peak	128.00	300	Horizontal	Pass
1**	1511.838	30.38	54.0	23.63	AV	128.00	300	Horizontal	Pass
2	2974.483	42.69	74.0	31.31	Peak	256.00	100	Horizontal	Pass
2**	2974.483	34.70	54.0	19.30	AV	256.00	100	Horizontal	Pass
3	4201.152	47.43	74.0	26.57	Peak	7.00	200	Horizontal	Pass
3**	4201.152	39.55	54.0	14.45	AV	7.00	200	Horizontal	Pass
4	7319.613	45.25	74.0	28.76	Peak	272.00	100	Horizontal	Pass
4**	7319.613	37.50	54.0	16.50	AV	272.00	100	Horizontal	Pass
5	12452.843	48.29	74.0	25.71	Peak	24.00	200	Horizontal	Pass
5**	12452.843	39.12	54.0	14.88	AV	24.00	200	Horizontal	Pass
6	15787.046	50.85	74.0	23.15	Peak	220.00	400	Horizontal	Pass
6**	15787.046	39.05	54.0	14.95	AV	220.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.870	37.99	74.0	36.01	Peak	128.00	200	Vertical	Pass
1**	1493.870	29.80	54.0	24.21	AV	128.00	200	Vertical	Pass
2	2992.121	42.51	74.0	31.49	Peak	141.00	300	Vertical	Pass
2**	2992.121	34.32	54.0	19.68	AV	141.00	300	Vertical	Pass
3	4204.186	47.67	74.0	26.33	Peak	87.00	200	Vertical	Pass
3**	4204.186	39.29	54.0	14.72	AV	87.00	200	Vertical	Pass
4	7381.800	45.15	74.0	28.85	Peak	326.00	200	Vertical	Pass
4**	7381.800	35.48	54.0	18.52	AV	326.00	200	Vertical	Pass
5	12598.606	48.78	74.0	25.22	Peak	59.00	300	Vertical	Pass
5**	12598.606	39.24	54.0	14.76	AV	59.00	300	Vertical	Pass
6	15817.562	50.52	74.0	23.48	Peak	69.00	400	Vertical	Pass
6**	15817.562	39.39	54.0	14.61	AV	69.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.873	37.98	74.0	36.02	Peak	227.00	200	Horizontal	Pass
1**	1512.873	28.18	54.0	25.82	AV	227.00	200	Horizontal	Pass
2	2971.670	43.57	74.0	30.43	Peak	251.00	300	Horizontal	Pass
2**	2971.670	37.23	54.0	16.77	AV	251.00	300	Horizontal	Pass
3	4202.914	46.07	74.0	27.93	Peak	73.00	200	Horizontal	Pass
3**	4202.914	38.58	54.0	15.42	AV	73.00	200	Horizontal	Pass
4	7320.639	43.90	74.0	30.10	Peak	166.00	100	Horizontal	Pass
4**	7320.639	36.10	54.0	17.90	AV	166.00	100	Horizontal	Pass
5	12446.043	50.80	74.0	23.20	Peak	343.00	400	Horizontal	Pass
5**	12446.043	40.95	54.0	13.05	AV	343.00	400	Horizontal	Pass
6	15790.243	54.14	74.0	19.86	Peak	173.00	400	Horizontal	Pass
6**	15790.243	39.27	54.0	14.73	AV	173.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.169	40.18	74.0	33.82	Peak	176.00	200	Vertical	Pass
1**	1485.169	28.35	54.0	25.65	AV	176.00	200	Vertical	Pass
2	4135.946	50.24	74.0	23.76	Peak	66.00	200	Vertical	Pass
2**	4135.946	41.12	54.0	12.88	AV	66.00	200	Vertical	Pass
3	4563.088	50.07	74.0	23.93	Peak	146.00	200	Vertical	Pass
3**	4563.088	41.02	54.0	12.98	AV	146.00	200	Vertical	Pass
4	7317.582	42.69	74.0	31.31	Peak	232.00	100	Vertical	Pass
4**	7317.582	33.44	54.0	20.56	AV	232.00	100	Vertical	Pass
5	12522.373	48.42	74.0	25.58	Peak	220.00	200	Vertical	Pass
5**	12522.373	41.56	54.0	12.44	AV	220.00	200	Vertical	Pass
6	15836.908	52.42	74.0	21.58	Peak	67.00	400	Vertical	Pass
6**	15836.908	40.65	54.0	13.35	AV	67.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.334	37.78	74.0	36.22	Peak	221.00	300	Horizontal	Pass
1**	1515.334	28.06	54.0	25.94	AV	221.00	300	Horizontal	Pass
2	2971.123	43.29	74.0	30.71	Peak	286.00	400	Horizontal	Pass
2**	2971.123	37.19	54.0	16.81	AV	286.00	400	Horizontal	Pass
3	4198.394	45.93	74.0	28.07	Peak	69.00	200	Horizontal	Pass
3**	4198.394	38.53	54.0	15.47	AV	69.00	200	Horizontal	Pass
4	7321.074	43.72	74.0	30.28	Peak	189.00	100	Horizontal	Pass
4**	7321.074	35.85	54.0	18.15	AV	189.00	100	Horizontal	Pass
5	12451.275	50.68	74.0	23.32	Peak	230.00	300	Horizontal	Pass
5**	12451.275	40.90	54.0	13.10	AV	230.00	300	Horizontal	Pass
6	15789.681	54.05	74.0	19.95	Peak	58.00	300	Horizontal	Pass
6**	15789.681	39.17	54.0	14.83	AV	58.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.008	39.92	74.0	34.08	Peak	71.00	200	Vertical	Pass
1**	1482.008	28.35	54.0	25.66	AV	71.00	200	Vertical	Pass
2	4140.166	49.98	74.0	24.02	Peak	332.00	100	Vertical	Pass
2**	4140.166	40.82	54.0	13.18	AV	332.00	100	Vertical	Pass
3	4567.221	49.95	74.0	24.05	Peak	301.00	200	Vertical	Pass
3**	4567.221	40.81	54.0	13.19	AV	301.00	200	Vertical	Pass
4	7315.619	42.42	74.0	31.58	Peak	325.00	400	Vertical	Pass
4**	7315.619	33.26	54.0	20.74	AV	325.00	400	Vertical	Pass
5	12525.884	48.15	74.0	25.85	Peak	117.00	200	Vertical	Pass
5**	12525.884	41.52	54.0	12.49	AV	117.00	200	Vertical	Pass
6	15834.868	52.28	74.0	21.72	Peak	83.00	200	Vertical	Pass
6**	15834.868	40.50	54.0	13.50	AV	83.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.249	37.76	74.0	36.24	Peak	356.00	400	Horizontal	Pass
1**	1513.249	27.85	54.0	26.15	AV	356.00	400	Horizontal	Pass
2	2972.178	43.03	74.0	30.98	Peak	279.00	400	Horizontal	Pass
2**	2972.178	36.89	54.0	17.11	AV	279.00	400	Horizontal	Pass
3	4199.597	45.69	74.0	28.31	Peak	119.00	200	Horizontal	Pass
3**	4199.597	38.42	54.0	15.58	AV	119.00	200	Horizontal	Pass
4	7323.245	43.67	74.0	30.34	Peak	46.00	400	Horizontal	Pass
4**	7323.245	35.64	54.0	18.36	AV	46.00	400	Horizontal	Pass
5	12444.855	50.57	74.0	23.43	Peak	340.00	100	Horizontal	Pass
5**	12444.855	40.63	54.0	13.38	AV	340.00	100	Horizontal	Pass
6	15787.347	54.00	74.0	20.00	Peak	319.00	100	Horizontal	Pass
6**	15787.347	39.13	54.0	14.87	AV	319.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.204	39.89	74.0	34.11	Peak	159.00	400	Vertical	Pass
1**	1484.204	28.12	54.0	25.88	AV	159.00	400	Vertical	Pass
2	4136.657	49.80	74.0	24.20	Peak	103.00	200	Vertical	Pass
2**	4136.657	40.74	54.0	13.26	AV	103.00	200	Vertical	Pass
3	4568.731	49.72	74.0	24.28	Peak	69.00	200	Vertical	Pass
3**	4568.731	40.65	54.0	13.35	AV	69.00	200	Vertical	Pass
4	7321.382	42.21	74.0	31.79	Peak	185.00	100	Vertical	Pass
4**	7321.382	33.17	54.0	20.83	AV	185.00	100	Vertical	Pass
5	12527.431	47.86	74.0	26.14	Peak	78.00	300	Vertical	Pass
5**	12527.431	41.35	54.0	12.65	AV	78.00	300	Vertical	Pass
6	15836.180	51.99	74.0	22.01	Peak	359.00	200	Vertical	Pass
6**	15836.180	40.25	54.0	13.75	AV	359.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.789	37.62	74.0	36.38	Peak	251.00	100	Horizontal	Pass
1**	1513.789	27.76	54.0	26.24	AV	251.00	100	Horizontal	Pass
2	2971.218	43.02	74.0	30.98	Peak	294.00	200	Horizontal	Pass
2**	2971.218	36.71	54.0	17.29	AV	294.00	200	Horizontal	Pass
3	4202.210	45.69	74.0	28.31	Peak	59.00	200	Horizontal	Pass
3**	4202.210	38.36	54.0	15.64	AV	59.00	200	Horizontal	Pass
4	7324.716	43.54	74.0	30.46	Peak	195.00	100	Horizontal	Pass
4**	7324.716	35.44	54.0	18.56	AV	195.00	100	Horizontal	Pass
5	12446.459	50.32	74.0	23.68	Peak	8.00	300	Horizontal	Pass
5**	12446.459	40.58	54.0	13.42	AV	8.00	300	Horizontal	Pass
6	15790.000	53.72	74.0	20.28	Peak	309.00	200	Horizontal	Pass
6**	15790.000	39.03	54.0	14.97	AV	309.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.315	39.70	74.0	34.30	Peak	339.00	400	Vertical	Pass
1**	1481.315	28.09	54.0	25.91	AV	339.00	400	Vertical	Pass
2	4136.351	49.76	74.0	24.24	Peak	55.00	100	Vertical	Pass
2**	4136.351	40.73	54.0	13.27	AV	55.00	100	Vertical	Pass
3	4566.767	49.46	74.0	24.54	Peak	240.00	200	Vertical	Pass
3**	4566.767	40.57	54.0	13.43	AV	240.00	200	Vertical	Pass
4	7315.604	42.20	74.0	31.80	Peak	273.00	100	Vertical	Pass
4**	7315.604	32.96	54.0	21.04	AV	273.00	100	Vertical	Pass
5	12527.511	47.60	74.0	26.40	Peak	264.00	200	Vertical	Pass
5**	12527.511	41.27	54.0	12.74	AV	264.00	200	Vertical	Pass
6	15835.327	51.73	74.0	22.27	Peak	181.00	300	Vertical	Pass
6**	15835.327	40.13	54.0	13.87	AV	181.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.962	37.57	74.0	36.43	Peak	281.00	100	Horizontal	Pass
1**	1515.962	27.51	54.0	26.49	AV	281.00	100	Horizontal	Pass
2	2967.161	42.80	74.0	31.20	Peak	22.00	400	Horizontal	Pass
2**	2967.161	36.64	54.0	17.37	AV	22.00	400	Horizontal	Pass
3	4198.655	45.45	74.0	28.55	Peak	110.00	200	Horizontal	Pass
3**	4198.655	38.23	54.0	15.77	AV	110.00	200	Horizontal	Pass
4	7321.754	43.28	74.0	30.72	Peak	95.00	400	Horizontal	Pass
4**	7321.754	35.26	54.0	18.74	AV	95.00	400	Horizontal	Pass
5	12448.265	50.26	74.0	23.74	Peak	151.00	200	Horizontal	Pass
5**	12448.265	40.53	54.0	13.47	AV	151.00	200	Horizontal	Pass
6	15786.414	53.57	74.0	20.43	Peak	131.00	300	Horizontal	Pass
6**	15786.414	38.77	54.0	15.23	AV	131.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.055	39.58	74.0	34.42	Peak	239.00	100	Vertical	Pass
1**	1484.055	28.01	54.0	25.99	AV	239.00	100	Vertical	Pass
2	4136.471	49.50	74.0	24.50	Peak	175.00	400	Vertical	Pass
2**	4136.471	40.61	54.0	13.39	AV	175.00	400	Vertical	Pass
3	4563.044	49.31	74.0	24.69	Peak	348.00	200	Vertical	Pass
3**	4563.044	40.48	54.0	13.52	AV	348.00	200	Vertical	Pass
4	7320.031	42.05	74.0	31.95	Peak	345.00	300	Vertical	Pass
4**	7320.031	32.69	54.0	21.31	AV	345.00	300	Vertical	Pass
5	12526.822	47.31	74.0	26.69	Peak	283.00	200	Vertical	Pass
5**	12526.822	41.10	54.0	12.90	AV	283.00	200	Vertical	Pass
6	15834.866	51.49	74.0	22.51	Peak	274.00	200	Vertical	Pass
6**	15834.866	39.97	54.0	14.03	AV	274.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.705	37.53	74.0	36.47	Peak	258.00	100	Horizontal	Pass
1**	1517.705	27.44	54.0	26.57	AV	258.00	100	Horizontal	Pass
2	2974.160	42.63	74.0	31.37	Peak	215.00	300	Horizontal	Pass
2**	2974.160	36.39	54.0	17.61	AV	215.00	300	Horizontal	Pass
3	4200.344	45.38	74.0	28.62	Peak	304.00	200	Horizontal	Pass
3**	4200.344	38.04	54.0	15.96	AV	304.00	200	Horizontal	Pass
4	7322.085	43.05	74.0	30.95	Peak	71.00	300	Horizontal	Pass
4**	7322.085	35.25	54.0	18.75	AV	71.00	300	Horizontal	Pass
5	12447.723	50.16	74.0	23.84	Peak	339.00	200	Horizontal	Pass
5**	12447.723	40.34	54.0	13.66	AV	339.00	200	Horizontal	Pass
6	15793.233	53.30	74.0	20.70	Peak	132.00	300	Horizontal	Pass
6**	15793.233	38.55	54.0	15.45	AV	132.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.742	39.43	74.0	34.57	Peak	25.00	400	Vertical	Pass
1**	1482.742	27.74	54.0	26.26	AV	25.00	400	Vertical	Pass
2	4138.249	49.31	74.0	24.69	Peak	150.00	200	Vertical	Pass
2**	4138.249	40.57	54.0	13.44	AV	150.00	200	Vertical	Pass
3	4562.658	49.02	74.0	24.98	Peak	345.00	200	Vertical	Pass
3**	4562.658	40.41	54.0	13.59	AV	345.00	200	Vertical	Pass
4	7317.179	41.89	74.0	32.11	Peak	178.00	100	Vertical	Pass
4**	7317.179	32.58	54.0	21.42	AV	178.00	100	Vertical	Pass
5	12523.642	47.22	74.0	26.78	Peak	273.00	200	Vertical	Pass
5**	12523.642	41.09	54.0	12.91	AV	273.00	200	Vertical	Pass
6	15837.013	51.42	74.0	22.58	Peak	251.00	400	Vertical	Pass
6**	15837.013	39.91	54.0	14.09	AV	251.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.802	37.49	74.0	36.51	Peak	300.00	100	Horizontal	Pass
1**	1509.802	27.42	54.0	26.58	AV	300.00	100	Horizontal	Pass
2	2970.344	42.40	74.0	31.60	Peak	4.00	100	Horizontal	Pass
2**	2970.344	36.28	54.0	17.72	AV	4.00	100	Horizontal	Pass
3	4199.355	45.18	74.0	28.82	Peak	343.00	200	Horizontal	Pass
3**	4199.355	37.91	54.0	16.09	AV	343.00	200	Horizontal	Pass
4	7326.838	42.91	74.0	31.09	Peak	113.00	300	Horizontal	Pass
4**	7326.838	35.07	54.0	18.93	AV	113.00	300	Horizontal	Pass
5	12449.048	50.04	74.0	23.96	Peak	92.00	200	Horizontal	Pass
5**	12449.048	40.15	54.0	13.85	AV	92.00	200	Horizontal	Pass
6	15788.935	53.17	74.0	20.83	Peak	341.00	100	Horizontal	Pass
6**	15788.935	38.54	54.0	15.46	AV	341.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.130	39.29	74.0	34.71	Peak	117.00	400	Vertical	Pass
1**	1482.130	27.46	54.0	26.54	AV	117.00	400	Vertical	Pass
2	4135.273	49.14	74.0	24.86	Peak	197.00	400	Vertical	Pass
2**	4135.273	40.56	54.0	13.44	AV	197.00	400	Vertical	Pass
3	4569.110	48.88	74.0	25.12	Peak	129.00	200	Vertical	Pass
3**	4569.110	40.15	54.0	13.85	AV	129.00	200	Vertical	Pass
4	7322.560	41.65	74.0	32.35	Peak	329.00	300	Vertical	Pass
4**	7322.560	32.33	54.0	21.68	AV	329.00	300	Vertical	Pass
5	12522.434	46.94	74.0	27.06	Peak	252.00	400	Vertical	Pass
5**	12522.434	40.85	54.0	13.15	AV	252.00	400	Vertical	Pass
6	15840.431	51.15	74.0	22.85	Peak	271.00	100	Vertical	Pass
6**	15840.431	39.89	54.0	14.11	AV	271.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.126	37.46	74.0	36.54	Peak	225.00	100	Horizontal	Pass
1**	1510.126	27.39	54.0	26.61	AV	225.00	100	Horizontal	Pass
2	2968.968	42.40	74.0	31.60	Peak	200.00	200	Horizontal	Pass
2**	2968.968	36.21	54.0	17.79	AV	200.00	200	Horizontal	Pass
3	4198.970	45.05	74.0	28.95	Peak	337.00	200	Horizontal	Pass
3**	4198.970	37.72	54.0	16.28	AV	337.00	200	Horizontal	Pass
4	7322.029	42.72	74.0	31.28	Peak	326.00	300	Horizontal	Pass
4**	7322.029	34.81	54.0	19.19	AV	326.00	300	Horizontal	Pass
5	12449.536	49.77	74.0	24.23	Peak	21.00	400	Horizontal	Pass
5**	12449.536	39.97	54.0	14.03	AV	21.00	400	Horizontal	Pass
6	15790.621	53.11	74.0	20.89	Peak	82.00	400	Horizontal	Pass
6**	15790.621	38.54	54.0	15.46	AV	82.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.340	39.17	74.0	34.83	Peak	356.00	400	Vertical	Pass
1**	1485.340	27.20	54.0	26.80	AV	356.00	400	Vertical	Pass
2	4137.471	48.85	74.0	25.16	Peak	344.00	300	Vertical	Pass
2**	4137.471	40.35	54.0	13.65	AV	344.00	300	Vertical	Pass
3	4566.071	48.60	74.0	25.40	Peak	72.00	200	Vertical	Pass
3**	4566.071	40.10	54.0	13.90	AV	72.00	200	Vertical	Pass
4	7320.147	41.35	74.0	32.65	Peak	287.00	200	Vertical	Pass
4**	7320.147	32.19	54.0	21.82	AV	287.00	200	Vertical	Pass
5	12527.295	46.77	74.0	27.23	Peak	72.00	300	Vertical	Pass
5**	12527.295	40.58	54.0	13.42	AV	72.00	300	Vertical	Pass
6	15836.524	50.98	74.0	23.02	Peak	22.00	400	Vertical	Pass
6**	15836.524	39.77	54.0	14.23	AV	22.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.852	37.26	74.0	36.74	Peak	109.00	300	Horizontal	Pass
1**	1513.852	27.30	54.0	26.70	AV	109.00	300	Horizontal	Pass
2	2967.020	42.19	74.0	31.81	Peak	269.00	300	Horizontal	Pass
2**	2967.020	36.20	54.0	17.80	AV	269.00	300	Horizontal	Pass
3	4196.815	45.02	74.0	28.98	Peak	97.00	200	Horizontal	Pass
3**	4196.815	37.64	54.0	16.37	AV	97.00	200	Horizontal	Pass
4	7326.074	42.57	74.0	31.43	Peak	27.00	200	Horizontal	Pass
4**	7326.074	34.77	54.0	19.23	AV	27.00	200	Horizontal	Pass
5	12444.076	49.62	74.0	24.38	Peak	234.00	200	Horizontal	Pass
5**	12444.076	39.77	54.0	14.23	AV	234.00	200	Horizontal	Pass
6	15786.551	52.83	74.0	21.17	Peak	176.00	300	Horizontal	Pass
6**	15786.551	38.51	54.0	15.49	AV	176.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.108	38.95	74.0	35.05	Peak	189.00	100	Vertical	Pass
1**	1485.108	27.03	54.0	26.97	AV	189.00	100	Vertical	Pass
2	4132.785	48.70	74.0	25.30	Peak	226.00	100	Vertical	Pass
2**	4132.785	40.14	54.0	13.86	AV	226.00	100	Vertical	Pass
3	4562.495	48.52	74.0	25.48	Peak	86.00	200	Vertical	Pass
3**	4562.495	39.83	54.0	14.18	AV	86.00	200	Vertical	Pass
4	7315.659	41.23	74.0	32.77	Peak	232.00	300	Vertical	Pass
4**	7315.659	31.90	54.0	22.10	AV	232.00	300	Vertical	Pass
5	12529.134	46.72	74.0	27.28	Peak	331.00	300	Vertical	Pass
5**	12529.134	40.48	54.0	13.52	AV	331.00	300	Vertical	Pass
6	15838.268	50.92	74.0	23.08	Peak	284.00	300	Vertical	Pass
6**	15838.268	39.67	54.0	14.33	AV	284.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.234	37.79	74.0	36.21	Peak	208.00	200	Horizontal	Pass
1**	1511.234	27.95	54.0	26.05	AV	208.00	200	Horizontal	Pass
2	2968.814	43.28	74.0	30.72	Peak	210.00	100	Horizontal	Pass
2**	2968.814	37.06	54.0	16.95	AV	210.00	100	Horizontal	Pass
3	4200.077	45.80	74.0	28.20	Peak	318.00	200	Horizontal	Pass
3**	4200.077	38.35	54.0	15.65	AV	318.00	200	Horizontal	Pass
4	7327.696	43.78	74.0	30.22	Peak	144.00	300	Horizontal	Pass
4**	7327.696	35.96	54.0	18.04	AV	144.00	300	Horizontal	Pass
5	12443.854	50.73	74.0	23.28	Peak	67.00	200	Horizontal	Pass
5**	12443.854	40.92	54.0	13.08	AV	67.00	200	Horizontal	Pass
6	15793.521	53.86	74.0	20.14	Peak	329.00	100	Horizontal	Pass
6**	15793.521	39.25	54.0	14.75	AV	329.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.797	40.09	74.0	33.91	Peak	236.00	200	Vertical	Pass
1**	1483.797	28.10	54.0	25.90	AV	236.00	200	Vertical	Pass
2	4138.612	50.06	74.0	23.94	Peak	352.00	300	Vertical	Pass
2**	4138.612	41.05	54.0	12.95	AV	352.00	300	Vertical	Pass
3	4569.290	49.90	74.0	24.10	Peak	42.00	200	Vertical	Pass
3**	4569.290	41.01	54.0	12.99	AV	42.00	200	Vertical	Pass
4	7315.495	42.57	74.0	31.44	Peak	338.00	300	Vertical	Pass
4**	7315.495	33.44	54.0	20.56	AV	338.00	300	Vertical	Pass
5	12522.989	48.16	74.0	25.84	Peak	279.00	200	Vertical	Pass
5**	12522.989	41.31	54.0	12.69	AV	279.00	200	Vertical	Pass
6	15840.190	52.23	74.0	21.77	Peak	268.00	200	Vertical	Pass
6**	15840.190	40.57	54.0	13.43	AV	268.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.249	37.65	74.0	36.35	Peak	42.00	400	Horizontal	Pass
1**	1511.249	27.96	54.0	26.04	AV	42.00	400	Horizontal	Pass
2	2972.310	43.21	74.0	30.79	Peak	76.00	300	Horizontal	Pass
2**	2972.310	37.02	54.0	16.98	AV	76.00	300	Horizontal	Pass
3	4198.671	45.86	74.0	28.14	Peak	187.00	200	Horizontal	Pass
3**	4198.671	38.51	54.0	15.49	AV	187.00	200	Horizontal	Pass
4	7327.159	43.69	74.0	30.31	Peak	356.00	300	Horizontal	Pass
4**	7327.159	35.70	54.0	18.30	AV	356.00	300	Horizontal	Pass
5	12448.776	50.39	74.0	23.61	Peak	288.00	200	Horizontal	Pass
5**	12448.776	40.80	54.0	13.20	AV	288.00	200	Horizontal	Pass
6	15790.194	54.04	74.0	19.96	Peak	282.00	200	Horizontal	Pass
6**	15790.194	38.89	54.0	15.11	AV	282.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.436	40.01	74.0	33.99	Peak	58.00	100	Vertical	Pass
1**	1480.436	27.90	54.0	26.10	AV	58.00	100	Vertical	Pass
2	4135.856	49.96	74.0	24.04	Peak	119.00	200	Vertical	Pass
2**	4135.856	40.98	54.0	13.02	AV	119.00	200	Vertical	Pass
3	4566.839	49.84	74.0	24.16	Peak	25.00	200	Vertical	Pass
3**	4566.839	40.83	54.0	13.17	AV	25.00	200	Vertical	Pass
4	7322.567	42.27	74.0	31.73	Peak	100.00	100	Vertical	Pass
4**	7322.567	33.42	54.0	20.58	AV	100.00	100	Vertical	Pass
5	12523.713	48.06	74.0	25.95	Peak	257.00	400	Vertical	Pass
5**	12523.713	41.08	54.0	12.92	AV	257.00	400	Vertical	Pass
6	15839.846	52.22	74.0	21.79	Peak	272.00	300	Vertical	Pass
6**	15839.846	40.56	54.0	13.44	AV	272.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.406	37.45	74.0	36.56	Peak	41.00	400	Horizontal	Pass
1**	1512.406	27.87	54.0	26.13	AV	41.00	400	Horizontal	Pass
2	2970.523	43.18	74.0	30.82	Peak	323.00	300	Horizontal	Pass
2**	2970.523	36.99	54.0	17.01	AV	323.00	300	Horizontal	Pass
3	4196.733	45.70	74.0	28.30	Peak	62.00	200	Horizontal	Pass
3**	4196.733	38.21	54.0	15.79	AV	62.00	200	Horizontal	Pass
4	7321.674	43.63	74.0	30.37	Peak	337.00	300	Horizontal	Pass
4**	7321.674	35.54	54.0	18.46	AV	337.00	300	Horizontal	Pass
5	12450.554	50.20	74.0	23.80	Peak	226.00	300	Horizontal	Pass
5**	12450.554	40.73	54.0	13.27	AV	226.00	300	Horizontal	Pass
6	15787.170	53.79	74.0	20.21	Peak	273.00	200	Horizontal	Pass
6**	15787.170	38.88	54.0	15.12	AV	273.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.221	39.89	74.0	34.11	Peak	171.00	400	Vertical	Pass
1**	1482.221	27.84	54.0	26.16	AV	171.00	400	Vertical	Pass
2	4139.549	49.75	74.0	24.25	Peak	291.00	300	Vertical	Pass
2**	4139.549	40.75	54.0	13.25	AV	291.00	300	Vertical	Pass
3	4563.444	49.59	74.0	24.41	Peak	338.00	200	Vertical	Pass
3**	4563.444	40.83	54.0	13.17	AV	338.00	200	Vertical	Pass
4	7318.355	42.25	74.0	31.75	Peak	353.00	100	Vertical	Pass
4**	7318.355	33.39	54.0	20.61	AV	353.00	100	Vertical	Pass
5	12521.858	47.86	74.0	26.14	Peak	186.00	200	Vertical	Pass
5**	12521.858	40.87	54.0	13.13	AV	186.00	200	Vertical	Pass
6	15839.140	52.05	74.0	21.95	Peak	230.00	400	Vertical	Pass
6**	15839.140	40.54	54.0	13.46	AV	230.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.638	37.29	74.0	36.71	Peak	345.00	100	Horizontal	Pass
1**	1511.638	27.81	54.0	26.19	AV	345.00	100	Horizontal	Pass
2	2967.556	43.09	74.0	30.91	Peak	170.00	100	Horizontal	Pass
2**	2967.556	36.71	54.0	17.29	AV	170.00	100	Horizontal	Pass
3	4196.590	45.40	74.0	28.60	Peak	49.00	200	Horizontal	Pass
3**	4196.590	37.94	54.0	16.06	AV	49.00	200	Horizontal	Pass
4	7325.559	43.34	74.0	30.66	Peak	81.00	200	Horizontal	Pass
4**	7325.559	35.26	54.0	18.74	AV	81.00	200	Horizontal	Pass
5	12451.091	49.96	74.0	24.04	Peak	218.00	400	Horizontal	Pass
5**	12451.091	40.46	54.0	13.54	AV	218.00	400	Horizontal	Pass
6	15786.828	53.64	74.0	20.36	Peak	353.00	100	Horizontal	Pass
6**	15786.828	38.85	54.0	15.15	AV	353.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.020	39.80	74.0	34.20	Peak	73.00	100	Vertical	Pass
1**	1484.020	27.70	54.0	26.30	AV	73.00	100	Vertical	Pass
2	4138.618	49.58	74.0	24.43	Peak	24.00	400	Vertical	Pass
2**	4138.618	40.67	54.0	13.34	AV	24.00	400	Vertical	Pass
3	4565.948	49.46	74.0	24.54	Peak	56.00	200	Vertical	Pass
3**	4565.948	40.64	54.0	13.36	AV	56.00	200	Vertical	Pass
4	7315.714	42.18	74.0	31.82	Peak	358.00	300	Vertical	Pass
4**	7315.714	33.22	54.0	20.78	AV	358.00	300	Vertical	Pass
5	12521.612	47.60	74.0	26.41	Peak	169.00	200	Vertical	Pass
5**	12521.612	40.65	54.0	13.35	AV	169.00	200	Vertical	Pass
6	15836.928	51.83	74.0	22.17	Peak	284.00	300	Vertical	Pass
6**	15836.928	40.24	54.0	13.76	AV	284.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.495	37.09	74.0	36.91	Peak	251.00	200	Horizontal	Pass
1**	1510.495	27.74	54.0	26.26	AV	251.00	200	Horizontal	Pass
2	2970.009	42.85	74.0	31.16	Peak	269.00	300	Horizontal	Pass
2**	2970.009	36.57	54.0	17.43	AV	269.00	300	Horizontal	Pass
3	4201.479	45.30	74.0	28.70	Peak	215.00	200	Horizontal	Pass
3**	4201.479	37.84	54.0	16.16	AV	215.00	200	Horizontal	Pass
4	7322.537	43.17	74.0	30.83	Peak	198.00	100	Horizontal	Pass
4**	7322.537	35.07	54.0	18.93	AV	198.00	100	Horizontal	Pass
5	12445.241	49.83	74.0	24.17	Peak	14.00	400	Horizontal	Pass
5**	12445.241	40.38	54.0	13.62	AV	14.00	400	Horizontal	Pass
6	15793.665	53.61	74.0	20.40	Peak	148.00	200	Horizontal	Pass
6**	15793.665	38.60	54.0	15.40	AV	148.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.509	40.01	74.0	33.99	Peak	349.00	100	Vertical	Pass
1**	1486.509	28.26	54.0	25.74	AV	349.00	100	Vertical	Pass
2	4139.220	49.99	74.0	24.01	Peak	2.00	100	Vertical	Pass
2**	4139.220	40.90	54.0	13.10	AV	2.00	100	Vertical	Pass
3	4563.911	49.98	74.0	24.02	Peak	118.00	200	Vertical	Pass
3**	4563.911	41.02	54.0	12.98	AV	118.00	200	Vertical	Pass
4	7319.559	42.60	74.0	31.40	Peak	170.00	400	Vertical	Pass
4**	7319.559	33.44	54.0	20.56	AV	170.00	400	Vertical	Pass
5	12522.003	48.17	74.0	25.84	Peak	321.00	400	Vertical	Pass
5**	12522.003	41.41	54.0	12.59	AV	321.00	400	Vertical	Pass
6	15839.137	52.15	74.0	21.85	Peak	311.00	100	Vertical	Pass
6**	15839.137	40.48	54.0	13.52	AV	311.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.172	37.80	74.0	36.20	Peak	258.00	400	Horizontal	Pass
1**	1515.172	28.06	54.0	25.94	AV	258.00	400	Horizontal	Pass
2	2969.589	43.30	74.0	30.70	Peak	87.00	300	Horizontal	Pass
2**	2969.589	37.16	54.0	16.84	AV	87.00	300	Horizontal	Pass
3	4197.094	46.03	74.0	27.97	Peak	131.00	200	Horizontal	Pass
3**	4197.094	38.39	54.0	15.61	AV	131.00	200	Horizontal	Pass
4	7322.584	43.71	74.0	30.29	Peak	219.00	300	Horizontal	Pass
4**	7322.584	35.90	54.0	18.10	AV	219.00	300	Horizontal	Pass
5	12449.738	50.72	74.0	23.29	Peak	78.00	400	Horizontal	Pass
5**	12449.738	40.86	54.0	13.14	AV	78.00	400	Horizontal	Pass
6	15793.171	54.06	74.0	19.94	Peak	57.00	200	Horizontal	Pass
6**	15793.171	39.05	54.0	14.96	AV	57.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.720	39.91	74.0	34.09	Peak	234.00	400	Vertical	Pass
1**	1480.720	28.31	54.0	25.69	AV	234.00	400	Vertical	Pass
2	4135.001	49.96	74.0	24.04	Peak	115.00	300	Vertical	Pass
2**	4135.001	40.98	54.0	13.02	AV	115.00	300	Vertical	Pass
3	4565.146	49.82	74.0	24.18	Peak	242.00	200	Vertical	Pass
3**	4565.146	40.79	54.0	13.21	AV	242.00	200	Vertical	Pass
4	7316.231	42.44	74.0	31.56	Peak	256.00	200	Vertical	Pass
4**	7316.231	33.42	54.0	20.58	AV	256.00	200	Vertical	Pass
5	12526.664	48.17	74.0	25.83	Peak	29.00	400	Vertical	Pass
5**	12526.664	41.40	54.0	12.60	AV	29.00	400	Vertical	Pass
6	15834.843	52.27	74.0	21.73	Peak	43.00	100	Vertical	Pass
6**	15834.843	40.55	54.0	13.45	AV	43.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.387	37.33	74.0	36.67	Peak	82.00	300	Horizontal	Pass
1**	1510.387	27.28	54.0	26.72	AV	82.00	300	Horizontal	Pass
2	2973.290	42.76	74.0	31.24	Peak	291.00	300	Horizontal	Pass
2**	2973.290	36.63	54.0	17.37	AV	291.00	300	Horizontal	Pass
3	4201.109	45.37	74.0	28.63	Peak	289.00	200	Horizontal	Pass
3**	4201.109	38.08	54.0	15.92	AV	289.00	200	Horizontal	Pass
4	7322.858	43.02	74.0	30.98	Peak	337.00	200	Horizontal	Pass
4**	7322.858	35.23	54.0	18.77	AV	337.00	200	Horizontal	Pass
5	12447.471	50.22	74.0	23.78	Peak	334.00	100	Horizontal	Pass
5**	12447.471	40.35	54.0	13.65	AV	334.00	100	Horizontal	Pass
6	15789.965	53.37	74.0	20.63	Peak	129.00	400	Horizontal	Pass
6**	15789.965	38.54	54.0	15.47	AV	129.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.102	39.37	74.0	34.63	Peak	173.00	200	Vertical	Pass
1**	1481.102	27.87	54.0	26.13	AV	173.00	200	Vertical	Pass
2	4133.217	49.24	74.0	24.76	Peak	12.00	300	Vertical	Pass
2**	4133.217	40.59	54.0	13.41	AV	12.00	300	Vertical	Pass
3	4563.212	49.08	74.0	24.92	Peak	41.00	200	Vertical	Pass
3**	4563.212	40.38	54.0	13.62	AV	41.00	200	Vertical	Pass
4	7319.059	41.98	74.0	32.02	Peak	349.00	300	Vertical	Pass
4**	7319.059	32.55	54.0	21.46	AV	349.00	300	Vertical	Pass
5	12526.137	47.08	74.0	26.92	Peak	29.00	100	Vertical	Pass
5**	12526.137	40.99	54.0	13.01	AV	29.00	100	Vertical	Pass
6	15839.837	51.29	74.0	22.71	Peak	348.00	200	Vertical	Pass
6**	15839.837	39.69	54.0	14.31	AV	348.00	200	Vertical	Pass