



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	28
3. Maximum Conducted Output Power	41
4. Power Spectral Density	42
5. Frequency Stability	55


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5500.00	18.02	16.17
NVNT	ANT1	802.11a	5600.00	18.01	16.19
NVNT	ANT1	802.11a	5700.00	17.98	16.15
NVNT	ANT1	802.11n(HT20)	5500.00	18.91	17.28
NVNT	ANT1	802.11n(HT20)	5600.00	18.92	17.28
NVNT	ANT1	802.11n(HT20)	5700.00	18.92	17.26
NVNT	ANT1	802.11ac(VHT20)	5500.00	18.87	17.28
NVNT	ANT1	802.11ac(VHT20)	5600.00	18.83	17.27
NVNT	ANT1	802.11ac(VHT20)	5700.00	18.87	17.26
NVNT	ANT1	802.11ax(HE20)	5500.00	20.24	18.69
NVNT	ANT1	802.11ax(HE20)	5600.00	20.17	18.69
NVNT	ANT1	802.11ax(HE20)	5700.00	20.18	18.66
NVNT	ANT1	802.11n(HT40)	5510.00	38.73	35.74
NVNT	ANT1	802.11n(HT40)	5590.00	38.67	35.74
NVNT	ANT1	802.11n(HT40)	5670.00	38.57	35.26
NVNT	ANT1	802.11ac(VHT40)	5510.00	38.49	35.68
NVNT	ANT1	802.11ac(VHT40)	5590.00	38.51	35.69
NVNT	ANT1	802.11ac(VHT40)	5670.00	38.48	35.65
NVNT	ANT1	802.11ax(HE40)	5510.00	38.66	35.68
NVNT	ANT1	802.11ax(HE40)	5590.00	38.66	35.70
NVNT	ANT1	802.11ax(HE40)	5670.00	38.55	35.66
NVNT	ANT1	802.11ac(VHT80)	5530.00	79.25	74.92
NVNT	ANT1	802.11ac(VHT80)	5610.00	79.27	74.90
NVNT	ANT1	802.11ax(HE80)	5530.00	80.41	76.58
NVNT	ANT1	802.11ax(HE80)	5610.00	80.40	76.50







99% OCB NVNT ANT1 802 11a 5600




-26BW_NVNT_ANT1_802_11a_5600




99% OCB NVNT ANT1 802 11a 5700




-26BW_NVNT_ANT1_802_11a_5700




99% OCB NVNT ANT1_802_11n(HT20)_5500




-26BW_NVNT_ANT1_802_11n(HT20)_5500




99% OCB NVNT ANT1_802_11n(HT20)_5600




-26BW_NVNT_ANT1_802_11n(HT20)_5600




99% OCB NVNT ANT1_802_11n(HT20)_5700




-26BW_NVNT_ANT1_802_11n(HT20)_5700




99% OCB NVNT ANT1 802 11ac(VHT20) 5500




-26BW_NVNT_ANT1_802_11ac(VHT20)_5500




99% OCB NVNT ANT1 802 11ac(VHT20) 5600




-26BW_NVNT_ANT1_802_11ac(VHT20)_5600




99% OCB NVNT ANT1 802 11ac(VHT20) 5700




-26BW_NVNT_ANT1_802_11ac(VHT20)_5700




99% OCB NVNT ANT1_802_11ax(HE20)_5500




-26BW_NVNT_ANT1_802_11ax(HE20)_5500




99% OCB NVNT ANT1 802_11ax(HE20) 5600




-26BW_NVNT_ANT1_802_11ax(HE20)_5600




99% OCB NVNT ANT1 802_11ax(HE20) 5700




-26BW_NVNT_ANT1_802_11ax(HE20)_5700




99% OCB NVNT ANT1_802_11n(HT40)_5510




-26BW_NVNT_ANT1_802_11n(HT40)_5510




99% OCB NVNT ANT1_802_11n(HT40)_5590




-26BW_NVNT_ANT1_802_11n(HT40)_5590




99% OCB NVNT ANT1_802_11n(HT40)_5670




-26BW_NVNT_ANT1_802_11n(HT40)_5670




99% OCB NVNT ANT1 802 11ac(VHT40) 5510




-26BW_NVNT_ANT1_802_11ac(VHT40)_5510




99% OCB NVNT ANT1 802 11ac(VHT40) 5590




-26BW_NVNT_ANT1_802_11ac(VHT40)_5590




99% OCB NVNT ANT1 802 11ac(VHT40) 5670




-26BW_NVNT_ANT1_802_11ac(VHT40)_5670




99% OCB NVNT ANT1_802_11ax(HE40)_5510




-26BW_NVNT_ANT1_802_11ax(HE40)_5510




99% OCB NVNT ANT1_802_11ax(HE40)_5590




-26BW_NVNT_ANT1_802_11ax(HE40)_5590




99% OCB NVNT ANT1_802_11ax(HE40)_5670




-26BW_NVNT_ANT1_802_11ax(HE40)_5670




99% OCB NVNT ANT1 802 11ac(VHT80) 5530




-26BW_NVNT_ANT1_802_11ac(VHT80)_5530




99% OCB NVNT ANT1 802 11ac(VHT80) 5610




-26BW_NVNT_ANT1_802_11ac(VHT80)_5610




99% OCB NVNT ANT1_802_11ax(HE80)_5530




-26BW_NVNT_ANT1_802_11ax(HE80)_5530



99% OCB NVNT ANT1_802_11ax(HE80)_5610




-26BW_NVNT_ANT1_802_11ax(HE80)_5610




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5500.00	73.12	1.36
NVNT	ANT1	802.11a	5600.00	73.12	1.36
NVNT	ANT1	802.11a	5700.00	73.12	1.36
NVNT	ANT1	802.11n(HT20)	5500.00	71.91	1.43
NVNT	ANT1	802.11n(HT20)	5600.00	71.91	1.43
NVNT	ANT1	802.11n(HT20)	5700.00	71.59	1.45
NVNT	ANT1	802.11ac(VHT20)	5500.00	71.91	1.43
NVNT	ANT1	802.11ac(VHT20)	5600.00	70.79	1.50
NVNT	ANT1	802.11ac(VHT20)	5700.00	71.91	1.43
NVNT	ANT1	802.11ax(HE20)	5500.00	69.05	1.61
NVNT	ANT1	802.11ax(HE20)	5600.00	69.88	1.56
NVNT	ANT1	802.11ax(HE20)	5700.00	69.88	1.56
NVNT	ANT1	802.11n(HT40)	5510.00	56.14	2.51
NVNT	ANT1	802.11n(HT40)	5590.00	56.14	2.51
NVNT	ANT1	802.11n(HT40)	5670.00	55.36	2.57
NVNT	ANT1	802.11ac(VHT40)	5510.00	56.14	2.51
NVNT	ANT1	802.11ac(VHT40)	5590.00	54.39	2.65
NVNT	ANT1	802.11ac(VHT40)	5670.00	54.39	2.65
NVNT	ANT1	802.11ax(HE40)	5510.00	56.14	2.51
NVNT	ANT1	802.11ax(HE40)	5590.00	56.14	2.51
NVNT	ANT1	802.11ax(HE40)	5670.00	55.36	2.57
NVNT	ANT1	802.11ac(VHT80)	5530.00	39.02	4.09
NVNT	ANT1	802.11ac(VHT80)	5610.00	39.02	4.09
NVNT	ANT1	802.11ax(HE80)	5530.00	39.02	4.09
NVNT	ANT1	802.11ax(HE80)	5610.00	39.02	4.09




Duty Cycle NVNT_ANT1_802_11a_5600




Duty Cycle NVNT ANT1 802 11a 5700




Duty Cycle NVNT ANT1 802 11n(HT20) 5500




Duty Cycle NVNT ANT1 802 11n(HT20) 5600




Duty Cycle NVNT ANT1 802 11n(HT20) 5700




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5500




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5600




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5700




Duty Cycle NVNT ANT1 802_11ax(HE20) 5500




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5600




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5700




Duty Cycle NVNT ANT1 802 11n(HT40) 5510




Duty Cycle NVNT ANT1 802 11n(HT40) 5590




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5670




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5510




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5590




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5670




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5510




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5590




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5670




Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5530




Duty Cycle NVNT ANT1 802_11ac(VHT80) 5610



Duty Cycle NVNT ANT1 802_11ax(HE80) 5530



Duty Cycle NVNT ANT1 802 11ax(HE80) 5610



3. Maximum Conducted Output Power

FCC

Condition	Antenna	Modulation	Frequency(MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	16.79	24	Pass
NVNT	ANT1	802.11a	5600.00	16.95	24	Pass
NVNT	ANT1	802.11a	5700.00	16.95	24	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	16.80	24	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	16.83	24	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	16.63	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	16.51	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	16.78	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	16.85	24	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	16.49	24	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	16.44	24	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	16.82	24	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	15.34	24	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	15.64	24	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	15.67	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	15.48	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	15.53	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	15.56	24	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	15.17	24	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	15.19	24	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	14.74	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	14.20	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	14.35	24	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	13.73	24	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	13.98	24	Pass

IC

Condition	Antenna	Modulation	Frequency(MHz)	Conducted Power(dBm)	E.I.R.P Power(dBm)	Conducted limit(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	16.79	21.09	23.09	29.09	Pass
NVNT	ANT1	802.11a	5600.00	16.95	21.25	23.09	29.09	Pass
NVNT	ANT1	802.11a	5700.00	16.95	21.25	23.08	29.08	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	16.80	21.10	23.38	29.38	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	16.83	21.13	23.38	29.38	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	16.63	20.93	23.37	29.37	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	16.51	20.81	23.38	29.38	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	16.78	21.08	23.37	29.37	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	16.85	21.15	23.37	29.37	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	16.49	20.79	23.72	29.72	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	16.44	20.74	23.72	29.72	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	16.82	21.12	23.71	29.71	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	15.34	19.64	24	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	15.64	19.94	24	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	15.67	19.97	24	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	15.48	19.78	24	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	15.53	19.83	24	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	15.56	19.86	24	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	15.17	19.47	24	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	15.19	19.49	24	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	14.74	19.04	24	30.00	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	14.20	18.50	24	30.00	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	14.35	18.65	24	30.00	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	13.73	18.03	24	30.00	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	13.98	18.28	24	30.00	Pass


Note 1: The maximum conducted output power shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 99% EBW emission bandwidth in megahertz.


Note 2: EIRP= Output Power+Antenna Gain, Antenna Gain=4.3 dBi

Note 3: The maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log10B, dBm, whichever is less. B is the 99% emission bandwidth in megahertz.


4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	-10.73	1.36	-9.37	11	Pass
NVNT	ANT1	802.11a	5600.00	-9.19	1.36	-7.83	11	Pass
NVNT	ANT1	802.11a	5700.00	-7.61	1.36	-6.25	11	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	-9.06	1.43	-7.63	11	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	-10.56	1.43	-9.13	11	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	-11.84	1.45	-10.39	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	-7.79	1.43	-6.36	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	-8.24	1.50	-6.74	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	-10.44	1.43	-9.01	11	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	-12.14	1.61	-10.53	11	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	-9.60	1.56	-8.04	11	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	-11.36	1.56	-9.80	11	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	-24.27	2.51	-21.76	11	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	-23.69	2.51	-21.18	11	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	-21.36	2.57	-18.79	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	-21.87	2.51	-19.36	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	-22.08	2.65	-19.43	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	-20.93	2.65	-18.28	11	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	-23.49	2.51	-20.98	11	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	-21.98	2.51	-19.47	11	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	-23.76	2.57	-21.19	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	-34.56	4.09	-30.47	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	-36.19	4.09	-32.10	11	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	-33.19	4.09	-29.10	11	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	-33.19	4.09	-29.10	11	Pass







Power_Spectral_Density_NVNT_ANT1_802_11a_5700




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5500




Power Spectral Density NVNT ANT1 802 11n(HT20) 5600




Power Spectral Density NVNT ANT1 802 11n(HT20) 5700




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5500




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5600




Power Spectral Density NVNT ANT1_802_11ac(VHT20) 5700




Power Spectral Density NVNT ANT1_802_11ax(HE20) 5500




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5600




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5700




Power Spectral Density NVNT ANT1 802 11n(HT40) 5510




Power Spectral Density NVNT ANT1 802 11n(HT40) 5590




Power Spectral Density NVNT ANT1 802_11n(HT40)_5670




Power Spectral Density NVNT ANT1 802_11ac(VHT40)_5510




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5590




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5670




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5510




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5590




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5670



Power Spectral Density NVNT ANT1 802 11ac(VHT80) 5530




Power Spectral Density NVNT ANT1_802_11ac(VHT80)_5610



Power Spectral Density NVNT ANT1_802_11ax(HE80)_5530



Power Spectral Density NVNT ANT1 802 11ax(HE80) 5610



5. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.30V	ANT1	802.11a	5500.00	5500.028	5491.760	5508.296	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11a	5500.00	5500.036	5491.920	5508.152	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11a	5500.00	5500.040	5492.012	5508.068	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11a	5500.00	5500.044	5492.100	5507.988	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11a	5500.00	5500.030	5492.176	5507.884	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11a	5500.00	5500.034	5492.264	5507.804	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11a	5500.00	5500.024	5492.328	5507.720	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11a	5500.00	5500.016	5492.384	5507.648	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11a	5500.00	5500.016	5492.456	5507.576	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11a	5500.00	5500.032	5492.532	5507.532	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11a	5500.00	5500.020	5492.600	5507.440	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11a	5600.00	5600.036	5591.748	5608.324	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11a	5600.00	5600.020	5591.900	5608.140	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11a	5600.00	5600.030	5591.996	5608.064	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11a	5600.00	5600.032	5592.096	5607.968	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11a	5600.00	5600.040	5592.196	5607.884	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11a	5600.00	5600.038	5592.288	5607.788	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11a	5600.00	5600.048	5592.356	5607.740	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11a	5600.00	5600.032	5592.420	5607.644	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11a	5600.00	5600.052	5592.492	5607.612	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11a	5600.00	5600.048	5592.556	5607.540	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11a	5600.00	5600.054	5592.628	5607.480	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11a	5700.00	5700.028	5691.784	5708.272	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11a	5700.00	5700.028	5691.928	5708.128	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11a	5700.00	5700.036	5692.032	5708.040	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11a	5700.00	5700.036	5692.128	5707.944	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11a	5700.00	5700.026	5692.200	5707.852	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11a	5700.00	5700.030	5692.288	5707.772	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11a	5700.00	5700.026	5692.356	5707.696	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11a	5700.00	5700.022	5692.432	5707.612	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11a	5700.00	5700.018	5692.492	5707.544	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11a	5700.00	5700.022	5692.552	5707.492	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11a	5700.00	5700.002	5692.612	5707.392	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.008	5491.184	5508.832	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.014	5491.332	5508.696	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.016	5491.440	5508.592	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.014	5491.536	5508.492	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.020	5491.616	5508.424	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.032	5491.712	5508.352	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.038	5491.804	5508.272	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.050	5491.900	5508.200	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5500.00	5500.030	5491.980	5508.080	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5500.00	5500.050	5492.068	5508.032	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5500.00	5500.038	5492.144	5507.932	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.004	5591.172	5608.836	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.018	5591.328	5608.708	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.008	5591.420	5608.596	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.006	5591.520	5608.492	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.010	5591.612	5608.408	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.014	5591.688	5608.340	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.012	5591.772	5608.252	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.014	5591.848	5608.180	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5600.00	5600.006	5591.936	5608.076	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5600.00	5600.004	5592.004	5608.004	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5600.00	5600.002	5592.080	5607.924	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.014	5691.196	5708.832	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.016	5691.348	5708.684	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.018	5691.452	5708.584	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.024	5691.552	5708.496	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.030	5691.644	5708.416	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.032	5691.732	5708.332	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.040	5691.836	5708.244	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.022	5691.920	5708.124	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5700.00	5700.052	5692.004	5708.100	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5700.00	5700.040	5692.088	5707.992	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5700.00	5700.036	5692.152	5707.920	5470~5725	Pass

50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.016	5491.192	5508.840	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.022	5491.344	5508.700	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.014	5491.448	5508.580	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.030	5491.556	5508.504	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.020	5491.628	5508.412	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.028	5491.708	5508.348	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.020	5491.800	5508.240	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.028	5491.900	5508.156	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5500.00	5500.050	5491.988	5508.112	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5500.00	5500.048	5492.088	5508.008	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5500.00	5500.064	5492.156	5507.972	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.044	5591.216	5608.872	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.050	5591.372	5608.728	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.064	5591.496	5608.632	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.074	5591.612	5608.536	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.090	5591.704	5608.476	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.086	5591.788	5608.384	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.096	5591.872	5608.320	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.100	5591.972	5608.228	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5600.00	5600.048	5592.040	5608.056	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5600.00	5600.144	5592.128	5608.160	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5600.00	5600.228	5592.204	5608.252	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.026	5691.208	5708.844	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.044	5691.372	5708.716	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.040	5691.476	5708.604	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.046	5691.580	5708.512	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.056	5691.672	5708.440	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.060	5691.768	5708.352	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.064	5691.840	5708.288	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.072	5691.928	5708.216	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5700.00	5700.074	5692.012	5708.136	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5700.00	5700.066	5692.096	5708.036	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5700.00	5700.076	5692.160	5707.992	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.042	5490.560	5509.524	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.070	5490.716	5509.424	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.066	5490.816	5509.316	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.060	5490.920	5509.200	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.048	5491.020	5509.076	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.056	5491.112	5509.000	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.058	5491.200	5508.916	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.054	5491.292	5508.816	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5500.00	5500.064	5491.384	5508.744	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5500.00	5500.050	5491.460	5508.640	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5500.00	5500.056	5491.556	5508.556	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.034	5590.548	5609.520	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.064	5590.708	5609.420	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.070	5590.828	5609.312	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.076	5590.944	5609.208	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.052	5591.040	5609.064	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.056	5591.144	5608.968	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.076	5591.260	5608.892	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.084	5591.352	5608.816	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5600.00	5600.106	5591.452	5608.760	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5600.00	5600.100	5591.536	5608.664	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5600.00	5600.084	5591.608	5608.560	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.044	5690.560	5709.528	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.064	5690.720	5709.408	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.064	5690.824	5709.304	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.070	5690.932	5709.208	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.082	5691.036	5709.128	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.082	5691.128	5709.036	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.076	5691.244	5708.908	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.088	5691.348	5708.828	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5700.00	5700.104	5691.476	5708.732	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5700.00	5700.098	5691.568	5708.628	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5700.00	5700.110	5691.672	5708.548	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.080	5491.992	5528.168	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.092	5492.232	5527.952	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.096	5492.416	5527.776	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.116	5492.608	5527.624	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.160	5492.800	5527.520	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.188	5492.976	5527.400	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.180	5493.144	5527.216	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.120	5493.304	5526.936	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5510.00	5510.212	5493.440	5526.984	5470~5725	Pass

25degrees C&&3.30V	ANT1	802.11n(HT40)	5510.00	5510.200	5493.616	5526.784	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5510.00	5510.208	5493.760	5526.656	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.056	5571.976	5608.136	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.052	5572.176	5607.928	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.064	5572.352	5607.776	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.072	5572.512	5607.632	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.048	5572.640	5607.456	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.040	5572.816	5607.264	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.104	5572.992	5607.216	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.080	5573.128	5607.032	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5590.00	5590.036	5573.280	5606.792	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11n(HT40)	5590.00	5590.072	5573.448	5606.696	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5590.00	5590.100	5573.576	5606.624	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.072	5651.992	5688.152	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.096	5652.224	5687.968	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.068	5652.408	5687.728	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.052	5652.552	5687.552	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.072	5652.672	5687.472	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.048	5652.840	5687.256	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.068	5653.032	5687.104	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.040	5653.208	5686.872	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5670.00	5670.092	5653.368	5686.816	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11n(HT40)	5670.00	5670.072	5653.536	5686.608	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5670.00	5670.112	5653.696	5686.528	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.064	5491.984	5528.144	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.068	5492.192	5527.944	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.032	5492.360	5527.704	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.072	5492.536	5527.608	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.104	5492.728	5527.480	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.096	5492.936	5527.256	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.116	5493.080	5527.152	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.116	5493.232	5527.000	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5510.00	5510.116	5493.416	5526.816	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5510.00	5510.156	5493.592	5526.720	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5510.00	5510.104	5493.728	5526.480	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.064	5571.976	5608.152	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.068	5572.208	5607.928	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.068	5572.384	5607.752	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.064	5572.536	5607.592	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.044	5572.656	5607.432	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.036	5572.824	5607.248	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.044	5572.960	5607.128	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.020	5573.112	5606.928	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5590.00	5589.996	5573.256	5606.736	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5590.00	5590.016	5573.408	5606.624	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5590.00	5590.056	5573.560	5606.552	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.060	5651.976	5688.144	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.044	5652.200	5687.888	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.052	5652.376	5687.728	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.060	5652.544	5687.576	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.084	5652.712	5687.456	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.080	5652.888	5687.272	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.072	5653.056	5687.088	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.068	5653.208	5686.928	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5670.00	5670.068	5653.352	5686.784	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5670.00	5670.044	5653.528	5686.560	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5670.00	5670.020	5653.672	5686.368	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.056	5491.968	5528.144	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.060	5492.192	5527.928	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.048	5492.376	5527.720	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.080	5492.568	5527.592	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.056	5492.712	5527.400	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.052	5492.872	5527.232	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.052	5493.056	5527.048	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.096	5493.208	5526.984	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5510.00	5510.044	5493.376	5526.712	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5510.00	5510.096	5493.552	5526.640	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5510.00	5510.064	5493.696	5526.432	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.064	5571.968	5608.160	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.064	5572.176	5607.952	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.064	5572.368	5607.760	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.052	5572.528	5607.576	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.068	5572.656	5607.480	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.076	5572.816	5607.336	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.016	5572.952	5607.080	5470~5725	Pass

-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.028	5573.104	5606.952	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5590.00	5590.088	5573.296	5606.880	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5590.00	5590.068	5573.480	5606.656	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5590.00	5590.116	5573.608	5606.624	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.060	5651.976	5688.144	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.076	5652.216	5687.936	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.068	5652.408	5687.728	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.076	5652.576	5687.576	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.096	5652.736	5687.456	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.108	5652.904	5687.312	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.056	5653.056	5687.056	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.048	5653.224	5686.872	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5670.00	5670.100	5653.384	5686.816	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5670.00	5670.072	5653.552	5686.592	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5670.00	5670.104	5653.688	5686.520	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.090	5492.260	5567.920	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.120	5492.632	5567.608	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.060	5493.004	5567.116	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.120	5493.388	5566.852	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.156	5493.712	5566.600	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.060	5494.024	5566.096	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.120	5494.336	5565.904	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.144	5494.672	5565.616	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT80)	5530.00	5530.150	5495.056	5565.244	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT80)	5530.00	5530.186	5495.380	5564.992	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT80)	5530.00	5530.192	5495.788	5564.596	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.132	5572.320	5647.944	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.288	5572.908	5647.668	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.390	5573.352	5647.428	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.492	5573.796	5647.188	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.474	5574.060	5646.888	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.546	5574.528	5646.564	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.522	5574.852	5646.192	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.666	5575.272	5646.060	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT80)	5610.00	5610.720	5575.656	5645.784	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT80)	5610.00	5610.834	5576.160	5645.508	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT80)	5610.00	5610.738	5576.364	5645.112	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.060	5491.336	5568.784	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.054	5491.732	5568.376	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.138	5492.272	5568.004	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.150	5492.620	5567.680	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.108	5493.028	5567.188	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.138	5493.400	5566.876	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.192	5493.808	5566.576	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.162	5494.108	5566.216	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE80)	5530.00	5530.246	5494.504	5565.988	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE80)	5530.00	5530.324	5494.888	5565.760	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE80)	5530.00	5530.090	5495.116	5565.064	5470~5725	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.162	5571.456	5648.868	5470~5725	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.318	5572.140	5648.496	5470~5725	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.396	5572.572	5648.220	5470~5725	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.480	5573.028	5647.932	5470~5725	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.480	5573.460	5647.500	5470~5725	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.576	5573.976	5647.176	5470~5725	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.594	5574.252	5646.936	5470~5725	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.792	5574.828	5646.756	5470~5725	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE80)	5610.00	5610.750	5575.068	5646.432	5470~5725	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE80)	5610.00	5610.906	5575.512	5646.300	5470~5725	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE80)	5610.00	5610.936	5575.812	5646.060	5470~5725	Pass