



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	24
3. Maximum Conducted Output Power	35
4. Power Spectral Density	36
5. Frequency Stability	47


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5500.00	24.77	16.48
NVNT	ANT1	802.11a	5600.00	22.04	16.44
NVNT	ANT1	802.11a	5700.00	23.73	16.50
NVNT	ANT1	802.11n(HT20)	5500.00	24.37	17.68
NVNT	ANT1	802.11n(HT20)	5600.00	24.30	17.67
NVNT	ANT1	802.11n(HT20)	5700.00	23.08	17.72
NVNT	ANT1	802.11ac(VHT20)	5500.00	25.29	17.82
NVNT	ANT1	802.11ac(VHT20)	5600.00	26.02	17.75
NVNT	ANT1	802.11ac(VHT20)	5700.00	26.10	17.73
NVNT	ANT1	802.11ax(HE20)	5500.00	25.24	18.96
NVNT	ANT1	802.11ax(HE20)	5600.00	25.20	18.96
NVNT	ANT1	802.11ax(HE20)	5700.00	25.20	18.97
NVNT	ANT1	802.11n(HT40)	5510.00	45.53	36.00
NVNT	ANT1	802.11n(HT40)	5590.00	44.52	36.01
NVNT	ANT1	802.11n(HT40)	5670.00	44.14	35.98
NVNT	ANT1	802.11ac(VHT40)	5510.00	41.12	35.95
NVNT	ANT1	802.11ac(VHT40)	5590.00	45.47	35.98
NVNT	ANT1	802.11ac(VHT40)	5670.00	45.32	35.94
NVNT	ANT1	802.11ax(HE40)	5510.00	41.54	37.74
NVNT	ANT1	802.11ax(HE40)	5590.00	45.27	37.76
NVNT	ANT1	802.11ax(HE40)	5670.00	43.33	37.73







99% OCB NVNT ANT1 802 11a 5600




-26BW_NVNT_ANT1_802_11a_5600




99% OCB NVNT ANT1 802 11a 5700




-26BW_NVNT_ANT1_802_11a_5700




99% OCB NVNT ANT1_802_11n(HT20)_5500




-26BW_NVNT_ANT1_802_11n(HT20)_5500




99% OCB NVNT ANT1_802_11n(HT20)_5600




-26BW_NVNT_ANT1_802_11n(HT20)_5600




99% OCB NVNT ANT1_802_11n(HT20)_5700




-26BW_NVNT_ANT1_802_11n(HT20)_5700




99% OCB NVNT ANT1 802 11ac(VHT20) 5500




-26BW_NVNT_ANT1_802_11ac(VHT20)_5500




99% OCB NVNT ANT1 802 11ac(VHT20) 5600




-26BW_NVNT_ANT1_802_11ac(VHT20)_5600




99% OCB NVNT ANT1 802 11ac(VHT20) 5700




-26BW_NVNT_ANT1_802_11ac(VHT20)_5700




99% OCB NVNT ANT1_802_11ax(HE20)_5500




-26BW_NVNT_ANT1_802_11ax(HE20)_5500




99% OCB NVNT ANT1_802_11ax(HE20)_5600




-26BW_NVNT_ANT1_802_11ax(HE20)_5600




99% OCB NVNT ANT1_802_11ax(HE20)_5700




-26BW_NVNT_ANT1_802_11ax(HE20)_5700




99% OCB NVNT ANT1_802_11n(HT40)_5510




-26BW_NVNT_ANT1_802_11n(HT40)_5510




99% OCB NVNT ANT1_802_11n(HT40)_5590




-26BW_NVNT_ANT1_802_11n(HT40)_5590




99% OCB NVNT ANT1_802_11n(HT40)_5670




-26BW_NVNT_ANT1_802_11n(HT40)_5670




99% OCB NVNT ANT1 802 11ac(VHT40) 5510




-26BW_NVNT_ANT1_802_11ac(VHT40)_5510




99% OCB NVNT ANT1 802 11ac(VHT40) 5590




-26BW_NVNT_ANT1_802_11ac(VHT40)_5590




99% OCB NVNT ANT1 802 11ac(VHT40) 5670




-26BW_NVNT_ANT1_802_11ac(VHT40)_5670




99% OCB NVNT ANT1 802_11ax(HE40) 5510




-26BW_NVNT_ANT1_802_11ax(HE40)_5510




99% OCB NVNT ANT1_802_11ax(HE40)_5590




-26BW_NVNT_ANT1_802_11ax(HE40)_5590



99% OCB NVNT ANT1_802_11ax(HE40)_5670




-26BW_NVNT_ANT1_802_11ax(HE40)_5670




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5500.00	100	0.00
NVNT	ANT1	802.11a	5600.00	100	0.00
NVNT	ANT1	802.11a	5700.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5500.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5600.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5700.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5500.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5600.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5700.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5500.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5600.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5700.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5510.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5590.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5670.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5510.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5590.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5670.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5510.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5590.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5670.00	100	0.00




Duty_Cycle_NVNT_ANT1_802_11a_5600




Duty Cycle NVNT ANT1 802_11a 5700




Duty Cycle NVNT ANT1 802_11n(HT20)_5500




Duty Cycle NVNT ANT1 802 11n(HT20) 5600




Duty Cycle NVNT ANT1 802 11n(HT20) 5700




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5500




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5600




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5700




Duty Cycle NVNT ANT1 802_11ax(HE20) 5500




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5600




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5700




Duty Cycle NVNT ANT1 802 11n(HT40) 5510




Duty Cycle NVNT ANT1 802 11n(HT40) 5590




Duty Cycle NVNT ANT1_802_11n(HT40)_5670




Duty Cycle NVNT ANT1_802_11ac(VHT40)_5510




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5590




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5670




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5510



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5590



Duty Cycle NVNT ANT1 802 11ax(HE40) 5670



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency(MHz)	Conducted Power(dBm)	FCC Conducted Power limit(dBm)	IC Conducted Power limit(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	15.21	23.09	23.17	22.12	29.17	Pass
NVNT	ANT1	802.11a	5600.00	14.80	23.09	23.16	21.71	29.16	Pass
NVNT	ANT1	802.11a	5700.00	12.92	23.09	23.17	19.83	29.17	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	15.27	23.09	23.47	22.18	29.47	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	15.26	23.09	23.47	22.17	29.47	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	13.10	23.09	23.48	20.01	29.48	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	15.40	23.09	23.51	22.31	29.51	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	14.93	23.09	23.49	21.84	29.49	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	12.86	23.09	23.49	19.77	29.49	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	15.07	23.09	23.78	21.98	29.78	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	14.89	23.09	23.78	21.8	29.78	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	13.00	23.09	23.78	19.91	29.78	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	12.63	23.09	24.00	19.54	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	12.58	23.09	24.00	19.49	30.00	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	11.46	23.09	24.00	18.37	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	12.62	23.09	24.00	19.53	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	12.80	23.09	24.00	19.71	30.00	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	11.77	23.09	24.00	18.68	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	13.57	23.09	24.00	20.48	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	14.18	23.09	24.00	21.09	30.00	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	13.51	23.09	24.00	20.42	30.00	Pass

Note 1: The maximum conducted output power shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 99% EBW emission bandwidth in megahertz.

Note 2: EIRP= Output Power+Antenna Gain, Antenna Gain=1.87dBi

Note 3: The maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log10B, dBm, whichever is less. B is the 99% emission bandwidth in megahertz.


Note 4: Conducted Power limit(dBm)=24-(6.91-6)=23.09dBm

4. Power Spectral Density



Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	2.91	0.00	2.91	10.09	Pass
NVNT	ANT1	802.11a	5600.00	2.28	0.00	2.28	10.09	Pass
NVNT	ANT1	802.11a	5700.00	0.07	0.00	0.07	10.09	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	2.12	0.00	2.12	10.09	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	2.21	0.00	2.21	10.09	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	0.21	0.00	0.21	10.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	2.43	0.00	2.43	10.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	1.95	0.00	1.95	10.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	-0.16	0.00	-0.16	10.09	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	1.77	0.00	1.77	10.09	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	1.87	0.00	1.87	10.09	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	-0.06	0.00	-0.06	10.09	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	-2.85	0.00	-2.85	10.09	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	-3.13	0.00	-3.13	10.09	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	-4.02	0.00	-4.02	10.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	-3.28	0.00	-3.28	10.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	-2.79	0.00	-2.79	10.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	-4.04	0.00	-4.04	10.09	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	-2.08	0.00	-2.08	10.09	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	-1.87	0.00	-1.87	10.09	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	-2.44	0.00	-2.44	10.09	Pass

Note 1: Conducted Power limit(dBm)=11-(6.91-6)=10.09dBm


Power_Spectral_Density_NVNT_ANT1_802_11a_5500




Power_Spectral_Density_NVNT_ANT1_802_11a_5600




Power Spectral Density NVNT ANT1 802 11n(HT20)_5500




Power Spectral Density NVNT ANT1 802 11n(HT20)_5600




Power Spectral Density NVNT ANT1 802 11n(HT20)_5700




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5500




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5600




Power Spectral Density NVNT ANT1_802_11ac(VHT20) 5700




Power Spectral Density NVNT ANT1_802_11ax(HE20) 5500




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5600




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5700




Power Spectral Density NVNT ANT1 802 11n(HT40) 5510




Power Spectral Density NVNT ANT1 802 11n(HT40) 5590




Power Spectral Density NVNT ANT1 802_11n(HT40)_5670




Power Spectral Density NVNT ANT1 802_11ac(VHT40)_5510




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5590




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5670




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5510



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5590



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5670



5. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&5.0V	ANT1	802.11a	5500.00	5499.964	5490.976	5508.952	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11a	5500.00	5499.974	5491.600	5508.348	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11a	5500.00	5499.982	5491.780	5508.184	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11a	5500.00	5499.980	5491.856	5508.104	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11a	5500.00	5499.976	5491.932	5508.020	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11a	5500.00	5499.962	5491.988	5507.936	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11a	5500.00	5499.966	5492.040	5507.892	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11a	5500.00	5499.952	5492.092	5507.812	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11a	5500.00	5499.954	5492.148	5507.760	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11a	5500.00	5499.948	5492.200	5507.696	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11a	5500.00	5499.962	5492.260	5507.664	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11a	5600.00	5599.866	5591.036	5608.696	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11a	5600.00	5599.968	5591.608	5608.328	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11a	5600.00	5599.962	5591.760	5608.164	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11a	5600.00	5599.956	5591.840	5608.072	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11a	5600.00	5599.958	5591.912	5608.004	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11a	5600.00	5599.946	5591.968	5607.924	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11a	5600.00	5599.940	5592.020	5607.860	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11a	5600.00	5599.938	5592.064	5607.812	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11a	5600.00	5599.936	5592.120	5607.752	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11a	5600.00	5599.928	5592.176	5607.680	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11a	5600.00	5599.946	5592.248	5607.644	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11a	5700.00	5699.742	5690.724	5708.760	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11a	5700.00	5699.948	5691.548	5708.348	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11a	5700.00	5699.956	5691.732	5708.180	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11a	5700.00	5699.952	5691.820	5708.084	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11a	5700.00	5699.942	5691.892	5707.992	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11a	5700.00	5699.944	5691.944	5707.944	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11a	5700.00	5699.938	5692.000	5707.876	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11a	5700.00	5699.922	5692.044	5707.800	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11a	5700.00	5699.922	5692.096	5707.748	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11a	5700.00	5699.918	5692.140	5707.696	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11a	5700.00	5699.910	5692.188	5707.632	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.218	5490.876	5509.560	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.068	5491.148	5508.988	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.038	5491.252	5508.824	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.028	5491.328	5508.728	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.020	5491.396	5508.644	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.010	5491.460	5508.560	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.010	5491.520	5508.500	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.002	5491.576	5508.428	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5500.00	5500.010	5491.636	5508.384	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5500.00	5500.008	5491.684	5508.332	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5500.00	5500.010	5491.748	5508.272	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5600.170	5590.836	5609.504	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5600.040	5591.116	5608.964	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5600.020	5591.232	5608.808	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5599.998	5591.300	5608.696	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5600.006	5591.380	5608.632	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5600.000	5591.444	5608.556	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5599.996	5591.504	5608.488	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5599.988	5591.560	5608.416	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5600.00	5599.992	5591.612	5608.372	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5600.00	5599.998	5591.676	5608.320	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5600.00	5600.006	5591.744	5608.268	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5700.104	5690.808	5709.400	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5700.054	5691.108	5709.000	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5700.014	5691.232	5708.796	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5700.000	5691.308	5708.692	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5700.004	5691.380	5708.628	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5699.992	5691.436	5708.548	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5699.984	5691.500	5708.468	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5699.982	5691.556	5708.408	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5700.00	5699.982	5691.608	5708.356	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5700.00	5699.978	5691.652	5708.304	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5700.00	5699.966	5691.708	5708.224	5470~5725	Pass

50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5500.024	5490.468	5509.580	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.998	5490.952	5509.044	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.990	5491.124	5508.856	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.974	5491.220	5508.728	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.972	5491.300	5508.644	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.976	5491.380	5508.572	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.970	5491.452	5508.488	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.988	5491.512	5508.464	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5500.00	5499.980	5491.588	5508.372	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5500.00	5499.998	5491.660	5508.336	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5500.00	5499.982	5491.732	5508.232	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.894	5590.524	5609.264	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.940	5590.976	5608.904	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.958	5591.156	5608.760	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.954	5591.240	5608.668	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.952	5591.316	5608.588	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.946	5591.376	5608.516	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.938	5591.436	5608.440	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.918	5591.500	5608.336	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5600.00	5599.916	5591.556	5608.276	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5600.00	5599.904	5591.608	5608.200	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5600.00	5599.918	5591.668	5608.168	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.918	5690.560	5709.276	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.944	5690.976	5708.912	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.956	5691.148	5708.764	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.954	5691.236	5708.672	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.960	5691.308	5708.612	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.936	5691.364	5708.508	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.938	5691.428	5708.448	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.940	5691.488	5708.392	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5700.00	5699.932	5691.544	5708.320	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5700.00	5699.928	5691.608	5708.248	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5700.00	5699.912	5691.668	5708.156	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.036	5490.332	5509.740	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5499.994	5490.492	5509.496	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.008	5490.600	5509.416	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.012	5490.660	5509.364	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.004	5490.740	5509.268	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.024	5490.796	5509.252	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5500.026	5490.856	5509.196	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5499.974	5490.896	5509.052	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5500.00	5500.006	5490.956	5509.056	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5500.00	5499.968	5491.016	5508.920	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5500.00	5499.940	5491.068	5508.812	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5600.034	5590.336	5609.732	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.982	5590.480	5609.484	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.990	5590.564	5609.416	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.998	5590.648	5609.348	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.972	5590.692	5609.252	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.968	5590.748	5609.188	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.992	5590.796	5609.188	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.942	5590.832	5609.052	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5600.00	5599.918	5590.872	5608.964	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5600.00	5599.906	5590.920	5608.892	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5600.00	5599.908	5590.972	5608.844	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5700.034	5690.316	5709.752	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.970	5690.444	5709.496	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.974	5690.540	5709.408	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.966	5690.592	5709.340	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.948	5690.656	5709.240	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.940	5690.696	5709.184	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.912	5690.740	5709.084	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.958	5690.792	5709.124	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5700.00	5699.950	5690.828	5709.072	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5700.00	5699.860	5690.864	5708.856	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5700.00	5699.846	5690.908	5708.784	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5510.028	5491.848	5528.208	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.988	5492.008	5527.968	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.980	5492.152	5527.808	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.964	5492.288	5527.640	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.964	5492.424	5527.504	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.964	5492.536	5527.392	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.916	5492.640	5527.192	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.924	5492.720	5527.128	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5510.00	5509.904	5492.832	5526.976	5470~5725	Pass

25degrees C&&5.0V	ANT1	802.11n(HT40)	5510.00	5509.880	5492.928	5526.832	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5510.00	5509.908	5493.072	5526.744	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.988	5571.808	5608.168	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.944	5571.952	5607.936	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.948	5572.112	5607.784	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.904	5572.232	5607.576	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.924	5572.376	5607.472	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.900	5572.480	5607.320	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.900	5572.592	5607.208	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.856	5572.680	5607.032	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5590.00	5589.820	5572.760	5606.880	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5590.00	5589.820	5572.864	5606.776	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5590.00	5589.820	5572.984	5606.656	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.992	5651.840	5688.144	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.940	5652.000	5687.880	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.948	5652.136	5687.760	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.924	5652.272	5687.576	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.944	5652.424	5687.464	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.908	5652.520	5687.296	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.868	5652.632	5687.104	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.836	5652.728	5686.944	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5670.00	5669.844	5652.872	5686.816	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5670.00	5669.848	5652.984	5686.712	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5670.00	5669.844	5653.128	5686.560	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.028	5491.856	5528.200	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.024	5492.064	5527.984	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.024	5492.224	5527.824	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.032	5492.384	5527.680	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.044	5492.512	5527.576	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.016	5492.616	5527.416	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.032	5492.744	5527.320	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5510.004	5492.888	5527.120	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5510.00	5509.992	5493.008	5526.976	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5510.00	5509.964	5493.112	5526.816	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5510.00	5509.984	5493.248	5526.720	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5590.020	5571.840	5608.200	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.988	5572.024	5607.952	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5590.004	5572.192	5607.816	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.992	5572.328	5607.656	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.996	5572.464	5607.528	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.932	5572.552	5607.312	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.908	5572.664	5607.152	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.904	5572.776	5607.032	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5590.00	5589.908	5572.896	5606.920	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5590.00	5589.856	5572.984	5606.728	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5590.00	5589.812	5573.080	5606.544	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5670.008	5651.856	5688.160	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5670.000	5652.056	5687.944	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.984	5652.216	5687.752	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.988	5652.360	5687.616	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5670.000	5652.496	5687.504	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.968	5652.592	5687.344	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.952	5652.720	5687.184	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.900	5652.848	5686.952	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5670.00	5669.936	5653.016	5686.856	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5670.00	5669.916	5653.112	5686.720	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5670.00	5669.904	5653.232	5686.576	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.028	5491.024	5529.032	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.036	5491.192	5528.880	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.056	5491.360	5528.752	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.060	5491.512	5528.608	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.064	5491.696	5528.432	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.092	5491.880	5528.304	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.056	5492.008	5528.104	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.108	5492.120	5528.096	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5510.00	5510.104	5492.216	5527.992	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5510.00	5510.108	5492.320	5527.896	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5510.00	5510.024	5492.392	5527.656	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.020	5570.992	5609.048	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.020	5571.200	5608.840	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.032	5571.360	5608.704	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.020	5571.496	5608.544	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5589.924	5571.664	5608.184	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.072	5571.824	5608.320	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.088	5571.952	5608.224	5470~5725	Pass

-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5590.060	5572.072	5608.048	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5590.00	5590.024	5572.144	5607.904	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5590.00	5589.976	5572.208	5607.744	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5590.00	5589.924	5572.280	5607.568	5470~5725	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.012	5650.992	5689.032	5470~5725	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.000	5651.160	5688.840	5470~5725	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.016	5651.336	5688.696	5470~5725	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.024	5651.488	5688.560	5470~5725	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.040	5651.664	5688.416	5470~5725	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.020	5651.832	5688.208	5470~5725	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.012	5651.968	5688.056	5470~5725	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.048	5652.088	5688.008	5470~5725	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5670.00	5670.004	5652.216	5687.792	5470~5725	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5670.00	5670.008	5652.336	5687.680	5470~5725	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5670.00	5669.956	5652.448	5687.464	5470~5725	Pass