



Table of Contents

1. -6dB Emission Bandwidth	2
2. -26dB and 99% Emission Bandwidth	12
3. Duty Cycle.....	31
4. Maximum Conducted Output Power	41
5. Power Spectral Density	42
6. Frequency Stability	52


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB Emission Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	15.501	0.500	Pass
NVNT	ANT1	802.11a	5785.00	15.168	0.500	Pass
NVNT	ANT1	802.11a	5825.00	15.507	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	15.363	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	15.483	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	15.505	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	15.181	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	15.164	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	15.180	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	17.246	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	16.874	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	17.280	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.198	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.270	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.189	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.191	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	37.513	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	36.572	0.500	Pass







-6dB Emission Bandwidth NVNT ANT1 802_11a 5825_20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5745_20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5785 20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT20) 5825 20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB Emission Bandwidth NVNT ANT1 802 11ac(VHT20) 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802 11ax(HE20) 5745 20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT40) 5755_40M




-6dB Emission Bandwidth NVNT ANT1 802_11n(HT40) 5795_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5755_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5795_40M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M





-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	- 26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	25.10	16.86
NVNT	ANT1	802.11a	5785.00	26.60	16.87
NVNT	ANT1	802.11a	5825.00	25.71	16.82
NVNT	ANT1	802.11n(HT20)	5745.00	22.41	17.95
NVNT	ANT1	802.11n(HT20)	5785.00	25.03	18.16
NVNT	ANT1	802.11n(HT20)	5825.00	24.14	18.07
NVNT	ANT1	802.11ac(VHT20)	5745.00	25.13	18.29
NVNT	ANT1	802.11ac(VHT20)	5785.00	24.01	18.24
NVNT	ANT1	802.11ac(VHT20)	5825.00	25.31	18.27
NVNT	ANT1	802.11ax(HE20)	5745.00	25.80	19.19
NVNT	ANT1	802.11ax(HE20)	5785.00	24.48	19.17
NVNT	ANT1	802.11ax(HE20)	5825.00	26.17	19.18
NVNT	ANT1	802.11n(HT40)	5755.00	44.34	36.05
NVNT	ANT1	802.11n(HT40)	5795.00	45.70	36.12
NVNT	ANT1	802.11ac(VHT40)	5755.00	41.68	36.06
NVNT	ANT1	802.11ac(VHT40)	5795.00	44.95	36.09
NVNT	ANT1	802.11ax(HE40)	5755.00	42.40	37.83
NVNT	ANT1	802.11ax(HE40)	5795.00	41.61	37.85







99% OCB NVNT ANT1 802 11a 5785




-26BW_NVNT_ANT1_802_11a_5785




99% OCB NVNT ANT1 802 11a 5825




-26BW_NVNT_ANT1_802_11a_5825




99% OCB NVNT ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99% OCB NVNT ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99% OCB NVNT ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99% OCB NVNT ANT1 802 11ac(VHT20) 5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99% OCB NVNT ANT1 802 11ac(VHT20) 5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99% OCB NVNT ANT1 802 11ac(VHT20) 5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99% OCB NVNT ANT1_802_11ax(HE20)_5745




-26BW_NVNT_ANT1_802_11ax(HE20)_5745




99% OCB NVNT ANT1_802_11ax(HE20)_5785




-26BW_NVNT_ANT1_802_11ax(HE20)_5785




99% OCB NVNT ANT1_802_11ax(HE20)_5825




-26BW_NVNT_ANT1_802_11ax(HE20)_5825




99% OCB NVNT ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755




99% OCB NVNT ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99% OCB NVNT ANT1 802 11ac(VHT40) 5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755




99% OCB NVNT ANT1 802 11ac(VHT40) 5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




99% OCB NVNT ANT1_802_11ax(HE40)_5755



-26BW_NVNT_ANT1_802_11ax(HE40)_5755



99% OCB NVNT ANT1 802_11ax(HE40) 5795




-26BW_NVNT_ANT1_802_11ax(HE40)_5795




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	100	0.00
NVNT	ANT1	802.11a	5785.00	100	0.00
NVNT	ANT1	802.11a	5825.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5745.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5785.00	100	0.00
NVNT	ANT1	802.11n(HT20)	5825.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5745.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5785.00	100	0.00
NVNT	ANT1	802.11ac(VHT20)	5825.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5745.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5785.00	100	0.00
NVNT	ANT1	802.11ax(HE20)	5825.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5755.00	100	0.00
NVNT	ANT1	802.11n(HT40)	5795.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5755.00	100	0.00
NVNT	ANT1	802.11ac(VHT40)	5795.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5755.00	100	0.00
NVNT	ANT1	802.11ax(HE40)	5795.00	100	0.00




Duty Cycle NVNT ANT1 802 11a 5785




Duty Cycle NVNT ANT1 802_11a_5825




Duty Cycle NVNT ANT1 802_11n(HT20)_5745




Duty Cycle NVNT ANT1 802 11n(HT20) 5785





Duty Cycle NVNT ANT1 802 11n(HT20) 5825




Duty Cycle NVNT ANT1 802_11ac(VHT20)_5745




Duty Cycle NVNT ANT1 802_11ac(VHT20)_5785




Duty Cycle NVNT ANT1 802_11ax(HE20) 5745




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5785




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5825




Duty Cycle NVNT ANT1_802_11n(HT40)_5755




Duty Cycle NVNT ANT1_802_11n(HT40)_5795




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5755




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5795



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5755



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5795



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	13.63	29.09	Pass
NVNT	ANT1	802.11a	5785.00	12.95	29.09	Pass
NVNT	ANT1	802.11a	5825.00	13.57	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	13.80	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	13.40	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	14.41	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	14.15	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	13.14	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	14.06	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	14.36	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	13.31	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	14.22	29.09	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	11.33	29.09	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	11.66	29.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	13.02	29.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	12.06	29.09	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	13.19	29.09	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	12.67	29.09	Pass

Note 1: Conducted Power limit(dBm)=30-(6.91-6)=29.09dBm


5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-1.29	29.09	Pass
NVNT	ANT1	802.11a	5785.00	-2.60	29.09	Pass
NVNT	ANT1	802.11a	5825.00	-1.68	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-1.77	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-1.66	29.09	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-0.77	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-1.33	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-2.59	29.09	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-1.52	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-1.42	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-2.40	29.09	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-2.08	29.09	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-7.18	29.09	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-7.25	29.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-5.53	29.09	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-6.67	29.09	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-5.25	29.09	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-6.00	29.09	Pass


Note 1: Conducted Power limit(dBm)=30-(6.91-6)=29.09dBm




Power_Spectral_Density_NVNT_ANT1_802_11a_5785




Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power Spectral Density NVNT ANT1 802 11n(HT20) 5785





Power Spectral Density NVNT ANT1 802 11n(HT20) 5825




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5745




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5785




Power Spectral Density NVNT ANT1_802_11ax(HE20)_5745




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5785





Power Spectral Density NVNT ANT1 802 11ax(HE20) 5825




Power Spectral Density NVNT ANT1 802 11n(HT40) 5755



Power Spectral Density NVNT ANT1 802 11n(HT40) 5795




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5795



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5755



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5795



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&5.0V	ANT1	802.11a	5745.00	5744.872	5735.984	5753.760	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5745.00	5744.978	5736.616	5753.340	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5745.00	5744.986	5736.784	5753.188	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5745.00	5744.972	5736.856	5753.088	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5745.00	5744.962	5736.920	5753.004	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5745.00	5744.960	5736.980	5752.940	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5745.00	5744.958	5737.044	5752.872	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5745.00	5744.942	5737.092	5752.792	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5745.00	5744.952	5737.152	5752.752	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5745.00	5744.944	5737.204	5752.684	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5745.00	5744.956	5737.272	5752.640	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11a	5785.00	5785.060	5776.212	5793.908	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5785.00	5785.026	5776.680	5793.372	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5785.00	5785.008	5776.800	5793.216	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5785.00	5784.998	5776.868	5793.128	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5785.00	5784.982	5776.920	5793.044	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5785.00	5784.980	5776.980	5792.980	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5785.00	5784.978	5777.036	5792.920	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5785.00	5784.972	5777.088	5792.856	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5785.00	5784.964	5777.140	5792.788	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5785.00	5784.964	5777.196	5792.732	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5785.00	5784.980	5777.256	5792.704	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11a	5825.00	5825.100	5816.248	5833.952	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11a	5825.00	5825.016	5816.660	5833.372	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11a	5825.00	5824.984	5816.788	5833.180	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11a	5825.00	5824.986	5816.864	5833.108	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11a	5825.00	5824.966	5816.916	5833.016	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11a	5825.00	5824.970	5816.976	5832.964	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11a	5825.00	5824.966	5817.036	5832.896	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11a	5825.00	5824.958	5817.084	5832.832	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11a	5825.00	5824.958	5817.136	5832.780	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11a	5825.00	5824.956	5817.188	5832.724	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11a	5825.00	5824.952	5817.252	5832.652	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.164	5735.916	5754.412	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.054	5736.144	5753.964	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.040	5736.256	5753.824	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.028	5736.332	5753.724	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.016	5736.408	5753.624	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.012	5736.472	5753.552	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.012	5736.536	5753.488	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.004	5736.592	5753.416	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5745.00	5744.998	5736.644	5753.352	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5745.00	5745.006	5736.704	5753.308	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5745.00	5745.010	5736.764	5753.256	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.318	5775.916	5794.720	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.114	5776.156	5794.072	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.078	5776.268	5793.888	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.038	5776.344	5793.732	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.038	5776.420	5793.656	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.492	5793.588	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.038	5776.556	5793.520	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.044	5776.620	5793.468	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.672	5793.408	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5785.00	5785.050	5776.732	5793.368	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5785.00	5785.048	5776.804	5793.292	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.376	5815.896	5834.856	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.112	5816.152	5834.072	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.054	5816.256	5833.852	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.044	5816.340	5833.748	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.038	5816.408	5833.668	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.030	5816.472	5833.588	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.016	5816.536	5833.496	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.604	5833.448	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.660	5833.404	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.720	5833.344	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5825.00	5825.034	5816.784	5833.284	5725~5850	Pass

50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5735.540	5754.492	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.992	5735.948	5754.036	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.986	5736.132	5753.840	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.980	5736.224	5753.736	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.296	5753.652	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.962	5736.356	5753.568	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.958	5736.412	5753.504	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.962	5736.480	5753.444	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5745.00	5744.960	5736.544	5753.376	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5745.00	5744.966	5736.616	5753.316	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5745.00	5744.966	5736.684	5753.248	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.076	5775.676	5794.476	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.010	5776.008	5794.012	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.014	5776.172	5793.856	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.264	5793.752	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.336	5793.652	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.404	5793.584	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.000	5776.476	5793.524	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.000	5776.544	5793.456	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5785.00	5785.016	5776.628	5793.404	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.708	5793.340	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5785.00	5785.030	5776.772	5793.288	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.042	5815.596	5834.488	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.002	5815.980	5834.024	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5825.022	5816.156	5833.888	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.986	5816.244	5833.728	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.974	5816.316	5833.632	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.976	5816.376	5833.576	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.970	5816.436	5833.504	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.966	5816.496	5833.436	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5825.00	5824.972	5816.568	5833.376	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5825.00	5824.978	5816.640	5833.316	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5825.00	5824.982	5816.708	5833.256	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.996	5735.340	5754.652	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.974	5735.484	5754.464	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.974	5735.560	5754.388	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.986	5735.636	5754.336	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.980	5735.708	5754.252	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.956	5735.760	5754.152	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.974	5735.812	5754.136	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.946	5735.872	5754.020	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5745.00	5744.954	5735.928	5753.980	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5745.00	5744.956	5735.976	5753.936	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5745.00	5744.900	5736.044	5753.756	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.024	5775.356	5794.692	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.994	5775.484	5794.504	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.994	5775.560	5794.428	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.976	5775.624	5794.328	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.996	5775.684	5794.308	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.992	5775.736	5794.248	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.002	5775.788	5794.216	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5784.974	5775.860	5794.088	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5785.00	5785.002	5775.912	5794.092	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5785.00	5785.006	5775.980	5794.032	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5785.00	5784.962	5776.044	5793.880	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.100	5815.320	5834.880	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.998	5815.464	5834.532	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.996	5815.552	5834.440	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.984	5815.612	5834.356	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.990	5815.668	5834.312	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5825.010	5815.756	5834.264	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.984	5815.804	5834.164	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.994	5815.860	5834.128	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5825.00	5824.980	5815.904	5834.056	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5825.00	5824.976	5815.956	5833.996	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5825.00	5824.930	5816.008	5833.852	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5757.004	5735.008	5779.000	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.168	5736.912	5773.424	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.056	5737.168	5772.944	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.080	5737.384	5772.776	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5755.040	5737.544	5772.536	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5754.996	5737.688	5772.304	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5754.980	5737.864	5772.096	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5754.952	5738.040	5771.864	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5755.00	5754.968	5738.216	5771.720	5725~5850	Pass

25degrees C&&5.0V	ANT1	802.11n(HT40)	5755.00	5754.952	5738.368	5771.536	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5755.00	5754.944	5738.536	5771.352	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5799.864	5776.552	5823.176	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5798.200	5777.048	5819.352	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5796.124	5777.320	5814.928	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.372	5777.552	5813.192	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.368	5777.752	5812.984	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.408	5777.984	5812.832	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.436	5778.184	5812.688	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.404	5778.376	5812.432	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5795.00	5795.436	5778.544	5812.328	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5795.00	5795.448	5778.752	5812.144	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5795.00	5795.464	5778.912	5812.016	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5756.304	5735.104	5777.504	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.056	5736.936	5773.176	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.036	5737.176	5772.896	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.392	5772.688	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.040	5737.568	5772.512	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.020	5737.744	5772.296	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5755.004	5737.928	5772.080	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5754.944	5738.072	5771.816	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5755.00	5754.932	5738.232	5771.632	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5755.00	5754.868	5738.400	5771.336	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5755.00	5754.900	5738.568	5771.232	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5799.260	5776.768	5821.752	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5796.996	5777.136	5816.856	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.396	5777.384	5813.408	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.332	5777.608	5813.056	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.352	5777.824	5812.880	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.392	5778.032	5812.752	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.360	5778.208	5812.512	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.444	5778.448	5812.440	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5795.00	5795.436	5778.608	5812.264	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5795.00	5795.452	5778.784	5812.120	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5795.00	5795.448	5778.968	5811.928	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5756.988	5735.448	5778.528	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.060	5736.128	5773.992	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.096	5736.384	5773.808	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.084	5736.592	5773.576	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.084	5736.840	5773.328	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.072	5737.016	5773.128	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.092	5737.160	5773.024	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5755.048	5737.272	5772.824	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5755.00	5755.012	5737.392	5772.632	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5755.00	5754.972	5737.504	5772.440	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5755.00	5754.968	5737.696	5772.240	5725~5850	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5799.600	5775.968	5823.232	5725~5850	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5796.944	5776.328	5817.560	5725~5850	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.412	5776.600	5814.224	5725~5850	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.424	5776.904	5813.944	5725~5850	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.432	5777.120	5813.744	5725~5850	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.476	5777.320	5813.632	5725~5850	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.420	5777.424	5813.416	5725~5850	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.488	5777.656	5813.320	5725~5850	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5795.00	5795.500	5777.880	5813.120	5725~5850	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5795.00	5795.576	5778.120	5813.032	5725~5850	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5795.00	5795.612	5778.296	5812.928	5725~5850	Pass