



## Appendix E

### RF Test Data for 5.8GWIFI (Conducted Measurement)

**Product Name:** 8inch Rugged Tablet

**Test Model:** ET-868

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.6°C    |
| Relative Humidity: | 52.4%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Jay Luo   |
| Supervised by:     | Nick Peng |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## E.1 -6dB Bandwidth


| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | a    | 5745            | Ant1    | 16.327                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5785            | Ant1    | 16.319                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5825            | Ant1    | 16.33                 | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 17.528                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 17.232                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 17.559                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 36.252                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 36.077                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 17.393                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 17.421                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 17.273                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 36.191                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 36.046                | $\geq 0.5$                  | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 75.47                 | $\geq 0.5$                  | Pass    |






## Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






## -6dB Bandwidth NVNT a 5825MHz Ant1




## -6dB Bandwidth NVNT n20 5745MHz Ant1






## -6dB Bandwidth NVNT n20 5785MHz Ant1



## -6dB Bandwidth NVNT n20 5825MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT n40 5755MHz Ant1



## -6dB Bandwidth NVNT n40 5795MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5745MHz Ant1



## -6dB Bandwidth NVNT ac20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5825MHz Ant1



## -6dB Bandwidth NVNT ac40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac40 5795MHz Ant1



## -6dB Bandwidth NVNT ac80 5775MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 12.32                 | 0.24             | 12.56             | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | 12.41                 | 0.24             | 12.65             | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 12.26                 | 0.24             | 12.5              | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 11.8                  | 0.12             | 11.92             | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 11.03                 | 0.12             | 11.15             | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 11.67                 | 0.12             | 11.79             | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 10.32                 | 0.23             | 10.55             | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 10.41                 | 0.23             | 10.64             | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 11.91                 | 0.12             | 12.03             | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 11.02                 | 0.12             | 11.14             | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 11.71                 | 0.12             | 11.83             | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 10.21                 | 0.24             | 10.45             | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 10.41                 | 0.24             | 10.65             | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 9.5                   | 0.25             | 9.75              | 30          | Pass    |





### E.3 Maximum Power Spectral Density Level


| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|---------------------|------------------|-----------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | -1.4                | 0.24             | -1.16           | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | -1                  | 0.24             | -0.76           | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | -1.4                | 0.24             | -1.16           | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | -2.21               | 0.12             | -2.09           | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | -2.95               | 0.12             | -2.83           | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | -2.17               | 0.12             | -2.05           | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | -6.49               | 0.23             | -6.26           | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | -6.2                | 0.23             | -5.97           | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | -1.95               | 0.12             | -1.83           | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | -2.93               | 0.12             | -2.81           | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | -2.28               | 0.12             | -2.16           | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | -6.71               | 0.24             | -6.47           | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | -6.11               | 0.24             | -5.87           | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | -10.32              | 0.25             | -10.07          | 30          | Pass    |






## Test Graphs

## PSD NVNT a 5745MHz Ant1




## PSD NVNT a 5785MHz Ant1






PSD NVNT a 5825MHz Ant1



PSD NVNT n20 5745MHz Ant1







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity












## PSD NVNT ac20 5745MHz Ant1



## PSD NVNT ac20 5785MHz Ant1







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------------|----------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 5650            | -49.93      | 2          | -                | -47.93           | Peak     | -27         | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5650            | -57.43      | 2          | 0.24             | -55.19           | Average  | -27         | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5700            | -44.48      | 2          | -                | -42.48           | Peak     | 10          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5700            | -54.9       | 2          | 0.24             | -52.66           | Average  | 10          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5720            | -33.86      | 2          | -                | -31.86           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5720            | -46.23      | 2          | 0.24             | -43.99           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5725            | -24.57      | 2          | -                | -22.57           | Peak     | 27          | Pass    |
| NVNT      | a    | 5745            | Ant1    | 5725            | -41.46      | 2          | 0.24             | -39.22           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5850            | -35.09      | 2          | -                | -33.09           | Peak     | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5850            | -48.37      | 2          | 0.24             | -46.13           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5855            | -40.45      | 2          | -                | -38.45           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5855            | -51.55      | 2          | 0.24             | -49.31           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5875            | -45.91      | 2          | -                | -43.91           | Peak     | 10          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5875            | -54.59      | 2          | 0.24             | -52.35           | Average  | 10          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5925            | -47.35      | 2          | -                | -45.35           | Peak     | -27         | Pass    |
| NVNT      | a    | 5825            | Ant1    | 5925            | -56.6       | 2          | 0.24             | -54.36           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5650            | -48.23      | 2          | -                | -46.23           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5650            | -56.98      | 2          | 0.12             | -54.86           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5700            | -47.38      | 2          | -                | -45.38           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5700            | -54.66      | 2          | 0.12             | -52.54           | Average  | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5720            | -27.97      | 2          | -                | -25.97           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5720            | -45.78      | 2          | 0.12             | -43.66           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5725            | -23.51      | 2          | -                | -21.51           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 5725            | -38.46      | 2          | 0.12             | -36.34           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5850            | -28.11      | 2          | -                | -26.11           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5850            | -46.26      | 2          | 0.12             | -44.14           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5855            | -38.35      | 2          | -                | -36.35           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5855            | -52.17      | 2          | 0.12             | -50.05           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5875            | -47.29      | 2          | -                | -45.29           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5875            | -55.68      | 2          | 0.12             | -53.56           | Average  | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5925            | -48.69      | 2          | -                | -46.69           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 5925            | -56.45      | 2          | 0.12             | -54.33           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5650            | -48.98      | 2          | -                | -46.98           | Peak     | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5650            | -56.61      | 2          | 0.23             | -54.38           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5700            | -45.28      | 2          | -                | -43.28           | Peak     | 10          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 5700            | -53.72      | 2          | 0.23             | -51.49           | Average  | 10          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



|      |      |      |      |      |        |   |      |        |         |      |      |
|------|------|------|------|------|--------|---|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant1 | 5720 | -28.43 | 2 | -    | -26.43 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant1 | 5720 | -43.93 | 2 | 0.23 | -41.7  | Average | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant1 | 5725 | -28.02 | 2 | -    | -26.02 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant1 | 5725 | -42.47 | 2 | 0.23 | -40.24 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant1 | 5850 | -46.65 | 2 | -    | -44.65 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant1 | 5850 | -55.57 | 2 | 0.23 | -53.34 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant1 | 5855 | -48.1  | 2 | -    | -46.1  | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant1 | 5855 | -55.9  | 2 | 0.23 | -53.67 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant1 | 5875 | -49.25 | 2 | -    | -47.25 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant1 | 5875 | -57.54 | 2 | 0.23 | -55.31 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant1 | 5925 | -49.58 | 2 | -    | -47.58 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant1 | 5925 | -57.49 | 2 | 0.23 | -55.26 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5650 | -49.78 | 2 | -    | -47.78 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5650 | -57.21 | 2 | 0.12 | -55.09 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5700 | -47.64 | 2 | -    | -45.64 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5700 | -55.15 | 2 | 0.12 | -53.03 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5720 | -32.27 | 2 | -    | -30.27 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5720 | -45.25 | 2 | 0.12 | -43.13 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5725 | -22.83 | 2 | -    | -20.83 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant1 | 5725 | -40.53 | 2 | 0.12 | -38.41 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5850 | -33.07 | 2 | -    | -31.07 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5850 | -45.96 | 2 | 0.12 | -43.84 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5855 | -39.19 | 2 | -    | -37.19 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5855 | -51.94 | 2 | 0.12 | -49.82 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5875 | -47.03 | 2 | -    | -45.03 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5875 | -55.62 | 2 | 0.12 | -53.5  | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5925 | -49.66 | 2 | -    | -47.66 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant1 | 5925 | -56.43 | 2 | 0.12 | -54.31 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5650 | -48.32 | 2 | -    | -46.32 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5650 | -57.19 | 2 | 0.24 | -54.95 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5700 | -46.49 | 2 | -    | -44.49 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5700 | -54.35 | 2 | 0.24 | -52.11 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5720 | -33.52 | 2 | -    | -31.52 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5720 | -46.33 | 2 | 0.24 | -44.09 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5725 | -26.34 | 2 | -    | -24.34 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant1 | 5725 | -41.99 | 2 | 0.24 | -39.75 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5850 | -48.07 | 2 | -    | -46.07 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5850 | -55.97 | 2 | 0.24 | -53.73 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5855 | -48.91 | 2 | -    | -46.91 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5855 | -56.36 | 2 | 0.24 | -54.12 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5875 | -48.26 | 2 | -    | -46.26 | Peak    | 10   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




|      |      |      |      |      |        |   |      |        |         |      |      |
|------|------|------|------|------|--------|---|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant1 | 5875 | -57.33 | 2 | 0.24 | -55.09 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5925 | -49.17 | 2 | -    | -47.17 | Peak    | -27  | Pass |
| NVNT | ac40 | 5795 | Ant1 | 5925 | -57.74 | 2 | 0.24 | -55.5  | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5650 | -49.52 | 2 | -    | -47.52 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5650 | -56.96 | 2 | 0.25 | -54.71 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5700 | -43.96 | 2 | -    | -41.96 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5700 | -52.72 | 2 | 0.25 | -50.47 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5720 | -36.3  | 2 | -    | -34.3  | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5720 | -48.51 | 2 | 0.25 | -46.26 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5725 | -31.11 | 2 | -    | -29.11 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5725 | -46.68 | 2 | 0.25 | -44.43 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5850 | -43.33 | 2 | -    | -41.33 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5850 | -52.88 | 2 | 0.25 | -50.63 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5855 | -44.67 | 2 | -    | -42.67 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5855 | -53.12 | 2 | 0.25 | -50.87 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5875 | -47    | 2 | -    | -45    | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5875 | -55.41 | 2 | 0.25 | -53.16 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5925 | -48.17 | 2 | -    | -46.17 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant1 | 5925 | -57.11 | 2 | 0.25 | -54.86 | Average | -27  | Pass |






## Test Graphs

## Restrict Band NVNT a 5745MHz Ant1 Peak



## Restrict Band NVNT a 5745MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant1 Peak



## Restrict Band NVNT a 5825MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant1 Peak



## Restrict Band NVNT n20 5745MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant1 Peak




## Restrict Band NVNT n20 5825MHz Ant1 Average






## Restrict Band NVNT n40 5755MHz Ant1 Peak



## Restrict Band NVNT n40 5755MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz Ant1 Peak



## Restrict Band NVNT n40 5795MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz Ant1 Peak



## Restrict Band NVNT ac20 5745MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz Ant1 Peak



## Restrict Band NVNT ac20 5825MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity