


Inverted F Antenna Specification


Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency dBi	Horizontal			Vertical		
	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
	-8.46	-8.46	-10.82	-9.06	-9.7	-10.58
MAX. Gain	-8.46DBI					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					
Address	333 Kexing Rd,Nanping Town,Xiangzhou Dist,Zhuhai City,Guangdong Province,China					

Antenna Photo & Length (mm)




Horizontal: 2400 MHz



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-8.46	-30.0820	-8.48722
2450	-8.49	-38.5615	-7.88054
2500	-10.55	-24.0311	-6.79189

Vertical: 2400 MHz



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-9.11	-24.1436	-13.0291
2450	-9.71	-26.5831	-10.6705
2500	-10.36	-30.4358	-9.70535

ANT Test Labs: Attestation of Global Compliance Co., Ltd.