




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions


Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.152	38.25	9.86	65.89	27.64	Peak	L	Pass
1**	0.152	26.72	9.86	55.89	29.17	AV	L	Pass
2	0.420	36.48	10.40	57.45	20.97	Peak	L	Pass
2**	0.420	24.82	10.40	47.45	22.63	AV	L	Pass
3	1.018	35.99	10.11	56.00	20.01	Peak	L	Pass
3**	1.018	23.67	10.11	46.00	22.33	AV	L	Pass
4	4.534	36.54	10.46	56.00	19.46	Peak	L	Pass
4**	4.534	23.69	10.46	46.00	22.31	AV	L	Pass
5	13.420	36.59	10.46	60.00	23.41	Peak	L	Pass
5**	13.420	23.87	10.46	50.00	26.13	AV	L	Pass
6	26.080	36.90	10.91	60.00	23.10	Peak	L	Pass
6**	26.080	24.41	10.91	50.00	25.59	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.190	37.13	9.84	64.04	26.91	Peak	N	Pass
1**	0.190	26.22	9.84	54.04	27.82	AV	N	Pass
2	0.564	35.89	10.13	56.00	20.11	Peak	N	Pass
2**	0.564	24.79	10.13	46.00	21.21	AV	N	Pass
3	1.490	35.12	10.29	56.00	20.88	Peak	N	Pass
3**	1.490	24.49	10.29	46.00	21.51	AV	N	Pass
4	4.078	35.94	10.46	56.00	20.06	Peak	N	Pass
4**	4.078	24.73	10.46	46.00	21.27	AV	N	Pass
5	10.808	38.16	10.52	60.00	21.84	Peak	N	Pass
5**	10.808	22.84	10.52	50.00	27.16	AV	N	Pass
6	27.252	36.33	10.94	60.00	23.67	Peak	N	Pass
6**	27.252	25.55	10.94	50.00	24.45	AV	N	Pass

A.8 Radiated Spurious Emission

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	110.316	21.58	-26.04	43.5	21.92	Peak	360.00	100	Horizontal	Pass
2	231.518	18.74	-23.55	46.0	27.26	Peak	312.50	100	Horizontal	Pass
3	336.035	23.12	-20.12	46.0	22.88	Peak	242.90	100	Horizontal	Pass
4	384.002	24.56	-18.93	46.0	21.44	Peak	24.70	100	Horizontal	Pass
5	634.940	27.94	-11.64	46.0	18.06	Peak	275.50	100	Horizontal	Pass
6	753.183	30.13	-8.78	46.0	15.87	Peak	338.40	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C 30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	47.120	30.58	-24.14	40.0	9.42	Peak	249.60	100	Vertical	Pass
2	64.192	23.77	-26.28	40.0	16.23	Peak	258.50	100	Vertical	Pass
3	108.036	28.22	-25.79	43.5	15.28	Peak	360.00	100	Vertical	Pass
4	250.044	23.21	-22.80	46.0	22.79	Peak	282.80	100	Vertical	Pass
5	324.007	22.36	-20.87	46.0	23.64	Peak	173.90	100	Vertical	Pass
6	644.058	27.50	-11.72	46.0	18.50	Peak	31.40	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1002.021	45.92	74.0	28.08	Peak	323.00	400	Horizontal	Pass
1**	1002.021	32.18	54.0	21.82	AV	323.00	400	Horizontal	Pass
2	1331.951	44.76	74.0	29.24	Peak	158.00	400	Horizontal	Pass
2**	1331.951	34.76	54.0	19.24	AV	158.00	400	Horizontal	Pass
3	4802.772	49.70	74.0	24.30	Peak	206.00	200	Horizontal	Pass
3**	4802.772	40.76	54.0	13.25	AV	206.00	200	Horizontal	Pass
4	7938.068	54.03	74.0	19.97	Peak	14.00	300	Horizontal	Pass
4**	7938.068	46.74	54.0	7.26	AV	14.00	300	Horizontal	Pass
5	12447.770	53.43	74.0	20.57	Peak	307.00	400	Horizontal	Pass
5**	12447.770	44.69	54.0	9.31	AV	307.00	400	Horizontal	Pass
6	17138.407	55.70	74.0	18.30	Peak	247.00	100	Horizontal	Pass
6**	17138.407	46.02	54.0	7.98	AV	247.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.481	49.71	74.0	24.30	Peak	25.00	400	Vertical	Pass
1**	1164.481	36.58	54.0	17.42	AV	25.00	400	Vertical	Pass
2	1343.306	45.10	74.0	28.90	Peak	146.00	100	Vertical	Pass
2**	1343.306	36.72	54.0	17.29	AV	146.00	100	Vertical	Pass
3	4917.997	47.74	74.0	26.26	Peak	271.00	200	Vertical	Pass
3**	4917.997	41.05	54.0	12.95	AV	271.00	200	Vertical	Pass
4	7928.785	52.38	74.0	21.62	Peak	118.00	400	Vertical	Pass
4**	7928.785	45.76	54.0	8.24	AV	118.00	400	Vertical	Pass
5	12489.781	51.92	74.0	22.08	Peak	284.00	400	Vertical	Pass
5**	12489.781	40.56	54.0	13.44	AV	284.00	400	Vertical	Pass
6	17104.171	56.94	74.0	17.06	Peak	281.00	200	Vertical	Pass
6**	17104.171	45.75	54.0	8.26	AV	281.00	200	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1001.221	45.50	74.0	28.50	Peak	126.00	400	Horizontal	Pass
1**	1001.221	31.89	54.0	22.11	AV	126.00	400	Horizontal	Pass
2	1328.318	44.48	74.0	29.52	Peak	301.00	300	Horizontal	Pass
2**	1328.318	34.72	54.0	19.28	AV	301.00	300	Horizontal	Pass
3	4805.140	49.16	74.0	24.84	Peak	121.00	200	Horizontal	Pass
3**	4805.140	40.19	54.0	13.82	AV	121.00	200	Horizontal	Pass
4	7936.585	53.58	74.0	20.42	Peak	280.00	200	Horizontal	Pass
4**	7936.585	45.37	54.0	8.63	AV	280.00	200	Horizontal	Pass
5	12449.289	52.66	74.0	21.34	Peak	13.00	200	Horizontal	Pass
5**	12449.289	44.59	54.0	9.41	AV	13.00	200	Horizontal	Pass
6	17138.243	55.51	74.0	18.49	Peak	76.00	200	Horizontal	Pass
6**	17138.243	45.93	54.0	8.07	AV	76.00	200	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.440	48.84	74.0	25.17	Peak	237.00	400	Vertical	Pass
1**	1163.440	36.17	54.0	17.83	AV	237.00	400	Vertical	Pass
2	1342.271	44.32	74.0	29.68	Peak	237.00	400	Vertical	Pass
2**	1342.271	36.56	54.0	17.45	AV	237.00	400	Vertical	Pass
3	4922.148	47.69	74.0	26.31	Peak	59.00	200	Vertical	Pass
3**	4922.148	40.31	54.0	13.69	AV	59.00	200	Vertical	Pass
4	7934.714	51.55	74.0	22.45	Peak	326.00	300	Vertical	Pass
4**	7934.714	45.29	54.0	8.71	AV	326.00	300	Vertical	Pass
5	12495.461	51.24	74.0	22.76	Peak	261.00	100	Vertical	Pass
5**	12495.461	39.79	54.0	14.21	AV	261.00	100	Vertical	Pass
6	17100.883	56.22	74.0	17.78	Peak	278.00	200	Vertical	Pass
6**	17100.883	45.44	54.0	8.57	AV	278.00	200	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.731	45.46	74.0	28.54	Peak	351.00	300	Horizontal	Pass
1**	1000.731	31.87	54.0	22.13	AV	351.00	300	Horizontal	Pass
2	1328.537	44.55	74.0	29.45	Peak	123.00	100	Horizontal	Pass
2**	1328.537	34.07	54.0	19.93	AV	123.00	100	Horizontal	Pass
3	4806.298	49.62	74.0	24.38	Peak	187.00	200	Horizontal	Pass
3**	4806.298	40.13	54.0	13.88	AV	187.00	200	Horizontal	Pass
4	7932.178	53.51	74.0	20.49	Peak	21.00	200	Horizontal	Pass
4**	7932.178	45.53	54.0	8.47	AV	21.00	200	Horizontal	Pass
5	12448.166	52.92	74.0	21.08	Peak	145.00	300	Horizontal	Pass
5**	12448.166	43.83	54.0	10.17	AV	145.00	300	Horizontal	Pass
6	17138.265	54.74	74.0	19.26	Peak	342.00	400	Horizontal	Pass
6**	17138.265	45.85	54.0	8.15	AV	342.00	400	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.974	48.90	74.0	25.11	Peak	308.00	400	Vertical	Pass
1**	1159.974	36.12	54.0	17.88	AV	308.00	400	Vertical	Pass
2	1336.170	44.79	74.0	29.21	Peak	63.00	100	Vertical	Pass
2**	1336.170	35.91	54.0	18.10	AV	63.00	100	Vertical	Pass
3	4919.982	46.99	74.0	27.01	Peak	51.00	200	Vertical	Pass
3**	4919.982	40.24	54.0	13.76	AV	51.00	200	Vertical	Pass
4	7930.752	51.81	74.0	22.19	Peak	191.00	400	Vertical	Pass
4**	7930.752	45.06	54.0	8.94	AV	191.00	400	Vertical	Pass
5	12491.238	51.07	74.0	22.93	Peak	340.00	300	Vertical	Pass
5**	12491.238	40.17	54.0	13.83	AV	340.00	300	Vertical	Pass
6	17103.316	56.10	74.0	17.90	Peak	307.00	400	Vertical	Pass
6**	17103.316	45.66	54.0	8.35	AV	307.00	400	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.323	45.24	74.0	28.76	Peak	327.00	300	Horizontal	Pass
1**	1286.323	31.91	54.0	22.09	AV	327.00	300	Horizontal	Pass
2	2768.700	43.91	74.0	30.09	Peak	18.00	200	Horizontal	Pass
2**	2768.700	34.47	54.0	19.53	AV	18.00	200	Horizontal	Pass
3	5170.691	49.30	74.0	24.70	Peak	244.00	200	Horizontal	Pass
3**	5170.691	40.29	54.0	13.72	AV	244.00	200	Horizontal	Pass
4	6808.655	53.27	74.0	20.73	Peak	86.00	100	Horizontal	Pass
4**	6808.655	45.38	54.0	8.62	AV	86.00	100	Horizontal	Pass
5	13468.975	52.60	74.0	21.40	Peak	287.00	100	Horizontal	Pass
5**	13468.975	43.97	54.0	10.03	AV	287.00	100	Horizontal	Pass
6	17465.871	55.41	74.0	18.59	Peak	114.00	400	Horizontal	Pass
6**	17465.871	45.65	54.0	8.35	AV	114.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1283.698	48.94	74.0	25.07	Peak	350.00	400	Vertical	Pass
1**	1283.698	35.68	54.0	18.32	AV	350.00	400	Vertical	Pass
2	2772.235	44.80	74.0	29.20	Peak	179.00	100	Vertical	Pass
2**	2772.235	36.39	54.0	17.62	AV	179.00	100	Vertical	Pass
3	5162.901	46.87	74.0	27.13	Peak	250.00	200	Vertical	Pass
3**	5162.901	40.71	54.0	13.29	AV	250.00	200	Vertical	Pass
4	6801.459	51.52	74.0	22.48	Peak	128.00	200	Vertical	Pass
4**	6801.459	44.79	54.0	9.21	AV	128.00	200	Vertical	Pass
5	13470.123	51.19	74.0	22.81	Peak	160.00	200	Vertical	Pass
5**	13470.123	40.09	54.0	13.91	AV	160.00	200	Vertical	Pass
6	17461.601	55.97	74.0	18.03	Peak	307.00	300	Vertical	Pass
6**	17461.601	45.69	54.0	8.32	AV	307.00	300	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.115	44.76	74.0	29.24	Peak	220.00	200	Horizontal	Pass
1**	1282.115	31.44	54.0	22.56	AV	220.00	200	Horizontal	Pass
2	2767.259	43.55	74.0	30.45	Peak	313.00	400	Horizontal	Pass
2**	2767.259	34.67	54.0	19.33	AV	313.00	400	Horizontal	Pass
3	5170.830	48.43	74.0	25.57	Peak	356.00	200	Horizontal	Pass
3**	5170.830	40.16	54.0	13.85	AV	356.00	200	Horizontal	Pass
4	6803.367	52.80	74.0	21.20	Peak	87.00	400	Horizontal	Pass
4**	6803.367	44.84	54.0	9.16	AV	87.00	400	Horizontal	Pass
5	13468.750	52.56	74.0	21.44	Peak	217.00	400	Horizontal	Pass
5**	13468.750	44.32	54.0	9.68	AV	217.00	400	Horizontal	Pass
6	17465.370	54.66	74.0	19.34	Peak	247.00	100	Horizontal	Pass
6**	17465.370	45.31	54.0	8.69	AV	247.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1283.817	48.05	74.0	25.96	Peak	63.00	300	Vertical	Pass
1**	1283.817	35.97	54.0	18.03	AV	63.00	300	Vertical	Pass
2	2769.601	44.07	74.0	29.93	Peak	16.00	400	Vertical	Pass
2**	2769.601	36.17	54.0	17.84	AV	16.00	400	Vertical	Pass
3	5161.354	47.68	74.0	26.32	Peak	304.00	200	Vertical	Pass
3**	5161.354	39.93	54.0	14.07	AV	304.00	200	Vertical	Pass
4	6803.728	51.02	74.0	22.98	Peak	344.00	100	Vertical	Pass
4**	6803.728	45.09	54.0	8.91	AV	344.00	100	Vertical	Pass
5	13468.767	50.81	74.0	23.19	Peak	198.00	200	Vertical	Pass
5**	13468.767	39.39	54.0	14.61	AV	198.00	200	Vertical	Pass
6	17462.405	55.72	74.0	18.28	Peak	337.00	300	Vertical	Pass
6**	17462.405	44.49	54.0	9.52	AV	337.00	300	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1288.266	44.75	74.0	29.25	Peak	136.00	300	Horizontal	Pass
1**	1288.266	31.65	54.0	22.35	AV	136.00	300	Horizontal	Pass
2	2771.726	44.30	74.0	29.70	Peak	136.00	100	Horizontal	Pass
2**	2771.726	33.72	54.0	20.28	AV	136.00	100	Horizontal	Pass
3	5170.392	48.68	74.0	25.32	Peak	315.00	200	Horizontal	Pass
3**	5170.392	39.74	54.0	14.27	AV	315.00	200	Horizontal	Pass
4	6807.892	52.57	74.0	21.43	Peak	310.00	400	Horizontal	Pass
4**	6807.892	45.38	54.0	8.62	AV	310.00	400	Horizontal	Pass
5	13468.480	52.55	74.0	21.45	Peak	137.00	300	Horizontal	Pass
5**	13468.480	42.86	54.0	11.14	AV	137.00	300	Horizontal	Pass
6	17468.682	54.38	74.0	19.62	Peak	31.00	300	Horizontal	Pass
6**	17468.682	45.70	54.0	8.30	AV	31.00	300	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1281.461	48.32	74.0	25.69	Peak	141.00	400	Vertical	Pass
1**	1281.461	35.47	54.0	18.53	AV	141.00	400	Vertical	Pass
2	2773.051	43.98	74.0	30.02	Peak	145.00	100	Vertical	Pass
2**	2773.051	35.42	54.0	18.59	AV	145.00	100	Vertical	Pass
3	5165.688	46.98	74.0	27.02	Peak	358.00	200	Vertical	Pass
3**	5165.688	39.24	54.0	14.76	AV	358.00	200	Vertical	Pass
4	6803.323	51.54	74.0	22.46	Peak	232.00	300	Vertical	Pass
4**	6803.323	44.93	54.0	9.07	AV	232.00	300	Vertical	Pass
5	13469.972	51.01	74.0	22.99	Peak	17.00	300	Vertical	Pass
5**	13469.972	39.36	54.0	14.64	AV	17.00	300	Vertical	Pass
6	17461.331	55.75	74.0	18.25	Peak	129.00	300	Vertical	Pass
6**	17461.331	45.12	54.0	8.89	AV	129.00	300	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note⁴: The Level (dBuV/m) has been corrected by factor.

Note⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2361.439	55.64	74.0	18.36	Peak	231.00	100	Horizontal	Pass
1**	2361.439	43.18	54.0	10.82	AV	231.00	100	Horizontal	Pass
2	2390.000	54.13	74.0	19.87	Peak	18.00	300	Horizontal	Pass
2**	2390.000	43.80	54.0	10.20	AV	18.00	300	Horizontal	Pass

GFSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.03	74.0	9.97	Peak	171.00	200	Horizontal	Pass
1**	2483.500	44.87	54.0	9.13	AV	171.00	200	Horizontal	Pass
2	2483.851	61.90	74.0	12.10	Peak	339.00	100	Horizontal	Pass
2**	2483.851	44.82	54.0	9.18	AV	339.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.908	55.60	74.0	18.40	Peak	54.00	100	Horizontal	Pass
1**	2325.908	43.72	54.0	10.28	AV	54.00	100	Horizontal	Pass
2	2390.000	53.86	74.0	20.14	Peak	28.00	300	Horizontal	Pass
2**	2390.000	42.95	54.0	11.05	AV	28.00	300	Horizontal	Pass

8-DPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.47	74.0	19.53	Peak	273.00	300	Horizontal	Pass
1**	2483.500	43.21	54.0	10.79	AV	273.00	300	Horizontal	Pass
2	2488.673	55.53	74.0	18.48	Peak	62.00	300	Horizontal	Pass
2**	2488.673	43.59	54.0	10.41	AV	62.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26030256-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26030256-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26030256-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--