

RF Test Data for 2.4G Wi-Fi

(Conducted Measurements)

General Description of EUT	
EUT Name:	rechargeable indoor pan-tilt camera
Model:	SF-C2R
Sample ID:	HC-C-202512-0181-01-01
Environmental Conditions	
Ambient Temperature:	25.2℃
Ambient Humidity:	46.8%RH
Test Power Supply:	DC 3.7V
Test Engineer:	Kael Li
Note: For a more detailed features description, please refer to the report TBR-C-202512-0181-51	

Contents

1: DTS Bandwidth.....	3
1.1 Test Result.....	3
1.2 Test Graphs	4
2: Occupied Channel Bandwidth	7
2.1 Test Result.....	7
2.2 Test Graphs	8
3: Maximum conducted output power.....	11
3.1 Test Result Average	11
4: Maximum power spectral density	12
4.1 Test Result.....	12
4.2 Test Graphs	13
5: Band edge measurements	16
5.1 Test Result.....	16
5.2 Test Graphs	17
6: Conducted Spurious Emission.....	19
6.1 Test Result.....	19
6.2 Test Graphs	21
7: Duty Cycle	30
7.1 Test Result.....	30
7.2 Test Graphs	31
8: Emissions in Restricted Bands.....	32
8.1 Test Result.....	32
8.2 Test Graphs	34



1: DTS Bandwidth

1.1 Test Result


TestMode	Ant.	Frequency [MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	9.08	2407.44	2416.52	0.5	PASS
11B	Ant1	2437	9.12	2432.44	2441.56	0.5	PASS
11B	Ant1	2462	8.12	2458.92	2467.04	0.5	PASS
11G	Ant1	2412	16.52	2403.72	2420.24	0.5	PASS
11G	Ant1	2437	16.52	2428.72	2445.24	0.5	PASS
11G	Ant1	2462	16.52	2453.72	2470.24	0.5	PASS
11N20SISO	Ant1	2412	17.76	2403.12	2420.88	0.5	PASS
11N20SISO	Ant1	2437	17.76	2428.12	2445.88	0.5	PASS
11N20SISO	Ant1	2462	17.76	2453.12	2470.88	0.5	PASS
11N40SISO	Ant1	2422	36.56	2403.68	2440.24	0.5	PASS
11N40SISO	Ant1	2437	36.56	2418.68	2455.24	0.5	PASS
11N40SISO	Ant1	2452	36.56	2433.68	2470.24	0.5	PASS
11AX20SISO	Ant1	2412	19.16	2402.40	2421.56	0.5	PASS
11AX20SISO	Ant1	2437	19.16	2427.40	2446.56	0.5	PASS
11AX20SISO	Ant1	2462	19.16	2452.40	2471.56	0.5	PASS
11AX40SISO	Ant1	2422	38.08	2402.88	2440.96	0.5	PASS
11AX40SISO	Ant1	2437	38.08	2417.88	2455.96	0.5	PASS
11AX40SISO	Ant1	2452	38.08	2432.88	2470.96	0.5	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).


1.2 Test Graphs




11B-Ant1-2412-PASS




11B-Ant1-2437-PASS



11B-Ant1-2462-PASS





11G-Ant1-2412-PASS





11G-Ant1-2437-PASS

11G-Ant1-2462-PASS





11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2437-PASS





11N20SISO-Ant1-2462-PASS

11N40SISO-Ant1-2422-PASS





11N40SISO-Ant1-2437-PASS

11N40SISO-Ant1-2452-PASS





11AX20SISO-Ant1-2412-PASS

11AX20SISO-Ant1-2437-PASS



11AX20SISO-Ant1-2462-PASS

11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2437-PASS

11AX40SISO-Ant1-2452-PASS



2: Occupied Channel Bandwidth

2.1 Test Result

TestMode	Ant.	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.027	2405.4865	2418.5135	---	---
11B	Ant1	2437	13.027	2430.4865	2443.5135	---	---
11B	Ant1	2462	13.027	2455.4865	2468.5135	---	---
11G	Ant1	2412	16.424	2403.7682	2420.1918	---	---
11G	Ant1	2437	16.384	2428.8082	2445.1918	---	---
11G	Ant1	2462	16.424	2453.7682	2470.1918	---	---
11N20SISO	Ant1	2412	17.662	2403.1688	2420.8312	---	---
11N20SISO	Ant1	2437	17.622	2428.1688	2445.7912	---	---
11N20SISO	Ant1	2462	17.622	2453.1688	2470.7912	---	---
11N40SISO	Ant1	2422	36.204	2403.7782	2439.9820	---	---
11N40SISO	Ant1	2437	36.204	2418.7782	2454.9820	---	---
11N40SISO	Ant1	2452	36.204	2433.7782	2469.9820	---	---
11AX20SISO	Ant1	2412	19.101	2402.4496	2421.5504	---	---
11AX20SISO	Ant1	2437	19.101	2427.4496	2446.5504	---	---
11AX20SISO	Ant1	2462	19.101	2452.4496	2471.5504	---	---
11AX40SISO	Ant1	2422	37.802	2403.0589	2440.8611	---	---
11AX40SISO	Ant1	2437	37.802	2418.0589	2455.8611	---	---
11AX40SISO	Ant1	2452	37.802	2433.0589	2470.8611	---	---



Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).

2.2 Test Graphs





11B-Ant1-2412

11B-Ant1-2437





11B-Ant1-2462

11G-Ant1-2412





11G-Ant1-2437

11G-Ant1-2462





11N20SISO-Ant1-2412

11N20SISO-Ant1-2437





11N20SISO-Ant1-2462

11N40SISO-Ant1-2422





11N40SISO-Ant1-2437

11N40SISO-Ant1-2452





11AX20SISO-Ant1-2412

11AX20SISO-Ant1-2437



11AX20SISO-Ant1-2462

11AX40SISO-Ant1-2422



11AX40SISO-Ant1-2437

11AX40SISO-Ant1-2452

3: Maximum conducted output power

3.1 Test Result Average

Test Mode	Ant.	Frequency [MHz]	Raw Power [dBm]	DC Factor	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	11.69	0.27	11.96	≤30.00	PASS
11B	Ant1	2437	11.02	0.27	11.29	≤30.00	PASS
11B	Ant1	2462	11.34	0.27	11.61	≤30.00	PASS
11G	Ant1	2412	12.11	0.00	12.11	≤30.00	PASS
11G	Ant1	2437	12.50	0.00	12.50	≤30.00	PASS
11G	Ant1	2462	11.82	0.00	11.82	≤30.00	PASS
11N20SISO	Ant1	2412	12.80	0.00	12.80	≤30.00	PASS
11N20SISO	Ant1	2437	12.09	0.00	12.09	≤30.00	PASS
11N20SISO	Ant1	2462	11.45	0.00	11.45	≤30.00	PASS
11N40SISO	Ant1	2422	12.38	0.00	12.38	≤30.00	PASS
11N40SISO	Ant1	2437	12.00	0.00	12.00	≤30.00	PASS
11N40SISO	Ant1	2452	11.67	0.00	11.67	≤30.00	PASS
11AX20SISO	Ant1	2412	12.39	0.00	12.39	≤30.00	PASS
11AX20SISO	Ant1	2437	12.61	0.00	12.61	≤30.00	PASS
11AX20SISO	Ant1	2462	12.07	0.00	12.07	≤30.00	PASS
11AX40SISO	Ant1	2422	11.88	0.00	11.88	≤30.00	PASS
11AX40SISO	Ant1	2437	12.57	0.00	12.57	≤30.00	PASS
11AX40SISO	Ant1	2452	12.16	0.00	12.16	≤30.00	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).


4: Maximum power spectral density

4.1 Test Result


TestMode	Ant.	Frequency [MHz]	RawData [dBm/3kHz]	DC Factor	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11B	Ant1	2412	-18.07	0.27	-17.80	≤8.00	PASS
11B	Ant1	2437	-19.08	0.27	-18.81	≤8.00	PASS
11B	Ant1	2462	-19.68	0.27	-19.41	≤8.00	PASS
11G	Ant1	2412	-21.74	0.00	-21.74	≤8.00	PASS
11G	Ant1	2437	-21.36	0.00	-21.36	≤8.00	PASS
11G	Ant1	2462	-21.94	0.00	-21.94	≤8.00	PASS
11N20SISO	Ant1	2412	-22.35	0.00	-22.35	≤8.00	PASS
11N20SISO	Ant1	2437	-21.94	0.00	-21.94	≤8.00	PASS
11N20SISO	Ant1	2462	-22.77	0.00	-22.77	≤8.00	PASS
11N40SISO	Ant1	2422	-24.87	0.00	-24.87	≤8.00	PASS
11N40SISO	Ant1	2437	-23.75	0.00	-23.75	≤8.00	PASS
11N40SISO	Ant1	2452	-25.54	0.00	-25.54	≤8.00	PASS
11AX20SISO	Ant1	2412	-22.14	0.00	-22.14	≤8.00	PASS
11AX20SISO	Ant1	2437	-22.04	0.00	-22.04	≤8.00	PASS
11AX20SISO	Ant1	2462	-22.24	0.00	-22.24	≤8.00	PASS
11AX40SISO	Ant1	2422	-26.03	0.00	-26.03	≤8.00	PASS
11AX40SISO	Ant1	2437	-24.96	0.00	-24.96	≤8.00	PASS
11AX40SISO	Ant1	2452	-25.19	0.00	-25.19	≤8.00	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).


4.2 Test Graphs




11B-Ant1-2412-PASS




11B-Ant1-2437-PASS




11B-Ant1-2462-PASS




11G-Ant1-2412-PASS




11G-Ant1-2437-PASS



11G-Ant1-2462-PASS




Date: 2.DEC.2025 08:46:47




Date: 2.DEC.2025 08:48:42

11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2437-PASS




Date: 2.DEC.2025 08:49:33




Date: 2.DEC.2025 08:50:17

11N20SISO-Ant1-2462-PASS

11N40SISO-Ant1-2422-PASS




Date: 2.DEC.2025 10:17:16




Date: 2.DEC.2025 10:17:47

11N40SISO-Ant1-2437-PASS


11N40SISO-Ant1-2452-PASS




11AX20SISO-Ant1-2412-PASS




11AX20SISO-Ant1-2437-PASS




11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2437-PASS



11AX40SISO-Ant1-2452-PASS



5: Band edge measurements

5.1 Test Result


TestMode	Ant.	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	4.12	-46.55	≤-25.88	PASS
11B	Ant1	High	2462	1.96	-52.42	≤-28.04	PASS
11G	Ant1	Low	2412	-4.70	-42.72	≤-34.7	PASS
11G	Ant1	High	2462	-4.86	-50.07	≤-34.86	PASS
11N20SISO	Ant1	Low	2412	-5.52	-45.67	≤-35.52	PASS
11N20SISO	Ant1	High	2462	-5.55	-50.64	≤-35.55	PASS
11N40SISO	Ant1	Low	2422	-8.67	-48.22	≤-38.67	PASS
11N40SISO	Ant1	High	2452	-8.22	-50.54	≤-38.22	PASS
11AX20SISO	Ant1	Low	2412	-5.88	-42.8	≤-35.88	PASS
11AX20SISO	Ant1	High	2462	-6.18	-51.55	≤-36.18	PASS
11AX40SISO	Ant1	Low	2422	-9.12	-48.06	≤-39.12	PASS
11AX40SISO	Ant1	High	2452	-8.82	-49.94	≤-38.82	PASS

Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).


5.2 Test Graphs




11B-Ant1-2412-PASS




11B-Ant1-2462-PASS



11G-Ant1-2412-PASS





11G-Ant1-2462-PASS





11N20ISO-Ant1-2412-PASS

11N20ISO-Ant1-2462-PASS





11N40SISO-Ant1-2422-PASS

11N40SISO-Ant1-2452-PASS



11AX20SISO-Ant1-2412-PASS

11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS

11AX40SISO-Ant1-2452-PASS

6: Conducted Spurious Emission



6.1 Test Result

TestMode	Ant.	Frequency [MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	0~Reference	2.24	2.24	---	PASS
11B	Ant1	2412	30~1000	2.24	-53.98	≤-27.76	PASS
11B	Ant1	2412	1000~26500	2.24	-32.14	≤-27.76	PASS
11B	Ant1	2437	0~Reference	2.57	2.57	---	PASS
11B	Ant1	2437	30~1000	2.57	-53.42	≤-27.43	PASS
11B	Ant1	2437	1000~26500	2.57	-33.46	≤-27.43	PASS
11B	Ant1	2462	0~Reference	1.83	1.83	---	PASS
11B	Ant1	2462	30~1000	1.83	-52.86	≤-28.17	PASS
11B	Ant1	2462	1000~26500	1.83	-35.9	≤-28.17	PASS
11G	Ant1	2412	0~Reference	-4.68	-4.68	---	PASS
11G	Ant1	2412	30~1000	-4.68	-53.18	≤-34.68	PASS
11G	Ant1	2412	1000~26500	-4.68	-37.13	≤-34.68	PASS
11G	Ant1	2437	0~Reference	-4.21	-4.21	---	PASS
11G	Ant1	2437	30~1000	-4.21	-52.58	≤-34.21	PASS
11G	Ant1	2437	1000~26500	-4.21	-36.33	≤-34.21	PASS
11G	Ant1	2462	0~Reference	-4.74	-4.74	---	PASS
11G	Ant1	2462	30~1000	-4.74	-53.54	≤-34.74	PASS
11G	Ant1	2462	1000~26500	-4.74	-36.97	≤-34.74	PASS
11N20SISO	Ant1	2412	0~Reference	-5.45	-5.45	---	PASS
11N20SISO	Ant1	2412	30~1000	-5.45	-52.23	≤-35.45	PASS
11N20SISO	Ant1	2412	1000~26500	-5.45	-37.06	≤-35.45	PASS
11N20SISO	Ant1	2437	0~Reference	-4.98	-4.98	---	PASS
11N20SISO	Ant1	2437	30~1000	-4.98	-53.68	≤-34.98	PASS
11N20SISO	Ant1	2437	1000~26500	-4.98	-37.09	≤-34.98	PASS
11N20SISO	Ant1	2462	0~Reference	-5.51	-5.51	---	PASS
11N20SISO	Ant1	2462	30~1000	-5.51	-53.03	≤-35.51	PASS
11N20SISO	Ant1	2462	1000~26500	-5.51	-36.49	≤-35.51	PASS
11N40SISO	Ant1	2422	0~Reference	-8.62	-8.62	---	PASS
11N40SISO	Ant1	2422	30~1000	-8.62	-52.75	≤-38.62	PASS
11N40SISO	Ant1	2422	1000~26500	-8.62	-45.3	≤-38.62	PASS
11N40SISO	Ant1	2437	0~Reference	-7.90	-7.90	---	PASS
11N40SISO	Ant1	2437	30~1000	-7.90	-53.17	≤-37.9	PASS
11N40SISO	Ant1	2437	1000~26500	-7.90	-44.44	≤-37.9	PASS
11N40SISO	Ant1	2452	0~Reference	-8.15	-8.15	---	PASS
11N40SISO	Ant1	2452	30~1000	-8.15	-52.56	≤-38.15	PASS
11N40SISO	Ant1	2452	1000~26500	-8.15	-45	≤-38.15	PASS
11AX20SISO	Ant1	2412	0~Reference	-5.84	-5.84	---	PASS
11AX20SISO	Ant1	2412	30~1000	-5.84	-53.3	≤-35.84	PASS
11AX20SISO	Ant1	2412	1000~26500	-5.84	-43.48	≤-35.84	PASS
11AX20SISO	Ant1	2437	0~Reference	-5.59	-5.59	---	PASS
11AX20SISO	Ant1	2437	30~1000	-5.59	-53.51	≤-35.59	PASS

11AX20SISO	Ant1	2437	1000~26500	-5.59	-43.03	≤ -35.59	PASS
11AX20SISO	Ant1	2462	0~Reference	-6.13	-6.13	---	PASS
11AX20SISO	Ant1	2462	30~1000	-6.13	-53.05	≤ -36.13	PASS
11AX20SISO	Ant1	2462	1000~26500	-6.13	-45.73	≤ -36.13	PASS
11AX40SISO	Ant1	2422	0~Reference	-9.30	-9.30	---	PASS
11AX40SISO	Ant1	2422	30~1000	-9.30	-52.42	≤ -39.3	PASS
11AX40SISO	Ant1	2422	1000~26500	-9.30	-47.64	≤ -39.3	PASS
11AX40SISO	Ant1	2437	0~Reference	-8.54	-8.54	---	PASS
11AX40SISO	Ant1	2437	30~1000	-8.54	-53.43	≤ -38.54	PASS
11AX40SISO	Ant1	2437	1000~26500	-8.54	-46.76	≤ -38.54	PASS
11AX40SISO	Ant1	2452	0~Reference	-8.77	-8.77	---	PASS
11AX40SISO	Ant1	2452	30~1000	-8.77	-53.34	≤ -38.77	PASS
11AX40SISO	Ant1	2452	1000~26500	-8.77	-47.03	≤ -38.77	PASS



Note: RF Conducted test Offset= cable loss+ Attenuator(10dB).

6.2 Test Graphs





11B-Ant1-2412-0~Reference-PASS

11B-Ant1-2412-30~1000-PASS




11B-Ant1-2412-1000~26500-PASS

11B-Ant1-2437-0~Reference-PASS




11B-Ant1-2437-30~1000-PASS

11B-Ant1-2437-1000~26500-PASS




Date: 1.DEC.2025 11:11:27




Date: 1.DEC.2025 11:11:34

11B-Ant1-2462-0~Reference-PASS

11B-Ant1-2462-30~1000-PASS




Date: 1.DEC.2025 11:11:52




Date: 1.DEC.2025 16:51:06

11B-Ant1-2462-1000~26500-PASS

11G-Ant1-2412-0~Reference-PASS




Date: 1.DEC.2025 16:51:13




Date: 1.DEC.2025 16:51:31

11G-Ant1-2412-30~1000-PASS

11G-Ant1-2412-1000~26500-PASS




Date: 1.DEC.2025 16:53:26




Date: 1.DEC.2025 16:53:34

11G-Ant1-2437-0~Reference-PASS

11G-Ant1-2437-30~1000-PASS




Date: 1.DEC.2025 16:53:51




Date: 1.DEC.2025 16:54:58

11G-Ant1-2437-1000~26500-PASS

11G-Ant1-2462-0~Reference-PASS




Date: 1.DEC.2025 16:55:06




Date: 1.DEC.2025 16:55:23

11G-Ant1-2462-30~1000-PASS

11G-Ant1-2462-1000~26500-PASS




Date: 1.DEC.2025 16:58:08




Date: 1.DEC.2025 16:58:16

11N20SISO-Ant1-2412-0~Reference-PASS

11N20SISO-Ant1-2412-30~1000-PASS




Date: 1.DEC.2025 16:58:33




Date: 1.DEC.2025 16:59:53

11N20SISO-Ant1-2412-1000~26500-PASS

11N20SISO-Ant1-2437-0~Reference-PASS




Date: 1.DEC.2025 17:00:00




Date: 1.DEC.2025 17:00:18

11N20SISO-Ant1-2437-30~1000-PASS

11N20SISO-Ant1-2437-1000~26500-PASS




Date: 1.DEC.2025 17:02:43




Date: 1.DEC.2025 17:02:51

11N20SISO-Ant1-2462-0~Reference-PASS

11N20SISO-Ant1-2462-30~1000-PASS




Date: 1.DEC.2025 17:03:08




Date: 1.DEC.2025 17:08:53

11N20SISO-Ant1-2462-1000~26500-PASS

11N40SISO-Ant1-2422-0~Reference-PASS




Date: 1.DEC.2025 17:09:01




Date: 1.DEC.2025 17:09:18

11N40SISO-Ant1-2422-30~1000-PASS

11N40SISO-Ant1-2422-1000~26500-PASS




Date: 1.DEC.2025 17:11:04




Date: 1.DEC.2025 17:11:12

11N40SISO-Ant1-2437-0~Reference-PASS

11N40SISO-Ant1-2437-30~1000-PASS




Date: 1.DEC.2025 17:11:29




Date: 1.DEC.2025 17:12:40

11N40SISO-Ant1-2437-1000~26500-PASS

11N40SISO-Ant1-2452-0~Reference-PASS




Date: 1.DEC.2025 17:12:48




Date: 1.DEC.2025 17:13:05

11N40SISO-Ant1-2452-30~1000-PASS

11N40SISO-Ant1-2452-1000~26500-PASS




Date: 2.DEC.2025 08:33:57




Date: 2.DEC.2025 08:34:05

11AX20SISO-Ant1-2412-0~Reference-PASS

11AX20SISO-Ant1-2412-30~1000-PASS




Date: 2.DEC.2025 08:34:22




Date: 2.DEC.2025 08:35:15

11AX20SISO-Ant1-2412-1000~26500-PASS

11AX20SISO-Ant1-2437-0~Reference-PASS




Date: 2.DEC.2025 08:35:23




Date: 2.DEC.2025 08:35:40

11AX20SISO-Ant1-2437-30~1000-PASS

11AX20SISO-Ant1-2437-1000~26500-PASS




Date: 2.DEC.2025 08:36:49




Date: 2.DEC.2025 08:36:57

11AX20SISO-Ant1-2462-0~Reference-PASS

11AX20SISO-Ant1-2462-30~1000-PASS




Date: 2.DEC.2025 08:37:14




Date: 2.DEC.2025 08:38:56

11AX20SISO-Ant1-2462-1000~26500-PASS

11AX40SISO-Ant1-2422-0~Reference-PASS



Date: 2.DEC.2025 08:39:03



Date: 2.DEC.2025 08:39:21

11AX40SISO-Ant1-2422-30~1000-PASS

11AX40SISO-Ant1-2422-1000~26500-PASS