


Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18337.2935	-26.78	65.29	38.51	74.00	35.49	PASS	Horizontal	PK
2	19919.7168	-24.87	61.26	36.39	74.00	37.61	PASS	Horizontal	PK
3	21227.4091	-25.76	62.15	36.39	74.00	37.61	PASS	Horizontal	PK
4	22789.0916	-25.05	59.94	34.89	74.00	39.11	PASS	Horizontal	PK
5	24403.8162	-21.68	57.72	36.04	74.00	37.96	PASS	Horizontal	PK
6	26040.6416	-20.99	57.87	36.88	74.00	37.12	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18299.212	-26.84	63.59	36.75	74.00	37.25	PASS	Vertical	PK
2	19843.5537	-25.10	61.77	36.67	74.00	37.33	PASS	Vertical	PK
3	20843.8738	-25.73	61.59	35.86	74.00	38.14	PASS	Vertical	PK
4	22201.8881	-25.40	60.73	35.33	74.00	38.67	PASS	Vertical	PK
5	23727.8691	-22.59	58.57	35.98	74.00	38.02	PASS	Vertical	PK
6	25313.6925	-21.27	57.58	36.31	74.00	37.69	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1602.9735	13.74	35.93	49.67	74.00	24.33	PASS	Horizontal	PK
2	2924.1283	17.63	36.29	53.92	74.00	20.08	PASS	Horizontal	PK
3	4905.127	-8.26	54.60	46.34	74.00	27.66	PASS	Horizontal	PK
4	7648.3099	-2.26	52.59	50.33	74.00	23.67	PASS	Horizontal	PK
5	11975.5984	3.12	52.52	55.64	74.00	18.36	PASS	Horizontal	PK
6	16348.8899	11.57	49.69	61.26	74.00	12.74	PASS	Horizontal	PK
7	11951.5968	3.10	41.44	44.54	54.00	9.46	PASS	Horizontal	AV
8	16423.8949	10.45	38.57	49.02	54.00	4.98	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1739.7827	14.13	36.45	50.58	74.00	23.42	PASS	Vertical	PK
2	2984.5323	17.89	37.20	55.09	74.00	18.91	PASS	Vertical	PK
3	4248.0832	-10.56	55.84	45.28	74.00	28.72	PASS	Vertical	PK
4	6383.2255	-4.36	55.37	51.01	74.00	22.99	PASS	Vertical	PK
5	10236.4824	1.86	51.51	53.37	74.00	20.63	PASS	Vertical	PK
6	16339.8893	11.46	49.06	60.52	74.00	13.48	PASS	Vertical	PK
7	2968.5312	17.91	18.33	36.24	54.00	17.76	PASS	Vertical	AV
8	16264.8843	10.59	38.37	48.96	54.00	5.04	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18364.4946	-26.75	64.52	37.77	74.00	36.23	PASS	Horizontal	PK
2	19771.8109	-25.29	61.23	35.94	74.00	38.06	PASS	Horizontal	PK
3	21038.0215	-25.95	61.71	35.76	74.00	38.24	PASS	Horizontal	PK
4	22261.0504	-25.31	60.48	35.17	74.00	38.83	PASS	Horizontal	PK
5	23855.3742	-22.22	59.55	37.33	74.00	36.67	PASS	Horizontal	PK
6	25316.0726	-21.28	58.35	37.07	74.00	36.93	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18367.5547	-26.74	63.40	36.66	74.00	37.34	PASS	Vertical	PK
2	19509.6604	-25.61	62.15	36.54	74.00	37.46	PASS	Vertical	PK
3	21623.1849	-25.72	61.51	35.79	74.00	38.21	PASS	Vertical	PK
4	23322.9129	-23.83	59.29	35.46	74.00	38.54	PASS	Vertical	PK
5	24760.8304	-21.94	57.43	35.49	74.00	38.51	PASS	Vertical	PK
6	26103.2041	-21.13	57.92	36.79	74.00	37.21	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1813.3876	14.31	38.32	52.63	74.00	21.37	PASS	Horizontal	PK
2	2897.4598	17.69	36.20	53.89	74.00	20.11	PASS	Horizontal	PK
3	4902.1268	-8.28	54.76	46.48	74.00	27.52	PASS	Horizontal	PK
4	7757.3172	-1.52	51.48	49.96	74.00	24.04	PASS	Horizontal	PK
5	11231.5488	2.33	50.78	53.11	74.00	20.89	PASS	Horizontal	PK
6	16234.8823	10.43	49.83	60.26	74.00	13.74	PASS	Horizontal	PK
7	16413.8943	10.25	38.61	48.86	54.00	5.14	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1716.5811	14.18	37.40	51.58	74.00	22.42	PASS	Vertical	PK
2	2978.7986	17.88	36.98	54.86	74.00	19.14	PASS	Vertical	PK
3	4972.1315	-8.08	53.70	45.62	74.00	28.38	PASS	Vertical	PK
4	7783.3189	-1.87	51.69	49.82	74.00	24.18	PASS	Vertical	PK
5	11344.5563	2.30	51.59	53.89	74.00	20.11	PASS	Vertical	PK
6	16500.9001	11.94	49.24	61.18	74.00	12.82	PASS	Vertical	PK
7	2963.5976	17.81	18.44	36.25	54.00	17.75	PASS	Vertical	AV
8	16499.9	11.94	37.34	49.28	54.00	4.72	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18376.3951	-26.73	63.69	36.96	74.00	37.04	PASS	Horizontal	PK
2	19565.7626	-25.60	62.01	36.41	74.00	37.59	PASS	Horizontal	PK
3	20733.7093	-25.79	61.31	35.52	74.00	38.48	PASS	Horizontal	PK
4	22150.206	-25.50	60.63	35.13	74.00	38.87	PASS	Horizontal	PK
5	23384.1154	-23.62	58.96	35.34	74.00	38.66	PASS	Horizontal	PK
6	25252.4901	-21.15	58.58	37.43	74.00	36.57	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18290.3716	-26.85	64.33	37.48	74.00	36.52	PASS	Vertical	PK
2	19511.3605	-25.61	61.98	36.37	74.00	37.63	PASS	Vertical	PK
3	20839.7936	-25.72	61.38	35.66	74.00	38.34	PASS	Vertical	PK
4	22495.3198	-25.05	59.87	34.82	74.00	39.18	PASS	Vertical	PK
5	23832.9333	-22.27	58.75	36.48	74.00	37.52	PASS	Vertical	PK
6	25762.5105	-20.80	57.75	36.95	74.00	37.05	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1646.8431	14.04	36.35	50.39	74.00	23.61	PASS	Horizontal	PK
2	2961.7308	17.78	36.31	54.09	74.00	19.91	PASS	Horizontal	PK
3	4948.1299	-8.03	53.84	45.81	74.00	28.19	PASS	Horizontal	PK
4	7747.3165	-1.44	51.43	49.99	74.00	24.01	PASS	Horizontal	PK
5	11984.599	3.12	52.87	55.99	74.00	18.01	PASS	Horizontal	PK
6	16494.8997	11.85	49.28	61.13	74.00	12.87	PASS	Horizontal	PK
7	2974.265	17.91	18.68	36.59	54.00	17.41	PASS	Horizontal	AV
8	12104.607	3.03	41.60	44.63	54.00	9.37	PASS	Horizontal	AV
9	16332.8889	11.38	37.60	48.98	54.00	5.02	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1642.8429	14.05	36.69	50.74	74.00	23.26	PASS	Vertical	PK
2	2948.1299	17.62	37.00	54.62	74.00	19.38	PASS	Vertical	PK
3	4865.1243	-8.41	54.24	45.83	74.00	28.17	PASS	Vertical	PK
4	7757.3172	-1.52	51.78	50.26	74.00	23.74	PASS	Vertical	PK
5	12545.6364	4.25	52.83	57.08	74.00	16.92	PASS	Vertical	PK
6	16351.8901	11.53	50.35	61.88	74.00	12.12	PASS	Vertical	PK
7	2982.6655	17.88	18.59	36.47	54.00	17.53	PASS	Vertical	AV
8	12595.6397	4.68	41.23	45.91	54.00	8.09	PASS	Vertical	AV
9	16329.8887	11.33	37.65	48.98	54.00	5.02	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18368.5747	-26.74	63.78	37.04	74.00	36.96	PASS	Horizontal	PK
2	19835.3934	-25.12	61.19	36.07	74.00	37.93	PASS	Horizontal	PK
3	20936.6975	-25.89	62.38	36.49	74.00	37.51	PASS	Horizontal	PK
4	22461.9985	-25.07	59.65	34.58	74.00	39.42	PASS	Horizontal	PK
5	24377.6351	-21.79	58.02	36.23	74.00	37.77	PASS	Horizontal	PK
6	25834.9334	-20.83	57.71	36.88	74.00	37.12	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18343.0737	-26.78	63.54	36.76	74.00	37.24	PASS	Vertical	PK
2	19687.1475	-25.43	61.70	36.27	74.00	37.73	PASS	Vertical	PK
3	20850.674	-25.74	61.43	35.69	74.00	38.31	PASS	Vertical	PK
4	22559.5824	-25.02	60.41	35.39	74.00	38.61	PASS	Vertical	PK
5	23886.9955	-22.17	58.80	36.63	74.00	37.37	PASS	Vertical	PK
6	25774.071	-20.81	57.28	36.47	74.00	37.53	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1689.5126	14.01	36.86	50.87	74.00	23.13	PASS	Horizontal	PK
2	2976.9318	17.89	36.24	54.13	74.00	19.87	PASS	Horizontal	PK
3	4923.1282	-8.17	54.26	46.09	74.00	27.91	PASS	Horizontal	PK
4	7754.317	-1.49	51.36	49.87	74.00	24.13	PASS	Horizontal	PK
5	11395.5597	2.40	51.37	53.77	74.00	20.23	PASS	Horizontal	PK
6	16266.8845	10.61	49.74	60.35	74.00	13.65	PASS	Horizontal	PK
7	2970.398	17.94	18.42	36.36	54.00	17.64	PASS	Horizontal	AV
8	16421.8948	10.41	39.67	50.08	54.00	3.92	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1602.4402	13.74	36.01	49.75	74.00	24.25	PASS	Vertical	PK
2	2859.0573	17.35	37.85	55.20	74.00	18.80	PASS	Vertical	PK
3	5014.1343	-8.07	53.89	45.82	74.00	28.18	PASS	Vertical	PK
4	7749.3166	-1.43	52.56	51.13	74.00	22.87	PASS	Vertical	PK
5	11201.5468	2.21	51.62	53.83	74.00	20.17	PASS	Vertical	PK
6	16423.8949	10.45	50.43	60.88	74.00	13.12	PASS	Vertical	PK
7	2841.7228	17.49	18.38	35.87	54.00	18.13	PASS	Vertical	AV
8	16339.8893	11.46	37.68	49.14	54.00	4.86	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18344.4338	-26.78	64.83	38.05	74.00	35.95	PASS	Horizontal	PK
2	19616.4247	-25.56	61.54	35.98	74.00	38.02	PASS	Horizontal	PK
3	20918.3367	-25.86	61.32	35.46	74.00	38.54	PASS	Horizontal	PK
4	22240.3096	-25.34	61.29	35.95	74.00	38.05	PASS	Horizontal	PK
5	23858.0943	-22.22	59.04	36.82	74.00	37.18	PASS	Horizontal	PK
6	25593.1837	-20.73	56.99	36.26	74.00	37.74	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18377.7551	-26.73	63.84	37.11	74.00	36.89	PASS	Vertical	PK
2	19897.2759	-24.93	61.72	36.79	74.00	37.21	PASS	Vertical	PK
3	21241.0096	-25.77	61.48	35.71	74.00	38.29	PASS	Vertical	PK
4	23138.6255	-24.70	59.47	34.77	74.00	39.23	PASS	Vertical	PK
5	24343.9738	-21.95	58.84	36.89	74.00	37.11	PASS	Vertical	PK
6	25949.178	-20.88	58.09	37.21	74.00	36.79	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1815.9211	14.34	36.80	51.14	74.00	22.86	PASS	Horizontal	PK
2	2971.9981	17.93	35.73	53.66	74.00	20.34	PASS	Horizontal	PK
3	4998.1332	-8.14	53.92	45.78	74.00	28.22	PASS	Horizontal	PK
4	7824.3216	-1.87	52.31	50.44	74.00	23.56	PASS	Horizontal	PK
5	12587.6392	4.60	52.24	56.84	74.00	17.16	PASS	Horizontal	PK
6	16827.9219	12.36	48.84	61.20	74.00	12.80	PASS	Horizontal	PK
7	12604.6403	4.68	40.88	45.56	54.00	8.44	PASS	Horizontal	AV
8	16828.9219	12.40	36.34	48.74	54.00	5.26	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1769.918	14.39	38.26	52.65	74.00	21.35	PASS	Vertical	PK
2	2963.7309	17.82	36.70	54.52	74.00	19.48	PASS	Vertical	PK
3	5088.1392	-7.69	53.60	45.91	74.00	28.09	PASS	Vertical	PK
4	7985.3324	-1.37	52.74	51.37	74.00	22.63	PASS	Vertical	PK
5	11999.6	3.13	52.17	55.30	74.00	18.70	PASS	Vertical	PK
6	16258.8839	10.53	50.25	60.78	74.00	13.22	PASS	Vertical	PK
7	2982.1321	17.88	18.29	36.17	54.00	17.83	PASS	Vertical	AV
8	12011.6008	3.08	41.79	44.87	54.00	9.13	PASS	Vertical	AV
9	16499.9	11.94	37.17	49.11	54.00	4.89	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18334.5734	-26.79	63.61	36.82	74.00	37.18	PASS	Horizontal	PK
2	19541.6217	-25.60	61.78	36.18	74.00	37.82	PASS	Horizontal	PK
3	20884.3354	-25.80	61.16	35.36	74.00	38.64	PASS	Horizontal	PK
4	22253.5701	-25.32	60.15	34.83	74.00	39.17	PASS	Horizontal	PK
5	23876.4551	-22.18	59.10	36.92	74.00	37.08	PASS	Horizontal	PK
6	25300.092	-21.24	57.98	36.74	74.00	37.26	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18262.1505	-26.89	63.59	36.70	74.00	37.30	PASS	Vertical	PK
2	19489.2596	-25.60	61.68	36.08	74.00	37.92	PASS	Vertical	PK
3	20873.795	-25.78	61.96	36.18	74.00	37.82	PASS	Vertical	PK
4	22854.3742	-25.22	59.51	34.29	74.00	39.71	PASS	Vertical	PK
5	24612.2445	-21.87	57.51	35.64	74.00	38.36	PASS	Vertical	PK
6	26029.0812	-20.97	58.51	37.54	74.00	36.46	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBuV]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Result	Polarity	Remark
1	1763.9176	14.29	37.85	52.14	74.00	21.86	PASS	Horizontal	PK
2	2939.4626	17.66	36.73	54.39	74.00	19.61	PASS	Horizontal	PK
3	4924.1283	-8.16	54.36	46.20	74.00	27.80	PASS	Horizontal	PK
4	7766.3178	-1.64	51.73	50.09	74.00	23.91	PASS	Horizontal	PK
5	11866.5911	2.61	52.95	55.56	74.00	18.44	PASS	Horizontal	PK
6	16342.8895	11.50	50.04	61.54	74.00	12.46	PASS	Horizontal	PK
7	2978.5319	17.88	18.44	36.32	54.00	17.68	PASS	Horizontal	AV
8	11980.5987	3.12	41.45	44.57	54.00	9.43	PASS	Horizontal	AV
9	16429.8953	10.57	38.36	48.93	54.00	5.07	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1683.2456	14.02	36.92	50.94	74.00	23.06	PASS	Vertical	PK
2	2985.599	17.90	36.54	54.44	74.00	19.56	PASS	Vertical	PK
3	5009.1339	-8.05	54.26	46.21	74.00	27.79	PASS	Vertical	PK
4	7964.331	-1.39	55.46	54.07	74.00	19.93	PASS	Vertical	PK
5	12549.6366	4.28	52.26	56.54	74.00	17.46	PASS	Vertical	PK
6	16810.9207	11.68	49.20	60.88	74.00	13.12	PASS	Vertical	PK
7	2994.933	17.87	18.35	36.22	54.00	17.78	PASS	Vertical	AV
8	7984.3323	-1.38	40.96	39.58	54.00	14.42	PASS	Vertical	AV
9	12548.6366	4.27	41.39	45.66	54.00	8.34	PASS	Vertical	AV
10	16985.9324	12.85	36.16	49.01	54.00	4.99	PASS	Vertical	AV