


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18366.8747	-26.74	63.49	36.75	74.00	37.25	PASS	Horizontal	PK
2	19714.0086	-25.39	61.41	36.02	74.00	37.98	PASS	Horizontal	PK
3	21217.2087	-25.76	61.28	35.52	74.00	38.48	PASS	Horizontal	PK
4	23215.4686	-24.21	58.99	34.78	74.00	39.22	PASS	Horizontal	PK
5	24782.2513	-21.96	58.17	36.21	74.00	37.79	PASS	Horizontal	PK
6	26241.5897	-21.32	58.46	37.14	74.00	36.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18340.3536	-26.78	63.80	37.02	74.00	36.98	PASS	Vertical	PK
2	19555.5622	-25.60	62.50	36.90	74.00	37.10	PASS	Vertical	PK
3	20983.2793	-25.97	61.13	35.16	74.00	38.84	PASS	Vertical	PK
4	22664.6466	-25.01	60.55	35.54	74.00	38.46	PASS	Vertical	PK
5	24346.0138	-21.94	58.30	36.36	74.00	37.64	PASS	Vertical	PK
6	26054.5822	-21.02	57.87	36.85	74.00	37.15	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1833.7889	14.34	36.24	50.58	74.00	23.42	PASS	Horizontal	PK
2	2968.3979	17.91	36.28	54.19	74.00	19.81	PASS	Horizontal	PK
3	5041.1361	-8.08	54.30	46.22	74.00	27.78	PASS	Horizontal	PK
4	7743.3162	-1.47	52.06	50.59	74.00	23.41	PASS	Horizontal	PK
5	11941.5961	3.04	52.93	55.97	74.00	18.03	PASS	Horizontal	PK
6	16316.8878	11.18	49.69	60.87	74.00	13.13	PASS	Horizontal	PK
7	2971.8648	17.92	18.42	36.34	54.00	17.66	PASS	Horizontal	AV
8	11996.5998	3.13	41.84	44.97	54.00	9.03	PASS	Horizontal	AV
9	16347.8899	11.56	37.78	49.34	54.00	4.66	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1839.9227	14.31	35.99	50.30	74.00	23.70	PASS	Vertical	PK
2	2971.1981	17.93	36.39	54.32	74.00	19.68	PASS	Vertical	PK
3	4308.0872	-10.10	55.34	45.24	74.00	28.76	PASS	Vertical	PK
4	6386.2257	-4.37	54.76	50.39	74.00	23.61	PASS	Vertical	PK
5	10261.4841	1.96	50.72	52.68	74.00	21.32	PASS	Vertical	PK
6	16496.8998	11.88	49.40	61.28	74.00	12.72	PASS	Vertical	PK
7	2971.9981	17.93	18.53	36.46	54.00	17.54	PASS	Vertical	AV
8	16494.8997	11.85	37.46	49.31	54.00	4.69	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18323.6929	-26.80	63.70	36.90	74.00	37.10	PASS	Horizontal	PK
2	19824.173	-25.16	61.30	36.14	74.00	37.86	PASS	Horizontal	PK
3	21151.2461	-25.81	61.27	35.46	74.00	38.54	PASS	Horizontal	PK
4	23131.1452	-24.76	59.30	34.54	74.00	39.46	PASS	Horizontal	PK
5	24674.127	-21.90	57.22	35.32	74.00	38.68	PASS	Horizontal	PK
6	26100.144	-21.13	58.16	37.03	74.00	36.97	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18334.2334	-26.79	63.89	37.10	74.00	36.90	PASS	Vertical	PK
2	19607.9243	-25.58	61.52	35.94	74.00	38.06	PASS	Vertical	PK
3	21187.6275	-25.76	61.12	35.36	74.00	38.64	PASS	Vertical	PK
4	22761.8905	-25.04	59.88	34.84	74.00	39.16	PASS	Vertical	PK
5	24387.8355	-21.74	58.22	36.48	74.00	37.52	PASS	Vertical	PK
6	26076.3431	-21.08	57.59	36.51	74.00	37.49	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1700.4467	14.08	36.99	51.07	74.00	22.93	PASS	Horizontal	PK
2	2998.7999	17.83	36.27	54.10	74.00	19.90	PASS	Horizontal	PK
3	4896.1264	-8.30	54.35	46.05	74.00	27.95	PASS	Horizontal	PK
4	7826.3218	-1.84	52.41	50.57	74.00	23.43	PASS	Horizontal	PK
5	13236.6824	6.24	50.71	56.95	74.00	17.05	PASS	Horizontal	PK
6	16976.9318	12.96	47.77	60.73	74.00	13.27	PASS	Horizontal	PK
7	2984.399	17.89	18.16	36.05	54.00	17.95	PASS	Horizontal	AV
8	13187.6792	6.35	39.59	45.94	54.00	8.06	PASS	Horizontal	AV
9	17052.9369	12.35	36.70	49.05	54.00	4.95	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1853.5236	14.47	36.31	50.78	74.00	23.22	PASS	Vertical	PK
2	2974.665	17.91	36.13	54.04	74.00	19.96	PASS	Vertical	PK
3	4308.0872	-10.10	55.54	45.44	74.00	28.56	PASS	Vertical	PK
4	6397.2265	-4.37	55.66	51.29	74.00	22.71	PASS	Vertical	PK
5	11297.5532	2.44	51.70	54.14	74.00	19.86	PASS	Vertical	PK
6	16890.9261	13.32	47.94	61.26	74.00	12.74	PASS	Vertical	PK
7	2972.9315	17.92	18.20	36.12	54.00	17.88	PASS	Vertical	AV
8	11285.5524	2.43	40.91	43.34	54.00	10.66	PASS	Vertical	AV
9	16826.9218	12.32	36.59	48.91	54.00	5.09	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18358.7143	-26.76	64.61	37.85	74.00	36.15	PASS	Horizontal	PK
2	19863.6145	-25.04	61.19	36.15	74.00	37.85	PASS	Horizontal	PK
3	21311.7325	-25.82	60.91	35.09	74.00	38.91	PASS	Horizontal	PK
4	23216.4887	-24.21	59.21	35.00	74.00	39.00	PASS	Horizontal	PK
5	24839.0336	-22.00	58.41	36.41	74.00	37.59	PASS	Horizontal	PK
6	26027.0411	-20.97	57.79	36.82	74.00	37.18	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18389.3156	-26.71	64.03	37.32	74.00	36.68	PASS	Vertical	PK
2	19848.3139	-25.08	61.09	36.01	74.00	37.99	PASS	Vertical	PK
3	21321.9329	-25.83	61.98	36.15	74.00	37.85	PASS	Vertical	PK
4	22841.7937	-25.18	59.74	34.56	74.00	39.44	PASS	Vertical	PK
5	24386.4755	-21.75	57.34	35.59	74.00	38.41	PASS	Vertical	PK
6	25814.1926	-20.83	58.28	37.45	74.00	36.55	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1772.5848	14.37	36.46	50.83	74.00	23.17	PASS	Horizontal	PK
2	2983.4656	17.88	36.36	54.24	74.00	19.76	PASS	Horizontal	PK
3	5103.1402	-7.55	52.92	45.37	74.00	28.63	PASS	Horizontal	PK
4	7694.313	-1.76	51.91	50.15	74.00	23.85	PASS	Horizontal	PK
5	11270.5514	2.41	52.21	54.62	74.00	19.38	PASS	Horizontal	PK
6	16345.8897	11.53	50.46	61.99	74.00	12.01	PASS	Horizontal	PK
7	2982.2655	17.88	18.27	36.15	54.00	17.85	PASS	Horizontal	AV
8	11298.5532	2.44	40.54	42.98	54.00	11.02	PASS	Horizontal	AV
9	16347.8899	11.56	37.66	49.22	54.00	4.78	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1791.3861	14.19	37.05	51.24	74.00	22.76	PASS	Vertical	PK
2	2938.3959	17.67	36.23	53.90	74.00	20.10	PASS	Vertical	PK
3	5090.1393	-7.68	53.92	46.24	74.00	27.76	PASS	Vertical	PK
4	7992.3328	-1.37	51.50	50.13	74.00	23.87	PASS	Vertical	PK
5	12643.6429	4.49	52.29	56.78	74.00	17.22	PASS	Vertical	PK
6	17600.9734	14.78	46.72	61.50	74.00	12.50	PASS	Vertical	PK
7	12508.6339	4.02	41.48	45.50	54.00	8.50	PASS	Vertical	AV
8	17297.9532	14.12	34.25	48.37	54.00	5.63	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18325.733	-26.80	64.12	37.32	74.00	36.68	PASS	Horizontal	PK
2	19897.9559	-24.93	61.17	36.24	74.00	37.76	PASS	Horizontal	PK
3	20973.0789	-25.95	61.81	35.86	74.00	38.14	PASS	Horizontal	PK
4	22230.7892	-25.35	60.79	35.44	74.00	38.56	PASS	Horizontal	PK
5	23842.1137	-22.24	58.73	36.49	74.00	37.51	PASS	Horizontal	PK
6	25286.8315	-21.21	57.77	36.56	74.00	37.44	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18340.0136	-26.78	64.40	37.62	74.00	36.38	PASS	Vertical	PK
2	19514.4206	-25.61	61.68	36.07	74.00	37.93	PASS	Vertical	PK
3	20854.7542	-25.75	61.30	35.55	74.00	38.45	PASS	Vertical	PK
4	22113.8246	-25.57	60.58	35.01	74.00	38.99	PASS	Vertical	PK
5	23849.254	-22.23	58.69	36.46	74.00	37.54	PASS	Vertical	PK
6	25807.7323	-20.82	58.10	37.28	74.00	36.72	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1695.6464	14.05	35.93	49.98	74.00	24.02	PASS	Horizontal	PK
2	2921.3281	17.57	37.17	54.74	74.00	19.26	PASS	Horizontal	PK
3	5032.1355	-8.00	54.40	46.40	74.00	27.60	PASS	Horizontal	PK
4	7788.3192	-1.93	51.79	49.86	74.00	24.14	PASS	Horizontal	PK
5	11269.5513	2.41	51.89	54.30	74.00	19.70	PASS	Horizontal	PK
6	16327.8885	11.31	49.63	60.94	74.00	13.06	PASS	Horizontal	PK
7	2970.5314	17.94	18.12	36.06	54.00	17.94	PASS	Horizontal	AV
8	11289.5526	2.43	40.68	43.11	54.00	10.89	PASS	Horizontal	AV
9	16431.8955	10.62	38.26	48.88	54.00	5.12	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1787.1191	14.22	36.10	50.32	74.00	23.68	PASS	Vertical	PK
2	2989.866	17.91	36.20	54.11	74.00	19.89	PASS	Vertical	PK
3	4966.1311	-8.06	53.60	45.54	74.00	28.46	PASS	Vertical	PK
4	7690.3127	-1.80	52.25	50.45	74.00	23.55	PASS	Vertical	PK
5	12561.6374	4.38	52.49	56.87	74.00	17.13	PASS	Vertical	PK
6	16492.8995	11.81	49.86	61.67	74.00	12.33	PASS	Vertical	PK
7	2986.3991	17.90	18.43	36.33	54.00	17.67	PASS	Vertical	AV
8	12572.6382	4.48	41.61	46.09	54.00	7.91	PASS	Vertical	AV
9	16344.8897	11.52	37.41	48.93	54.00	5.07	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18312.4725	-26.82	64.06	37.24	74.00	36.76	PASS	Horizontal	PK
2	19891.8357	-24.95	61.39	36.44	74.00	37.56	PASS	Horizontal	PK
3	21254.9502	-25.79	62.63	36.84	74.00	37.16	PASS	Horizontal	PK
4	22678.5871	-25.02	59.59	34.57	74.00	39.43	PASS	Horizontal	PK
5	24380.3552	-21.78	58.52	36.74	74.00	37.26	PASS	Horizontal	PK
6	25773.7309	-20.81	57.28	36.47	74.00	37.53	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18239.3696	-26.92	64.17	37.25	74.00	36.75	PASS	Vertical	PK
2	19572.2229	-25.60	61.98	36.38	74.00	37.62	PASS	Vertical	PK
3	21135.2654	-25.83	62.63	36.80	74.00	37.20	PASS	Vertical	PK
4	22496.3399	-25.05	60.28	35.23	74.00	38.77	PASS	Vertical	PK
5	23880.5352	-22.18	58.68	36.50	74.00	37.50	PASS	Vertical	PK
6	25305.1922	-21.25	57.46	36.21	74.00	37.79	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1830.4554	14.36	36.21	50.57	74.00	23.43	PASS	Horizontal	PK
2	2980.6654	17.87	36.98	54.85	74.00	19.15	PASS	Horizontal	PK
3	4852.1235	-8.46	54.84	46.38	74.00	27.62	PASS	Horizontal	PK
4	7581.3054	-2.16	52.10	49.94	74.00	24.06	PASS	Horizontal	PK
5	10724.515	2.41	50.75	53.16	74.00	20.84	PASS	Horizontal	PK
6	16497.8999	11.90	48.81	60.71	74.00	13.29	PASS	Horizontal	PK
7	2964.2643	17.83	18.39	36.22	54.00	17.78	PASS	Horizontal	AV
8	16334.889	11.40	37.73	49.13	54.00	4.87	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1783.6522	14.25	36.81	51.06	74.00	22.94	PASS	Vertical	PK
2	2988.7993	17.91	36.42	54.33	74.00	19.67	PASS	Vertical	PK
3	4916.1277	-8.20	54.68	46.48	74.00	27.52	PASS	Vertical	PK
4	7973.3316	-1.38	53.06	51.68	74.00	22.32	PASS	Vertical	PK
5	11280.552	2.43	51.48	53.91	74.00	20.09	PASS	Vertical	PK
6	16332.8889	11.38	49.85	61.23	74.00	12.77	PASS	Vertical	PK
7	2981.8655	17.88	18.32	36.20	54.00	17.80	PASS	Vertical	AV
8	16503.9003	11.93	37.03	48.96	54.00	5.04	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18331.5133	-26.79	64.01	37.22	74.00	36.78	PASS	Horizontal	PK
2	19731.3493	-25.35	62.80	37.45	74.00	36.55	PASS	Horizontal	PK
3	21039.0416	-25.95	61.39	35.44	74.00	38.56	PASS	Horizontal	PK
4	22475.259	-25.06	60.05	34.99	74.00	39.01	PASS	Horizontal	PK
5	23871.0148	-22.19	58.76	36.57	74.00	37.43	PASS	Horizontal	PK
6	25595.5638	-20.73	58.25	37.52	74.00	36.48	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2422MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18319.9528	-26.81	64.42	37.61	74.00	36.39	PASS	Vertical	PK
2	19590.5836	-25.59	62.72	37.13	74.00	36.87	PASS	Vertical	PK
3	20829.2532	-25.70	61.65	35.95	74.00	38.05	PASS	Vertical	PK
4	22344.3538	-25.18	59.89	34.71	74.00	39.29	PASS	Vertical	PK
5	23872.0349	-22.19	58.77	36.58	74.00	37.42	PASS	Vertical	PK
6	25716.9487	-20.78	57.25	36.47	74.00	37.53	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1770.4514	14.39	37.52	51.91	74.00	22.09	PASS	Horizontal	PK
2	2973.0649	17.92	36.44	54.36	74.00	19.64	PASS	Horizontal	PK
3	4879.1253	-8.36	54.21	45.85	74.00	28.15	PASS	Horizontal	PK
4	7759.3173	-1.55	51.74	50.19	74.00	23.81	PASS	Horizontal	PK
5	11319.5546	2.38	52.00	54.38	74.00	19.62	PASS	Horizontal	PK
6	16461.8975	11.22	49.82	61.04	74.00	12.96	PASS	Horizontal	PK
7	2987.5992	17.90	18.10	36.00	54.00	18.00	PASS	Horizontal	AV
8	11391.5594	2.38	40.90	43.28	54.00	10.72	PASS	Horizontal	AV
9	16345.8897	11.53	37.69	49.22	54.00	4.78	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/11

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1708.5806	14.11	36.48	50.59	74.00	23.41	PASS	Vertical	PK
2	2984.799	17.89	37.39	55.28	74.00	18.72	PASS	Vertical	PK
3	4917.1278	-8.19	53.96	45.77	74.00	28.23	PASS	Vertical	PK
4	7974.3316	-1.38	51.67	50.29	74.00	23.71	PASS	Vertical	PK
5	11411.5608	2.42	52.07	54.49	74.00	19.51	PASS	Vertical	PK
6	16334.889	11.40	49.83	61.23	74.00	12.77	PASS	Vertical	PK
7	2969.0646	17.92	18.28	36.20	54.00	17.80	PASS	Vertical	AV
8	11293.5529	2.44	40.84	43.28	54.00	10.72	PASS	Vertical	AV
9	16344.8897	11.52	37.50	49.02	54.00	4.98	PASS	Vertical	AV