


Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2531.9032	16.72	35.67	52.39	68.20	15.81	PASS	Horizontal	PK
2	3921.8922	21.11	15.15	36.26	54.00	17.74	PASS	Horizontal	AV
3	3956.5457	21.59	32.85	54.44	74.00	19.56	PASS	Horizontal	PK
4	6141.9142	27.91	32.74	60.65	68.20	7.55	PASS	Horizontal	PK
5	7715.2477	-1.78	48.31	46.53	74.00	27.47	PASS	Horizontal	PK
6	9599.8400	1.26	48.87	50.13	68.20	18.07	PASS	Horizontal	PK
7	17102.1735	12.26	44.01	56.27	68.20	11.93	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2298.6799	15.87	36.10	51.97	74.00	22.03	PASS	Vertical	PK
2	3596.2596	19.80	34.50	54.30	68.20	13.90	PASS	Vertical	PK
3	5916.3916	27.29	33.67	60.96	68.20	7.24	PASS	Vertical	PK
4	7653.1435	-1.86	48.20	46.34	74.00	27.66	PASS	Vertical	PK
5	10616.5078	2.27	45.39	47.66	74.00	26.34	PASS	Vertical	PK
6	17579.0719	14.02	42.66	56.68	68.20	11.52	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20036.0414	-24.78	60.69	35.91	74.00	38.09	PASS	Horizontal	PK
2	22549.5820	-25.02	60.06	35.04	74.00	38.96	PASS	Horizontal	PK
3	24803.6721	-21.96	58.22	36.26	68.20	31.94	PASS	Horizontal	PK
4	27775.3910	-21.12	57.90	36.78	68.20	31.42	PASS	Horizontal	PK
5	31159.2864	-19.89	55.24	35.35	68.20	32.85	PASS	Horizontal	PK
6	36494.5798	-16.26	50.98	34.72	74.00	39.28	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20057.2023	-24.87	60.97	36.10	74.00	37.90	PASS	Vertical	PK
2	22827.4331	-25.13	59.74	34.61	74.00	39.39	PASS	Vertical	PK
3	25281.1712	-21.20	57.63	36.43	68.20	31.77	PASS	Vertical	PK
4	28200.4480	-21.30	58.33	37.03	68.20	31.17	PASS	Vertical	PK
5	32820.8728	-18.74	54.21	35.47	68.20	32.73	PASS	Vertical	PK
6	36764.1506	-16.69	50.37	33.68	68.20	34.52	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1772.2772	14.50	36.47	50.97	68.20	17.23	PASS	Horizontal	PK
2	3134.2134	18.26	35.57	53.83	68.20	14.37	PASS	Horizontal	PK
3	6235.4235	28.81	32.46	61.27	68.20	6.93	PASS	Horizontal	PK
4	7604.0736	-1.64	48.62	46.98	74.00	27.02	PASS	Horizontal	PK
5	12360.7907	4.62	45.28	49.90	74.00	24.10	PASS	Horizontal	PK
6	17560.6707	13.93	41.77	55.70	68.20	12.50	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2183.1683	15.54	35.99	51.53	68.20	16.67	PASS	Vertical	PK
2	3597.9098	19.81	33.60	53.41	68.20	14.79	PASS	Vertical	PK
3	6423.5424	28.12	34.01	62.13	68.20	6.07	PASS	Vertical	PK
4	8333.2222	-1.17	47.98	46.81	74.00	27.19	PASS	Vertical	PK
5	12384.5590	4.33	45.58	49.91	74.00	24.09	PASS	Vertical	PK
6	16942.6962	11.91	43.92	55.83	68.20	12.37	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20321.2529	-25.49	61.73	36.24	74.00	37.76	PASS	Horizontal	PK
2	23111.7245	-24.90	60.29	35.39	74.00	38.61	PASS	Horizontal	PK
3	26573.8230	-21.11	58.27	37.16	68.20	31.04	PASS	Horizontal	PK
4	29637.5455	-20.67	57.80	37.13	68.20	31.07	PASS	Horizontal	PK
5	32353.4941	-18.33	54.81	36.48	68.20	31.72	PASS	Horizontal	PK
6	34933.2773	-16.23	51.16	34.93	68.20	33.27	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20004.7602	-24.64	60.94	36.30	74.00	37.70	PASS	Vertical	PK
2	23108.0443	-24.92	59.08	34.16	74.00	39.84	PASS	Vertical	PK
3	25534.1814	-20.95	56.82	35.87	68.20	32.33	PASS	Vertical	PK
4	27846.2338	-21.09	58.59	37.50	68.20	30.70	PASS	Vertical	PK
5	30923.7570	-19.44	56.55	37.11	68.20	31.09	PASS	Vertical	PK
6	34580.9032	-16.19	51.92	35.73	68.20	32.47	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2295.9296	15.83	36.16	51.99	74.00	22.01	PASS	Horizontal	PK
2	3734.8735	20.45	33.20	53.65	74.00	20.35	PASS	Horizontal	PK
3	6260.7261	28.77	32.92	61.69	68.20	6.51	PASS	Horizontal	PK
4	7880.8587	-1.68	47.93	46.25	68.20	21.95	PASS	Horizontal	PK
5	11195.3797	2.70	46.01	48.71	74.00	25.29	PASS	Horizontal	PK
6	17693.3129	15.39	40.26	55.65	68.20	12.55	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1779.9780	14.45	35.71	50.16	68.20	18.04	PASS	Vertical	PK
2	3387.7888	19.26	33.54	52.80	68.20	15.40	PASS	Vertical	PK
3	6304.7305	28.11	33.27	61.38	68.20	6.82	PASS	Vertical	PK
4	7798.0532	-2.11	48.57	46.46	68.20	21.74	PASS	Vertical	PK
5	12360.7907	4.62	44.89	49.51	74.00	24.49	PASS	Vertical	PK
6	17021.6681	12.54	42.83	55.37	68.20	12.83	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20226.4891	-25.51	62.07	36.56	74.00	37.44	PASS	Horizontal	PK
2	22508.1803	-25.05	60.75	35.70	74.00	38.30	PASS	Horizontal	PK
3	24538.7015	-21.81	57.38	35.57	68.20	32.63	PASS	Horizontal	PK
4	27521.4609	-21.59	58.87	37.28	68.20	30.92	PASS	Horizontal	PK
5	30915.4766	-19.46	55.72	36.26	68.20	31.94	PASS	Horizontal	PK
6	34913.0365	-16.27	51.47	35.20	68.20	33.00	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20279.8512	-25.50	61.24	35.74	74.00	38.26	PASS	Vertical	PK
2	23322.4129	-23.83	58.82	34.99	68.20	33.21	PASS	Vertical	PK
3	25812.0325	-20.83	57.41	36.58	68.20	31.62	PASS	Vertical	PK
4	29182.1273	-21.46	58.41	36.95	68.20	31.25	PASS	Vertical	PK
5	32633.1853	-18.91	54.62	35.71	68.20	32.49	PASS	Vertical	PK
6	34637.9455	-16.16	52.92	36.76	68.20	31.44	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2702.4202	17.21	36.84	54.05	74.00	19.95	PASS	Horizontal	PK
2	3948.2948	21.55	32.90	54.45	74.00	19.55	PASS	Horizontal	PK
3	6216.1716	28.57	32.53	61.10	68.20	7.10	PASS	Horizontal	PK
4	7255.2170	-2.74	48.15	45.41	74.00	28.59	PASS	Horizontal	PK
5	10250.7834	1.95	45.87	47.82	68.20	20.38	PASS	Horizontal	PK
6	17102.1735	12.26	43.45	55.71	68.20	12.49	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2386.6887	16.09	35.62	51.71	74.00	22.29	PASS	Vertical	PK
2	4146.8647	22.10	33.09	55.19	74.00	18.81	PASS	Vertical	PK
3	6479.6480	28.66	34.40	63.06	68.20	5.14	PASS	Vertical	PK
4	7699.9133	-1.75	47.68	45.93	74.00	28.07	PASS	Vertical	PK
5	11205.3470	2.70	46.86	49.56	74.00	24.44	PASS	Vertical	PK
6	17107.5405	12.30	43.76	56.06	68.20	12.14	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19986.3595	-24.66	60.62	35.96	74.00	38.04	PASS	Horizontal	PK
2	23125.5250	-24.80	59.26	34.46	68.20	33.74	PASS	Horizontal	PK
3	26218.6887	-21.35	58.21	36.86	68.20	31.34	PASS	Horizontal	PK
4	28721.1888	-21.66	59.18	37.52	68.20	30.68	PASS	Horizontal	PK
5	32205.3682	-19.29	55.09	35.80	68.20	32.40	PASS	Horizontal	PK
6	37244.4098	-16.16	50.17	34.01	68.20	34.19	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20009.3604	-24.66	60.57	35.91	74.00	38.09	PASS	Vertical	PK
2	22189.8476	-25.42	60.70	35.28	74.00	38.72	PASS	Vertical	PK
3	25215.8486	-21.07	56.87	35.80	68.20	32.40	PASS	Vertical	PK
4	28766.2707	-21.56	58.35	36.79	68.20	31.41	PASS	Vertical	PK
5	31836.4335	-20.02	54.59	34.57	68.20	33.63	PASS	Vertical	PK
6	34594.7038	-16.12	51.83	35.71	68.20	32.49	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1913.0913	14.97	37.19	52.16	68.20	16.04	PASS	Horizontal	PK
2	3335.5336	18.73	34.14	52.87	74.00	21.13	PASS	Horizontal	PK
3	6376.2376	28.20	34.30	62.50	68.20	5.70	PASS	Horizontal	PK
4	7591.8061	-1.75	48.45	46.70	74.00	27.30	PASS	Horizontal	PK
5	11823.3216	2.64	47.39	50.03	74.00	23.97	PASS	Horizontal	PK
6	17584.4390	14.04	41.18	55.22	68.20	12.98	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2174.3674	15.65	35.05	50.70	68.20	17.50	PASS	Vertical	PK
2	3580.8581	19.85	33.64	53.49	68.20	14.71	PASS	Vertical	PK
3	6495.5996	28.44	34.25	62.69	68.20	5.51	PASS	Vertical	PK
4	7580.3054	-1.93	48.68	46.75	74.00	27.25	PASS	Vertical	PK
5	11274.3516	2.41	46.87	49.28	74.00	24.72	PASS	Vertical	PK
6	17044.6696	12.38	43.17	55.55	68.20	12.65	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19925.6370	-24.84	60.74	35.90	74.00	38.10	PASS	Horizontal	PK
2	22551.4221	-25.03	59.61	34.58	74.00	39.42	PASS	Horizontal	PK
3	26377.8551	-21.19	58.07	36.88	68.20	31.32	PASS	Horizontal	PK
4	30389.2156	-20.39	56.94	36.55	68.20	31.65	PASS	Horizontal	PK
5	33627.7451	-17.39	53.35	35.96	68.20	32.24	PASS	Horizontal	PK
6	36777.9511	-16.76	50.18	33.42	68.20	34.78	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20047.0819	-24.83	61.78	36.95	74.00	37.05	PASS	Vertical	PK
2	22557.8623	-25.03	60.28	35.25	74.00	38.75	PASS	Vertical	PK
3	25675.8670	-20.75	57.76	37.01	68.20	31.19	PASS	Vertical	PK
4	28422.1769	-21.54	58.61	37.07	68.20	31.13	PASS	Vertical	PK
5	31834.5934	-20.01	54.40	34.39	68.20	33.81	PASS	Vertical	PK
6	35186.2875	-15.90	51.21	35.31	68.20	32.89	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2687.5688	17.41	35.88	53.29	68.20	14.91	PASS	Horizontal	PK
2	3779.9780	20.79	33.01	53.80	74.00	20.20	PASS	Horizontal	PK
3	6378.9879	28.21	33.16	61.37	68.20	6.83	PASS	Horizontal	PK
4	7706.0471	-1.76	48.08	46.32	74.00	27.68	PASS	Horizontal	PK
5	12366.9245	4.54	44.45	48.99	74.00	25.01	PASS	Horizontal	PK
6	17045.4364	12.38	42.95	55.33	68.20	12.87	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2559.4059	16.80	35.80	52.60	68.20	15.60	PASS	Vertical	PK
2	3949.9450	21.53	33.50	55.03	74.00	18.97	PASS	Vertical	PK
3	6181.5182	28.27	34.08	62.35	68.20	5.85	PASS	Vertical	PK
4	7589.5060	-1.78	48.17	46.39	74.00	27.61	PASS	Vertical	PK
5	11854.7570	3.10	46.24	49.34	74.00	24.66	PASS	Vertical	PK
6	16992.5328	12.56	42.82	55.38	68.20	12.82	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20009.3604	-24.66	62.05	37.39	74.00	36.61	PASS	Horizontal	PK
2	22147.5259	-25.51	61.07	35.56	74.00	38.44	PASS	Horizontal	PK
3	24827.5931	-21.99	57.26	35.27	68.20	32.93	PASS	Horizontal	PK
4	27802.0721	-21.06	57.87	36.81	68.20	31.39	PASS	Horizontal	PK
5	29897.9159	-21.03	57.78	36.75	68.20	31.45	PASS	Horizontal	PK
6	33567.9427	-17.45	53.72	36.27	68.20	31.93	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5270MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20031.4413	-24.76	60.68	35.92	74.00	38.08	PASS	Vertical	PK
2	23655.4662	-22.86	58.34	35.48	74.00	38.52	PASS	Vertical	PK
3	27045.8018	-21.85	58.24	36.39	68.20	31.81	PASS	Vertical	PK
4	29958.6383	-21.05	57.04	35.99	68.20	32.21	PASS	Vertical	PK
5	32565.1026	-18.78	54.32	35.54	68.20	32.66	PASS	Vertical	PK
6	35626.0650	-16.24	51.36	35.12	68.20	33.08	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2364.1364	16.24	35.21	51.45	74.00	22.55	PASS	Horizontal	PK
2	3803.6304	20.64	17.07	37.71	54.00	16.29	PASS	Horizontal	AV
3	3846.5347	20.77	33.71	54.48	74.00	19.52	PASS	Horizontal	PK
4	6260.7261	28.77	32.66	61.43	68.20	6.77	PASS	Horizontal	PK
5	7621.7081	-1.73	48.50	46.77	74.00	27.23	PASS	Horizontal	PK
6	11936.7958	2.77	47.27	50.04	74.00	23.96	PASS	Horizontal	PK
7	17583.6722	14.04	42.05	56.09	68.20	12.11	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2124.3124	15.46	34.81	50.27	68.20	17.93	PASS	Vertical	PK
2	3426.8427	19.42	34.29	53.71	68.20	14.49	PASS	Vertical	PK
3	6409.7910	28.39	33.07	61.46	68.20	6.74	PASS	Vertical	PK
4	7839.4560	-1.96	47.89	45.93	68.20	22.27	PASS	Vertical	PK
5	12511.0674	4.64	45.44	50.08	74.00	23.92	PASS	Vertical	PK
6	17086.0724	12.28	43.18	55.46	68.20	12.74	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20000.1600	-24.62	61.28	36.66	74.00	37.34	PASS	Horizontal	PK
2	22435.4974	-25.08	60.35	35.27	74.00	38.73	PASS	Horizontal	PK
3	25322.5729	-21.29	57.76	36.47	68.20	31.73	PASS	Horizontal	PK
4	28322.8129	-21.42	59.67	38.25	68.20	29.95	PASS	Horizontal	PK
5	32175.0070	-19.48	54.64	35.16	68.20	33.04	PASS	Horizontal	PK
6	35534.9814	-16.14	51.25	35.11	68.20	33.09	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5310MHz
Remark:	/	Test_Date	2026/6/12

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB/m]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19840.9936	-25.10	62.12	37.02	74.00	36.98	PASS	Vertical	PK
2	22027.0011	-25.75	61.93	36.18	74.00	37.82	PASS	Vertical	PK
3	25753.1501	-20.79	57.96	37.17	68.20	31.03	PASS	Vertical	PK
4	28945.6778	-21.35	57.66	36.31	68.20	31.89	PASS	Vertical	PK
5	32286.3315	-18.76	53.53	34.77	68.20	33.43	PASS	Vertical	PK
6	36075.0430	-17.06	51.55	34.49	68.20	33.71	PASS	Vertical	PK