




5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5179.900	5150 to 5250	Pass
						NV	5179.920	5150 to 5250	Pass
						HV	5179.900	5150 to 5250	Pass
					-30	NV	5179.960	5150 to 5250	Pass
					-20	NV	5179.900	5150 to 5250	Pass
					-10	NV	5179.920	5150 to 5250	Pass
					0	NV	5180.000	5150 to 5250	Pass
					10	NV	5179.960	5150 to 5250	Pass
					30	NV	5179.920	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5179.900	5150 to 5250	Pass
		5200	/	/	20	LV	5199.960	5150 to 5250	Pass
						NV	5199.920	5150 to 5250	Pass
						HV	5199.920	5150 to 5250	Pass
					-30	NV	5200.100	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5200.100	5150 to 5250	Pass
					0	NV	5200.000	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass
					40	NV	5199.940	5150 to 5250	Pass
					50	NV	5200.020	5150 to 5250	Pass
		5240	/	/	20	LV	5239.900	5150 to 5250	Pass
						NV	5240.020	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5239.920	5150 to 5250	Pass
					-20	NV	5239.960	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5239.940	5150 to 5250	Pass
					10	NV	5239.920	5150 to 5250	Pass
					30	NV	5239.940	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5260	/	/	20	LV	5259.960	5250 to 5350	Pass
						NV	5260.000	5250 to 5350	Pass
						HV	5259.980	5250 to 5350	Pass
					-30	NV	5260.020	5250 to 5350	Pass
					-20	NV	5260.000	5250 to 5350	Pass
					-10	NV	5259.960	5250 to 5350	Pass
					0	NV	5259.920	5250 to 5350	Pass
					10	NV	5260.020	5250 to 5350	Pass
					30	NV	5259.960	5250 to 5350	Pass
					40	NV	5259.960	5250 to 5350	Pass
					50	NV	5260.000	5250 to 5350	Pass
		5300	/	/	20	LV	5299.960	5250 to 5350	Pass

						NV	5299.940	5250 to 5350	Pass		
						HV	5299.960	5250 to 5350	Pass		
					-30	NV	5300.000	5250 to 5350	Pass		
					-20	NV	5299.920	5250 to 5350	Pass		
					-10	NV	5300.000	5250 to 5350	Pass		
					0	NV	5300.040	5250 to 5350	Pass		
					10	NV	5299.920	5250 to 5350	Pass		
					30	NV	5300.000	5250 to 5350	Pass		
					40	NV	5299.920	5250 to 5350	Pass		
					50	NV	5299.980	5250 to 5350	Pass		
		5320	/	/	20	LV	5320.040	5250 to 5350	Pass		
						NV	5320.020	5250 to 5350	Pass		
						HV	5319.960	5250 to 5350	Pass		
					-30	NV	5319.940	5250 to 5350	Pass		
					-20	NV	5319.880	5250 to 5350	Pass		
					-10	NV	5319.960	5250 to 5350	Pass		
					0	NV	5320.000	5250 to 5350	Pass		
					10	NV	5319.960	5250 to 5350	Pass		
					30	NV	5320.000	5250 to 5350	Pass		
					40	NV	5319.980	5250 to 5350	Pass		
		5745	/	/	20	LV	5745.000	5725 to 5850	Pass		
						NV	5744.880	5725 to 5850	Pass		
						HV	5744.980	5725 to 5850	Pass		
					-30	NV	5744.960	5725 to 5850	Pass		
					-20	NV	5744.880	5725 to 5850	Pass		
					-10	NV	5744.940	5725 to 5850	Pass		
					0	NV	5744.900	5725 to 5850	Pass		
					10	NV	5744.880	5725 to 5850	Pass		
					30	NV	5744.920	5725 to 5850	Pass		
					40	NV	5745.080	5725 to 5850	Pass		
		5785	/	/	20	LV	5784.940	5725 to 5850	Pass		
						NV	5785.020	5725 to 5850	Pass		
						HV	5784.900	5725 to 5850	Pass		
					-30	NV	5784.940	5725 to 5850	Pass		
					-20	NV	5784.960	5725 to 5850	Pass		
					-10	NV	5784.940	5725 to 5850	Pass		
					0	NV	5784.960	5725 to 5850	Pass		
					10	NV	5784.940	5725 to 5850	Pass		
					30	NV	5785.000	5725 to 5850	Pass		
					40	NV	5784.960	5725 to 5850	Pass		
		5825	/	/	20	LV	5824.880	5725 to 5850	Pass		
						NV	5824.880	5725 to 5850	Pass		
						HV	5824.900	5725 to 5850	Pass		
					-30	NV	5825.000	5725 to 5850	Pass		
					-20	NV	5825.040	5725 to 5850	Pass		
					-10	NV	5824.960	5725 to 5850	Pass		
					0	NV	5824.980	5725 to 5850	Pass		
					10	NV	5825.000	5725 to 5850	Pass		
					30	NV	5824.940	5725 to 5850	Pass		
					40	NV	5824.940	5725 to 5850	Pass		
		802.11n (HT20)	SISO	5180	/	/	20	LV	5180.100	5150 to 5250	Pass
								NV	5180.020	5150 to 5250	Pass
								HV	5179.980	5150 to 5250	Pass
							-30	NV	5180.020	5150 to 5250	Pass

					-20	NV	5180.020	5150 to 5250	Pass
					-10	NV	5180.100	5150 to 5250	Pass
					0	NV	5179.900	5150 to 5250	Pass
					10	NV	5179.880	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
					40	NV	5179.980	5150 to 5250	Pass
					50	NV	5180.000	5150 to 5250	Pass
		5200	/	/	20	LV	5200.040	5150 to 5250	Pass
						NV	5200.060	5150 to 5250	Pass
						HV	5200.100	5150 to 5250	Pass
					-30	NV	5200.100	5150 to 5250	Pass
					-20	NV	5200.040	5150 to 5250	Pass
					-10	NV	5200.000	5150 to 5250	Pass
					0	NV	5199.960	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5199.940	5150 to 5250	Pass
					40	NV	5200.020	5150 to 5250	Pass
					50	NV	5200.040	5150 to 5250	Pass
		5240	/	/	20	LV	5239.940	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.000	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5239.960	5150 to 5250	Pass
					10	NV	5240.040	5150 to 5250	Pass
					30	NV	5240.000	5150 to 5250	Pass
					40	NV	5239.980	5150 to 5250	Pass
					50	NV	5239.960	5150 to 5250	Pass
		5260	/	/	20	LV	5259.940	5250 to 5350	Pass
						NV	5260.020	5250 to 5350	Pass
						HV	5260.080	5250 to 5350	Pass
					-30	NV	5260.040	5250 to 5350	Pass
					-20	NV	5260.000	5250 to 5350	Pass
					-10	NV	5259.920	5250 to 5350	Pass
					0	NV	5260.000	5250 to 5350	Pass
					10	NV	5260.020	5250 to 5350	Pass
					30	NV	5259.960	5250 to 5350	Pass
					40	NV	5259.960	5250 to 5350	Pass
					50	NV	5260.120	5250 to 5350	Pass
		5300	/	/	20	LV	5299.980	5250 to 5350	Pass
						NV	5299.960	5250 to 5350	Pass
						HV	5299.980	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5299.920	5250 to 5350	Pass
					-10	NV	5299.940	5250 to 5350	Pass
					0	NV	5299.940	5250 to 5350	Pass
					10	NV	5300.000	5250 to 5350	Pass
					30	NV	5300.060	5250 to 5350	Pass
					40	NV	5299.960	5250 to 5350	Pass
					50	NV	5299.960	5250 to 5350	Pass
		5320	/	/	20	LV	5319.880	5250 to 5350	Pass
						NV	5319.920	5250 to 5350	Pass
						HV	5320.080	5250 to 5350	Pass
					-30	NV	5319.900	5250 to 5350	Pass
					-20	NV	5319.960	5250 to 5350	Pass
					-10	NV	5319.920	5250 to 5350	Pass
					0	NV	5320.000	5250 to 5350	Pass

802.11n (HT40)	SISO				10	NV	5320.060	5250 to 5350	Pass
					30	NV	5319.860	5250 to 5350	Pass
					40	NV	5319.980	5250 to 5350	Pass
					50	NV	5319.860	5250 to 5350	Pass
		5745	/	/	20	LV	5744.980	5725 to 5850	Pass
						NV	5744.900	5725 to 5850	Pass
						HV	5744.900	5725 to 5850	Pass
					-30	NV	5744.940	5725 to 5850	Pass
					-20	NV	5745.040	5725 to 5850	Pass
					-10	NV	5745.060	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5744.980	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5744.900	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5784.940	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5784.960	5725 to 5850	Pass
					-20	NV	5784.940	5725 to 5850	Pass
					-10	NV	5785.020	5725 to 5850	Pass
					0	NV	5785.000	5725 to 5850	Pass
					10	NV	5785.040	5725 to 5850	Pass
					30	NV	5785.040	5725 to 5850	Pass
					40	NV	5784.960	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5824.980	5725 to 5850	Pass
						NV	5824.860	5725 to 5850	Pass
						HV	5824.900	5725 to 5850	Pass
					-30	NV	5824.920	5725 to 5850	Pass
					-20	NV	5824.940	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.060	5725 to 5850	Pass
					10	NV	5825.020	5725 to 5850	Pass
					30	NV	5824.940	5725 to 5850	Pass
					40	NV	5825.000	5725 to 5850	Pass
					50	NV	5825.000	5725 to 5850	Pass
		5190	/	/	20	LV	5189.960	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.040	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.000	5150 to 5250	Pass
					0	NV	5190.120	5150 to 5250	Pass
					10	NV	5189.960	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5190.000	5150 to 5250	Pass
		5230	/	/	20	LV	5230.000	5150 to 5250	Pass
						NV	5229.920	5150 to 5250	Pass
						HV	5229.960	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.040	5150 to 5250	Pass
					-10	NV	5229.960	5150 to 5250	Pass
					0	NV	5229.960	5150 to 5250	Pass
					10	NV	5230.000	5150 to 5250	Pass
					30	NV	5230.040	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass

		5270	/	/	50	NV	5229.880	5150 to 5250	Pass
					20	LV	5270.000	5250 to 5350	Pass
						NV	5270.080	5250 to 5350	Pass
						HV	5270.120	5250 to 5350	Pass
					-30	NV	5270.000	5250 to 5350	Pass
					-20	NV	5269.920	5250 to 5350	Pass
					-10	NV	5270.120	5250 to 5350	Pass
					0	NV	5270.040	5250 to 5350	Pass
					10	NV	5270.040	5250 to 5350	Pass
					30	NV	5270.040	5250 to 5350	Pass
					40	NV	5270.120	5250 to 5350	Pass
					50	NV	5270.080	5250 to 5350	Pass
		5310	/	/	20	LV	5310.040	5250 to 5350	Pass
						NV	5310.000	5250 to 5350	Pass
						HV	5310.000	5250 to 5350	Pass
						NV	5309.960	5250 to 5350	Pass
					-30	NV	5309.960	5250 to 5350	Pass
					-20	NV	5309.960	5250 to 5350	Pass
					-10	NV	5310.000	5250 to 5350	Pass
					0	NV	5310.000	5250 to 5350	Pass
					10	NV	5309.960	5250 to 5350	Pass
					30	NV	5309.920	5250 to 5350	Pass
					40	NV	5310.040	5250 to 5350	Pass
					50	NV	5310.000	5250 to 5350	Pass
		5755	/	/	20	LV	5754.960	5725 to 5850	Pass
						NV	5755.000	5725 to 5850	Pass
						HV	5754.960	5725 to 5850	Pass
						NV	5755.000	5725 to 5850	Pass
					-30	NV	5755.000	5725 to 5850	Pass
					-20	NV	5754.960	5725 to 5850	Pass
					-10	NV	5755.000	5725 to 5850	Pass
					0	NV	5755.000	5725 to 5850	Pass
					10	NV	5755.000	5725 to 5850	Pass
					30	NV	5755.000	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	/	/	20	LV	5795.080	5725 to 5850	Pass
						NV	5795.000	5725 to 5850	Pass
						HV	5795.040	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
					-30	NV	5795.040	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.120	5725 to 5850	Pass
					0	NV	5795.040	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5795.000	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5794.960	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	LV	5180.000	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
						NV	5180.080	5150 to 5250	Pass
					-30	NV	5180.080	5150 to 5250	Pass
					-20	NV	5179.940	5150 to 5250	Pass
					-10	NV	5180.040	5150 to 5250	Pass
					0	NV	5179.980	5150 to 5250	Pass
					10	NV	5180.040	5150 to 5250	Pass
					30	NV	5180.060	5150 to 5250	Pass
					40	NV	5180.100	5150 to 5250	Pass
					50	NV	5180.060	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5199.980	5150 to 5250	Pass

						HV	5200.000	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5199.940	5150 to 5250	Pass
					40	NV	5200.040	5150 to 5250	Pass
		5240	/	/	50	NV	5199.940	5150 to 5250	Pass
					20	LV	5240.000	5150 to 5250	Pass
						NV	5239.980	5150 to 5250	Pass
						HV	5239.900	5150 to 5250	Pass
					-30	NV	5239.960	5150 to 5250	Pass
					-20	NV	5239.880	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass
					0	NV	5240.020	5150 to 5250	Pass
					10	NV	5239.940	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.080	5150 to 5250	Pass
					50	NV	5239.940	5150 to 5250	Pass
		5260	/	/	20	LV	5260.000	5250 to 5350	Pass
						NV	5260.060	5250 to 5350	Pass
						HV	5260.080	5250 to 5350	Pass
					-30	NV	5260.060	5250 to 5350	Pass
					-20	NV	5260.000	5250 to 5350	Pass
					-10	NV	5259.940	5250 to 5350	Pass
					0	NV	5260.000	5250 to 5350	Pass
					10	NV	5260.000	5250 to 5350	Pass
					30	NV	5259.940	5250 to 5350	Pass
					40	NV	5260.040	5250 to 5350	Pass
					50	NV	5259.980	5250 to 5350	Pass
		5300	/	/	20	LV	5300.040	5250 to 5350	Pass
						NV	5300.000	5250 to 5350	Pass
						HV	5299.960	5250 to 5350	Pass
					-30	NV	5299.960	5250 to 5350	Pass
					-20	NV	5300.040	5250 to 5350	Pass
					-10	NV	5299.900	5250 to 5350	Pass
					0	NV	5299.960	5250 to 5350	Pass
					10	NV	5299.980	5250 to 5350	Pass
					30	NV	5300.000	5250 to 5350	Pass
					40	NV	5299.940	5250 to 5350	Pass
					50	NV	5299.920	5250 to 5350	Pass
		5320	/	/	20	LV	5319.960	5250 to 5350	Pass
						NV	5319.960	5250 to 5350	Pass
						HV	5319.960	5250 to 5350	Pass
					-30	NV	5319.980	5250 to 5350	Pass
					-20	NV	5320.020	5250 to 5350	Pass
					-10	NV	5320.020	5250 to 5350	Pass
					0	NV	5319.940	5250 to 5350	Pass
					10	NV	5320.000	5250 to 5350	Pass
					30	NV	5319.900	5250 to 5350	Pass
					40	NV	5320.000	5250 to 5350	Pass
					50	NV	5319.940	5250 to 5350	Pass
		5745	/	/	20	LV	5744.940	5725 to 5850	Pass
						NV	5744.960	5725 to 5850	Pass
						HV	5744.960	5725 to 5850	Pass
					-30	NV	5744.960	5725 to 5850	Pass
					-20	NV	5744.880	5725 to 5850	Pass

802.11ac (VHT40)	SISO	5785	/	/	-10	NV	5744.960	5725 to 5850	Pass
					0	NV	5745.000	5725 to 5850	Pass
					10	NV	5744.940	5725 to 5850	Pass
					30	NV	5744.920	5725 to 5850	Pass
					40	NV	5745.000	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass
					20	LV	5784.980	5725 to 5850	Pass
						NV	5785.020	5725 to 5850	Pass
						HV	5784.960	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.080	5725 to 5850	Pass
					-10	NV	5784.940	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.160	5725 to 5850	Pass
					40	NV	5785.000	5725 to 5850	Pass
					50	NV	5784.960	5725 to 5850	Pass
		5825	/	/	20	LV	5824.920	5725 to 5850	Pass
						NV	5824.920	5725 to 5850	Pass
						HV	5825.000	5725 to 5850	Pass
					-30	NV	5824.960	5725 to 5850	Pass
					-20	NV	5825.060	5725 to 5850	Pass
					-10	NV	5825.040	5725 to 5850	Pass
					0	NV	5824.980	5725 to 5850	Pass
					10	NV	5824.880	5725 to 5850	Pass
					30	NV	5824.980	5725 to 5850	Pass
					40	NV	5824.900	5725 to 5850	Pass
					50	NV	5824.920	5725 to 5850	Pass
		5190	/	/	20	LV	5190.000	5150 to 5250	Pass
						NV	5190.120	5150 to 5250	Pass
						HV	5189.920	5150 to 5250	Pass
					-30	NV	5189.960	5150 to 5250	Pass
					-20	NV	5190.080	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.000	5150 to 5250	Pass
					10	NV	5190.040	5150 to 5250	Pass
					30	NV	5189.960	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5189.960	5150 to 5250	Pass
		5230	/	/	20	LV	5230.040	5150 to 5250	Pass
						NV	5230.000	5150 to 5250	Pass
						HV	5229.920	5150 to 5250	Pass
					-30	NV	5229.880	5150 to 5250	Pass
					-20	NV	5229.960	5150 to 5250	Pass
					-10	NV	5229.920	5150 to 5250	Pass
					0	NV	5230.000	5150 to 5250	Pass
					10	NV	5230.000	5150 to 5250	Pass
					30	NV	5229.960	5150 to 5250	Pass
					40	NV	5229.960	5150 to 5250	Pass
					50	NV	5230.000	5150 to 5250	Pass
		5270	/	/	20	LV	5270.040	5250 to 5350	Pass
						NV	5270.000	5250 to 5350	Pass
						HV	5270.040	5250 to 5350	Pass
					-30	NV	5269.960	5250 to 5350	Pass
					-20	NV	5270.120	5250 to 5350	Pass
					-10	NV	5270.080	5250 to 5350	Pass
					0	NV	5270.120	5250 to 5350	Pass
					10	NV	5269.960	5250 to 5350	Pass

802.11ax (HEW20)	SISO	5310	/	/	30	NV	5270.080	5250 to 5350	Pass
					40	NV	5270.040	5250 to 5350	Pass
					50	NV	5270.000	5250 to 5350	Pass
					20	LV	5309.960	5250 to 5350	Pass
						NV	5309.880	5250 to 5350	Pass
						HV	5310.040	5250 to 5350	Pass
					-30	NV	5309.960	5250 to 5350	Pass
					-20	NV	5310.000	5250 to 5350	Pass
					-10	NV	5309.960	5250 to 5350	Pass
					0	NV	5309.880	5250 to 5350	Pass
					10	NV	5309.960	5250 to 5350	Pass
					30	NV	5310.000	5250 to 5350	Pass
					40	NV	5310.000	5250 to 5350	Pass
					50	NV	5309.880	5250 to 5350	Pass
		5755	/	/	20	LV	5754.960	5725 to 5850	Pass
						NV	5755.000	5725 to 5850	Pass
						HV	5754.960	5725 to 5850	Pass
					-30	NV	5754.920	5725 to 5850	Pass
					-20	NV	5755.000	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.000	5725 to 5850	Pass
					10	NV	5754.960	5725 to 5850	Pass
					30	NV	5754.960	5725 to 5850	Pass
					40	NV	5754.920	5725 to 5850	Pass
					50	NV	5754.960	5725 to 5850	Pass
		5795	/	/	20	LV	5794.960	5725 to 5850	Pass
						NV	5794.880	5725 to 5850	Pass
						HV	5795.120	5725 to 5850	Pass
					-30	NV	5795.000	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5794.960	5725 to 5850	Pass
					0	NV	5795.000	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5795.120	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
		5180	SU	/	20	LV	5180.000	5150 to 5250	Pass
						NV	5180.040	5150 to 5250	Pass
						HV	5180.040	5150 to 5250	Pass
					-30	NV	5180.040	5150 to 5250	Pass
					-20	NV	5180.000	5150 to 5250	Pass
					-10	NV	5180.040	5150 to 5250	Pass
					0	NV	5179.960	5150 to 5250	Pass
					10	NV	5180.080	5150 to 5250	Pass
					30	NV	5179.880	5150 to 5250	Pass
					40	NV	5179.900	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	SU	/	20	LV	5199.960	5150 to 5250	Pass
						NV	5200.000	5150 to 5250	Pass
						HV	5199.940	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.040	5150 to 5250	Pass
					-10	NV	5200.000	5150 to 5250	Pass
					0	NV	5200.000	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass
					40	NV	5200.000	5150 to 5250	Pass
					50	NV	5200.020	5150 to 5250	Pass

		5240	SU	/	20	LV	5240.040	5150 to 5250	Pass
					20	NV	5240.020	5150 to 5250	Pass
						HV	5239.920	5150 to 5250	Pass
					-30	NV	5239.980	5150 to 5250	Pass
					-20	NV	5240.000	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass
					0	NV	5239.940	5150 to 5250	Pass
					10	NV	5239.920	5150 to 5250	Pass
					30	NV	5240.060	5150 to 5250	Pass
					40	NV	5239.980	5150 to 5250	Pass
					50	NV	5239.880	5150 to 5250	Pass
		5260	SU	/	20	LV	5259.980	5250 to 5350	Pass
						NV	5259.940	5250 to 5350	Pass
						HV	5260.020	5250 to 5350	Pass
					-30	NV	5259.960	5250 to 5350	Pass
					-20	NV	5260.020	5250 to 5350	Pass
					-10	NV	5260.000	5250 to 5350	Pass
					0	NV	5259.980	5250 to 5350	Pass
					10	NV	5260.000	5250 to 5350	Pass
					30	NV	5260.000	5250 to 5350	Pass
					40	NV	5260.000	5250 to 5350	Pass
					50	NV	5260.000	5250 to 5350	Pass
		5300	SU	/	20	LV	5299.960	5250 to 5350	Pass
						NV	5299.980	5250 to 5350	Pass
						HV	5300.060	5250 to 5350	Pass
					-30	NV	5299.980	5250 to 5350	Pass
					-20	NV	5300.020	5250 to 5350	Pass
					-10	NV	5299.980	5250 to 5350	Pass
					0	NV	5300.000	5250 to 5350	Pass
					10	NV	5300.020	5250 to 5350	Pass
					30	NV	5300.000	5250 to 5350	Pass
					40	NV	5299.980	5250 to 5350	Pass
					50	NV	5300.000	5250 to 5350	Pass
		5320	SU	/	20	LV	5319.940	5250 to 5350	Pass
						NV	5320.000	5250 to 5350	Pass
						HV	5319.980	5250 to 5350	Pass
					-30	NV	5320.100	5250 to 5350	Pass
					-20	NV	5319.960	5250 to 5350	Pass
					-10	NV	5319.980	5250 to 5350	Pass
					0	NV	5319.920	5250 to 5350	Pass
					10	NV	5319.940	5250 to 5350	Pass
					30	NV	5320.040	5250 to 5350	Pass
					40	NV	5319.960	5250 to 5350	Pass
					50	NV	5319.920	5250 to 5350	Pass
		5745	SU	/	20	LV	5745.020	5725 to 5850	Pass
						NV	5744.940	5725 to 5850	Pass
						HV	5744.860	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5745.000	5725 to 5850	Pass
					0	NV	5744.920	5725 to 5850	Pass
					10	NV	5744.880	5725 to 5850	Pass
					30	NV	5744.960	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5744.960	5725 to 5850	Pass
		5785	SU	/	20	LV	5784.980	5725 to 5850	Pass
						NV	5784.960	5725 to 5850	Pass
						HV	5784.960	5725 to 5850	Pass

802.11ax (HEW40)	SISO				-30	NV	5784.920	5725 to 5850	Pass
					-20	NV	5784.960	5725 to 5850	Pass
					-10	NV	5785.140	5725 to 5850	Pass
					0	NV	5785.000	5725 to 5850	Pass
					10	NV	5784.960	5725 to 5850	Pass
					30	NV	5784.980	5725 to 5850	Pass
					40	NV	5785.000	5725 to 5850	Pass
					50	NV	5784.900	5725 to 5850	Pass
		5825	SU	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5824.980	5725 to 5850	Pass
						HV	5824.900	5725 to 5850	Pass
					-30	NV	5825.060	5725 to 5850	Pass
					-20	NV	5824.980	5725 to 5850	Pass
					-10	NV	5824.860	5725 to 5850	Pass
					0	NV	5825.000	5725 to 5850	Pass
					10	NV	5824.900	5725 to 5850	Pass
					30	NV	5824.980	5725 to 5850	Pass
					40	NV	5824.940	5725 to 5850	Pass
					50	NV	5825.080	5725 to 5850	Pass
					20	LV	5190.120	5150 to 5250	Pass
						NV	5190.120	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5189.920	5150 to 5250	Pass
					-20	NV	5190.080	5150 to 5250	Pass
					-10	NV	5190.000	5150 to 5250	Pass
					0	NV	5190.120	5150 to 5250	Pass
					10	NV	5190.000	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5189.960	5150 to 5250	Pass
					50	NV	5190.000	5150 to 5250	Pass
		5230	SU	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.000	5150 to 5250	Pass
						HV	5230.040	5150 to 5250	Pass
					-30	NV	5229.960	5150 to 5250	Pass
					-20	NV	5229.960	5150 to 5250	Pass
					-10	NV	5230.040	5150 to 5250	Pass
					0	NV	5229.960	5150 to 5250	Pass
					10	NV	5229.960	5150 to 5250	Pass
					30	NV	5230.040	5150 to 5250	Pass
					40	NV	5230.040	5150 to 5250	Pass
					50	NV	5229.920	5150 to 5250	Pass
					20	LV	5270.040	5250 to 5350	Pass
						NV	5270.000	5250 to 5350	Pass
						HV	5270.000	5250 to 5350	Pass
					-30	NV	5270.040	5250 to 5350	Pass
					-20	NV	5270.040	5250 to 5350	Pass
					-10	NV	5270.040	5250 to 5350	Pass
					0	NV	5270.000	5250 to 5350	Pass
					10	NV	5270.000	5250 to 5350	Pass
					30	NV	5270.080	5250 to 5350	Pass
					40	NV	5270.000	5250 to 5350	Pass
					50	NV	5270.040	5250 to 5350	Pass
		5310	SU	/	20	LV	5310.000	5250 to 5350	Pass
						NV	5309.960	5250 to 5350	Pass
						HV	5310.000	5250 to 5350	Pass
					-30	NV	5310.040	5250 to 5350	Pass
					-20	NV	5310.000	5250 to 5350	Pass
					-10	NV	5310.000	5250 to 5350	Pass

					0	NV	5310.040	5250 to 5350	Pass
					10	NV	5310.000	5250 to 5350	Pass
					30	NV	5310.000	5250 to 5350	Pass
					40	NV	5309.960	5250 to 5350	Pass
					50	NV	5310.000	5250 to 5350	Pass
		5755	SU	/	20	LV	5754.960	5725 to 5850	Pass
						NV	5754.920	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5755.000	5725 to 5850	Pass
					-20	NV	5754.880	5725 to 5850	Pass
					-10	NV	5754.960	5725 to 5850	Pass
					0	NV	5754.920	5725 to 5850	Pass
					10	NV	5755.000	5725 to 5850	Pass
					30	NV	5754.960	5725 to 5850	Pass
					40	NV	5755.000	5725 to 5850	Pass
					50	NV	5754.960	5725 to 5850	Pass
		5795	SU	/	20	LV	5794.960	5725 to 5850	Pass
						NV	5795.120	5725 to 5850	Pass
						HV	5794.960	5725 to 5850	Pass
					-30	NV	5795.160	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.000	5725 to 5850	Pass
					0	NV	5795.000	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5794.920	5725 to 5850	Pass
					40	NV	5795.000	5725 to 5850	Pass
					50	NV	5794.840	5725 to 5850	Pass

6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0236	13.72
5260	5320	0.0224	13.51
5745	5825	0.0097	9.85
5190	5230	0.0151	11.80
5270	5310	0.0151	11.78
5755	5795	0.0067	8.23

*** End of Report ***