


Appendix: 5G Wi-Fi DFS


Appendix A: DFS Detection Thresholds


Test Result

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-62.24	-62.00	PASS
11A	5260	Type1	-62.41	-62.00	PASS
11A	5260	Type2	-62.17	-62.00	PASS
11A	5260	Type3	-62.34	-62.00	PASS
11A	5260	Type4	-62.26	-62.00	PASS
11A	5260	Type5	-62.01	-62.00	PASS
11A	5260	Type6	-62.45	-62.00	PASS
11AX40SISO	5270	Type0	-62.14	-62.00	PASS
11AX40SISO	5270	Type1	-62.22	-62.00	PASS
11AX40SISO	5270	Type2	-62.12	-62.00	PASS
11AX40SISO	5270	Type3	-62.24	-62.00	PASS
11AX40SISO	5270	Type4	-62.37	-62.00	PASS
11AX40SISO	5270	Type5	-62.31	-62.00	PASS
11AX40SISO	5270	Type6	-62.50	-62.00	PASS

Test Graphs








Appendix D: Channel Move Time and Channel Closing

Transmission Time

Test Result

TestMode	Frequency [MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11A	5260	200+14.3	200+60	913.9	10000	PASS
11AX40SISO	5270	200+13	200+60	874.9	10000	PASS

Test Graphs



*** End of Report ***