


Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2278.6186	15.72	36.47	52.19	74.00	21.81	PASS	Horizontal	PK
2	2951.5968	17.63	37.26	54.89	74.00	19.11	PASS	Horizontal	PK
3	3843.0562	-12.13	57.17	45.04	74.00	28.96	PASS	Horizontal	PK
4	7796.3198	-2.04	51.67	49.63	74.00	24.37	PASS	Horizontal	PK
5	13690.7127	7.29	49.74	57.03	74.00	16.97	PASS	Horizontal	PK
6	16323.8883	11.26	49.65	60.91	74.00	13.09	PASS	Horizontal	PK
7	2967.8645	17.90	18.00	35.90	54.00	18.10	PASS	Horizontal	AV
8	13719.7146	7.22	39.63	46.85	54.00	7.15	PASS	Horizontal	AV
9	16431.8955	10.62	37.96	48.58	54.00	5.42	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	2060.204	14.69	35.96	50.65	74.00	23.35	PASS	Vertical	PK
2	2951.4634	17.63	35.33	52.96	74.00	21.04	PASS	Vertical	PK
3	4497.0998	-9.64	55.47	45.83	74.00	28.17	PASS	Vertical	PK
4	7726.3151	-1.55	52.03	50.48	74.00	23.52	PASS	Vertical	PK
5	13728.7152	7.20	50.18	57.38	74.00	16.62	PASS	Vertical	PK
6	15913.8609	10.09	48.12	58.21	74.00	15.79	PASS	Vertical	PK
7	13749.7166	7.17	39.49	46.66	54.00	7.34	PASS	Vertical	AV
8	15892.8595	9.86	36.99	46.85	54.00	7.15	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18586.1834	-26.69	62.70	36.01	74.00	37.99	PASS	Horizontal	PK
2	20060.8224	-24.89	60.55	35.66	74.00	38.34	PASS	Horizontal	PK
3	21127.4451	-25.84	60.64	34.80	74.00	39.20	PASS	Horizontal	PK
4	22329.3932	-25.20	59.55	34.35	74.00	39.65	PASS	Horizontal	PK
5	23567.7227	-23.14	58.29	35.15	74.00	38.85	PASS	Horizontal	PK
6	25493.5597	-21.10	57.21	36.11	74.00	37.89	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18602.8441	-26.68	62.16	35.48	74.00	38.52	PASS	Vertical	PK
2	19911.5565	-24.89	60.51	35.62	74.00	38.38	PASS	Vertical	PK
3	21079.5032	-25.90	61.06	35.16	74.00	38.84	PASS	Vertical	PK
4	22718.7087	-25.03	59.03	34.00	74.00	40.00	PASS	Vertical	PK
5	24406.1962	-21.68	57.50	35.82	74.00	38.18	PASS	Vertical	PK
6	25786.3115	-20.81	57.86	37.05	74.00	36.95	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2279.6853	15.71	36.16	51.87	74.00	22.13	PASS	Horizontal	PK
2	2966.1311	17.87	34.59	52.46	74.00	21.54	PASS	Horizontal	PK
3	3805.0537	-12.40	57.43	45.03	74.00	28.97	PASS	Horizontal	PK
4	7762.3175	-1.59	50.92	49.33	74.00	24.67	PASS	Horizontal	PK
5	13769.718	7.40	49.85	57.25	74.00	16.75	PASS	Horizontal	PK
6	16348.8899	11.57	48.43	60.00	74.00	14.00	PASS	Horizontal	PK
7	13757.7172	7.25	39.11	46.36	54.00	7.64	PASS	Horizontal	AV
8	16348.8899	11.57	37.11	48.68	54.00	5.32	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1771.1181	14.39	35.87	50.26	74.00	23.74	PASS	Vertical	PK
2	2982.5322	17.88	35.54	53.42	74.00	20.58	PASS	Vertical	PK
3	5105.1403	-7.55	52.83	45.28	74.00	28.72	PASS	Vertical	PK
4	10267.4845	1.95	49.78	51.73	74.00	22.27	PASS	Vertical	PK
5	13695.713	7.27	50.08	57.35	74.00	16.65	PASS	Vertical	PK
6	16273.8849	10.69	49.41	60.10	74.00	13.90	PASS	Vertical	PK
7	13707.7138	7.25	38.84	46.09	54.00	7.91	PASS	Vertical	AV
8	16273.8849	10.69	37.02	47.71	54.00	6.29	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18297.1719	-26.84	63.96	37.12	74.00	36.88	PASS	Horizontal	PK
2	19770.1108	-25.29	61.36	36.07	74.00	37.93	PASS	Horizontal	PK
3	21133.9054	-25.83	60.34	34.51	74.00	39.49	PASS	Horizontal	PK
4	22825.133	-25.12	59.70	34.58	74.00	39.42	PASS	Horizontal	PK
5	24410.2764	-21.69	57.41	35.72	74.00	38.28	PASS	Horizontal	PK
6	25992.3597	-20.90	57.17	36.27	74.00	37.73	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18410.3964	-26.70	63.54	36.84	74.00	37.16	PASS	Vertical	PK
2	19533.1213	-25.60	61.09	35.49	74.00	38.51	PASS	Vertical	PK
3	20913.5765	-25.85	62.22	36.37	74.00	37.63	PASS	Vertical	PK
4	22481.7193	-25.06	59.17	34.11	74.00	39.89	PASS	Vertical	PK
5	24378.9952	-21.79	56.99	35.20	74.00	38.80	PASS	Vertical	PK
6	25840.3736	-20.83	56.13	35.30	74.00	38.70	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2219.4146	15.32	36.14	51.46	74.00	22.54	PASS	Horizontal	PK
2	2811.7208	17.24	36.55	53.79	74.00	20.21	PASS	Horizontal	PK
3	4882.1255	-8.36	54.51	46.15	74.00	27.85	PASS	Horizontal	PK
4	8534.369	-0.51	51.43	50.92	74.00	23.08	PASS	Horizontal	PK
5	13750.7167	7.17	49.92	57.09	74.00	16.91	PASS	Horizontal	PK
6	16433.8956	10.66	49.64	60.30	74.00	13.70	PASS	Horizontal	PK
7	13725.715	7.21	39.27	46.48	54.00	7.52	PASS	Horizontal	AV
8	16451.8968	11.03	37.17	48.20	54.00	5.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2127.2752	15.28	36.25	51.53	74.00	22.47	PASS	Vertical	PK
2	2825.7217	17.20	35.33	52.53	74.00	21.47	PASS	Vertical	PK
3	5051.1367	-8.08	52.76	44.68	74.00	29.32	PASS	Vertical	PK
4	9317.4212	0.89	51.08	51.97	74.00	22.03	PASS	Vertical	PK
5	13739.716	7.19	51.54	58.73	74.00	15.27	PASS	Vertical	PK
6	16324.8883	11.27	48.92	60.19	74.00	13.81	PASS	Vertical	PK
7	13735.7157	7.19	39.11	46.30	54.00	7.70	PASS	Vertical	AV
8	16334.889	11.40	36.76	48.16	54.00	5.84	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18430.7972	-26.70	62.88	36.18	74.00	37.82	PASS	Horizontal	PK
2	19943.5177	-24.79	60.75	35.96	74.00	38.04	PASS	Horizontal	PK
3	21024.081	-25.97	60.51	34.54	74.00	39.46	PASS	Horizontal	PK
4	22763.9306	-25.04	59.19	34.15	74.00	39.85	PASS	Horizontal	PK
5	24396.6759	-21.70	57.37	35.67	74.00	38.33	PASS	Horizontal	PK
6	25897.8359	-20.86	56.54	35.68	74.00	38.32	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18580.7432	-26.69	62.84	36.15	74.00	37.85	PASS	Vertical	PK
2	19824.853	-25.16	60.58	35.42	74.00	38.58	PASS	Vertical	PK
3	21069.3028	-25.92	60.58	34.66	74.00	39.34	PASS	Vertical	PK
4	22686.4075	-25.02	59.05	34.03	74.00	39.97	PASS	Vertical	PK
5	24412.9965	-21.69	56.74	35.05	74.00	38.95	PASS	Vertical	PK
6	25994.3998	-20.90	57.67	36.77	74.00	37.23	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2217.5478	15.29	35.51	50.80	74.00	23.20	PASS	Horizontal	PK
2	2970.5314	17.94	35.43	53.37	74.00	20.63	PASS	Horizontal	PK
3	4991.1327	-8.13	53.19	45.06	74.00	28.94	PASS	Horizontal	PK
4	9186.4124	0.18	51.89	52.07	74.00	21.93	PASS	Horizontal	PK
5	13779.7186	7.52	49.79	57.31	74.00	16.69	PASS	Horizontal	PK
6	16319.888	11.21	48.63	59.84	74.00	14.16	PASS	Horizontal	PK
7	13768.7179	7.38	39.18	46.56	54.00	7.44	PASS	Horizontal	AV
8	16331.8888	11.37	37.21	48.58	54.00	5.42	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2321.8215	15.84	36.74	52.58	74.00	21.42	PASS	Vertical	PK
2	2797.7198	17.26	35.91	53.17	74.00	20.83	PASS	Vertical	PK
3	5094.1396	-7.63	53.62	45.99	74.00	28.01	PASS	Vertical	PK
4	7870.3247	-1.51	52.21	50.70	74.00	23.30	PASS	Vertical	PK
5	13761.7174	7.30	49.54	56.84	74.00	17.16	PASS	Vertical	PK
6	16353.8903	11.46	48.04	59.50	74.00	14.50	PASS	Vertical	PK
7	13762.7175	7.31	39.12	46.43	54.00	7.57	PASS	Vertical	AV
8	16425.8951	10.49	39.28	49.77	54.00	4.23	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18359.7344	-26.75	63.27	36.52	74.00	37.48	PASS	Horizontal	PK
2	19461.0384	-25.61	61.86	36.25	74.00	37.75	PASS	Horizontal	PK
3	20762.6105	-25.73	60.34	34.61	74.00	39.39	PASS	Horizontal	PK
4	21877.5151	-25.63	60.64	35.01	74.00	38.99	PASS	Horizontal	PK
5	23379.3552	-23.64	58.61	34.97	74.00	39.03	PASS	Horizontal	PK
6	24786.3315	-21.96	56.76	34.80	74.00	39.20	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18743.6097	-26.40	63.38	36.98	74.00	37.02	PASS	Vertical	PK
2	20012.2005	-24.67	60.58	35.91	74.00	38.09	PASS	Vertical	PK
3	21033.9414	-25.95	61.83	35.88	74.00	38.12	PASS	Vertical	PK
4	22821.7329	-25.12	59.69	34.57	74.00	39.43	PASS	Vertical	PK
5	24342.6137	-21.96	57.68	35.72	74.00	38.28	PASS	Vertical	PK
6	25773.0509	-20.81	57.16	36.35	74.00	37.65	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1776.1851	14.33	35.72	50.05	74.00	23.95	PASS	Horizontal	PK
2	2974.5316	17.91	35.07	52.98	74.00	21.02	PASS	Horizontal	PK
3	5285.1523	-7.19	52.59	45.40	74.00	28.60	PASS	Horizontal	PK
4	9280.4187	0.73	50.67	51.40	74.00	22.60	PASS	Horizontal	PK
5	13666.7111	7.38	50.31	57.69	74.00	16.31	PASS	Horizontal	PK
6	16344.8897	11.52	49.13	60.65	74.00	13.35	PASS	Horizontal	PK
7	13756.7171	7.24	39.65	46.89	54.00	7.11	PASS	Horizontal	AV
8	16426.8951	10.51	38.17	48.68	54.00	5.32	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1828.7219	14.36	36.39	50.75	74.00	23.25	PASS	Vertical	PK
2	2876.1251	17.42	35.80	53.22	74.00	20.78	PASS	Vertical	PK
3	5325.155	-7.01	52.71	45.70	74.00	28.30	PASS	Vertical	PK
4	8565.371	-0.47	51.99	51.52	74.00	22.48	PASS	Vertical	PK
5	13685.7124	7.31	51.43	58.74	74.00	15.26	PASS	Vertical	PK
6	16342.8895	11.50	48.95	60.45	74.00	13.55	PASS	Vertical	PK
7	13670.7114	7.37	39.81	47.18	54.00	6.82	PASS	Vertical	AV
8	16274.885	10.70	38.23	48.93	54.00	5.07	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18672.8869	-26.54	62.33	35.79	74.00	38.21	PASS	Horizontal	PK
2	20152.6261	-25.30	60.57	35.27	74.00	38.73	PASS	Horizontal	PK
3	21960.4784	-25.76	59.72	33.96	74.00	40.04	PASS	Horizontal	PK
4	23230.0892	-24.17	57.79	33.62	74.00	40.38	PASS	Horizontal	PK
5	24773.4109	-21.94	56.19	34.25	74.00	39.75	PASS	Horizontal	PK
6	26065.8026	-21.05	57.50	36.45	74.00	37.55	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18496.0798	-26.70	62.64	35.94	74.00	38.06	PASS	Vertical	PK
2	20007.4403	-24.65	60.32	35.67	74.00	38.33	PASS	Vertical	PK
3	21569.1228	-25.77	60.63	34.86	74.00	39.14	PASS	Vertical	PK
4	22921.6969	-25.44	58.92	33.48	74.00	40.52	PASS	Vertical	PK
5	24256.5903	-22.37	57.22	34.85	74.00	39.15	PASS	Vertical	PK
6	25956.6583	-20.88	56.68	35.80	74.00	38.20	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1682.3122	14.02	34.86	48.88	74.00	25.12	PASS	Horizontal	PK
2	2969.3313	17.93	36.20	54.13	74.00	19.87	PASS	Horizontal	PK
3	6062.2041	-5.07	50.62	45.55	74.00	28.45	PASS	Horizontal	PK
4	9109.4073	0.13	51.26	51.39	74.00	22.61	PASS	Horizontal	PK
5	13797.7198	7.72	50.16	57.88	74.00	16.12	PASS	Horizontal	PK
6	16495.8997	11.86	48.23	60.09	74.00	13.91	PASS	Horizontal	PK
7	2981.3321	17.87	18.29	36.16	54.00	17.84	PASS	Horizontal	AV
8	13761.7174	7.30	39.39	46.69	54.00	7.31	PASS	Horizontal	AV
9	16269.8847	10.64	37.60	48.24	54.00	5.76	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1806.9871	14.24	36.39	50.63	74.00	23.37	PASS	Vertical	PK
2	2946.1297	17.62	36.05	53.67	74.00	20.33	PASS	Vertical	PK
3	5606.1737	-6.30	51.82	45.52	74.00	28.48	PASS	Vertical	PK
4	9215.4144	0.35	50.41	50.76	74.00	23.24	PASS	Vertical	PK
5	13698.7132	7.26	50.42	57.68	74.00	16.32	PASS	Vertical	PK
6	16348.8899	11.57	48.70	60.27	74.00	13.73	PASS	Vertical	PK
7	13688.7126	7.30	39.26	46.56	54.00	7.44	PASS	Vertical	AV
8	16348.8899	11.57	36.96	48.53	54.00	5.47	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18703.4881	-26.48	62.62	36.14	74.00	37.86	PASS	Horizontal	PK
2	20039.7416	-24.80	60.50	35.70	74.00	38.30	PASS	Horizontal	PK
3	21775.851	-25.55	60.56	35.01	74.00	38.99	PASS	Horizontal	PK
4	23723.789	-22.61	57.16	34.55	74.00	39.45	PASS	Horizontal	PK
5	25108.3243	-21.55	56.94	35.39	74.00	38.61	PASS	Horizontal	PK
6	26329.3132	-21.24	57.59	36.35	74.00	37.65	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/9/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18650.786	-26.59	61.95	35.36	74.00	38.64	PASS	Vertical	PK
2	20007.4403	-24.65	59.80	35.15	74.00	38.85	PASS	Vertical	PK
3	21347.4339	-25.85	60.06	34.21	74.00	39.79	PASS	Vertical	PK
4	23096.4639	-25.00	59.19	34.19	74.00	39.81	PASS	Vertical	PK
5	24524.181	-21.79	57.17	35.38	74.00	38.62	PASS	Vertical	PK
6	26057.6423	-21.03	57.03	36.00	74.00	38.00	PASS	Vertical	PK