


|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1545.8418   | 13.62       | 32.41          | 46.03          | 74.00          | 27.97       | PASS   | Horizontal | PK     |
| 2              | 2786.4715   | 17.38       | 34.04          | 51.42          | 74.00          | 22.58       | PASS   | Horizontal | PK     |
| 3              | 3875.735    | 20.71       | 32.29          | 53.00          | 74.00          | 21.00       | PASS   | Horizontal | PK     |
| 4              | 5019.7808   | 25.07       | 32.72          | 57.79          | 74.00          | 16.21       | PASS   | Horizontal | PK     |
| 5              | 11978.3591  | 3.08        | 52.78          | 55.86          | 74.00          | 18.14       | PASS   | Horizontal | PK     |
| 6              | 15943.2577  | 9.88        | 50.81          | 60.69          | 74.00          | 13.31       | PASS   | Horizontal | PK     |
| 7              | 5006.3603   | 25.12       | 10.47          | 35.59          | 54.00          | 18.41       | PASS   | Horizontal | AV     |
| 8              | 11962.7185  | 2.86        | 41.38          | 44.24          | 54.00          | 9.76        | PASS   | Horizontal | AV     |
| 9              | 15900.476   | 10.13       | 39.95          | 50.08          | 54.00          | 3.92        | PASS   | Horizontal | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1536.6015   | 13.63       | 32.36          | 45.99          | 74.00          | 28.01       | PASS   | Vertical | PK     |
| 2              | 2799.452    | 17.37       | 32.85          | 50.22          | 74.00          | 23.78       | PASS   | Vertical | PK     |
| 3              | 3991.6797   | 21.64       | 30.88          | 52.52          | 74.00          | 21.48       | PASS   | Vertical | PK     |
| 4              | 5038.0415   | 25.38       | 32.55          | 57.93          | 74.00          | 16.07       | PASS   | Vertical | PK     |
| 5              | 12043.2217  | 3.63        | 52.54          | 56.17          | 74.00          | 17.83       | PASS   | Vertical | PK     |
| 6              | 15905.0762  | 10.11       | 51.63          | 61.74          | 74.00          | 12.26       | PASS   | Vertical | PK     |
| 7              | 5007.6803   | 25.15       | 10.50          | 35.65          | 54.00          | 18.35       | PASS   | Vertical | AV     |
| 8              | 11993.5397  | 3.30        | 40.85          | 44.15          | 54.00          | 9.85        | PASS   | Vertical | AV     |
| 9              | 15899.556   | 10.13       | 39.77          | 49.90          | 54.00          | 4.10        | PASS   | Vertical | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19007.6403  | -26.26      | 60.36          | 34.10          | 74.00          | 39.90       | PASS   | Horizontal | PK     |
| 2              | 22273.4509  | -25.29      | 58.17          | 32.88          | 74.00          | 41.12       | PASS   | Horizontal | PK     |
| 3              | 26437.7775  | -21.15      | 56.22          | 35.07          | 68.20          | 33.13       | PASS   | Horizontal | PK     |
| 4              | 30478.0191  | -20.43      | 55.02          | 34.59          | 68.20          | 33.61       | PASS   | Horizontal | PK     |
| 5              | 33629.4252  | -17.39      | 51.65          | 34.26          | 68.20          | 33.94       | PASS   | Horizontal | PK     |
| 6              | 38652.6661  | -13.80      | 46.59          | 32.79          | 68.20          | 35.41       | PASS   | Horizontal | PK     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19296.2919  | -25.85      | 60.33          | 34.48          | 74.00          | 39.52       | PASS   | Vertical | PK     |
| 2              | 22584.9834  | -25.01      | 58.16          | 33.15          | 74.00          | 40.85       | PASS   | Vertical | PK     |
| 3              | 26387.6155  | -21.18      | 55.39          | 34.21          | 68.20          | 33.99       | PASS   | Vertical | PK     |
| 4              | 30458.6583  | -20.41      | 55.17          | 34.76          | 68.20          | 33.44       | PASS   | Vertical | PK     |
| 5              | 34888.7556  | -16.32      | 50.72          | 34.40          | 68.20          | 33.80       | PASS   | Vertical | PK     |
| 6              | 38447.6179  | -13.63      | 46.94          | 33.31          | 68.20          | 34.89       | PASS   | Vertical | PK     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5190MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1503.6001   | 13.43       | 33.18          | 46.61          | 74.00          | 27.39       | PASS   | Horizontal | PK     |
| 2              | 2788.4515   | 17.39       | 33.57          | 50.96          | 74.00          | 23.04       | PASS   | Horizontal | PK     |
| 3              | 3954.9382   | 21.57       | 32.00          | 53.57          | 74.00          | 20.43       | PASS   | Horizontal | PK     |
| 4              | 5031.0012   | 25.30       | 33.18          | 58.48          | 74.00          | 15.52       | PASS   | Horizontal | PK     |
| 5              | 12004.5802  | 3.41        | 52.15          | 55.56          | 74.00          | 18.44       | PASS   | Horizontal | PK     |
| 6              | 15967.1787  | 9.89        | 51.67          | 61.56          | 74.00          | 12.44       | PASS   | Horizontal | PK     |
| 7              | 5008.5603   | 25.17       | 10.26          | 35.43          | 54.00          | 18.57       | PASS   | Horizontal | AV     |
| 8              | 11994.4598  | 3.31        | 40.93          | 44.24          | 54.00          | 9.76        | PASS   | Horizontal | AV     |
| 9              | 15907.3763  | 10.09       | 39.77          | 49.86          | 54.00          | 4.14        | PASS   | Horizontal | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5190MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1523.4009   | 13.52       | 31.79          | 45.31          | 74.00          | 28.69       | PASS   | Vertical | PK     |
| 2              | 2780.7512   | 17.35       | 34.25          | 51.60          | 74.00          | 22.40       | PASS   | Vertical | PK     |
| 3              | 3958.4583   | 21.61       | 31.16          | 52.77          | 74.00          | 21.23       | PASS   | Vertical | PK     |
| 4              | 5064.0026   | 25.50       | 32.65          | 58.15          | 74.00          | 15.85       | PASS   | Vertical | PK     |
| 5              | 11863.3545  | 3.10        | 53.06          | 56.16          | 74.00          | 17.84       | PASS   | Vertical | PK     |
| 6              | 15911.0564  | 10.07       | 51.95          | 62.02          | 74.00          | 11.98       | PASS   | Vertical | PK     |
| 7              | 5008.3403   | 25.17       | 10.75          | 35.92          | 54.00          | 18.08       | PASS   | Vertical | AV     |
| 8              | 11837.5935  | 2.89        | 41.58          | 44.47          | 54.00          | 9.53        | PASS   | Vertical | AV     |
| 9              | 15896.7959  | 10.11       | 39.96          | 50.07          | 54.00          | 3.93        | PASS   | Vertical | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5190MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19019.9608  | -26.25      | 61.66          | 35.41          | 74.00          | 38.59       | PASS   | Horizontal | PK     |
| 2              | 21843.9938  | -25.59      | 58.74          | 33.15          | 68.20          | 35.05       | PASS   | Horizontal | PK     |
| 3              | 25916.7967  | -20.87      | 55.87          | 35.00          | 68.20          | 33.20       | PASS   | Horizontal | PK     |
| 4              | 30800.112   | -19.63      | 53.22          | 33.59          | 68.20          | 34.61       | PASS   | Horizontal | PK     |
| 5              | 35052.4421  | -16.05      | 49.49          | 33.44          | 68.20          | 34.76       | PASS   | Horizontal | PK     |
| 6              | 38654.4262  | -13.79      | 46.63          | 32.84          | 68.20          | 35.36       | PASS   | Horizontal | PK     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5190MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19996.7999  | -24.63      | 59.15          | 34.52          | 74.00          | 39.48       | PASS   | Vertical | PK     |
| 2              | 24301.9321  | -22.15      | 56.06          | 33.91          | 68.20          | 34.29       | PASS   | Vertical | PK     |
| 3              | 27808.8724  | -21.07      | 56.66          | 35.59          | 68.20          | 32.61       | PASS   | Vertical | PK     |
| 4              | 31798.0719  | -19.90      | 53.39          | 33.49          | 74.00          | 40.51       | PASS   | Vertical | PK     |
| 5              | 35874.395   | -16.94      | 48.60          | 31.66          | 68.20          | 36.54       | PASS   | Vertical | PK     |
| 6              | 38235.5294  | -14.00      | 45.16          | 31.16          | 68.20          | 37.04       | PASS   | Vertical | PK     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5230MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1512.1805   | 13.43       | 32.25          | 45.68          | 74.00          | 28.32       | PASS   | Horizontal | PK     |
| 2              | 2734.7694   | 17.15       | 33.62          | 50.77          | 74.00          | 23.23       | PASS   | Horizontal | PK     |
| 3              | 4079.9032   | 21.85       | 30.93          | 52.78          | 74.00          | 21.22       | PASS   | Horizontal | PK     |
| 4              | 5025.061    | 25.18       | 32.81          | 57.99          | 74.00          | 16.01       | PASS   | Horizontal | PK     |
| 5              | 11946.6179  | 2.70        | 52.76          | 55.46          | 74.00          | 18.54       | PASS   | Horizontal | PK     |
| 6              | 15905.0762  | 10.11       | 51.37          | 61.48          | 74.00          | 12.52       | PASS   | Horizontal | PK     |
| 7              | 5004.8202   | 25.09       | 10.36          | 35.45          | 54.00          | 18.55       | PASS   | Horizontal | AV     |
| 8              | 11838.9736  | 2.91        | 41.28          | 44.19          | 54.00          | 9.81        | PASS   | Horizontal | AV     |
| 9              | 15900.476   | 10.13       | 39.72          | 49.85          | 54.00          | 4.15        | PASS   | Horizontal | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5230MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1540.7816   | 13.63       | 32.40          | 46.03          | 74.00          | 27.97       | PASS   | Vertical | PK     |
| 2              | 2818.5927   | 17.34       | 33.85          | 51.19          | 74.00          | 22.81       | PASS   | Vertical | PK     |
| 3              | 3954.9382   | 21.57       | 31.88          | 53.45          | 74.00          | 20.55       | PASS   | Vertical | PK     |
| 4              | 5005.2602   | 25.10       | 33.01          | 58.11          | 74.00          | 15.89       | PASS   | Vertical | PK     |
| 5              | 12062.5425  | 3.48        | 52.64          | 56.12          | 74.00          | 17.88       | PASS   | Vertical | PK     |
| 6              | 15899.096   | 10.12       | 51.50          | 61.62          | 74.00          | 12.38       | PASS   | Vertical | PK     |
| 7              | 5010.1004   | 25.20       | 10.66          | 35.86          | 54.00          | 18.14       | PASS   | Vertical | AV     |
| 8              | 11969.6188  | 2.95        | 41.17          | 44.12          | 54.00          | 9.88        | PASS   | Vertical | AV     |
| 9              | 15897.2559  | 10.11       | 39.71          | 49.82          | 54.00          | 4.18        | PASS   | Vertical | AV     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5230MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19499.58    | -25.60      | 59.94          | 34.34          | 74.00          | 39.66       | PASS   | Horizontal | PK     |
| 2              | 23909.4364  | -22.12      | 57.54          | 35.42          | 74.00          | 38.58       | PASS   | Horizontal | PK     |
| 3              | 27206.9283  | -21.90      | 55.63          | 33.73          | 68.20          | 34.47       | PASS   | Horizontal | PK     |
| 4              | 30771.0708  | -19.77      | 53.20          | 33.43          | 68.20          | 34.77       | PASS   | Horizontal | PK     |
| 5              | 33836.2334  | -17.83      | 50.11          | 32.28          | 68.20          | 35.92       | PASS   | Horizontal | PK     |
| 6              | 37796.3919  | -15.29      | 47.12          | 31.83          | 68.20          | 36.37       | PASS   | Horizontal | PK     |

|               |                                |                |          |
|---------------|--------------------------------|----------------|----------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 5230MHz  |
| Tset_Engineer | \                              | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19666.7867  | -25.47      | 60.14          | 34.67          | 74.00          | 39.33       | PASS   | Vertical | PK     |
| 2              | 22057.8423  | -25.70      | 59.72          | 34.02          | 74.00          | 39.98       | PASS   | Vertical | PK     |
| 3              | 25123.885   | -21.46      | 56.69          | 35.23          | 68.20          | 32.97       | PASS   | Vertical | PK     |
| 4              | 29168.5267  | -21.45      | 55.49          | 34.04          | 68.20          | 34.16       | PASS   | Vertical | PK     |
| 5              | 32985.2394  | -18.77      | 51.40          | 32.63          | 68.20          | 35.57       | PASS   | Vertical | PK     |
| 6              | 37208.5283  | -16.24      | 48.01          | 31.77          | 68.20          | 36.43       | PASS   | Vertical | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5180MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1553.9822   | 13.64       | 32.06          | 45.70          | 74.00          | 28.30       | PASS   | Horizontal | PK     |
| 2              | 2813.5325   | 17.43       | 33.38          | 50.81          | 74.00          | 23.19       | PASS   | Horizontal | PK     |
| 3              | 3961.7585   | 21.59       | 31.15          | 52.74          | 74.00          | 21.26       | PASS   | Horizontal | PK     |
| 4              | 5027.7011   | 25.24       | 32.03          | 57.27          | 74.00          | 16.73       | PASS   | Horizontal | PK     |
| 5              | 11841.7337  | 2.97        | 53.08          | 56.05          | 74.00          | 17.95       | PASS   | Horizontal | PK     |
| 6              | 15901.8561  | 10.12       | 50.50          | 60.62          | 74.00          | 13.38       | PASS   | Horizontal | PK     |
| 7              | 5007.9003   | 25.16       | 10.26          | 35.42          | 54.00          | 18.58       | PASS   | Horizontal | AV     |
| 8              | 11861.5145  | 3.10        | 41.09          | 44.19          | 54.00          | 9.81        | PASS   | Horizontal | AV     |
| 9              | 15893.1157  | 10.07       | 39.83          | 49.90          | 54.00          | 4.10        | PASS   | Horizontal | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5180MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1487.7595   | 13.46       | 32.40          | 45.86          | 74.00          | 28.14       | PASS   | Vertical | PK     |
| 2              | 2828.7131   | 17.41       | 34.75          | 52.16          | 74.00          | 21.84       | PASS   | Vertical | PK     |
| 3              | 3950.538    | 21.53       | 31.52          | 53.05          | 74.00          | 20.95       | PASS   | Vertical | PK     |
| 4              | 5011.4205   | 25.18       | 31.95          | 57.13          | 74.00          | 16.87       | PASS   | Vertical | PK     |
| 5              | 11828.8532  | 2.74        | 53.96          | 56.70          | 74.00          | 17.30       | PASS   | Vertical | PK     |
| 6              | 15899.556   | 10.13       | 51.51          | 61.64          | 74.00          | 12.36       | PASS   | Vertical | PK     |
| 7              | 5008.1203   | 25.16       | 10.28          | 35.44          | 54.00          | 18.56       | PASS   | Vertical | AV     |
| 8              | 11841.7337  | 2.97        | 41.33          | 44.30          | 54.00          | 9.70        | PASS   | Vertical | AV     |
| 9              | 15902.7761  | 10.11       | 39.70          | 49.81          | 54.00          | 4.19        | PASS   | Vertical | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5180MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19041.0816  | -26.23      | 61.19          | 34.96          | 74.00          | 39.04       | PASS   | Horizontal | PK     |
| 2              | 21811.4325  | -25.55      | 60.27          | 34.72          | 68.20          | 33.48       | PASS   | Horizontal | PK     |
| 3              | 25325.413   | -21.29      | 56.53          | 35.24          | 68.20          | 32.96       | PASS   | Horizontal | PK     |
| 4              | 29645.5058  | -20.69      | 55.94          | 35.25          | 68.20          | 32.95       | PASS   | Horizontal | PK     |
| 5              | 33923.3569  | -17.87      | 50.66          | 32.79          | 68.20          | 35.41       | PASS   | Horizontal | PK     |
| 6              | 38041.9217  | -14.83      | 46.89          | 32.06          | 68.20          | 36.14       | PASS   | Horizontal | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5180MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19184.5274  | -26.07      | 60.09          | 34.02          | 74.00          | 39.98       | PASS   | Vertical | PK     |
| 2              | 22779.4712  | -25.04      | 57.26          | 32.22          | 74.00          | 41.78       | PASS   | Vertical | PK     |
| 3              | 25591.1836  | -20.74      | 56.51          | 35.77          | 68.20          | 32.43       | PASS   | Vertical | PK     |
| 4              | 29600.624   | -20.60      | 55.33          | 34.73          | 68.20          | 33.47       | PASS   | Vertical | PK     |
| 5              | 33627.6651  | -17.39      | 50.73          | 33.34          | 68.20          | 34.86       | PASS   | Vertical | PK     |
| 6              | 37151.3261  | -16.48      | 48.72          | 32.24          | 68.20          | 35.96       | PASS   | Vertical | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5200MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1537.4815   | 13.63       | 32.41          | 46.04          | 74.00          | 27.96       | PASS   | Horizontal | PK     |
| 2              | 2833.9934   | 17.48       | 33.11          | 50.59          | 74.00          | 23.41       | PASS   | Horizontal | PK     |
| 3              | 4104.9842   | 21.80       | 31.51          | 53.31          | 74.00          | 20.69       | PASS   | Horizontal | PK     |
| 4              | 5021.3209   | 25.10       | 34.03          | 59.13          | 74.00          | 14.87       | PASS   | Horizontal | PK     |
| 5              | 11875.315   | 3.09        | 53.43          | 56.52          | 74.00          | 17.48       | PASS   | Horizontal | PK     |
| 6              | 15951.5381  | 9.85        | 51.07          | 60.92          | 74.00          | 13.08       | PASS   | Horizontal | PK     |
| 7              | 5007.4603   | 25.14       | 10.29          | 35.43          | 54.00          | 18.57       | PASS   | Horizontal | AV     |
| 8              | 11846.3339  | 3.05        | 41.29          | 44.34          | 54.00          | 9.66        | PASS   | Horizontal | AV     |
| 9              | 15889.8956  | 10.05       | 39.61          | 49.66          | 54.00          | 4.34        | PASS   | Horizontal | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5200MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1575.103    | 13.67       | 32.27          | 45.94          | 74.00          | 28.06       | PASS   | Vertical | PK     |
| 2              | 2801.6521   | 17.39       | 33.74          | 51.13          | 74.00          | 22.87       | PASS   | Vertical | PK     |
| 3              | 3953.8382   | 21.57       | 31.82          | 53.39          | 74.00          | 20.61       | PASS   | Vertical | PK     |
| 4              | 5024.181    | 25.16       | 32.68          | 57.84          | 74.00          | 16.16       | PASS   | Vertical | PK     |
| 5              | 11872.0949  | 3.08        | 53.13          | 56.21          | 74.00          | 17.79       | PASS   | Vertical | PK     |
| 6              | 15915.6566  | 10.05       | 51.34          | 61.39          | 74.00          | 12.61       | PASS   | Vertical | PK     |
| 7              | 5007.6803   | 25.15       | 10.41          | 35.56          | 54.00          | 18.44       | PASS   | Vertical | AV     |
| 8              | 11845.8738  | 3.04        | 41.56          | 44.60          | 54.00          | 9.40        | PASS   | Vertical | AV     |
| 9              | 15894.0358  | 10.08       | 39.71          | 49.79          | 54.00          | 4.21        | PASS   | Vertical | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5200MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19033.1613  | -26.23      | 61.86          | 35.63          | 74.00          | 38.37       | PASS   | Horizontal | PK     |
| 2              | 21977.7591  | -25.77      | 58.92          | 33.15          | 68.20          | 35.05       | PASS   | Horizontal | PK     |
| 3              | 26138.5655  | -21.22      | 56.49          | 35.27          | 68.20          | 32.93       | PASS   | Horizontal | PK     |
| 4              | 30892.5157  | -19.49      | 56.12          | 36.63          | 68.20          | 31.57       | PASS   | Horizontal | PK     |
| 5              | 34914.2766  | -16.26      | 49.38          | 33.12          | 68.20          | 35.08       | PASS   | Horizontal | PK     |
| 6              | 38923.7169  | -13.00      | 46.07          | 33.07          | 68.20          | 35.13       | PASS   | Horizontal | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5200MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19517.1807  | -25.61      | 59.55          | 33.94          | 74.00          | 40.06       | PASS   | Vertical | PK     |
| 2              | 22659.7864  | -25.01      | 58.11          | 33.10          | 74.00          | 40.90       | PASS   | Vertical | PK     |
| 3              | 27040.6016  | -21.84      | 56.73          | 34.89          | 68.20          | 33.31       | PASS   | Vertical | PK     |
| 4              | 30866.9947  | -19.53      | 54.15          | 34.62          | 68.20          | 33.58       | PASS   | Vertical | PK     |
| 5              | 34987.3195  | -16.13      | 49.83          | 33.70          | 68.20          | 34.50       | PASS   | Vertical | PK     |
| 6              | 38760.0304  | -13.39      | 46.45          | 33.06          | 68.20          | 35.14       | PASS   | Vertical | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1541.6617   | 13.62       | 32.00          | 45.62          | 74.00          | 28.38       | PASS   | Horizontal | PK     |
| 2              | 2821.0128   | 17.32       | 33.36          | 50.68          | 74.00          | 23.32       | PASS   | Horizontal | PK     |
| 3              | 3995.6398   | 21.60       | 30.66          | 52.26          | 74.00          | 21.74       | PASS   | Horizontal | PK     |
| 4              | 5018.9008   | 25.09       | 32.96          | 58.05          | 74.00          | 15.95       | PASS   | Horizontal | PK     |
| 5              | 11971.9189  | 2.98        | 53.25          | 56.23          | 74.00          | 17.77       | PASS   | Horizontal | PK     |
| 6              | 15890.8156  | 10.05       | 51.79          | 61.84          | 74.00          | 12.16       | PASS   | Horizontal | PK     |
| 7              | 5005.4802   | 25.10       | 10.29          | 35.39          | 54.00          | 18.61       | PASS   | Horizontal | AV     |
| 8              | 11840.8136  | 2.94        | 41.39          | 44.33          | 54.00          | 9.67        | PASS   | Horizontal | AV     |
| 9              | 15910.1364  | 10.07       | 39.76          | 49.83          | 54.00          | 4.17        | PASS   | Horizontal | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 1531.5413   | 13.64       | 31.76          | 45.40          | 74.00          | 28.60       | PASS   | Vertical | PK     |
| 2              | 2843.4537   | 17.54       | 34.07          | 51.61          | 74.00          | 22.39       | PASS   | Vertical | PK     |
| 3              | 4077.0431   | 21.82       | 30.75          | 52.57          | 74.00          | 21.43       | PASS   | Vertical | PK     |
| 4              | 5051.242    | 25.55       | 32.77          | 58.32          | 74.00          | 15.68       | PASS   | Vertical | PK     |
| 5              | 12029.4212  | 3.55        | 52.40          | 55.95          | 74.00          | 18.05       | PASS   | Vertical | PK     |
| 6              | 15904.1562  | 10.10       | 51.65          | 61.75          | 74.00          | 12.25       | PASS   | Vertical | PK     |
| 7              | 5009.2204   | 25.18       | 10.30          | 35.48          | 54.00          | 18.52       | PASS   | Vertical | AV     |
| 8              | 11988.9396  | 3.23        | 40.82          | 44.05          | 54.00          | 9.95        | PASS   | Vertical | AV     |
| 9              | 15903.6961  | 10.11       | 39.66          | 49.77          | 54.00          | 4.23        | PASS   | Vertical | AV     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 19644.7858  | -25.51      | 60.48          | 34.97          | 74.00          | 39.03       | PASS   | Horizontal | PK     |
| 2              | 23226.5291  | -24.18      | 56.99          | 32.81          | 68.20          | 35.39       | PASS   | Horizontal | PK     |
| 3              | 27057.3223  | -21.85      | 56.20          | 34.35          | 68.20          | 33.85       | PASS   | Horizontal | PK     |
| 4              | 31305.2522  | -19.87      | 53.46          | 33.59          | 74.00          | 40.41       | PASS   | Horizontal | PK     |
| 5              | 34980.2792  | -16.15      | 49.95          | 33.80          | 68.20          | 34.40       | PASS   | Horizontal | PK     |
| 6              | 38602.5041  | -13.99      | 46.49          | 32.50          | 68.20          | 35.70       | PASS   | Horizontal | PK     |

|               |                                  |                |          |
|---------------|----------------------------------|----------------|----------|
| Test_Mode     | 802.11 ac(VHT20)<br>Transmitting | Test_Frequency | 5240MHz  |
| Tset_Engineer | \                                | Test_Date      | 2026/9/9 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 19349.974   | -25.73      | 60.43          | 34.70          | 74.00          | 39.30       | PASS   | Vertical | PK     |
| 2              | 21663.5865  | -25.68      | 59.51          | 33.83          | 68.20          | 34.37       | PASS   | Vertical | PK     |
| 3              | 25647.5059  | -20.74      | 55.30          | 34.56          | 68.20          | 33.64       | PASS   | Vertical | PK     |
| 4              | 29020.6808  | -21.31      | 55.45          | 34.14          | 68.20          | 34.06       | PASS   | Vertical | PK     |
| 5              | 33859.1144  | -17.84      | 50.65          | 32.81          | 68.20          | 35.39       | PASS   | Vertical | PK     |
| 6              | 37574.623   | -14.96      | 47.80          | 32.84          | 68.20          | 35.36       | PASS   | Vertical | PK     |