


Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1547.1619	13.62	33.02	46.64	74.00	27.36	PASS	Horizontal	PK
2	2781.8513	17.36	32.48	49.84	74.00	24.16	PASS	Horizontal	PK
3	3941.2977	21.61	31.38	52.99	74.00	21.01	PASS	Horizontal	PK
4	5009.2204	25.18	32.25	57.43	74.00	16.57	PASS	Horizontal	PK
5	11982.4993	3.14	52.63	55.77	74.00	18.23	PASS	Horizontal	PK
6	15892.1957	10.06	51.21	61.27	74.00	12.73	PASS	Horizontal	PK
7	5009.4404	25.19	10.53	35.72	54.00	18.28	PASS	Horizontal	AV
8	11831.6133	2.79	41.52	44.31	54.00	9.69	PASS	Horizontal	AV
9	15896.7959	10.11	39.54	49.65	54.00	4.35	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.1017	13.63	33.30	46.93	74.00	27.07	PASS	Vertical	PK
2	2838.3935	17.55	32.94	50.49	74.00	23.51	PASS	Vertical	PK
3	4171.4269	22.13	31.37	53.50	74.00	20.50	PASS	Vertical	PK
4	5009.4404	25.19	32.78	57.97	74.00	16.03	PASS	Vertical	PK
5	11992.6197	3.29	53.64	56.93	74.00	17.07	PASS	Vertical	PK
6	15959.3584	9.87	51.10	60.97	74.00	13.03	PASS	Vertical	PK
7	5009.0004	25.18	10.13	35.31	54.00	18.69	PASS	Vertical	AV
8	11841.2737	2.95	41.51	44.46	54.00	9.54	PASS	Vertical	AV
9	15889.4356	10.04	39.67	49.71	54.00	4.29	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19437.0975	-25.61	59.46	33.85	74.00	40.15	PASS	Horizontal	PK
2	22652.7461	-25.01	57.83	32.82	74.00	41.18	PASS	Horizontal	PK
3	25490.8596	-21.11	55.89	34.78	68.20	33.42	PASS	Horizontal	PK
4	28764.5906	-21.56	56.41	34.85	68.20	33.35	PASS	Horizontal	PK
5	32882.2753	-18.75	51.16	32.41	68.20	35.79	PASS	Horizontal	PK
6	37050.122	-16.96	47.99	31.03	68.20	37.17	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19786.4715	-25.25	59.37	34.12	74.00	39.88	PASS	Vertical	PK
2	23026.7611	-25.49	57.81	32.32	74.00	41.68	PASS	Vertical	PK
3	25789.1916	-20.81	55.99	35.18	68.20	33.02	PASS	Vertical	PK
4	30462.1785	-20.41	54.71	34.30	68.20	33.90	PASS	Vertical	PK
5	34377.4551	-17.23	49.51	32.28	68.20	35.92	PASS	Vertical	PK
6	37655.5862	-14.97	47.16	32.19	68.20	36.01	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1514.6006	13.44	32.03	45.47	74.00	28.53	PASS	Horizontal	PK
2	2835.3134	17.50	33.53	51.03	74.00	22.97	PASS	Horizontal	PK
3	4073.743	21.78	31.27	53.05	74.00	20.95	PASS	Horizontal	PK
4	4992.9397	24.93	33.08	58.01	74.00	15.99	PASS	Horizontal	PK
5	11964.5586	2.88	53.45	56.33	74.00	17.67	PASS	Horizontal	PK
6	15916.5767	10.04	51.15	61.19	74.00	12.81	PASS	Horizontal	PK
7	5010.1004	25.20	10.34	35.54	54.00	18.46	PASS	Horizontal	AV
8	11834.8334	2.84	41.44	44.28	54.00	9.72	PASS	Horizontal	AV
9	15903.6961	10.11	39.56	49.67	54.00	4.33	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1563.8826	13.67	32.38	46.05	74.00	27.95	PASS	Vertical	PK
2	2821.0128	17.32	34.31	51.63	74.00	22.37	PASS	Vertical	PK
3	4093.5437	22.08	31.03	53.11	74.00	20.89	PASS	Vertical	PK
4	5026.161	25.20	31.78	56.98	74.00	17.02	PASS	Vertical	PK
5	11862.4345	3.10	53.24	56.34	74.00	17.66	PASS	Vertical	PK
6	15882.0753	9.98	51.45	61.43	74.00	12.57	PASS	Vertical	PK
7	5012.0805	25.17	10.12	35.29	54.00	18.71	PASS	Vertical	AV
8	11841.2737	2.95	41.31	44.26	54.00	9.74	PASS	Vertical	AV
9	15891.7357	10.06	39.64	49.70	54.00	4.30	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19435.3374	-25.61	59.76	34.15	74.00	39.85	PASS	Horizontal	PK
2	22210.0884	-25.38	58.93	33.55	74.00	40.45	PASS	Horizontal	PK
3	25408.1363	-21.41	56.22	34.81	68.20	33.39	PASS	Horizontal	PK
4	29166.7667	-21.45	56.25	34.80	68.20	33.40	PASS	Horizontal	PK
5	33141.8857	-18.39	52.67	34.28	68.20	33.92	PASS	Horizontal	PK
6	38065.6826	-14.73	47.65	32.92	68.20	35.28	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19606.9443	-25.58	60.54	34.96	74.00	39.04	PASS	Vertical	PK
2	22401.9361	-25.10	58.48	33.38	74.00	40.62	PASS	Vertical	PK
3	25701.188	-20.77	55.00	34.23	68.20	33.97	PASS	Vertical	PK
4	30287.9315	-20.89	54.51	33.62	68.20	34.58	PASS	Vertical	PK
5	34224.329	-17.37	50.13	32.76	68.20	35.44	PASS	Vertical	PK
6	38928.9972	-12.99	46.47	33.48	68.20	34.72	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1540.3416	13.63	32.36	45.99	74.00	28.01	PASS	Horizontal	PK
2	2824.753	17.36	34.14	51.50	74.00	22.50	PASS	Horizontal	PK
3	4183.7474	22.31	31.31	53.62	74.00	20.38	PASS	Horizontal	PK
4	5021.1008	25.09	33.52	58.61	74.00	15.39	PASS	Horizontal	PK
5	11890.4956	3.07	52.91	55.98	74.00	18.02	PASS	Horizontal	PK
6	15914.7366	10.04	51.23	61.27	74.00	12.73	PASS	Horizontal	PK
7	5005.9202	25.11	10.22	35.33	54.00	18.67	PASS	Horizontal	AV
8	11823.3329	2.64	41.83	44.47	54.00	9.53	PASS	Horizontal	AV
9	15898.1759	10.12	39.81	49.93	54.00	4.07	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1559.9224	13.69	32.85	46.54	74.00	27.46	PASS	Vertical	PK
2	2811.3325	17.47	34.30	51.77	74.00	22.23	PASS	Vertical	PK
3	4031.7213	21.33	31.88	53.21	74.00	20.79	PASS	Vertical	PK
4	5027.0411	25.22	32.68	57.90	74.00	16.10	PASS	Vertical	PK
5	11862.8945	3.10	52.59	55.69	74.00	18.31	PASS	Vertical	PK
6	15899.096	10.12	50.89	61.01	74.00	12.99	PASS	Vertical	PK
7	5027.2611	25.23	10.08	35.31	54.00	18.69	PASS	Vertical	AV
8	11850.014	3.11	41.13	44.24	54.00	9.76	PASS	Vertical	AV
9	15902.3161	10.11	39.61	49.72	54.00	4.28	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19107.0843	-26.16	61.42	35.26	74.00	38.74	PASS	Horizontal	PK
2	21924.957	-25.71	59.73	34.02	68.20	34.18	PASS	Horizontal	PK
3	25244.4498	-21.13	56.21	35.08	68.20	33.12	PASS	Horizontal	PK
4	29003.0801	-21.30	56.12	34.82	68.20	33.38	PASS	Horizontal	PK
5	32413.2165	-18.09	53.06	34.97	68.20	33.23	PASS	Horizontal	PK
6	37772.6309	-15.23	46.95	31.72	68.20	36.48	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19510.1404	-25.61	59.91	34.30	74.00	39.70	PASS	Vertical	PK
2	22710.8284	-25.02	58.14	33.12	74.00	40.88	PASS	Vertical	PK
3	26243.2897	-21.32	56.39	35.07	68.20	33.13	PASS	Vertical	PK
4	30183.2073	-21.31	54.04	32.73	68.20	35.47	PASS	Vertical	PK
5	33618.8648	-17.37	50.99	33.62	68.20	34.58	PASS	Vertical	PK
6	38123.765	-14.46	46.21	31.75	68.20	36.45	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.9016	13.63	32.79	46.42	74.00	27.58	PASS	Horizontal	PK
2	2744.6698	17.11	33.77	50.88	74.00	23.12	PASS	Horizontal	PK
3	3997.3999	21.57	30.95	52.52	74.00	21.48	PASS	Horizontal	PK
4	5066.6427	25.43	31.95	57.38	74.00	16.62	PASS	Horizontal	PK
5	12503.2401	4.54	53.33	57.87	74.00	16.13	PASS	Horizontal	PK
6	15900.476	10.13	51.41	61.54	74.00	12.46	PASS	Horizontal	PK
7	5012.7405	25.17	10.43	35.60	54.00	18.40	PASS	Horizontal	AV
8	12502.7801	4.53	40.65	45.18	54.00	8.82	PASS	Horizontal	AV
9	15887.5955	10.03	39.70	49.73	54.00	4.27	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1573.3429	13.65	32.35	46.00	74.00	28.00	PASS	Vertical	PK
2	2845.2138	17.51	33.61	51.12	74.00	22.88	PASS	Vertical	PK
3	3962.1985	21.58	31.76	53.34	74.00	20.66	PASS	Vertical	PK
4	5048.6019	25.52	31.65	57.17	74.00	16.83	PASS	Vertical	PK
5	12506.4603	4.57	53.14	57.71	74.00	16.29	PASS	Vertical	PK
6	15904.6162	10.10	51.46	61.56	74.00	12.44	PASS	Vertical	PK
7	5005.4802	25.10	10.22	35.32	54.00	18.68	PASS	Vertical	AV
8	12506.4603	4.57	40.76	45.33	54.00	8.67	PASS	Vertical	AV
9	15910.1364	10.07	39.76	49.83	54.00	4.17	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19886.7955	-24.96	59.87	34.91	74.00	39.09	PASS	Horizontal	PK
2	23813.5125	-22.30	57.75	35.45	74.00	38.55	PASS	Horizontal	PK
3	27531.6613	-21.59	56.28	34.69	68.20	33.51	PASS	Horizontal	PK
4	31262.1305	-19.94	52.69	32.75	74.00	41.25	PASS	Horizontal	PK
5	34987.3195	-16.13	49.28	33.15	68.20	35.05	PASS	Horizontal	PK
6	38886.7555	-13.07	46.17	33.10	68.20	35.10	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19240.8496	-25.97	60.66	34.69	74.00	39.31	PASS	Vertical	PK
2	23187.8075	-24.35	59.08	34.73	68.20	33.47	PASS	Vertical	PK
3	27294.9318	-21.79	55.98	34.19	68.20	34.01	PASS	Vertical	PK
4	31616.7847	-19.65	54.81	35.16	74.00	38.84	PASS	Vertical	PK
5	34872.9149	-16.35	49.98	33.63	68.20	34.57	PASS	Vertical	PK
6	38603.3841	-13.99	46.14	32.15	68.20	36.05	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1579.5032	13.69	32.88	46.57	74.00	27.43	PASS	Horizontal	PK
2	2791.5317	17.39	33.23	50.62	74.00	23.38	PASS	Horizontal	PK
3	3961.3185	21.59	30.99	52.58	74.00	21.42	PASS	Horizontal	PK
4	5012.5205	25.17	32.87	58.04	74.00	15.96	PASS	Horizontal	PK
5	11832.5333	2.80	52.92	55.72	74.00	18.28	PASS	Horizontal	PK
6	15904.6162	10.10	51.18	61.28	74.00	12.72	PASS	Horizontal	PK
7	5028.5811	25.26	9.96	35.22	54.00	18.78	PASS	Horizontal	AV
8	11841.7337	2.97	41.25	44.22	54.00	9.78	PASS	Horizontal	AV
9	15894.4958	10.08	39.86	49.94	54.00	4.06	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1552.4421	13.63	32.83	46.46	74.00	27.54	PASS	Vertical	PK
2	2798.3519	17.38	33.63	51.01	74.00	22.99	PASS	Vertical	PK
3	4008.1803	21.55	30.98	52.53	74.00	21.47	PASS	Vertical	PK
4	5023.3009	25.15	32.83	57.98	74.00	16.02	PASS	Vertical	PK
5	11903.8362	3.03	52.84	55.87	74.00	18.13	PASS	Vertical	PK
6	15967.6387	9.89	51.36	61.25	74.00	12.75	PASS	Vertical	PK
7	5009.0004	25.18	10.36	35.54	54.00	18.46	PASS	Vertical	AV
8	11858.2943	3.10	41.20	44.30	54.00	9.70	PASS	Vertical	AV
9	15891.7357	10.06	39.89	49.95	54.00	4.05	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19230.2892	-25.99	60.00	34.01	74.00	39.99	PASS	Horizontal	PK
2	22125.605	-25.55	59.02	33.47	74.00	40.53	PASS	Horizontal	PK
3	25502.3001	-21.07	55.81	34.74	68.20	33.46	PASS	Horizontal	PK
4	28829.7132	-21.45	55.85	34.40	68.20	33.80	PASS	Horizontal	PK
5	32926.2771	-18.76	51.59	32.83	68.20	35.37	PASS	Horizontal	PK
6	36530.0212	-16.08	48.94	32.86	68.20	35.34	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19230.2892	-25.99	60.28	34.29	74.00	39.71	PASS	Vertical	PK
2	23147.3259	-24.64	58.18	33.54	68.20	34.66	PASS	Vertical	PK
3	25817.3527	-20.83	55.69	34.86	68.20	33.34	PASS	Vertical	PK
4	28908.9164	-21.38	55.43	34.05	68.20	34.15	PASS	Vertical	PK
5	32392.9757	-18.07	53.03	34.96	68.20	33.24	PASS	Vertical	PK
6	36628.5851	-15.92	48.93	33.01	68.20	35.19	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1503.3801	13.43	32.87	46.30	74.00	27.70	PASS	Horizontal	PK
2	2809.5724	17.50	32.91	50.41	74.00	23.59	PASS	Horizontal	PK
3	3987.7195	21.63	30.75	52.38	74.00	21.62	PASS	Horizontal	PK
4	5020.2208	25.07	34.00	59.07	74.00	14.93	PASS	Horizontal	PK
5	11982.4993	3.14	54.06	57.20	74.00	16.80	PASS	Horizontal	PK
6	15882.5353	9.98	50.77	60.75	74.00	13.25	PASS	Horizontal	PK
7	5008.3403	25.17	10.42	35.59	54.00	18.41	PASS	Horizontal	AV
8	11842.1937	2.98	41.23	44.21	54.00	9.79	PASS	Horizontal	AV
9	15891.7357	10.06	39.84	49.90	54.00	4.10	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1545.8418	13.62	32.57	46.19	74.00	27.81	PASS	Vertical	PK
2	2812.6525	17.45	32.58	50.03	74.00	23.97	PASS	Vertical	PK
3	3910.9364	21.17	32.51	53.68	74.00	20.32	PASS	Vertical	PK
4	5013.4005	25.16	32.94	58.10	74.00	15.90	PASS	Vertical	PK
5	11982.9593	3.14	53.24	56.38	74.00	17.62	PASS	Vertical	PK
6	15897.7159	10.11	51.59	61.70	74.00	12.30	PASS	Vertical	PK
7	5011.4205	25.18	10.54	35.72	54.00	18.28	PASS	Vertical	AV
8	11850.934	3.11	41.09	44.20	54.00	9.80	PASS	Vertical	AV
9	15894.9558	10.08	39.68	49.76	54.00	4.24	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19834.8734	-25.12	59.50	34.38	74.00	39.62	PASS	Horizontal	PK
2	22849.874	-25.21	57.99	32.78	74.00	41.22	PASS	Horizontal	PK
3	26626.9851	-21.17	55.98	34.81	68.20	33.39	PASS	Horizontal	PK
4	30925.077	-19.44	55.34	35.90	68.20	32.30	PASS	Horizontal	PK
5	35013.7205	-16.10	50.04	33.94	68.20	34.26	PASS	Horizontal	PK
6	38822.5129	-13.19	45.43	32.24	68.20	35.96	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/9/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19586.7035	-25.59	59.93	34.34	74.00	39.66	PASS	Vertical	PK
2	23494.0598	-23.32	56.33	33.01	68.20	35.19	PASS	Vertical	PK
3	27405.8162	-21.64	56.59	34.95	68.20	33.25	PASS	Vertical	PK
4	30901.3161	-19.48	54.52	35.04	68.20	33.16	PASS	Vertical	PK
5	34975.879	-16.15	50.13	33.98	68.20	34.22	PASS	Vertical	PK
6	38698.4279	-13.63	46.62	32.99	68.20	35.21	PASS	Vertical	PK