


Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1548.2619	13.62	33.34	46.96	74.00	27.04	PASS	Horizontal	PK
2	2814.4126	17.41	33.95	51.36	74.00	22.64	PASS	Horizontal	PK
3	4053.5021	21.68	30.77	52.45	74.00	21.55	PASS	Horizontal	PK
4	5006.8003	25.13	33.64	58.77	74.00	15.23	PASS	Horizontal	PK
5	11841.2737	2.95	53.12	56.07	74.00	17.93	PASS	Horizontal	PK
6	15887.1355	10.02	51.90	61.92	74.00	12.08	PASS	Horizontal	PK
7	5006.1402	25.11	10.49	35.60	54.00	18.40	PASS	Horizontal	AV
8	11868.8748	3.09	41.16	44.25	54.00	9.75	PASS	Horizontal	AV
9	15909.2164	10.08	39.70	49.78	54.00	4.22	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.7617	13.63	33.38	47.01	74.00	26.99	PASS	Vertical	PK
2	2812.4325	17.45	35.18	52.63	74.00	21.37	PASS	Vertical	PK
3	4099.924	21.92	31.79	53.71	74.00	20.29	PASS	Vertical	PK
4	4994.6998	24.94	32.56	57.50	74.00	16.50	PASS	Vertical	PK
5	12028.9612	3.55	53.16	56.71	74.00	17.29	PASS	Vertical	PK
6	15892.1957	10.06	51.39	61.45	74.00	12.55	PASS	Vertical	PK
7	5009.0004	25.18	10.36	35.54	54.00	18.46	PASS	Vertical	AV
8	11976.5191	3.06	41.02	44.08	54.00	9.92	PASS	Vertical	AV
9	15907.3763	10.09	39.80	49.89	54.00	4.11	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19058.6823	-26.21	60.29	34.08	74.00	39.92	PASS	Horizontal	PK
2	22847.2339	-25.20	57.58	32.38	74.00	41.62	PASS	Horizontal	PK
3	27126.8451	-21.88	56.28	34.40	68.20	33.80	PASS	Horizontal	PK
4	32144.8058	-19.67	52.91	33.24	68.20	34.96	PASS	Horizontal	PK
5	34912.5165	-16.27	50.51	34.24	68.20	33.96	PASS	Horizontal	PK
6	38682.5873	-13.68	46.76	33.08	68.20	35.12	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19188.0475	-26.07	61.02	34.95	74.00	39.05	PASS	Vertical	PK
2	22568.2627	-25.02	58.68	33.66	74.00	40.34	PASS	Vertical	PK
3	27000.12	-21.83	56.07	34.24	68.20	33.96	PASS	Vertical	PK
4	30909.2364	-19.47	54.39	34.92	68.20	33.28	PASS	Vertical	PK
5	34878.1951	-16.34	51.58	35.24	68.20	32.96	PASS	Vertical	PK
6	38429.1372	-13.59	45.52	31.93	68.20	36.27	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1505.3602	13.40	33.14	46.54	74.00	27.46	PASS	Horizontal	PK
2	2831.7933	17.51	33.85	51.36	74.00	22.64	PASS	Horizontal	PK
3	3910.9364	21.14	32.69	53.83	74.00	20.17	PASS	Horizontal	PK
4	5047.9419	25.02	32.37	57.39	74.00	16.61	PASS	Horizontal	PK
5	11990.7796	3.25	52.79	56.04	74.00	17.96	PASS	Horizontal	PK
6	15907.8363	10.09	51.78	61.87	74.00	12.13	PASS	Horizontal	PK
7	5007.4603	24.87	10.39	35.26	54.00	18.74	PASS	Horizontal	AV
8	11974.219	3.01	41.11	44.12	54.00	9.88	PASS	Horizontal	AV
9	15898.6359	10.12	39.88	50.00	54.00	4.00	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.9215	13.62	33.00	46.62	74.00	27.38	PASS	Vertical	PK
2	2847.6339	17.55	33.49	51.04	74.00	22.96	PASS	Vertical	PK
3	4061.2024	21.60	31.42	53.02	74.00	20.98	PASS	Vertical	PK
4	4984.7994	24.64	33.63	58.27	74.00	15.73	PASS	Vertical	PK
5	11489.8196	2.59	55.26	57.85	74.00	16.15	PASS	Vertical	PK
6	15910.5964	10.07	51.33	61.40	74.00	12.60	PASS	Vertical	PK
7	5013.8406	24.88	10.35	35.23	54.00	18.77	PASS	Vertical	AV
8	11488.4395	2.58	43.83	46.41	54.00	7.59	PASS	Vertical	AV
9	15898.6359	10.12	39.72	49.84	54.00	4.16	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19045.4818	-26.22	61.18	34.96	74.00	39.04	PASS	Horizontal	PK
2	22368.4947	-25.15	58.97	33.82	74.00	40.18	PASS	Horizontal	PK
3	28248.0099	-21.35	57.05	35.70	68.20	32.50	PASS	Horizontal	PK
4	33117.2447	-18.45	52.05	33.60	68.20	34.60	PASS	Horizontal	PK
5	35864.7146	-16.91	48.86	31.95	68.20	36.25	PASS	Horizontal	PK
6	38381.6153	-13.57	44.80	31.23	68.20	36.97	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19820.7928	-25.17	59.42	34.25	74.00	39.75	PASS	Vertical	PK
2	22599.944	-25.00	58.03	33.03	74.00	40.97	PASS	Vertical	PK
3	26094.5638	-21.12	56.42	35.30	68.20	32.90	PASS	Vertical	PK
4	30096.9639	-21.20	55.73	34.53	68.20	33.67	PASS	Vertical	PK
5	33250.13	-18.21	52.51	34.30	68.20	33.90	PASS	Vertical	PK
6	36552.0221	-15.98	48.37	32.39	68.20	35.81	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1543.8618	13.65	33.57	47.22	74.00	26.78	PASS	Horizontal	PK
2	2863.9146	17.56	33.47	51.03	74.00	22.97	PASS	Horizontal	PK
3	3961.9785	21.44	31.50	52.94	74.00	21.06	PASS	Horizontal	PK
4	5009.4404	24.92	32.88	57.80	74.00	16.20	PASS	Horizontal	PK
5	11833.4533	2.82	54.67	57.49	74.00	16.51	PASS	Horizontal	PK
6	15907.8363	10.09	51.27	61.36	74.00	12.64	PASS	Horizontal	PK
7	5010.7604	24.92	10.15	35.07	54.00	18.93	PASS	Horizontal	AV
8	11846.7939	3.06	41.14	44.20	54.00	9.80	PASS	Horizontal	AV
9	15911.0564	10.07	39.59	49.66	54.00	4.34	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1552.0021	13.67	33.17	46.84	74.00	27.16	PASS	Vertical	PK
2	2812.2125	17.36	33.28	50.64	74.00	23.36	PASS	Vertical	PK
3	4045.8018	21.62	30.75	52.37	74.00	21.63	PASS	Vertical	PK
4	5023.0809	24.85	32.83	57.68	74.00	16.32	PASS	Vertical	PK
5	12548.782	5.08	53.21	58.29	74.00	15.71	PASS	Vertical	PK
6	15902.3161	10.11	51.94	62.05	74.00	11.95	PASS	Vertical	PK
7	5009.6604	24.92	10.10	35.02	54.00	18.98	PASS	Vertical	AV
8	12500.48	4.51	40.84	45.35	54.00	8.65	PASS	Vertical	AV
9	15891.7357	10.06	40.09	50.15	54.00	3.85	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19482.8593	-25.60	60.67	35.07	74.00	38.93	PASS	Horizontal	PK
2	22829.6332	-25.14	58.27	33.13	74.00	40.87	PASS	Horizontal	PK
3	26156.1662	-21.26	56.59	35.33	68.20	32.87	PASS	Horizontal	PK
4	30640.8256	-20.39	54.28	33.89	68.20	34.31	PASS	Horizontal	PK
5	34235.7694	-17.36	50.03	32.67	68.20	35.53	PASS	Horizontal	PK
6	37566.7027	-15.01	47.78	32.77	68.20	35.43	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19424.777	-25.62	60.43	34.81	74.00	39.19	PASS	Vertical	PK
2	22483.7794	-25.06	58.79	33.73	74.00	40.27	PASS	Vertical	PK
3	26579.4632	-21.11	56.35	35.24	68.20	32.96	PASS	Vertical	PK
4	30882.8353	-19.51	54.69	35.18	68.20	33.02	PASS	Vertical	PK
5	34178.5671	-17.45	50.38	32.93	68.20	35.27	PASS	Vertical	PK
6	38056.0022	-14.77	47.24	32.47	68.20	35.73	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1515.0406	13.41	33.28	46.69	74.00	27.31	PASS	Horizontal	PK
2	2795.4918	17.30	34.07	51.37	74.00	22.63	PASS	Horizontal	PK
3	3899.276	21.08	32.11	53.19	74.00	20.81	PASS	Horizontal	PK
4	5029.0212	24.94	31.90	56.84	74.00	17.16	PASS	Horizontal	PK
5	11934.1974	2.79	53.27	56.06	74.00	17.94	PASS	Horizontal	PK
6	15901.8561	10.12	51.76	61.88	74.00	12.12	PASS	Horizontal	PK
7	5001.7401	24.74	10.42	35.16	54.00	18.84	PASS	Horizontal	AV
8	11844.0338	3.01	41.38	44.39	54.00	9.61	PASS	Horizontal	AV
9	15906.9163	10.09	39.72	49.81	54.00	4.19	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1534.4014	13.60	32.72	46.32	74.00	27.68	PASS	Vertical	PK
2	2841.9137	17.73	33.70	51.43	74.00	22.57	PASS	Vertical	PK
3	3948.1179	21.53	31.37	52.90	74.00	21.10	PASS	Vertical	PK
4	5015.1606	24.86	32.78	57.64	74.00	16.36	PASS	Vertical	PK
5	11953.5181	2.72	53.56	56.28	74.00	17.72	PASS	Vertical	PK
6	15886.2154	10.02	50.83	60.85	74.00	13.15	PASS	Vertical	PK
7	5008.3403	24.90	10.15	35.05	54.00	18.95	PASS	Vertical	AV
8	11984.7994	3.17	41.07	44.24	54.00	9.76	PASS	Vertical	AV
9	15900.936	10.12	39.52	49.64	54.00	4.36	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19379.0152	-25.66	59.81	34.15	74.00	39.85	PASS	Horizontal	PK
2	23809.1124	-22.32	57.27	34.95	74.00	39.05	PASS	Horizontal	PK
3	27618.7848	-21.52	56.30	34.78	68.20	33.42	PASS	Horizontal	PK
4	31348.3739	-19.80	53.46	33.66	74.00	40.34	PASS	Horizontal	PK
5	35164.2066	-15.93	48.52	32.59	68.20	35.61	PASS	Horizontal	PK
6	38946.5979	-12.96	45.36	32.40	68.20	35.80	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19071.8829	-26.20	60.64	34.44	74.00	39.56	PASS	Vertical	PK
2	22559.4624	-25.02	58.47	33.45	74.00	40.55	PASS	Vertical	PK
3	25602.6241	-20.71	56.03	35.32	68.20	32.88	PASS	Vertical	PK
4	29693.9078	-20.78	56.46	35.68	68.20	32.52	PASS	Vertical	PK
5	33418.2167	-18.07	51.66	33.59	68.20	34.61	PASS	Vertical	PK
6	38635.9454	-13.86	46.37	32.51	68.20	35.69	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.7219	13.66	32.46	46.12	74.00	27.88	PASS	Horizontal	PK
2	2793.0717	17.31	32.98	50.29	74.00	23.71	PASS	Horizontal	PK
3	3943.4977	21.59	31.83	53.42	74.00	20.58	PASS	Horizontal	PK
4	5068.1827	24.97	32.64	57.61	74.00	16.39	PASS	Horizontal	PK
5	11855.5342	3.10	52.93	56.03	74.00	17.97	PASS	Horizontal	PK
6	15924.857	9.99	51.80	61.79	74.00	12.21	PASS	Horizontal	PK
7	5009.8804	24.93	10.35	35.28	54.00	18.72	PASS	Horizontal	AV
8	11845.8738	3.04	41.44	44.48	54.00	9.52	PASS	Horizontal	AV
9	15906.4563	10.10	39.70	49.80	54.00	4.20	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1538.5815	13.63	32.43	46.06	74.00	27.94	PASS	Vertical	PK
2	2795.0518	17.30	33.23	50.53	74.00	23.47	PASS	Vertical	PK
3	4039.2016	21.61	32.70	54.31	74.00	19.69	PASS	Vertical	PK
4	5014.5006	24.87	33.78	58.65	74.00	15.35	PASS	Vertical	PK
5	11982.0393	3.13	52.81	55.94	74.00	18.06	PASS	Vertical	PK
6	15879.3152	9.96	50.96	60.92	74.00	13.08	PASS	Vertical	PK
7	5007.9003	24.89	10.17	35.06	54.00	18.94	PASS	Vertical	AV
8	11986.1794	3.19	41.03	44.22	54.00	9.78	PASS	Vertical	AV
9	15898.6359	10.12	39.61	49.73	54.00	4.27	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19015.5606	-26.26	60.69	34.43	74.00	39.57	PASS	Horizontal	PK
2	21909.1164	-25.68	58.69	33.01	68.20	35.19	PASS	Horizontal	PK
3	25783.0313	-20.81	56.54	35.73	68.20	32.47	PASS	Horizontal	PK
4	30470.0988	-20.42	55.44	35.02	68.20	33.18	PASS	Horizontal	PK
5	34145.1258	-17.53	50.82	33.29	68.20	34.91	PASS	Horizontal	PK
6	38949.238	-12.96	46.54	33.58	68.20	34.62	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19775.031	-25.27	59.52	34.25	74.00	39.75	PASS	Vertical	PK
2	23318.9328	-23.85	57.96	34.11	68.20	34.09	PASS	Vertical	PK
3	27155.8862	-21.90	56.21	34.31	68.20	33.89	PASS	Vertical	PK
4	31637.9055	-19.68	53.35	33.67	74.00	40.33	PASS	Vertical	PK
5	35464.2986	-16.11	49.41	33.30	68.20	34.90	PASS	Vertical	PK
6	38638.5855	-13.85	46.01	32.16	68.20	36.04	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1485.7794	13.28	32.58	45.86	74.00	28.14	PASS	Horizontal	PK
2	2815.2926	17.31	33.37	50.68	74.00	23.32	PASS	Horizontal	PK
3	3940.1976	21.63	30.83	52.46	74.00	21.54	PASS	Horizontal	PK
4	5017.5807	24.84	32.19	57.03	74.00	16.97	PASS	Horizontal	PK
5	11943.3977	2.73	53.23	55.96	74.00	18.04	PASS	Horizontal	PK
6	15880.2352	9.96	51.45	61.41	74.00	12.59	PASS	Horizontal	PK
7	5004.6002	24.81	10.14	34.95	54.00	19.05	PASS	Horizontal	AV
8	11842.1937	2.98	41.44	44.42	54.00	9.58	PASS	Horizontal	AV
9	15895.4158	10.10	39.57	49.67	54.00	4.33	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.0415	13.61	32.72	46.33	74.00	27.67	PASS	Vertical	PK
2	2848.954	17.50	33.44	50.94	74.00	23.06	PASS	Vertical	PK
3	4193.2077	22.20	30.31	52.51	74.00	21.49	PASS	Vertical	PK
4	5000.42	24.71	32.27	56.98	74.00	17.02	PASS	Vertical	PK
5	11886.8155	3.07	52.79	55.86	74.00	18.14	PASS	Vertical	PK
6	15897.2559	10.11	51.12	61.23	74.00	12.77	PASS	Vertical	PK
7	5008.1203	24.89	10.12	35.01	54.00	18.99	PASS	Vertical	AV
8	11842.1937	2.98	41.45	44.43	54.00	9.57	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20081.2833	-24.98	60.94	35.96	74.00	38.04	PASS	Horizontal	PK
2	24283.4513	-22.24	56.16	33.92	68.20	34.28	PASS	Horizontal	PK
3	28246.2498	-21.35	56.53	35.18	68.20	33.02	PASS	Horizontal	PK
4	31771.6709	-19.86	53.91	34.05	74.00	39.95	PASS	Horizontal	PK
5	35400.056	-16.09	48.96	32.87	68.20	35.33	PASS	Horizontal	PK
6	38523.3009	-13.81	46.41	32.60	68.20	35.60	PASS	Horizontal	PK