


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19158.1263	-26.11	60.23	34.12	74.00	39.88	PASS	Vertical	PK
2	22729.3092	-25.03	58.60	33.57	74.00	40.43	PASS	Vertical	PK
3	25286.6915	-21.21	56.23	35.02	68.20	33.18	PASS	Vertical	PK
4	27453.3381	-21.62	56.37	34.75	68.20	33.45	PASS	Vertical	PK
5	31351.014	-19.80	54.07	34.27	74.00	39.73	PASS	Vertical	PK
6	36588.9836	-15.81	48.44	32.63	68.20	35.57	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1535.9414	13.61	32.53	46.14	74.00	27.86	PASS	Horizontal	PK
2	2822.7729	17.30	33.75	51.05	74.00	22.95	PASS	Horizontal	PK
3	3813.4725	20.72	32.60	53.32	74.00	20.68	PASS	Horizontal	PK
4	5039.5816	24.97	32.27	57.24	74.00	16.76	PASS	Horizontal	PK
5	11809.0724	2.39	53.86	56.25	74.00	17.75	PASS	Horizontal	PK
6	15903.2361	10.11	50.79	60.90	74.00	13.10	PASS	Horizontal	PK
7	5010.7604	24.92	10.26	35.18	54.00	18.82	PASS	Horizontal	AV
8	11841.7337	2.97	41.39	44.36	54.00	9.64	PASS	Horizontal	AV
9	15895.8758	10.10	39.98	50.08	54.00	3.92	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1545.4018	13.65	33.78	47.43	74.00	26.57	PASS	Vertical	PK
2	2826.7331	17.38	33.63	51.01	74.00	22.99	PASS	Vertical	PK
3	3957.5783	21.50	30.95	52.45	74.00	21.55	PASS	Vertical	PK
4	5003.9402	24.79	32.41	57.20	74.00	16.80	PASS	Vertical	PK
5	11814.1326	2.48	53.75	56.23	74.00	17.77	PASS	Vertical	PK
6	15914.7366	10.04	50.99	61.03	74.00	12.97	PASS	Vertical	PK
7	5005.7002	24.83	10.30	35.13	54.00	18.87	PASS	Vertical	AV
8	11880.3752	3.08	41.26	44.34	54.00	9.66	PASS	Vertical	AV
9	15897.2559	10.11	39.74	49.85	54.00	4.15	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18789.3916	-26.31	60.75	34.44	74.00	39.56	PASS	Horizontal	PK
2	21807.0323	-25.54	61.60	36.06	68.20	32.14	PASS	Horizontal	PK
3	25277.8911	-21.19	56.95	35.76	68.20	32.44	PASS	Horizontal	PK
4	29652.5461	-20.70	56.29	35.59	68.20	32.61	PASS	Horizontal	PK
5	33616.2246	-17.36	52.01	34.65	68.20	33.55	PASS	Horizontal	PK
6	37518.3007	-15.25	47.24	31.99	68.20	36.21	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19297.1719	-25.85	60.06	34.21	74.00	39.79	PASS	Vertical	PK
2	21987.4395	-25.79	59.79	34.00	68.20	34.20	PASS	Vertical	PK
3	23559.1824	-23.17	57.18	34.01	68.20	34.19	PASS	Vertical	PK
4	27688.3075	-21.34	56.60	35.26	68.20	32.94	PASS	Vertical	PK
5	32472.1789	-18.36	54.06	35.70	68.20	32.50	PASS	Vertical	PK
6	37144.2858	-16.52	48.80	32.28	68.20	35.92	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1544.3018	13.65	32.68	46.33	74.00	27.67	PASS	Horizontal	PK
2	2847.4139	17.56	33.89	51.45	74.00	22.55	PASS	Horizontal	PK
3	3896.4159	21.09	32.04	53.13	74.00	20.87	PASS	Horizontal	PK
4	5004.8202	24.81	32.53	57.34	74.00	16.66	PASS	Horizontal	PK
5	11862.8945	3.10	52.89	55.99	74.00	18.01	PASS	Horizontal	PK
6	15895.8758	10.10	51.28	61.38	74.00	12.62	PASS	Horizontal	PK
7	5014.2806	24.88	10.22	35.10	54.00	18.90	PASS	Horizontal	AV
8	11855.5342	3.10	41.23	44.33	54.00	9.67	PASS	Horizontal	AV
9	15894.4958	10.08	39.57	49.65	54.00	4.35	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1549.142	13.66	32.76	46.42	74.00	27.58	PASS	Vertical	PK
2	2796.5919	17.29	33.27	50.56	74.00	23.44	PASS	Vertical	PK
3	3945.0378	21.56	31.49	53.05	74.00	20.95	PASS	Vertical	PK
4	5009.6604	24.92	32.79	57.71	74.00	16.29	PASS	Vertical	PK
5	12350.974	4.74	53.07	57.81	74.00	16.19	PASS	Vertical	PK
6	15923.937	9.99	51.17	61.16	74.00	12.84	PASS	Vertical	PK
7	5008.7804	24.90	10.17	35.07	54.00	18.93	PASS	Vertical	AV
8	12363.3945	4.58	40.20	44.78	54.00	9.22	PASS	Vertical	AV
9	15900.016	10.13	39.76	49.89	54.00	4.11	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19314.7726	-25.81	60.37	34.56	74.00	39.44	PASS	Horizontal	PK
2	22440.6576	-25.08	58.57	33.49	74.00	40.51	PASS	Horizontal	PK
3	26942.9177	-21.75	56.58	34.83	68.20	33.37	PASS	Horizontal	PK
4	30570.4228	-20.55	54.78	34.23	68.20	33.97	PASS	Horizontal	PK
5	34965.3186	-16.17	49.97	33.80	68.20	34.40	PASS	Horizontal	PK
6	38015.5206	-14.96	47.69	32.73	68.20	35.47	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19621.0248	-25.56	60.01	34.45	74.00	39.55	PASS	Vertical	PK
2	22188.0875	-25.43	58.63	33.20	74.00	40.80	PASS	Vertical	PK
3	25973.999	-20.89	55.60	34.71	68.20	33.49	PASS	Vertical	PK
4	29623.5049	-20.64	56.51	35.87	68.20	32.33	PASS	Vertical	PK
5	32377.1351	-18.17	53.38	35.21	68.20	32.99	PASS	Vertical	PK
6	36734.1894	-16.51	49.36	32.85	68.20	35.35	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1541.8817	13.64	32.52	46.16	74.00	27.84	PASS	Horizontal	PK
2	2849.394	17.49	33.19	50.68	74.00	23.32	PASS	Horizontal	PK
3	3950.758	21.50	31.73	53.23	74.00	20.77	PASS	Horizontal	PK
4	5000.2	24.70	32.64	57.34	74.00	16.66	PASS	Horizontal	PK
5	11850.014	3.11	52.95	56.06	74.00	17.94	PASS	Horizontal	PK
6	15900.016	10.13	51.90	62.03	74.00	11.97	PASS	Horizontal	PK
7	5027.2611	24.90	10.32	35.22	54.00	18.78	PASS	Horizontal	AV
8	11989.8596	3.24	41.10	44.34	54.00	9.66	PASS	Horizontal	AV
9	15893.5757	10.07	39.67	49.74	54.00	4.26	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1559.4824	13.70	32.66	46.36	74.00	27.64	PASS	Vertical	PK
2	2820.3528	17.25	34.10	51.35	74.00	22.65	PASS	Vertical	PK
3	4046.0218	21.62	31.29	52.91	74.00	21.09	PASS	Vertical	PK
4	5004.3802	24.80	32.47	57.27	74.00	16.73	PASS	Vertical	PK
5	12353.2741	4.71	51.37	56.08	74.00	17.92	PASS	Vertical	PK
6	15892.6557	10.07	51.24	61.31	74.00	12.69	PASS	Vertical	PK
7	5014.9406	24.87	10.21	35.08	54.00	18.92	PASS	Vertical	AV
8	12503.2401	4.54	40.67	45.21	54.00	8.79	PASS	Vertical	AV
9	15905.9962	10.10	39.58	49.68	54.00	4.32	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19100.044	-26.16	61.04	34.88	74.00	39.12	PASS	Horizontal	PK
2	21843.9938	-25.59	59.28	33.69	68.20	34.51	PASS	Horizontal	PK
3	25971.3589	-20.89	55.72	34.83	68.20	33.37	PASS	Horizontal	PK
4	30419.9368	-20.35	55.27	34.92	68.20	33.28	PASS	Horizontal	PK
5	35049.802	-16.05	49.74	33.69	68.20	34.51	PASS	Horizontal	PK
6	38658.8264	-13.77	46.66	32.89	68.20	35.31	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19027.8811	-26.24	60.60	34.36	74.00	39.64	PASS	Vertical	PK
2	22444.1778	-25.07	60.10	35.03	74.00	38.97	PASS	Vertical	PK
3	25806.7923	-20.82	56.38	35.56	68.20	32.64	PASS	Vertical	PK
4	28959.9584	-21.34	56.04	34.70	68.20	33.50	PASS	Vertical	PK
5	32392.9757	-18.07	53.75	35.68	68.20	32.52	PASS	Vertical	PK
6	38510.1004	-13.78	46.38	32.60	68.20	35.60	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1548.4819	13.66	32.25	45.91	74.00	28.09	PASS	Horizontal	PK
2	2807.5923	17.37	33.28	50.65	74.00	23.35	PASS	Horizontal	PK
3	4085.6234	21.87	31.54	53.41	74.00	20.59	PASS	Horizontal	PK
4	5004.1602	24.80	32.30	57.10	74.00	16.90	PASS	Horizontal	PK
5	11938.3375	2.76	53.44	56.20	74.00	17.80	PASS	Horizontal	PK
6	15883.9154	9.99	51.19	61.18	74.00	12.82	PASS	Horizontal	PK
7	5009.2204	24.91	10.45	35.36	54.00	18.64	PASS	Horizontal	AV
8	11843.5737	3.00	41.29	44.29	54.00	9.71	PASS	Horizontal	AV
9	15896.3359	10.10	39.73	49.83	54.00	4.17	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1541.4417	13.64	32.91	46.55	74.00	27.45	PASS	Vertical	PK
2	2795.7118	17.30	33.33	50.63	74.00	23.37	PASS	Vertical	PK
3	4039.6416	21.62	31.69	53.31	74.00	20.69	PASS	Vertical	PK
4	5058.9424	25.11	32.29	57.40	74.00	16.60	PASS	Vertical	PK
5	12001.3601	3.40	52.52	55.92	74.00	18.08	PASS	Vertical	PK
6	15893.1157	10.07	51.12	61.19	74.00	12.81	PASS	Vertical	PK
7	5027.2611	24.90	10.28	35.18	54.00	18.82	PASS	Vertical	AV
8	11856.9143	3.10	41.22	44.32	54.00	9.68	PASS	Vertical	AV
9	15905.0762	10.11	39.71	49.82	54.00	4.18	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19139.6456	-26.12	60.69	34.57	74.00	39.43	PASS	Horizontal	PK
2	22855.1542	-25.23	58.27	33.04	74.00	40.96	PASS	Horizontal	PK
3	26572.4229	-21.11	55.96	34.85	68.20	33.35	PASS	Horizontal	PK
4	30480.6592	-20.44	54.96	34.52	68.20	33.68	PASS	Horizontal	PK
5	33422.6169	-18.05	51.86	33.81	68.20	34.39	PASS	Horizontal	PK
6	36633.8654	-15.94	49.34	33.40	68.20	34.80	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20186.0074	-25.45	58.98	33.53	74.00	40.47	PASS	Vertical	PK
2	23741.3497	-22.54	57.61	35.07	74.00	38.93	PASS	Vertical	PK
3	27348.6139	-21.71	56.26	34.55	68.20	33.65	PASS	Vertical	PK
4	30915.3966	-19.46	54.88	35.42	68.20	32.78	PASS	Vertical	PK
5	34610.6644	-16.11	48.92	32.81	68.20	35.39	PASS	Vertical	PK
6	38937.7975	-12.98	45.43	32.45	68.20	35.75	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1570.2628	13.65	32.85	46.50	74.00	27.50	PASS	Horizontal	PK
2	2852.4741	17.48	33.47	50.95	74.00	23.05	PASS	Horizontal	PK
3	3900.156	21.07	32.69	53.76	74.00	20.24	PASS	Horizontal	PK
4	5005.7002	24.83	32.83	57.66	74.00	16.34	PASS	Horizontal	PK
5	11863.3545	3.10	53.93	57.03	74.00	16.97	PASS	Horizontal	PK
6	15896.7959	10.11	52.82	62.93	74.00	11.07	PASS	Horizontal	PK
7	5004.6002	24.81	10.38	35.19	54.00	18.81	PASS	Horizontal	AV
8	11856.4543	3.10	41.17	44.27	54.00	9.73	PASS	Horizontal	AV
9	15895.8758	10.10	39.75	49.85	54.00	4.15	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1543.2017	13.65	33.37	47.02	74.00	26.98	PASS	Vertical	PK
2	2806.7123	17.36	33.91	51.27	74.00	22.73	PASS	Vertical	PK
3	3955.1582	21.49	33.11	54.60	74.00	19.40	PASS	Vertical	PK
4	5013.1805	24.89	32.99	57.88	74.00	16.12	PASS	Vertical	PK
5	12005.0402	3.42	53.21	56.63	74.00	17.37	PASS	Vertical	PK
6	15892.1957	10.06	51.20	61.26	74.00	12.74	PASS	Vertical	PK
7	3954.4982	21.50	9.19	30.69	54.00	23.31	PASS	Vertical	AV
8	5002.8401	24.77	10.41	35.18	54.00	18.82	PASS	Vertical	AV
9	11833.4533	2.82	41.69	44.51	54.00	9.49	PASS	Vertical	AV
10	15899.556	10.13	39.61	49.74	54.00	4.26	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18781.4713	-26.33	61.22	34.89	74.00	39.11	PASS	Horizontal	PK
2	22104.4842	-25.60	58.96	33.36	74.00	40.64	PASS	Horizontal	PK
3	26160.5664	-21.27	56.34	35.07	68.20	33.13	PASS	Horizontal	PK
4	30617.9447	-20.50	54.60	34.10	68.20	34.10	PASS	Horizontal	PK
5	34901.076	-16.29	49.84	33.55	68.20	34.65	PASS	Horizontal	PK
6	38657.0663	-13.78	46.47	32.69	68.20	35.51	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19591.9837	-25.59	59.80	34.21	74.00	39.79	PASS	Vertical	PK
2	23102.4441	-24.96	58.34	33.38	74.00	40.62	PASS	Vertical	PK
3	27119.8048	-21.88	56.05	34.17	68.20	34.03	PASS	Vertical	PK
4	30982.2793	-19.36	54.60	35.24	68.20	32.96	PASS	Vertical	PK
5	34866.7547	-16.36	49.83	33.47	68.20	34.73	PASS	Vertical	PK
6	38012.0005	-14.98	47.61	32.63	68.20	35.57	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1548.2619	13.66	33.43	47.09	74.00	26.91	PASS	Horizontal	PK
2	2843.4537	17.68	32.52	50.20	74.00	23.80	PASS	Horizontal	PK
3	3959.3384	21.49	31.88	53.37	74.00	20.63	PASS	Horizontal	PK
4	5001.7401	24.74	34.75	59.49	74.00	14.51	PASS	Horizontal	PK
5	11896.9359	3.06	53.59	56.65	74.00	17.35	PASS	Horizontal	PK
6	15905.9962	10.10	51.40	61.50	74.00	12.50	PASS	Horizontal	PK
7	5028.3611	24.93	10.12	35.05	54.00	18.95	PASS	Horizontal	AV
8	11847.2539	3.06	41.29	44.35	54.00	9.65	PASS	Horizontal	AV
9	15894.0358	10.08	39.66	49.74	54.00	4.26	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.4815	13.61	32.70	46.31	74.00	27.69	PASS	Vertical	PK
2	2810.6724	17.39	33.37	50.76	74.00	23.24	PASS	Vertical	PK
3	3912.4765	21.14	31.96	53.10	74.00	20.90	PASS	Vertical	PK
4	5031.4413	24.95	32.35	57.30	74.00	16.70	PASS	Vertical	PK
5	11292.0117	2.40	53.91	56.31	74.00	17.69	PASS	Vertical	PK
6	15892.1957	10.06	51.44	61.50	74.00	12.50	PASS	Vertical	PK
7	5017.3607	24.83	10.15	34.98	54.00	19.02	PASS	Vertical	AV
8	11276.8311	2.42	41.21	43.63	54.00	10.37	PASS	Vertical	AV
9	15922.0969	10.00	39.81	49.81	54.00	4.19	PASS	Vertical	AV