


Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18884.4354	-26.28	60.86	34.58	74.00	39.42	PASS	Horizontal	PK
2	22260.2504	-25.31	58.91	33.60	74.00	40.40	PASS	Horizontal	PK
3	25708.2283	-20.77	55.89	35.12	68.20	33.08	PASS	Horizontal	PK
4	29548.7019	-20.78	55.42	34.64	68.20	33.56	PASS	Horizontal	PK
5	33588.9436	-17.37	50.86	33.49	68.20	34.71	PASS	Horizontal	PK
6	38723.0689	-13.52	45.91	32.39	68.20	35.81	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19434.4574	-25.61	59.87	34.26	74.00	39.74	PASS	Vertical	PK
2	22417.7767	-25.09	58.55	33.46	74.00	40.54	PASS	Vertical	PK
3	26075.203	-21.07	56.24	35.17	68.20	33.03	PASS	Vertical	PK
4	28708.2683	-21.69	57.64	35.95	68.20	32.25	PASS	Vertical	PK
5	33460.4584	-17.89	52.41	34.52	68.20	33.68	PASS	Vertical	PK
6	38915.7966	-13.01	45.40	32.39	68.20	35.81	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1507.5603	13.39	33.51	46.90	74.00	27.10	PASS	Horizontal	PK
2	2812.6525	17.35	32.81	50.16	74.00	23.84	PASS	Horizontal	PK
3	3937.7775	21.60	30.81	52.41	74.00	21.59	PASS	Horizontal	PK
4	5069.5028	24.94	33.35	58.29	74.00	15.71	PASS	Horizontal	PK
5	11811.8325	2.44	54.21	56.65	74.00	17.35	PASS	Horizontal	PK
6	15884.3754	9.99	51.67	61.66	74.00	12.34	PASS	Horizontal	PK
7	5007.6803	24.88	10.12	35.00	54.00	19.00	PASS	Horizontal	AV
8	11904.2962	3.02	41.34	44.36	54.00	9.64	PASS	Horizontal	AV
9	15890.3556	10.05	39.82	49.87	54.00	4.13	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1555.0822	13.69	32.28	45.97	74.00	28.03	PASS	Vertical	PK
2	2826.5131	17.37	33.93	51.30	74.00	22.70	PASS	Vertical	PK
3	4180.8872	22.29	31.35	53.64	74.00	20.36	PASS	Vertical	PK
4	5028.3611	24.93	32.17	57.10	74.00	16.90	PASS	Vertical	PK
5	11965.0186	2.89	52.42	55.31	74.00	18.69	PASS	Vertical	PK
6	15900.476	10.13	51.15	61.28	74.00	12.72	PASS	Vertical	PK
7	5003.9402	24.79	10.58	35.37	54.00	18.63	PASS	Vertical	AV
8	11845.4138	3.03	41.25	44.28	54.00	9.72	PASS	Vertical	AV
9	15894.0358	10.08	39.62	49.70	54.00	4.30	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19974.799	-24.70	60.14	35.44	74.00	38.56	PASS	Horizontal	PK
2	22840.1936	-25.18	57.70	32.52	74.00	41.48	PASS	Horizontal	PK
3	26077.8431	-21.08	56.76	35.68	68.20	32.52	PASS	Horizontal	PK
4	30398.816	-20.34	55.56	35.22	68.20	32.98	PASS	Horizontal	PK
5	33390.9356	-18.15	52.13	33.98	68.20	34.22	PASS	Horizontal	PK
6	37585.1834	-14.92	48.36	33.44	68.20	34.76	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19650.066	-25.50	60.35	34.85	74.00	39.15	PASS	Vertical	PK
2	22400.176	-25.10	58.51	33.41	74.00	40.59	PASS	Vertical	PK
3	25917.6767	-20.87	55.99	35.12	68.20	33.08	PASS	Vertical	PK
4	30406.7363	-20.34	54.98	34.64	68.20	33.56	PASS	Vertical	PK
5	34386.2554	-17.22	50.18	32.96	68.20	35.24	PASS	Vertical	PK
6	38681.7073	-13.69	46.53	32.84	68.20	35.36	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1537.4815	13.61	32.91	46.52	74.00	27.48	PASS	Horizontal	PK
2	2849.174	17.50	33.38	50.88	74.00	23.12	PASS	Horizontal	PK
3	3905.8762	21.11	31.96	53.07	74.00	20.93	PASS	Horizontal	PK
4	4987.6595	24.66	32.94	57.60	74.00	16.40	PASS	Horizontal	PK
5	11896.0158	3.07	52.74	55.81	74.00	18.19	PASS	Horizontal	PK
6	15900.016	10.13	51.44	61.57	74.00	12.43	PASS	Horizontal	PK
7	5011.2004	24.91	10.17	35.08	54.00	18.92	PASS	Horizontal	AV
8	11967.3187	2.92	41.39	44.31	54.00	9.69	PASS	Horizontal	AV
9	15908.2963	10.09	39.62	49.71	54.00	4.29	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1567.8427	13.66	32.95	46.61	74.00	27.39	PASS	Vertical	PK
2	2826.073	17.37	34.03	51.40	74.00	22.60	PASS	Vertical	PK
3	3952.2981	21.50	31.74	53.24	74.00	20.76	PASS	Vertical	PK
4	4999.1	24.70	34.73	59.43	74.00	14.57	PASS	Vertical	PK
5	11968.6987	2.94	53.59	56.53	74.00	17.47	PASS	Vertical	PK
6	15908.2963	10.09	51.24	61.33	74.00	12.67	PASS	Vertical	PK
7	5003.5001	24.78	10.62	35.40	54.00	18.60	PASS	Vertical	AV
8	11986.1794	3.19	41.13	44.32	54.00	9.68	PASS	Vertical	AV
9	15905.9962	10.10	39.71	49.81	54.00	4.19	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19174.847	-26.09	60.65	34.56	74.00	39.44	PASS	Horizontal	PK
2	22590.2636	-25.01	58.27	33.26	74.00	40.74	PASS	Horizontal	PK
3	26226.5691	-21.34	56.05	34.71	68.20	33.49	PASS	Horizontal	PK
4	29943.8378	-21.04	54.83	33.79	68.20	34.41	PASS	Horizontal	PK
5	33715.6686	-17.60	50.38	32.78	68.20	35.42	PASS	Horizontal	PK
6	38110.5644	-14.52	46.55	32.03	68.20	36.17	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19553.2621	-25.60	59.76	34.16	74.00	39.84	PASS	Vertical	PK
2	22413.3765	-25.09	59.41	34.32	74.00	39.68	PASS	Vertical	PK
3	27360.0544	-21.70	56.22	34.52	68.20	33.68	PASS	Vertical	PK
4	30940.0376	-19.42	54.24	34.82	68.20	33.38	PASS	Vertical	PK
5	35025.161	-16.08	49.39	33.31	68.20	34.89	PASS	Vertical	PK
6	38892.0357	-13.06	46.70	33.64	68.20	34.56	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1531.1012	13.57	33.08	46.65	74.00	27.35	PASS	Horizontal	PK
2	2795.0518	17.30	33.73	51.03	74.00	22.97	PASS	Horizontal	PK
3	4060.9824	21.60	31.69	53.29	74.00	20.71	PASS	Horizontal	PK
4	5029.4612	24.94	32.90	57.84	74.00	16.16	PASS	Horizontal	PK
5	11886.8155	3.07	53.06	56.13	74.00	17.87	PASS	Horizontal	PK
6	15940.9576	9.90	51.11	61.01	74.00	12.99	PASS	Horizontal	PK
7	5004.3802	24.80	10.38	35.18	54.00	18.82	PASS	Horizontal	AV
8	11844.9538	3.02	41.35	44.37	54.00	9.63	PASS	Horizontal	AV
9	15894.0358	10.08	39.56	49.64	54.00	4.36	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1534.6214	13.60	32.86	46.46	74.00	27.54	PASS	Vertical	PK
2	2797.0319	17.30	33.56	50.86	74.00	23.14	PASS	Vertical	PK
3	3950.098	21.50	32.07	53.57	74.00	20.43	PASS	Vertical	PK
4	5029.2412	24.94	32.30	57.24	74.00	16.76	PASS	Vertical	PK
5	11807.6923	2.36	54.17	56.53	74.00	17.47	PASS	Vertical	PK
6	15878.3951	9.95	51.14	61.09	74.00	12.91	PASS	Vertical	PK
7	5012.3005	24.90	10.24	35.14	54.00	18.86	PASS	Vertical	AV
8	11848.6339	3.09	41.26	44.35	54.00	9.65	PASS	Vertical	AV
9	15893.5757	10.07	39.61	49.68	54.00	4.32	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19714.3086	-25.39	59.34	33.95	74.00	40.05	PASS	Horizontal	PK
2	22474.099	-25.07	58.42	33.35	74.00	40.65	PASS	Horizontal	PK
3	25656.3063	-20.74	55.42	34.68	68.20	33.52	PASS	Horizontal	PK
4	30434.8974	-20.37	55.52	35.15	68.20	33.05	PASS	Horizontal	PK
5	34616.8247	-16.12	49.26	33.14	68.20	35.06	PASS	Horizontal	PK
6	38430.0172	-13.60	46.23	32.63	68.20	35.57	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1566.5227	13.67	32.31	45.98	74.00	28.02	PASS	Horizontal	PK
2	2820.5728	17.25	34.32	51.57	74.00	22.43	PASS	Horizontal	PK
3	3957.1383	21.50	31.40	52.90	74.00	21.10	PASS	Horizontal	PK
4	5003.7201	24.79	33.11	57.90	74.00	16.10	PASS	Horizontal	PK
5	11988.9396	3.23	53.17	56.40	74.00	17.60	PASS	Horizontal	PK
6	15892.6557	10.07	51.36	61.43	74.00	12.57	PASS	Horizontal	PK
7	5004.3802	24.80	10.53	35.33	54.00	18.67	PASS	Horizontal	AV
8	11935.1174	2.79	41.50	44.29	54.00	9.71	PASS	Horizontal	AV
9	15904.1562	10.10	39.62	49.72	54.00	4.28	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1575.983	13.68	32.65	46.33	74.00	27.67	PASS	Vertical	PK
2	2813.0925	17.35	34.04	51.39	74.00	22.61	PASS	Vertical	PK
3	4164.6066	22.07	32.42	54.49	74.00	19.51	PASS	Vertical	PK
4	5011.2004	24.91	32.70	57.61	74.00	16.39	PASS	Vertical	PK
5	11903.3761	3.03	53.32	56.35	74.00	17.65	PASS	Vertical	PK
6	15908.2963	10.09	51.53	61.62	74.00	12.38	PASS	Vertical	PK
7	4140.4056	22.20	8.24	30.44	54.00	23.56	PASS	Vertical	AV
8	5014.9406	24.87	10.20	35.07	54.00	18.93	PASS	Vertical	AV
9	11839.4336	2.92	41.38	44.30	54.00	9.70	PASS	Vertical	AV
10	15917.0367	10.04	39.69	49.73	54.00	4.27	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19588.4635	-25.59	59.73	34.14	74.00	39.86	PASS	Vertical	PK
2	22629.8652	-25.01	58.12	33.11	74.00	40.89	PASS	Vertical	PK
3	26899.796	-21.69	57.05	35.36	68.20	32.84	PASS	Vertical	PK
4	31099.324	-19.68	54.15	34.47	68.20	33.73	PASS	Vertical	PK
5	36326.7331	-16.73	49.64	32.91	68.20	35.29	PASS	Vertical	PK
6	39970.9588	-12.51	43.29	30.78	68.20	37.42	PASS	Vertical	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1541.4417	13.64	33.25	46.89	74.00	27.11	PASS	Horizontal	PK
2	2711.8885	17.23	33.03	50.26	74.00	23.74	PASS	Horizontal	PK
3	3953.6181	21.50	31.13	52.63	74.00	21.37	PASS	Horizontal	PK
4	4998.2199	24.69	32.70	57.39	74.00	16.61	PASS	Horizontal	PK
5	11864.7346	3.10	52.86	55.96	74.00	18.04	PASS	Horizontal	PK
6	15894.0358	10.08	51.34	61.42	74.00	12.58	PASS	Horizontal	PK
7	5005.4802	24.83	10.39	35.22	54.00	18.78	PASS	Horizontal	AV
8	11856.9143	3.10	41.19	44.29	54.00	9.71	PASS	Horizontal	AV
9	15898.1759	10.12	39.87	49.99	54.00	4.01	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1531.1012	13.57	33.15	46.72	74.00	27.28	PASS	Vertical	PK
2	2811.1124	17.38	33.38	50.76	74.00	23.24	PASS	Vertical	PK
3	3955.3782	21.49	31.55	53.04	74.00	20.96	PASS	Vertical	PK
4	5015.8206	24.85	32.29	57.14	74.00	16.86	PASS	Vertical	PK
5	12007.8003	3.43	52.57	56.00	74.00	18.00	PASS	Vertical	PK
6	15892.6557	10.07	51.31	61.38	74.00	12.62	PASS	Vertical	PK
7	5017.8007	24.83	10.21	35.04	54.00	18.96	PASS	Vertical	AV
8	11982.0393	3.13	40.94	44.07	54.00	9.93	PASS	Vertical	AV
9	15902.3161	10.11	39.47	49.58	54.00	4.42	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19452.9381	-25.61	60.02	34.41	74.00	39.59	PASS	Horizontal	PK
2	22201.2881	-25.40	59.26	33.86	74.00	40.14	PASS	Horizontal	PK
3	25317.4927	-21.28	56.23	34.95	68.20	33.25	PASS	Horizontal	PK
4	29683.3473	-20.76	55.36	34.60	68.20	33.60	PASS	Horizontal	PK
5	33573.1029	-17.43	51.86	34.43	68.20	33.77	PASS	Horizontal	PK
6	37543.8218	-15.12	47.21	32.09	68.20	36.11	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/9/9


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20054.8822	-24.86	59.76	34.90	74.00	39.10	PASS	Vertical	PK
2	24023.841	-22.02	56.46	34.44	68.20	33.76	PASS	Vertical	PK
3	28402.0161	-21.50	55.62	34.12	68.20	34.08	PASS	Vertical	PK
4	31855.2742	-20.09	53.65	33.56	68.20	34.64	PASS	Vertical	PK
5	35043.6417	-16.06	49.50	33.44	68.20	34.76	PASS	Vertical	PK
6	38661.4665	-13.76	46.24	32.48	68.20	35.72	PASS	Vertical	PK

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/9/9

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1556.4023	13.69	33.23	46.92	74.00	27.08	PASS	Horizontal	PK
2	2842.5737	17.71	33.36	51.07	74.00	22.93	PASS	Horizontal	PK
3	3956.9183	21.50	31.85	53.35	74.00	20.65	PASS	Horizontal	PK
4	5009.6604	24.92	32.89	57.81	74.00	16.19	PASS	Horizontal	PK
5	11984.3394	3.16	52.58	55.74	74.00	18.26	PASS	Horizontal	PK
6	15927.1571	9.98	51.68	61.66	74.00	12.34	PASS	Horizontal	PK
7	5025.281	24.88	10.05	34.93	54.00	19.07	PASS	Horizontal	AV
8	11851.3941	3.11	41.28	44.39	54.00	9.61	PASS	Horizontal	AV
9	15902.3161	10.11	39.62	49.73	54.00	4.27	PASS	Horizontal	AV